

TIRE SERVICE

AutoZone
Tool & Equipment QUARTERLY

Alignment

HOFMANN



Geoliner 500 Imaging Alignment System

HOFEWA717ANB

- Compact Design Saves Shop Space
- Completely Portable from Bay to Bay
- Easy-to-Use Alignment Software
- Animated Adjustments Benefit Technicians
- OEM Software for Steering Angle Reset
- Made in the USA

Lift Gate Service
SKU 290017
HOFLIFTGATE **95⁰⁰**

***\$250 REBATE**
with Purchase of
HOFEWA717ANB

MORE ALIGNMENT EQUIPMENT AVAILABLE. CALL 1-877-AZTOOL1 FOR COMPLETE LISTING AND MORE DETAILS.

CALL TO ORDER
1-877-AZTool1
(1-877-298-6651)

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.

Tire Changers

- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator

Model 5045E Tire Changer

SKU 988894
AMM8047107 **3,499⁹⁹**

- Rim Diameter External: 10"-21"
- Rim Diameter Internal: 12"-24"
- Rim Width: 10.5" Max

Model 5035E Tire Changer

SKU 988892
AMM8047106 **3,429⁹⁹**

- Rim Diameter External: 12"-19" External
- Rim Diameter Internal: 15"-22" Internal
- Rim Width: 10" Max

Lift Gate Service
SKU 262529
AMMLIFTGATE **55⁰⁰**

INCLUDES
Manufacturer's
Set-Up and Training

Wheel Balancers

Model 775 Wheel Balancer

SKU 210246
AMM8500775 **3,249⁹⁹**

Model 875 Wheel Balancer

SKU 210248
AMM85008875 **4,314⁹⁹**



LOW PRICE!
NEW

Model 70X Rim Clamp Tire Changer with Robo-Arm®

SKU 979911 (Air) AMM80070XAF3
SKU 979917 (Electric) AMM80070XEF3

8,199⁹⁹ 8,199⁹⁹

- Robo-Arm™ Assists in Top Bead Mounting for Stiff Sidewalls, Low Profiles and Run Flat Tires

- Rim Diameter External: 6" to 22"
- Rim Diameter Internal: 8" to 24"
- Rim Width: 14" Max
- Bead Loosening: Hand or Foot Controlled

INCLUDES
Manufacturer's
Set-Up and Training

BONUS

28" Grip Max Clamps
for Rim Clamp
Tire Changers
with Purchase of
AMM80070XAF3 or
AMM80070XEF3

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.



Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

COATS

Model 1000 Wheel Balancer

SKU 212808
AMM85009045 **3,349⁹⁹**

Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

Tire Changers

Tilt Back 23" Capacity Tire Changer/ NextGen™ Series

SKU 980172
RANR23LT **1,889⁹⁹**

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included

Lift Gate Service
SKU 262533
RANLIFTGATE **135⁰⁰**



Tilt Back 23" Capacity Tire Changer NextGen™ Series with Single Assist Tower

SKU 980171
RANR23AT **2,769⁹⁹**

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included

Lift Gate Service
SKU 262533
RANLIFTGATE **135⁰⁰**



NextGen™ RimGuard™ 33" Double Bead Roller Power Assist Changer

SKU 312819
RANR30XLT **3,219⁹⁹**

- Wheel Clamping Method: 4 Internal / External Clamps
- Bead Breaking System: Pneumatic Blade
- Power Assist Towers: Integrated Center Post
- Powerful Bead Seating System: Turboblast / Bead Seating
- Internal Rim Clamping Capacity: 13" - 33" / 330 mm - 838 mm
- External Rim Clamping Capacity: 10" - 28" / 279 mm - 711 mm
- Turntable Tire Width Capacity Mount: 5" - 22" / 127 mm - 559 mm
- Bead Breaker Tire Width Capacity Demount: 3" - 15" / 76 mm - 381 mm
- Maximum Tire Diameter: 50" / 1,270 mm

Lift Gate Service
SKU 262533
RANLIFTGATE **135⁰⁰**



HOFMANN

1520 Tire Changer with 10"-20" Clamping

SKU 290001
HOFM1520110 **3,299⁹⁹**

- Overall Wheel Clamping Diameter 10" - 20"
- Inner-Wheel Clamping Diameter: 12" - 20"
- Outer-Wheel Clamping Diameter: 10" - 18"
- Bead Breaker Range: 2" - 13"
- Bead Loosening Power: 6,000 Lbs
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40"
- Work Area Dimensions: (DxWxH) 72"x68"x85"
- Air Requirements: 100 to 175 PSI @ 5 CFM
- Power Requirements: 120V, 1Ph, 60HZ

Lift Gate Service
SKU 290017
HOFLIFTGATE **95⁰⁰**



2350 Wheel Balancer With 10 Balancing Modes

SKU 290002
HOFEWB701D **3,099⁹⁹**

- Maximum Wheel Width: 21"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 48"
- Max Wheel & Tire Assembly Weight: 150 Lbs
- Motor: 1 HP
- Accuracy: 1g or 0.05 Oz
- Balancing Modes: 10
- Dimensions (DxWxH): 16.5"x29.5"x40"
- Power Requirements: 120V, 1Ph, 60HZ

Lift Gate Service
SKU 290017 HOFLIFTGATE **95⁰⁰**



EASY COMBO

Easy Combo Wheel Balancer + Tire Changer

SKU 080468
BOSF00E900832 **3,999⁹⁹**

- The Bosch Easy Combo is the Best Value on the Market
- Wheel Balancer Includes Standard Cone Set, Quicknut and 40 mm Shaft
- External Clamping: 10"-20" Internal Clamping: 12"-23"
- Six-months Parts Warranty 90 Days Labor
- Set up Provided by Bosch Representative

Lift Gate Service
SKU 298692
BOSLIFTGATE **50⁰⁰**



Setup & Training
Provided by
Factory
Representative

WE OFFER A FULL LINE OF BOSCH TIRE SERVICE. CALL 877-AZTOOL1 FOR PRICES.

**Delivery Included on
Tire Changers
and Wheel Balancers**



1-877-AZTool1 (1-877-298-6651) Hablamos Español

TOP SELLERS



NextGen™ RimGuard™ Swing-arm 25" Tire Changer

SKU 312817
RANR980XR **1,889⁹⁹**

- Drive System: Electric / Air
- Wheel Clamping Capacity: 4 Internal / External Clamps
- Tire Width: 3" to 22"
- Powerful Bead Seating System: TurboBlast
- Internal Rim Clamping Capacity: 11.5" - 24"
- External Rim Clamping Capacity: 10" - 22"
- Internal Rim Clamping Capacity: 13" - 25-1/2"
- External Rim Clamping Capacity: 11-1/2" - 23-1/2"

Dual Position Rim- Guard™ Wheel Clamps



Digital Wheel Balancer

SKU 977528
RANDST420 **1,599⁹⁹**

- Motor: 3/4 HP, 110v/220v 50/60hz 1 PH
- Balancing Modes: Dynamic/Static/ 3-Alloy
- Cycle Time: 6 to 9 Seconds
- Self Calibrating
- Max Tire Diameter: 47"/1194 mm
- Max Tire Weight: 145 Lbs
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz
- Accuracy: ± 1 gram / .035 Oz

Lift Gate Service
SKU 262533
RANLIFTGATE **135⁰⁰**

BASELINE™

BaseLine is the Ideal Tire Changer for a Low Volume Shop that is Looking for a Durable, Entry-level Changer to Change the Majority of OE Fitments.

- Includes Bead Sealing Jets to Aid in Inflation
- Access to Coats' Extensive Factory Authorized Service Network
- Assembled in the U.S.A.



BL225 ENTRY LEVEL Wheel Balancer

SKU 510978 AMM8500225
2,059⁹⁹

- Includes 40 mm Shaft, Wheel Calipers for Width Measurement, Durable Hub Nut, 3 Standard Cones (optional light truck cone available), Premium Wheel Weight Hammer, Small Pressure Cup and Rubber Lip and Spring

BaseLine Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.



BL400 Tire Changer with 21" External Clamping and Robo-Arm®

SKU 510998 AMM85002400
2,399⁹⁹

BL500 Tire Changer with 24" External Clamping and Robo-Arm®

SKU 509828 AMM85002500
2,599⁹⁹

User Setup Required
Service by Coats Service Partners Available

BL200 Value Series Tire Changer with 21" External Clamping

SKU 510977
AMM85607372
2,059⁹⁹

BL300 Tire Changer with 24" External Clamping Capacity

SKU 510997
AMM85002300
2,099⁹⁹

Wheel Weights

Starter Kits with Storage

Bench Top Rack with 1,000 Coated Steel Weight Assortment

SKU 383181
AMM5202125 **699⁹⁹**

- Louvered Rack Can be Placed on Top of Any Workbench
- Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, 5 Styles Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, 40 Plastic Bins: 8 Each of Yellow, Grey, Black, Red and Orange



Metal Floor Rack with 1,700 Steel Wheel Weight Assortment

SKU 383179
AMM5202075 **929⁹⁹**

- Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE, INFE



Tape-A-Weight Steel Wheel Weights Bulk Roll With Bracket

SKU 382828
AMM5280025 **129⁹⁹**

- Includes 700 .25 oz Segment Tape-a-Weight and Display Bracket

Tape-A-Weight Steel Wheel Weights

Bulk Roll Replacement Parts

SKU 382953
AMM528930025 **69⁹⁹**

- Includes Replenishment Box of 700 .25 oz Segment Tape-a-Weight
- No Rack

Weight Style	Weight Style
ALFE Steel	ENFE Steel
FNFE Steel	TFE Steel
LHFE Steel	MCFE Steel
IWFE Steel	PFE Steel
FNFE Steel	TFE Steel

AZ SKU NUMBER	PART NUMBER	4 BOXES OF 25	PRICE
382853	AMM5523200025	PFE,0.25 oz	19.99
382919	AMM5523200050	PFE,0.50 oz	24.99
382920	AMM5523200075	PFE,0.75 oz	24.99
382921	AMM5523200100	PFE,1.00 oz	29.99
382922	AMM5523200125	PFE,1.25 oz	36.99
382923	AMM5523200150	PFE,1.50 oz	44.99
382924	AMM5523200175	PFE,1.75 oz	49.99
382925	AMM5523200200	PFE,2.00 oz	49.99
382926	AMM5523200225	PFE,2.25 oz	49.99
382927	AMM5523200250	PFE,2.50 oz	54.99
382928	AMM5523200275	PFE,2.75 oz	59.99
382929	AMM5523200300	PFE,3.00 oz	59.99
382930	AMM5523200325	PFE,3.25 oz	64.99
382931	AMM5523200350	PFE,3.50 oz	64.99
382841	AMM5518200025	MCFE,0.25 oz	29.99
382842	AMM5518200050	MCFE,0.50 oz	29.99
382843	AMM5518200075	MCFE,0.75 oz	34.99
382844	AMM5518200100	MCFE,1.00 oz	39.99
382845	AMM5518200125	MCFE,1.25 oz	49.99
382846	AMM5518200150	MCFE,1.50 oz	54.99
382847	AMM5518200175	MCFE,1.75 oz	59.99
382848	AMM5518200200	MCFE,2.00 oz	64.99
382849	AMM5518200225	MCFE,2.25 oz	64.99
382850	AMM5518200250	MCFE,2.50 oz	69.99
382851	AMM5518200275	MCFE,2.75 oz	69.99
382852	AMM5518200300	MCFE,3.00 oz	74.99
383004	AMM5530550025	TFE,0.25 oz	29.99
383005	AMM5530550050	TFE,0.50 oz	29.99
383006	AMM5530550075	TFE,0.75 oz	34.99
383007	AMM5530550100	TFE,1.00 oz	39.99
383008	AMM5530550125	TFE,1.25 oz	49.99
383014	AMM5530550150	TFE,1.50 oz	54.99
383015	AMM5530550175	TFE,1.75 oz	59.99
383016	AMM5530550200	TFE,2.00 oz	64.99
383017	AMM5530550225	TFE,2.25 oz	64.99
383018	AMM5530550250	TFE,2.50 oz	69.99
383019	AMM5530550275	TFE,2.75 oz	69.99
383020	AMM5530550300	TFE,3.00 oz	74.99
383021	AMM5530800025	ALFE,0.25 oz	29.99
383022	AMM5530800050	ALFE,0.50 oz	29.99
383023	AMM5530800075	ALFE,0.75 oz	34.99
383029	AMM5530800100	ALFE,1.00 oz	39.99
383030	AMM5530800125	ALFE,1.25 oz	49.99
383031	AMM5530800150	ALFE,1.50 oz	54.99
383032	AMM5530800175	ALFE,1.75 oz	59.99
383033	AMM5530800200	ALFE,2.00 oz	64.99
383034	AMM5530800225	ALFE,2.25 oz	64.99
383035	AMM5530800250	ALFE,2.50 oz	69.99
383036	AMM5530800275	ALFE,2.75 oz	69.99
383037	AMM5530800300	ALFE,3.00 oz	74.99
383129	AMM5530860025	LHFE,0.25 oz	29.99
383130	AMM5530860050	LHFE,0.50 oz	29.99
383131	AMM5530860075	LHFE,0.75 oz	34.99
383132	AMM5530860100	LHFE,1.00 oz	39.99
383133	AMM5530860125	LHFE,1.25 oz	49.99
383134	AMM5530860150	LHFE,1.50 oz	54.99
383135	AMM5530860175	LHFE,1.75 oz	59.99
383136	AMM5530860200	LHFE,2.00 oz	64.99
383137	AMM5530860225	LHFE,2.25 oz	64.99
383138	AMM5530860250	LHFE,2.50 oz	69.99
383038	AMM5530820010	FNFE,10g	34.99
383039	AMM5530820015	FNFE,15g	34.99
383040	AMM5530820020	FNFE,20g	34.99
383041	AMM5530820025	FNFE,25g	39.99
383043	AMM5530820030	FNFE,30g	49.99
383100	AMM5530820035	FNFE,35g	54.99
383101	AMM5530820040	FNFE,40g	59.99
383102	AMM5530820045	FNFE,45g	59.99
383103	AMM5530820050	FNFE,50g	64.99
383105	AMM5530820055	FNFE,55g	64.99
383106	AMM5530820060	FNFE,60g	69.99
383107	AMM5530830010	ENFE,10g	34.99
383108	AMM5530830015	ENFE,15g	34.99
383109	AMM5530830020	ENFE,20g	39.99
383110	AMM5530830025	ENFE,25g	44.99
383111	AMM5530830030	ENFE,30g	49.99
383112	AMM5530830035	ENFE,35g	54.99
383113	AMM5530830040	ENFE,40g	59.99
383114	AMM5530830045	ENFE,45g	59.99
383115	AMM5530830050	ENFE,50g	64.99
383116	AMM5530830055	ENFE,55g	64.99
383117	AMM5530830060	ENFE,60g	69.99
383118	AMM5530850010	IWFE,10g	34.99
383119	AMM5530850015	IWFE,15g	34.99
383120	AMM5530850020	IWFE,20g	39.99
383121	AMM5530850025	IWFE,25g	44.99
383122	AMM5530850030	IWFE,30g	49.99
383123	AMM5530850035	IWFE,35g	54.99
383124	AMM5530850040	IWFE,40g	59.99
383125	AMM5530850045	IWFE,45g	59.99
383126	AMM5530850050	IWFE,50g	64.99
383127	AMM5530850055	IWFE,55g	64.99
383128	AMM5530850060	IWFE,60g	69.99

TIRE SERVICE



1-877-AZTool1
(1-877-298-6651)
Hablamos Español

BONUS

1/2" Drive Ratchet
SKU 557430 72-127

with Purchase of
SKU 347217 24228
Value: \$24.99



8 Piece Torque Limiting Extension and Thin Wall Socket Set

OEM

SKU 347217 24228
• 4 Extension Bars: 65 Ft/Lb (90nm), 90 Ft/Lb (120nm), 100 Ft/Lb (135nm) and 110 Ft/Lb (150nm)
• 4 Deep Sockets: 17, 19, 21 and 22 mm



NEW

only
\$99.99

Offer Good Through December 31, 2013

Tire Tools



5 Gallon Bead Seater Tool

SKU 972321 299.99
TSICH05

- The Ch-5 Cheetah™ Bead Seater™ Makes Seating the Most Difficult Bead Not Only Safe but Simple, Fast and Economical
- Designed for Commercial Use on All Tires ATV to 24-1/2" Truck Tires, the Ch-5
- Cheetah Bead Seater Takes the Work Out of Seating Tire Beads



Low Profile Bead Tool

SKU 080065 59.99
DIL5500-BP

- Easy Grip - Ergonomically Designed Handle Gives Needed Leverage for Toughest of Sidewalls
- Longer Design to Eliminate Knuckle Busting on the Face of the Wheels
- Angled Handle Gives User Better Control of the Tool



Wheel Weight Tool

SKU 217378 14.99
25690

- Tool Installs, Removes, Trims and Tightens All Types of Clip-on Wheel Weights



4 Piece Plastic Scraper Set

SKU 900802 24.99
25513

- Use to Remove Moldings
- Works Like a Chisel
- Won't Scratch Paint
- Can Be Used for Wheel Weight Removal



Wheel Stud Installer

SKU 222512 31.99
LIS22800

- Easily Installs New Wheel Studs
- Use with a Ratchet or Impact Wrench to Pull the New Stud Securely in Place



Truck Wheel Stud Installer

SKU 222516 36.99
LIS28950



Valve Core Tool Set

SKU 255622 9.99
VCTSET

- For Inserting or Removing Valve Cores
- Includes 2" and 4" Tools
- Made in the U.S.A.



Hanson 5 Piece Lug Nut Specialty Set

SKU 262420 109.99
IRW54125

- Reverse Spiral Flutes are Designed to Bite Down to Provide Maximum Gripping Power
- Universal Lobular Design Fits All Types of Fasteners
- For Use with 3/8" Square Drive Hand Ratchets, Impact Wrenches and Air Ratchets



DID YOU KNOW?

We Offer Specialty Wheel Service and Lift Equipment for Turf and Heavy Duty Applications

Tire Test Tank

Tire Tube Test Tank

SKU 291382 69.99
LIS19822

- The Tank Features Reinforcement Ribs for Extra Support
- Will Handle Passenger Tire Sizes to Wide Oval and Light Duty Truck Tires
- Dimensions 31" X 12" X 12"



Tire Service Tools



NEW

THAN STANDARD THIN WALL SOCKETS

3 Piece Super Strength Wheel Nut Impact Socket Set

SKU 347212 49.99
24227

- Includes: 1/2" Drive Sizes: 17 mm, 19 mm and 21 mm
- Color Coded for Easy Size Identification (Blue-17 mm, Gold-19 mm and Red-21 mm)



PROTECT YOUR INVESTMENT

9 Piece SAE & Metric Wheel Protector Impact Socket - 1/2" Drive Extra Thin Wall

SKU 965856 79.99
24224

- Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from Damage
- Sizes: 3/4" 7/8", 13/16", 15/16", 1", 1-1/16", 17mm, 19 mm and 21mm



QUICK, EASY, ACCURATE



10 Piece Torque Limiting Socket Set - 1/2" Dr

SKU 965855 199.99
24221

- Prevents Under and Over Torquing
- Includes: 17 mm x 55 Ft/Lb, 17 mm x 80 Ft/Lb, 21 mm x 80 Ft/Lb, 19 mm-3/4" x 100 Ft/Lb, 19 mm-3/4" x 65 Ft/Lb, 19 mm-3/4" x 80 Ft/Lb, 22 mm-7/8" x 120 Ft/Lb, 22 mm-7/8" x 140 Ft/Lb



5 Piece Torque Limiting Extension Set - 1/2" Drive

SKU 965858 99.99
24220

- Quick, Simple and Accurate
- Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lbs, 80 Ft/Lbs, 100 Ft/Lbs, 120 Ft/Lbs, 140 Ft/Lbs

OEM

3 Piece 1/2" Drive Extra-Thin Wall Wheel/ Nut Protector Impact Socket Set

SKU 094646 24.99
25583

- 17 mm / 11/16" - Blue
- 19 mm / 3/4" - Yellow
- 21 mm / 13/16" - Red



4 Piece SAE and Metric Impact Flip Socket Set - 1/2" Drive Deep Thin Wall

SKU 965857 24.99
24223

- Thin Wall Design to Fit Most Recessed Wheel Nuts
- Includes 3/4" - 13/16", 19 mm - 21mm, and 7/8" - 15/16" Sockets and 3" Extension



9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU 965865 49.99
24225

- Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18 mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch



Tire Repair

Tire Repair Toolbox Assortment

SKU 515105 119.99
14-652

- All the Supplies You Need for RMA Style Repair
- Includes: 1 Large Plano Toolbox, RMA Puncture Repair Procedures Poster, XtraSeal Puncture Repair Procedures Guide, XtraSeal Catalog, Mechanics Gloves, Supplies: 13-673 Med Lead Wire Patch Plug, 13-672 Sm Lead Wire Patch Plug, 13-620 1/4" Lead Wire Insert, 13-621 3/16" Lead Wire Insert, 11-322 2 1/4 Universal Med Round Patch, Chemicals: 14-101 Bead Sealer, 14-008 Cement, 14-128A Inner Liner Sealer, 14-100 Rubber Prep



Manual Tire Spreader

SKU 339816 199.99
14-987

- For Passenger and Light Truck Tire Service Applications
- Adjustable Claw Height for Stabilizing Most Tires Including Low Profile



Tire Service LED Work Light

SKU 339208 39.99
14-921

- 12" Adjustable Spring-Tube for Optimum Light Positioning Within Tight Spaces
- Clamp-On Handle Quickly and Easily "Grips" Over the Bead of a Tire for Complete Hands-Free Light Assistance
- Lithium-Ion Rechargeable Battery