## I Torana Tool & Equipment Quarterly

### **Air Conditioning**



R134A

Couplers

and Tank

Adapter





System

Couplers

Parker Manual

#### **R134a Brass** Manifold Set SKU 290026 099 MSC66661

- Anti Flutter Gauges
- 60" Nylon Barriers Hoses With Couplers
- Extra Access Port For Vacuum Line
- Gauges Can Be Calibrated For Accuracy



- Aluminum Manifold w/60" hose set, Couplers and Sight Glass
- Free 10 application Mini Dve Injector Plastic carrying case

### R134a Gauge Set

SKU **290022** MSC89661UV

- Aluminum Manifold w/60" hose set, Couplers and Sight Glass
- Free 10 application Mini Dve Injector
- Flutter free silicone dampened 2-1/2" Guages
- Plastic carrying case







Chrome

Fittings



**R134a Automotive Digital Manifold Gauge Set** SKU **290032 gg**99 MSC99860A

- Includes Freon And Oil Capacities For Over 1,000 Vehicles
- Complete Manifold Set With 60"Hoses And Manual Couplers
- Pressure And Vacuum Display On The Screen



- Double O-Ring Piston Design for Extra
- Reliability and Longer Service Life

are Ćolor Ċoded for Quick and Easy

• Improved Face Seal Valves. Design Provides a Tighter Seal, Less Wear

- Easy to Read 3-1/8" Gauges Protected by Lexan Lenses
- Aluminum Manifolds Include Sight Glass
- 72" R-134A Hose Set (1/2" ACME X 14mm)
- 72" R12 Hose Set (1/2" ACME X 1/4" mfl)
- Manual 90° Fittings

Daily Use. Contoured

and Improved Flow

Identification.

Easy to Grip Hand Wheels

• Side R-134A Hose Holders



1/2" Hose Set SKU 110272 5499 CPSHA6 • R-134A 14mm x 1/2" ACME Non-Permeating 6' Hose • 3 Pack Set



1/4" SAE Hose Set 6' SKU 110271 4999 CPSHP6 •1/4"x 1/4" SAE Non-Permeating 6' Hose 3 Pack Set

For a complete listing of Air Conditioning products, call your Customer Service Representative at 1-877-298-6651.

4

Questions? Call AutoZone® **Tool & Equipment Customer Service:** 1-877-AZTool1 (1-877-298-6651)







SKU 110437

UEIRLD15

• Long Life Heated Sensor Technology • Digital Leak Size Indicator



Yr for R-12 Sensor Failure Indication Ni-Mh Rechargeable Batteries • Flexible Stainless Probe (16") Tactile Keypad Controls with One Touch Reset and Adjustable Sensitivity • True Mechanical Pump Provides Instant Response and Clearing

0.1 Oz/Yr, as Low as 0.05 Oz/

- Cordless and Po ortable; Operates on Two C-Cell Batteries • 14" (35.5 cm) Flexible Stainless Steel
- Probe with Teflon Liner

Constant Power Indication

- Carrying Case Included, Optional Holster
- Optional Reference Leak Source
- High and Low Sensitivity Levels
- One Touch Reset
- Tactile Keypad Controls
- Six-Segment Visual Leak Size Indicator
- True Mechanical Pump Provides Positive Airflow Through Sensing Tip
- GTCRLD102 • 14" Stainless Probe Detects all Freon Gasses Sensitivity Adjustment Dial

SKU 186422



5



# I TOZOTA TOOL & EQUIDMENT QUARTERLY

**Air Conditioning** 

