AUTOMOTIVE LIFTS

2-Post Lifts

9,000 Lb Floor Plate Electric/ **Hydraulic 2-Post Lift**

SKU **264798 2,899 99** CHLOFP09

- 10' 7/8" Overall Column Height is Ideal for Low Ceiling
- 3-Stage Front and
- Rear Arms • Heavy-Duty Chain Over Electric Hydraulic in Operation with Cable Equalization
- Heavy-Duty Column Construction
- Dual Point Mechanical Pull-Lock Cable Release



FORMARD

Clum

9,000 Lb 2-Post Lift Low Profile Arm

SKU 557232 BENXPR-9LP **3,099**99

- Low-Pro[™] Arms That Accommodate Lowered Sports Cars and Those Vehicles with Lift Points Located on the Extreme Outer Edges of the Chassis
- Shorter Column for Low-Ceiling Installations
- Column Height: 113"
- Extended Rise Gives You Over 6' of Under Clearance

9.000 Lb 2-Post Lift **Low Profile Arm (Dual Width)** SKU **557236**

SKU **557236**BENXPR-9DLP **2**

• Column Height: 145"

(Truck Adapters Included)



9.000 Lb 2-Post **Low Ceiling Lift**

SKU 210379 BENXPR-9F 3,09999

- 9,000-Pound Lifting Capacity Short Column for Low-Ceiling Installations
- Wide or Narrow Configuration Single-Piece Columns
- Single Point Safety Release Drop-End Arms Provide a Lower Pad Height

(Truck Adapters Included)



Price Does Not Include Vehicles, Installation or Optional Equipment

9.000 Lb 2-Post Lift

Minimum Ceiling Height: 113"

- Overall Width: 138-1/2" (3,518 mm)
- Overall Height: 111-1/4" (2,826 mm)



10,000 Lb Dual-Width, Clearfloor 2-Post Lift

Symmetric

SKU 210257 3,09999 BENXPR10

Asymmetric SKU 210249 3

Low Profile Arm

SKU **557238 3,09999**

Asymmetric - Low Profile Arm SKU 557237 BENXPRIOALP 3,09999

- Lifting Capacity: 10,000 Lbs.
- Rise: 69"
- Overall Height: 145"
- Overall Width: 132" 145"

(Truck Adapters Included)



10,000 Lb 2-Post Lift SKU **264325 2**

Price Does Not Include Installation or Optional Equipment as Shown.

- Height Overall: 12' 3-1/2" or 11' 5-1/2" • Width Overall: 131-3/4"
- Drive Thru Clearance: 98-3/8' Padded Overhead Safety Switch
- Floor to Overhead Limit Switch: 11' 8-1/2" or 10' 10-1/2
- 3-Stage Front Arm and 2-Stage Rear Arms
- · Lifts Symmetrically and Asymmetrically



10.000 Lb 2-Post Lift

SKU **499657 2,999** 99

- Low Profile 3 5/8" Min. Adapter Height Spot-Rite[™] 3-Stage Front Arms for Symmetric and Asymmetric Lifting
- Overall Height: 143-3/8" • Overall Floor Width: 137"
- Maximum Lifting Height: 76"
- Inside Column Width: 115" • Drive Through Clearance: 105"
- Minimum Ceiling Height: 144"

Free Delivery!



10,000 Lb 2-Post Lift

SKU **255826 3,349 99** CHLSA10-04



• Floor to Overhead Switch: 131-1/8" / 137-1/8"

 Adjustable Height and Width Options, Double Telescoping Screw Pads. Durable Powder Coat Finish, Plated Arm Restraints and Pins



Frame Cradle Pad **Adapters (Set of 4) Value: \$179.96**

with Purchase of: **Brigadier 10ACX 2-Post Lift**

SKU 186433 | Part# DAN1375647



SCAN FOR DETAILS

Brigadier 10ACX 2-Post Lift Dannmar

SKU **186433 Asymmetric**

• Lifting Capacity: 10,000 Lb / 4,546 Kg

- Style: Wide Asymmetric
- Overall Height: 145" / 3,683 mm • Overall Width (Outside of Base Plates): 143-1/2"
- Overall Width (Outside of Columns): 136-1/2"
- Width Between Columns: 112-3/4" • Minimum Reach (Front Arm): 25" / 635 mm
- Maximum Reach (Front Arm): 46" / 1,168 mm Minimum Reach (Rear Arm): 42" / 1.067 mm
- Maximum Reach (Rear Arm): 60" / 1,524 mm • Minimum Pad Height: 4-1/2" / 114 mm
- Rise 69" / 1,753 mm
- Maximum Lifting Height (Pad Only): 73" / 1,854 mm
- Maximum Lifting Height (Pad & 6" Adapter): 79" / 2,007 mm
- Drive Thru Clearance: 100-1/2" • Motor: 220 VAC 60Hz. 1Ph
- (Truck Adapters Included)

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.


10,000 Lb 2-Post Lifts

SKU **534581** ROTSPOA10


SKU 210371 ROTSP010 Symmetrical


- Surface Mounted, Frame Contact Lift
- Features Electric-Hydraulic Operation and Genuine Symmetrical Design for Overhead Design for Clear Floor Lift
- Factory-Rotated Columns Allow Doors of Vehicle to Be Fully Opened While Properly Positioned on Lift · Arm Restraints on All Arms

Symmetrical Column Orientation



Asymmetrical Column Orientation





Specifications Subject to Change Without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown

10,000 Lb 2-Post Lift

SKU 298485 4,29999



• Floor to Overhead Switch: 134.5"

CL Cha*ll*enger Lifts

• Ceiling Height Required: 11' 11"



10K Truck Adapter Set SKU **263557** | CHL10315



Frame Cradle Adapter Set

SKU **263785** | CHL10318 **Works with Challenger 10K Lifts Only**

Offer Good Through 6/30/15 While Supplies Last



Tool & Equipment Quarterly




Omega Wheel Arm™

SKU 573207 1 4 9 9 9

- Holds the Tire at Lift Arm Height and is Handy with Tire Rotations and Brake Jobs
- Easy and Safe for Mechanics to Put On or Take Off Tires
- Avoid Bending Over to Put Down or Pick Up a Tire
- Fits Most Lift Arms 3" 5" Wide
- Set Includes (2) Wheel Arms and (2) Magnetic Tool Trays





2-Post Lifts

12,000 Lb 2-Post Lift

SKU 499654 4,99999

- Adjustable Overall Height: 165-1/4" or 177"
- Lifting Pad Height: 6", 10-1/2" with Short Extension or 14-1/2" with High Extension • Drive Through Clearance:
- Rise Height 82-1/2" (2,095mm) with Adapters





12,000 Lb 2-Post Lift SKU **264341**

- Height Overall: 14' 7" or 13' 10'
- Width Overall: 139-3/4" • Drive Thru Clearance:
- Rubber Door Protector Padded Overhead Safety Switch
- Floor to Overhead: 13' 3-1/2" or 14' 5" • 2-Stage Front and Rear

Price Does Not Include Vehicles, estallation or Optional Equipment



Truck and Frame Cradle Adapters

with Purchase of: 12,000 Lb 2-Post Lift

SKU 264341 | Part# CHLQ12 Offer Good Through June 30, 2015 While Supplies Last

12,000 Lb, Clearfloor, **Triple-Telescope Arms Lift**

SKU **897974**BENXPR-12C **4,99999**

12.000 Lb Floorplate. **Direct-Drive Lift**

SKU **897973**

BENXPR-12FD 4.

- Lifting Capacity: 12,000 Lb
- Overall Height: 170" • Overall Width: 155"
- Min Pad Height: 5"
- Rise: 69"
- Rise Time: 45 Seconds

(Truck Adapters Included)



12.000 Lb 2-Post Sym Lift

SKU 298484 6 CHL12000

- Lifting Capacity: 12,000 Lb
- 3-Stage Front and 3-Stage Rear Arms
- Lifts Common Cars, Trucks, Vans and SUVs
- Overall Height: 164"
- Overall Width: 142"

Leasing Terms Available. Free Delivery!



15,000 Lb Clearfloor, **Standard Arms Lift**

SKU **897976**BENXPR-15C **7,44999**

- Lifting Capacity: 15,000 Lb
- Overall Height: 170"
- Overall Width: 155" • Min Pad Height: 5"
- Rise: 69"
- Rise Time: 45 Seconds • Motor: 220 VAC / 1 Ph

Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.



15,000 Lb 2-Post Lift

SKU **499669 7,89999** FORDP015

- Includes Four 4" and Four 8" Truck Adapter
- Extensions • Low Profile Arms
- Closed Loop Hydraulic SystemPrevents Hydraulic Contamination





Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

18,000 Lb, Clearfloor, **Standard Arms Lift**

SKU **897977** BENXPR-18C

- Lifting Capacity: 18,000 Lb
- Overall Height: 170" Overall Width: 155"
- Min Pad Height: 5"
- Rise: 69"
- Rise Time: 45 Seconds
- Motor: 220 VAC / 1 Ph

(Truck Adapters Included)

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

Free Delivery!

BP BendPak

2-Post Lift Accessories

Square Rubber Arm Pads (1 Each)

SKU **898880 2499** BEN5715365

- Works with Any BendPak 2-Post Lift
- 5-5/8" Square • 1-1/16" Thick



SKU **343397 7999** Each

- Works with Any BendPak 2-Post Lift
- 1 Lift Pad
- 5" Diameter for Enhanced Stability
- Easy Drop-in Design



Leasing Terms Available.

Specifications Subject to Change Without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown. BP BendPak

BP BendPak.

AUTOMOTIVE LIFTS

4-Post Lifts

Commander™ 7,000 Lb 4-Post Lift

SKU 186464 2,69999

- Spring Loaded Safety Locks on Each Column
- Self-Lubricating UHMW Polyethylene Internal Slide Blocks
- Single Safety Lock Release Handle • 7,000 Lb Capacity Free Standing
- Design • Detachable Drive-Up Ramps



7,000 Lb 4-Post Home Storage **Light Duty Service Lift**

sku **383185** 2,84999

- Rise Height to Top of Runway: 68-1/8' • Outside to Outside Columns:
- Overall Length: with Ramps =
- 195-1/2"; w/o Ramps =165"
- Inside Columns: 92"
- Height of Columns: 79-1/2"
- Width of Runways: 20"
- Height of Runway: 5-3/4"



9,000 Lb 4-Post Lift

SKU **898142 3,099 BENHD-9-B**

- Overall Width: 116-3/4" / 2,965 mm
- Overall Length: 200" / 5,080 mm • Column Height: 88" / 2,235 mm
- Max Lifting Height: 74-1/2" / 1,892 mm



9,000 Lb Free Standing or Surface Mounted 4-Post Lift - Standard Height

SKU **264504 3** CHLQ4P09H

- Rise Height to Top of Runway:
- Outside to Outside Columns: 112" Length of Runways: 164"
- Overall Length (with Ramps Attached): 209"
- Inside Columns: 95" Height of Columns:
- Width of Runways: 20"

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.



• Width Between Runways: 38"

• Height of Runway: 7"

Caster Set SKU **264473** CHLQ4P09CS **23**

• For CHLQ4PO9H



FOREFP9 • Includes: Steel Approach Ramps,

Jack Tray, Wheel Caster Kit and Drip Trays

• Single Point Lock Release

• Internal Lock System

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.



Major D-12™ 12,000 Lb 4-Post Lift SKU **343410**

DAN1375681

- Single Hydraulic Cylinder Mounted Underneath
- Internal "Anti-Sway" Slider Blocks in Each Column
- Features Heavy-Duty 1/2" Aircraft Cable
- Oversized Self-Lubricating Cable Rollers • Rugged 1-3/8" Roller Axles
- Multi-Position Safety Locks in Each Column
- Ramps Feature Non-Skid Surface Column
- Push-Button Safety Release
- Runways Adjust for Different Tread Widths



BP BendPak






12,000 Lb 4-Post Lifts SKU **264789**

CHLQ4P12E

- Max Wheelbase: 182"
- Width Overall: 130-3/4"
- Inside of Columns: 116"
- Between Columns: 196" • Height of Columns 90-1/2"
- Height of Runways: 7"
- Width of Runways: 20"





• Max Wheelbase: 210"

• Between Columns: 223-1/2'



14,000 Lb 4-Post Lift

SKU **898152 4,499 999** BENHD-14

- Overall Width: 130
- Overall Length: 241" Max Rise: 70"
- Motor: 220 VAC / 1 Ph

(Shown with Optional Equipment)



14,000 Lb 4-Post Lift

SKU 696483 FORCR14N100 4,49999

- Heavy Duty Hydraulic Cylinder Single Point Latch Release System
- 78-3/4" Rise
- 18 Lock Positions
- Accommodates 182.5" Wheelbase Vehicles
- High Performance Cable and Sheave System
- ETL Certified Model Shown is CR14N100

Free Delivery!



14,000 Lb 4-Post Lift

SKU **210366 5,999**99

- Lifting Capacity: 14,000 Lbs • Rise: 73-3/4"
- Overall Height: 82-1/8"
- Overall Width: 133"
- Overall Length: 249"



14,000 Lb Open Front 4-Post Lift

SKU **568438** FORCR014

• Max Rise: 78-3/4"

• Max Wheelbase: 182-1/2" • Durable Cable and Sheave System

14,000 Lb Open Front 4-Post Lift (Long Wheelbase)

SKU **568425** FORCR014LW

• Max Wheelbase: 215'

Leasing Terms Available.



Specifications Subject to Change Without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown.

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

4-Post Lifts

15,000 Lb 4-Post Lift

SKU **264048** CHL4015EFX

- Wheel Base: 182-1/2
- Highest Rise in the Industry: 78"
- 7" Runway Height Allows Easy Access for Lower Profile Vehicles
- Heavy-Duty Front Bearing and Yoke Assemblies Distribute Contact Load to Reduce Column Stress for Longer Product
- Louvered Approach Ramps and Non-Skid Runway Surface Prevent Wheel Spin to Provide Positive Vehicle Traction and Technician Safety

Price Does Not Include Installation or Optional Equipment as Shown.



Rolling Oil Drain SKU **263264 79999** CHL10267

FORWARD

BP BendPak



18,000 Lb 4-Post Lift with 22" Wide Runways

SKU **264114** CHL44018

- Max Wheelbase: 194"
- Continuously Engaged Mechanical Lock Provides Technician Safety
- Built-In Internal Track Accommodates Rolling Jacks or Oil Pan
- 14 Level Lock Positions Allows Technician to Work at an Ergonomic Working Height to Increase Productivity and Minimize Fatigue
- 7" Runway Height Allows Easy Access for Lower Profile Vehicles



CL Challenger Lifts

Price Does Not Include Installation or Optional Equipment as Shown.

18,000 Lb 4-Post **General Service Lift**

SKU **568426**

- Max Wheelbase: 194"
- Durable Cable and Sheave System • ETL Certified to ANSI/ALI ALCTV: 2011

FORCR18

- FORCR18LW • Max Wheelbase: 230"
 - Durable Cable and Sheave System

18,000 Lb

4-Post Lift

SKU **568427**

Long Wheelbase

• ETL Certified to ANSI/ALI ALCTV: 2011



27,000 Lb Standard Length Lift

SKU **898460** BENHD-27

• Single 5" Hydraulic Cylinder Mounted Underneath Runway

and Sheaves Internal Anti-Sway

Slider Blocks in Each Column • Pneumatic

Push-Button Safety Release



Free Delivery!

18,000 Lb 4-Post Lift

SKU **688039** BENHD-18

- Runways Include Rail-Kit for Optional Accessories
- Electric/Hydraulic Power System
- Single 5" Diameter Hydraulic Cylinder Mounted Underneath Runway
- Internal Anti-Sway Slider Blocks in Each Column

Price Does Not Include Installation or Optional Equipment as Shown.



30,000 Lb Long Wheelbase 4-Post Lift

SKU **568431** FORCR30LW

16,09999

- Max Rise: 68"
- Max Wheelbase: 307" • Durable Cable and Sheave System
- ETL Certified to ANSI/ALI ALCTV: 2011

30,000 Lb 4-Post General Service Lift SKU 568430 14,89999



- Max Rise: 68"
- Max Wheelbase: 271"
- Durable Cable and Sheave System
- ETL Certified to ANSI/ALI ALCTV: 2011



Specifications Subject to Change Without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown. Leasing Terms Available.

Motorcycle Lifts

1,000 Lb Motorcycle Lift

SKU **499659**

SKU **499659** FOR100MCL **1,04999**

• Includes Wheel Vise and Two 12' Extensions, Making It Great for Motorcycles, ATVs, Lawn Mov Golf Carts, etc • Rise: 33"

- Length: 93"; Width: 24"
- Width with ATV Adapters: 48"

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

Motorcycle Lift SKU **626120**

- RANRML-1500XL • Lifting Capacity: 1,500 Lbs. / 682 kg • Power Supply: Air/Hydraulic
- Main Platform Length: 89" / 2,286 mm
- Main Platform Length with Front Extension: 102" / 2,591 mm • Main Platform Width: 30" / 762 mm

Price Does Not Include Vehicles, Installation o Optional Equipment as Shown.



FORWARD



? Ranger



? Ranger

FORBJ10 • Use with Forward FOR100MCL • No Air Required

Motorcycle Jack

Blackjack 10

SKU **568452**

Lightweight

1.000 Lb Droptail

• Rise 33", Length 93", Width 24"

• Width with ATV Adapters: 48"

3NU 308439 FOR100MCLDT 1,24999

• Droptail Feature Provides Access to Rear

Motorcycle Lift

SKU **568439**

FORBJ10 Included

Tubing Benders

Blue Bullet Tubing Bender SKU 015350 6 BENBB1


- Maximum Bending Radius: 5"
- Top Cylinder Working Force: 55,000 Lbs • Minimum Bending Radius: 3-1/2"
- Hydraulic Filter Canister Type



BendPak



- Dimensions: 42" x 62" x 31" • Dies Supplied: 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"
- Motor: 5HP / 220 VAC / 1-Phase





SKU **095070 QQ99** BEN300-1



Lift Gate Service SKU **262533** RANLIFTGATE 13500

Leasing Terms Available. Free Delivery!

AUTOMOTIVE LIFTS

Rolling Jacks

4-Post Rolling Bridge Jack - DRJ-6

SKU **343411** DAN1375901

- Lifting Capacity: 6,000 Lbs
- Minimum Support Arm Width: 35"
- Minimum Height (Pad with Adapter): 10" • Maximum Height (Pad with Adapter): 20"



Rolling Bridge Jack SKU 212556 1,26999

• Use with BENHD-14 4-Post Lift

SKU **898534 1 1 4 9** BENRJ-45

Rolling Bridge Jack

• Use with BENHD-9-B 4-Post Lift

RJ-9 9.000 Lbs. Capacity

SKU **898535 1,69999**

• Use with BENHD-18A 4-Post Lift

RJ-45 4,500 Lbs. Capacity Rolling Bridge Jack

RJ-7 7,000 Lbs. Capacity BendPak

Dannmar'



6,000 Lbs. Rolling Jack SKU 264842 1,49999



• Integrated 2-Position Mechanical Lock Adjustible Side Members

- Standard 3" Adapter Extensions Rise Above Runway 3 3/8" - 15 3/8"
- Spring Loaded Rollers Make for Easy Movement Unloaded While Stable on Steel Foundation When Loaded

INTERNAL AIR LINE KIT with Purchase of Rolling Jack CHLQRJOGA Value: \$379.99

Offer Good Through 6/30/15

Internal Air Line Kit for Dual Rolling Jack Operation

SKU **264113** | CHL40230X (Extended) **379**99

(Air Line Kit Determined by Lift Compatibility)

SKU **264112** | CHL40230E (Standard) **379**99



RJ-6 6.000 Lbs. Capacity

Rolling Bridge Jack SKU 210381

BENRJ-6

 Use with BendPak 4-Post 12.000 Lb Lift or Quatra Scissor Lift BENXR12000A

3,500 Lbs. Capacity Hand/ Hydraulic Rolling Jack SKU **383186 7 CL** Challenger Lifts

- Hand Hydraulic Operation
- Rollers for Easy Movement Along Rails • Spring Loaded Rollers Place Load On
- Stable Foundation • Height Above Runway: Approx 3" to 15"

CHLQRJ03H

- Adjustable Pickup Points from 33" to 53" Wide
- Integrated Mechanical Lock - No Jack Stands Needed



4,500 Lbs. Rolling Jack SKU **568444 2,049**° FORFRJ4500

- Use with ML11 Scissor Lifts Uses High Quality European Designed and Manufactured Air Over Hydraulic Pump
- · Adapters Included



- Use with CR14 4-Post Lifts
- Uses High Quality European Designed and Manufactured Air Over Hydraulic Pump
- · Adapters Included



SKU **568446** FORRJ901000 **2**

- Use with CR18 4-Post Lifts
- Uses High Quality European Designed and Manufactured Air Over Hydraulic Pump
- · Adapters Included



- Use with CR30 4-Post Lifts
- Uses High Quality European Designed and Manufactured Air Over Hydraulic Pump
- Adapters Included



CL Challenger Lifts

7,000 Lbs. Rolling Jack

ROTRJ7000 **2,99999**

- 7,000 Lbs. Capacity Fits SM/SM014 and AR/ARO14
- Includes Rubber Pad Adapters
- Jack Rolls Out of the Way to Provide Unobstructed Workspace When Not in Use



4.500 Lbs. Hand/ **Hydraulic Operated Rolling Jack**

SKU **264841 84499** CHLQRJO4H

- Height Above Runway Approx 4" to 16"
- Adjustable Pickup Points from 33" to 53" Wide
- Integrated Mechanical Lock No Jack Stands Needed



7,000 Lbs. Rolling Jack SKU 264847 2, 29999 CHLRJ75

 For Use with 4P14 and 4015 Series Lifts



9,000 Lbs. **Rolling Jack** SKU **264849**

CHLRJ9000

 For Use with 44018 Series Lifts

Adjustable With: 33" - 45"



BP BendPak

Rolling Jacks are Brand and Model Number specific, let our experts help you select the right rolling jack for your 4 Post Lift

4-Post Lift Accessories



BP BendPak **Rolling Oil Drain**

Cotary

SKU 898714 37 BENDP-30

• Adjustable Width: 33" to 60"



Air Line Kit for BENHD-9AE, BENHD-14 and BENXR12000A Lifts

SKU **531175** BEN5174009

Air Line Kit for BENHD-18A Lift

SKU 531173 RENG174010 28999 BEN5174010



3.000 Lbs. Jack **Platform** SKU **898671**

BENJP-3

6.000 Lbs. Jack **Platform**

BENJP-6

SKU 898674 36999

Caster Wheel Set

SKU **898905 2999** BEN5210997

• For Use on HD-9 Series Lift Only





2 Drip Trays SKU **301768**BEN5700301 **6499**

Lift Accessories

Air/Electric Workstation for 4-Post Lifts

SKU **263294** CHL10310

- Convenient Power Source for Extension Lights and Other Tools
- Air Supply Will Always Be at Arms Reach for Facilities Using Pneumatic Tools Such as Impact Wrenches





Air/Electric Workstation SKU **568448**

FOR991359

• Use with Forward FORI10 · Air/Electric Work Station with Air Regulator and Oiler







I10 Rubber Adapter Pad Kit

SKU **568440 8999** FOR994105

• Use with Forward FORI10

- Eliminates Metal to Metal Contact at Vehicle Lift
- Includes 4 Pads and Attaching Hardware

Air/Electric **Workstation** SKU **898684**

BENWSA-100

- Adds Air and Electric Capabilities to Any BendPak Lift Simple, Safe and Extremely Easy-to-Use
- Four 110V GFI Outlets; Oiler; Air Supply; Pressure Gauge; Storage Hooks for Hose and Tools; Regulator / Filter; Air Inlet
- Fits 2 or 4 Post Lifts

CR14 Air Line Kit

SKU **568449**

 Use with Forward FORCR14

Includes Bulkhead for

Access to Air Between Lift Platforms for Air Tools

FORFC620

You Will Need to Know BendPak Lift Model #



I10 2-Post **Carriage Door**

FORTPB10-D1 4999

Bumper Kit

• Use with Forward FORI10





SKU **568450** FORT100285 **299**

- Use With Forward FORI10
- Included Rubber Pad Elimininates Metal to Metal Contact
- Adapters Have Ears to Cradle Frames



Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Mid-Rise Lifts

BL3500 Quick Jack

// Ranger SKU 463773 RAN5175185 1, 16499

- Position Jack Frames Under the Vehicle, Push Button on the Remote and in Less Than Ten Seconds the Entire Car is Almost Two-Feet Off the Ground
- A 110V AC Power Unit Comes Standard. An Optional DC Power Unit is Also Available
- Weight Capacity: 3,500 Lb



BL5000 Quick Jack

SKU **565128** RAN5175188



- Open Center Design for Clear Undercar Access
- Remote Pendant Control Features a 20' Cord
- Includes an Eight Piece Set of Adjustable and Stackable Rubber

• Platform Lifting Height (with Rubber Lift Blocks): 22"/559 mm



6000XL Mid-Rise Scissor Lift

SKU **555446**

Ranger.

DAN1375652

- For Servicing Light-Duty Cars and Trucks
- Portable Motor Cart Serves as Tow Handle
- Adjustable Arm Assemblies

· Safety Bar with Multiple Lock Positions



Dannmar



CL Challenger Lifts

Lift Gate Service SKU 262534 13500 DANLIFTGATE

MaxJax 6,000 Lb Portable

2-Post Lift

SKU 186434 DAN1375659 **2,29999**

- Perfect for Low-Clearance Ceilings and Home Garages
- Built-In Wheels That Allow You to Store It Out of the Way When Not in Use
- Max. Lift Height (with 3" Adapter): 52"



6,000 Lb Mid-Rise Lift

SKU 499655 **2,049**99 FOR6000MRL

- Width: 41"
- Rise: 52"
- Multiple Locking Positions
- Truck Adapters Included • Fast Operation:
- 20-30 Seconds

Price Does Not Include Vehicles, Installation or Optional Equipmen as Shown.

Mid-Rise Lift

• Adjustable Arms

48

• Lifting Capacity: 6,000 Lb

6,000 Lb Portable

SKU 210386 2,04999

• Portable, Easy to Move from Bay to Bay



BP BendPak

Lift Gate Service

RANLIFTGATE

Truck Adapters Included

Portable

SKU **210384**

BENLR-60P

• Max. Height: 26"

• Overall Width: 70-1/2"

• Overall Length: 82"

SKU 262533 13500

6,000 Lb Portable

Mid-Rise Lift SKU **264835** CHLQMR6

- Rise Height: 53-1/4"
- Includes Both 3" and 6-7/8" Adapters
- 7 Lock Positions
- Slip-On Rubber Adapter Kit with Height Extension



Lift Gate Service

SKU **626137** FORLIFTGATE **9500**

Price Does Not Include Installation or Optional Equipment as Shown.

24"

CL Challenger Lifts

6,000 Lb Mid-Rise Lift SKU **098985**

• Fully Portable Mid-Rise Lift

• Two Hydraulic Cylinders

ROTRMR6

• Fast Operation: 20-30 Seconds Raise Time



FORWARD

Precision Alignment

Kits are Available for

Each Model

ising Terms Available. Free Delivery!

BP BendPak

Power Unit Plugs Into 110v Outlet

Specifications Subject to Change Without Notice or Liability.

7,000 Lb

LOW 1... SKU 568436 **2**,

• Max Rise: 24-3/4"

Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown.

Low-Rise Pad Lift

• Wired to Plug Into 115V Receptacle

Scissor Lifts

11,000 Lb Long Wheelbase Scissor Lift

SKU **568442 13, 1999 99** FORML11-52

• Min Height 8", Max Rise 78-3/4"

• 27" Wide Platforms

• ETL Certified to ANSI/ALI ALCTV: 2011 • Maximum wheelbase of 181"

11,000 Lb General Service Scissor Lift

SKU 568441 12,69999 FORML11-46



10,000 Lb Low-Rise Pad Lift FORMARD

Free Delivery!

26"

SKU **568437**

Low-Rise Lifts

Low-Rise Pad Lift

SKU 210383 1,66999

6,000 Lb

• Max. Height: 26"

• Overall Width: 70"

• Overall Length: 82"

Lift Gate Service SKU **262533** RANLIFTGATE 13500

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

FORTL10



10,000 Lb Short Rise Lift

SKU **264857** CHLSRM10

• Raised Height: 22" • (4) Two-Position Adapter Blocks Included



Price Does Not Include Installation or Optional Equipment as Shown.

Specifications Subject to Change Without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown.

10,000 Lb Low-Rise Pad Lift

SKU **479989** BENLR-5T

• Max Height: 23" - 32"

• Lowered Height: 4"

• Lift Blocks Included



RANLIFTGATE

BP BendPak

Leasing Terms Available.