

# JACKS AND HYDRAULICS

## Floor Jacks & Stands

### 2-Ton Floor Jack

SKU 964622 **399<sup>99</sup>**  
HEIHW93642  
• Min. Height: 4-1/2"  
• Max Height: 20-1/4"



### 3-Ton Floor Jack

SKU 964623 **529<sup>99</sup>**  
HEIHW93652  
• Min. Height: 5"  
• Max Height: 23-1/2"



### 4-Ton Floor Jack

SKU 964624 **1,469<sup>99</sup>**  
HEIHW93657  
• Min. Height: 5"  
• Max Height: 25-3/4"



### 10-Ton Manual Floor Jack

SKU 964625 **2,589<sup>99</sup>**  
HEIHW93660  
• Min. Height: 6-3/4"  
• Max Height: 25-1/2"



### 3-Ton Ratcheting Jack Stand Set

SKU 964601 **89<sup>99</sup>**  
HEIHW93503  
• Max Height: 19"  
• Ratchet Action Height Adjustment



### 6-Ton Ratcheting Jack Stand Set

SKU 964621 **129<sup>99</sup>**  
HEIHW93506  
• Max Height: 25-3/8"  
• Ratchet Action Height Adjustment



### 10-Ton Jack Stand Set

SKU 222506 **499<sup>99</sup>**  
HEIHW93512  
• Max Height: 31-1/2"



### The Banner 3 1/2-Ton Fast Lift Service Jack

SKU 344792 **199<sup>99</sup>**  
BHKH6350

- Min. Height: 5-1/2"
- Max Height: 22"



### 3-Ton "Magic Lift" Jack with 3-Ton Stands

SKU 544584 **189<sup>99</sup>**  
OMG25033

- Jack Max Height: 20-7/8"
- Jack Min Height: 5-1/4"
- Jack Stands Max Height: 17"
- Jack Stands Min Height: 11-1/2"



### 3 1/2-Ton "Magic Lift" Service Jack

SKU 964644 **249<sup>99</sup>**  
OMG27035

- Innovative Design of Magic Lift Offers a Quick Lift
- Max Height: 23"
- Low Profile Design Allows for Easy Access to Lift Points



### 2-Ton Low Profile Jack

SKU 964645 **339<sup>99</sup>**  
OMG29023

- For Low Profile Cars as well as SUV's
- Extra Long Low Side Rails to Reach Hard to Get to Jack Points
- Low Height: Only 2.5"
- Max Height: 20"



### 3-Ton Jack Stand Set

SKU 222493 **49<sup>99</sup>**  
BHKH5030  
• Max Height: 17"



### 1,500 Lbs. Motorcycle Jack

SKU 300788 **179<sup>99</sup>**  
SFAT-2152

- Lift and Lower Your Motorcycle, ATV, Dirtbike and More with the Easy to Use Foot Pedal
- 1,500 Lbs. Weight Capacity
- Lift Height Over 14"
- Low Profile Clearance of 4-1/2"



### 22-Ton Truck Stand - Pin Style

SKU 964651 **189<sup>99</sup>**  
OMG32225

- Min. Height: 9-1/2"
- Max Height: 19-7/8"
- Sturdy, Welded Steel Construction for Superior Safety and Strength
- One Piece, Multi-Position Ductile Ratchet Bar Provides Super Strength and Durability and Quick Adjustment Mechanism That Securely Locks Into Desired Location
- Counter-Weighted Pawl Serves as a Safe, Secure Locking Device to Prevent the Load from Accidentally Disengaging



### 1 1/2-Ton Aluminum Racing Jack

SKU 901504 **259<sup>99</sup>**  
RANRFJ3000AL

- Min. Height: 3-1/2"
- Max Height: 17-3/4"



### 1,500 Lbs. High Reach Jack Stand

SKU 300796 **119<sup>99</sup>**  
BHKH5710

- Min. Lift Height: 53-3/8"
- Max. Lift Height: 78-7/8"
- Base: 12" Diameter



### 3/4 Ton High Reach Jack Stand with Foot Pedal

SKU 300797 **124<sup>99</sup>**  
BHKH5715

- Min. Lift Height: 53-3/8"
- Max. Lift Height: 78-7/8"
- Base: 12" Diameter

- Min. Lift Height: 53-3/8"
- Max. Lift Height: 78-7/8"
- Base: 12" Diameter

### Garage Floor Jack Crossbeam

SKU 544803 **59<sup>99</sup>**  
24833

- Compatible with Any Floor Jack That has a 1-1/8" Diameter Saddle Stud
- Saddles Adjust from 23" to 32" on Center
- Weight Capacity at Min - Max Width: 3,000 Lbs - 4,000 Lbs



## Bottle Jacks

### 20-Ton Air Hydraulic Bottle Jack

SKU 544795 **129<sup>99</sup>**  
24850

- Can be Operated with Air or Manually
- Height: 10.25" - 20"
- Extension Screw Adjusts 3.25"



### 20-Ton Air Actuated Bottle Jack

SKU 964637 **379<sup>99</sup>**  
OMG18202C

- Min. Height: 9-1/2"
- Max Height: 18-3/4"



## Wheel Dolly

### 3/4-Ton Wheel Dolly

SKU 291389 **389<sup>99</sup>**  
OMG47053

- Safely Remove and Install Wheel Assemblies from HD Trucks
- Single, Duals/Tandems and Duplex Tires and Wheels
- Lift Arms Can Be Adjusted to Handle Different Wheel Combinations



## Service Jacks

### 22-Ton Air Hydraulic Truck Jack

SKU 544796 **399<sup>99</sup>**  
24851

- Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles
- Minimum Height 8-7/8"
- Max Height 17-3/4"
- Ram Travel 4-3/4"
- Screw Adjustment 4-1/8"



### 22-Ton Air Hydraulic Truck Jack

SKU 964640 **519<sup>99</sup>**  
OMG2321C

- Min. Height: 9-1/2"
- Max Height: 18-3/4"





**Leasing Terms Available!**

Ask Your AutoZone®  
Commercial Sales Manager

**AutoZone®**  
**Tool & Equipment QUARTERLY**

**Transmission Jacks**

**1,100 Lbs. Telescopic Transmission Jack**

SKU 544786  
24840  
**179<sup>99</sup>**

- Lift Range: 51" - 70"
- Adjustable Saddle with Tilt in Both Directions
- Durable Steel Casters
- Safety Tie-Down Chain to Secure the Load



**70" REACH**

**1/2 Ton Capacity Transmission Jack**

SKU 902481  
RANRTJ100  
**379<sup>99</sup>**

- Lifting Capacity: 1,100 Lbs
- Lowered Height: 45"
- Raised Height: 72"



**72" REACH**

**700 Lbs. Transmission Jack**

SKU 533215  
BHKBH7000  
**399<sup>99</sup>**

- Lifting Capacity: 700 Lbs.
- Lowered Height\* 57-1/4"
- Raised Height: 76-5/8"
- Double Pivoting Adjustable Saddle That Can Expand to Almost 19" x 19"



**76-5/8" REACH**

**1-Ton, Two Stage Transmission Jack**

SKU 544788  
24842  
**599<sup>99</sup>**

- Lift Range: 33.5" - 72.5"
- 3 Way Adjustable Saddle Slides and Tilts Both Directions
- Convenient Foot Pedal Pump and Release
- Safety Anchor Chain Included



**72-1/2" REACH**

**1-Ton Telescoping "Transjak"**

SKU 902478  
RANRTJ1  
**689<sup>99</sup>**

- Capacity First Stage: 2,000 Lbs.
- Capacity Second Stage: 1,000 Lbs.
- Lowered Height: 37"
- Raised Height: 79-1/2"



**79-1/2" REACH**

**1-1/2 Ton Telescoping Transmission Jack**

SKU 902484  
RANRTJ3000  
**749<sup>99</sup>**

- Capacity First Stage: 3,000 Lbs.
- Capacity Second Stage: 2,000 Lbs.
- Lowered Height: 37"
- Raised Height: 79-1/2"



**79-1/2" REACH**

**1/2-Ton Telescoping Transmission Jack**

SKU 964652  
OMG41000C  
**829<sup>99</sup>**

- Lifting Capacity: 1,000 Lbs.
- Lowered Height: 37-7/8"
- Raised Height: 77-5/8"



**77-5/8" REACH**

**1/2-Ton Air-Actuated Telescopic Transmission Jack**

SKU 222744  
OMG41001C  
**999<sup>99</sup>**

- Air Turbo Motor is Air Equipped to Raise the Load to the Desired Height Efficiently, Effortlessly and Safely
- Chrome-Plated Rams Maximize Its High Reach Operated by a User-Friendly Foot Pedal
- Max Height: 78-1/8"



**78-1/8" REACH**

**1/2-Ton Air/Hydraulic Telescopic Transmission Jack**

SKU 964632  
HEIHW93720  
**2,249<sup>99</sup>**

- Combines Air and Hydraulic Power for Maximum Speed and Accuracy
- Lift Capacity: 1/2 Ton
- Lowered Height: 34"
- Max Height: 72"



**72" REACH**

**800 Lbs. Low Profile Transmission Jack**

SKU 544789  
24843  
**349<sup>99</sup>**


- Lift Range 8.25" - 30.5"
- Fully Adjustable Saddle Adapts to Most Transmission Pans
- Swivel Saddle Adjusts Both Directions
- Four Swivel Ball Bearing Casters for Ease of Mobility



**1-Ton Floor Style Transmission Jack**

SKU 964631  
HEIHW93718  
**2,119<sup>99</sup>**

- Max Height: 44-3/4"
- Designed for Heavy Duty Transmissions



**Fuel Tank Adapter for Transmission Jacks**

SKU 222503  
DOWJDI-FTA7  
**189<sup>99</sup>**

- Safe and Convenient Adapter for Handling Vehicle Fuel Tanks
- Works with Most Transmission Jacks



**Body Repair**



**4-Ton Porto Power Kit**  
SKU 964658  
PPBB65114 **199<sup>99</sup>**

- Automatic Pump Overload System Protects Against Damage to Rams and Equipment



**4-Ton Porto Power Kit**  
SKU 301327  
24820 **149<sup>99</sup>** **LOWER PRICE**

- Long Handle Provides Low Pumping Effort
- Comes in Blow Mold Case



**10-Ton Porto Power Kit**  
SKU 301328  
24821 **259<sup>99</sup>** **LOWER PRICE**

- Features a Faster (Double-Action) Hydraulic Pump Causing the Ram to Move with Both the Up and Down Strikes of the Arm
- Comes in Blow Mold Case



**4-Ton Body Repair Kit**  
SKU 964654  
OMG50040 **179<sup>99</sup>**

- Quick-Connect Technology for Effortless Assembly

**5-Ton Flat Body Kit**

SKU 964667  
PPBB65139 **124<sup>99</sup>**

- Ideal for Applications in Limited Spaces
- Four Adapters for Added Height
- Chrome Plated Plunger



**10-Ton Porto Power Kit**

SKU 964663  
PPBB65115 **349<sup>99</sup>**

- Snap-Lock Design for Quick and Easy Assembly
- Automatic Pump Overload System Protects Against Damage to Rams and Equipment
- 1/2 Ton Capacity Hydraulic Spreader Features 2" Jaws and Spreads from 5/8" to 3-3/4"
- Custom Fitted, Rugged Blow Molded Storage Case with Wheels for Easy Movement Between Jobs



**10,000 PSI Air Actuated Foot Pump**

SKU 964639  
OMG22903 **259<sup>99</sup>**

- Provides Up to 10,000 PSI with Standard Shop Air Supply of 110-175 PSI
- Oil Capacity: 50 Oz



**10-Ton Body Repair Kit**

SKU 964656  
OMG50100 **279<sup>99</sup>**

- Quick Connect Technology for Effortless Assembly of Attachments to Meet Your Pushing and Pulling Needs
- Includes: Hand Pump, Hydraulic Hose, 10 Ton Ram, 18", 10", 4-1/8" and 28" Extension Tubes, Male Connector, Wedge Head, Serrated Saddle, Flat Base, Ram Toe, Plunger Toe, Rubber Head, 90° Combination Head, Spreader, Dust Cover (for Hose), Dust Cover (for Ram), Hose Coupler, Ram Coupler and Molded Case





# JACKS AND HYDRAULICS


## Wheel Dollies

OEM TOOLS

### Vehicle Position Jack Storage Stand

SKU 544800 59<sup>99</sup>  
24856

- Neatly Secure and Store Up to (4) Vehicle Car Dolly Jacks
- Dimensions L x W x H: 24-7/8" x 31-7/8" x 9-9/16"



### 1,500 Lbs. Vehicle Position Jack (Each)

SKU 544798 129<sup>99</sup>  
24855

- Hydraulic Ram Provides Stable Foot-Pedal Lift in Seconds
- Rolls in Any Direction
- Raises Vehicles in Seconds



### Vehicle Position Jacks with Storage Cradle (Set of 4)

SKU 696485 549<sup>99</sup>  
68986

- Includes (4) Position Jacks with Storage Stand
- Move Up to a 6,000 Lbs. Vehicle with Ease



## Engine Stands

OEM

### 1,250 Lbs. Engine Stand

SKU 462493 129<sup>99</sup>  
24829

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- Extra Wide 4-Wheel Base Provides Added Stability
- 360° Rotation
- Lock Pin Locks Engine Into Position
- Includes Tool Tray



### 1,250 Lbs. Engine Stand

SKU 534418 179<sup>99</sup>  
OMG31250

- Constructed from Heavy-Gauge Welded Square Tubular Steel
- Extra Long Handle with Rubber Grips for Easy Rotation and Maneuvering



### 1-Ton Folding Engine Stand

SKU 544804 249<sup>99</sup>  
24834

- Folds Upright to Conserve Valuable Floor Space
- Sturdy, Wide-Base Design to Prevent Tipping Under Load
- Slotted Adjustable Saddle Permits Quick and Easy Installation
- Head Swivels 360° to Easily Position Engine



### 1,250 Lbs. Rotating Engine Stand

SKU 964646 349<sup>99</sup>  
OMG31256

- Extra-Long Handle with Rubber Grip for Easy Rotation and Maneuvering
- Head Plate Locks in 8 Positions and Rotates 360°
- Heavy Duty Worm Gear Allows for Smooth and Effortless Engine Rotation



## Shop Presses

### 20-Ton Shop Press

SKU 300134 24810

379<sup>99</sup>

- Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys
- Multi-Position Bed for Work Height Adjustment
- Max Height: 31.5"
- Max Width: 21.75"
- Includes Press Plates



**SUPER HEAVY DUTY H-FRAME PRESS WEIGHS OVER 250 LBS. PROVIDING MORE STRENGTH AND DURABILITY COMPARED TO SIMILAR LIGHTER WEIGHT SHOP PRESSES ON THE MARKET**

### Bearing Splitter, 1/4" to 15/16"

SKU 514005 29<sup>99</sup>  
27231

- Maximum Spread: 15/16"
- Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" -18
- Distance Between Adjusting Screws: 1-11/16"



### Bearing Splitter, 1/2" to 4-5/8"

SKU 514006 59<sup>99</sup>  
27232

- Razor-Sharp Edges Wedge Between Parts and Securely Holds Tool
- Maximum Spread: 4-5/8"
- Minimum Spread: 1/2"
- Thread of Tapped Holes in Adapter: 5/8" -18
- Distance Between Adjusting Screws: 4-3/8"




## BONUS

### Shop Press Pin Set

SKU 544794 | PART# 24813

Value: \$99.99

- Includes Set of (8) Press Pins, 2 to 20 Ton Capacity, with 25 mm Ram Adaptor
- Suitable for Use with Hydraulic Ram Style Shop Presses Which Have a Female Ram Assembly Diameter of 25 mm and are Secured with a Bolt
- Includes Mountable Bracket
- Works with OEMTools 24811 and 24812
- Not for Use with Bottle Jack Style Shop Presses



with Purchase of:  
**12-Ton Hydraulic Shop Press w/ Gauge**  
SKU 544790 | Part# 24811

OR  
**20-Ton Hydraulic Shop Press w/ Gauge**  
SKU 544793 | Part# 24812

### 12-Ton Hydraulic Shop Press with Gauge

SKU 544790 24811

349<sup>99</sup>

- Includes Press Blocks
- Oil Filled Pressure Gauge Provide Accurate Pressure Readings
- Measurement Between Uprights: 20"
- Working Range: 0" - 36 1/8"




### 20-Ton Air/Hydraulic Shop Press with Gauge

SKU 544793 24812

499<sup>99</sup>

- Includes Press Blocks
- Oil Filled Pressure Gauge Provide Accurate Pressure Readings
- Ram Moves Side to Side for Versatility
- Measurement Between Uprights: 21 1/8"
- Working Range: 0" - 40 1/2"



Offer Good Through June 30, 2015 - While Supplies Last

### 5-Ton Bar-Type Puller/Bearing Separator Set

SKU 347218 99<sup>99</sup>  
27236



- Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- Set Includes 2" and 3" Bearing Splitters, Four Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw

## Engine Lifts

### Engine Leveler

SKU 544802 49<sup>99</sup>  
24831

- Great for Use with Engine Hoist or Engine Crane
- Makes Engine Handling and Positioning Easier
- Rated Capacity: 1,653 Lbs.



### 2-Ton Capacity Engine Hoist

SKU 123037 229<sup>99</sup>  
80-900T

- 8 Ton Capacity Hydraulic Jack for Faster and Easier Raising Action
- Large Diameter Ram to Withstand Side Loads
- 4 Position Telescoping Boom is Adjustable from 1/2 Ton to 2 Ton Capacity
- Legs are Over 55" Long for Greater Stability



### 2-Ton Folding Shop Crane

SKU 544801 399<sup>99</sup>  
24830

- Foldable Design Makes for Convenient, Easy Storage
- 6 Solid Steel Caster Wheels Add Mobility
- Fully-Adjustable 4 Position Boom

### 2-Ton Folding Engine Crane

SKU 902288 499<sup>99</sup>  
RANRSC2TF

- This Heavy-Duty Hydraulic Folding Engine Hoist with 8-Ton Capacity Ram is Perfect for Shops That Have Limited Space but Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement



## Engine Supports

### GM Engine Moving Tool

SKU 511006 59<sup>99</sup>  
THX419X

- Fits GM Front Wheel Drive Vehicles with Engine Torque Struts
- Safely Holds Engine in Place
- Extra Bolt Holes Provide Fit on All Vehicles
- Includes Adapter 419A



### 3-Point Engine Support Bar

SKU 133617 79<sup>99</sup>  
24951

- Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- 700 Lbs. Capacity
- Two 14" Adjustable Hook Screws
- Width Expands from 34-1/2" to a Full 61"
- Two 38" Braided Steel Cables



### 1,100 Lbs. Engine Support

SKU 512946 119<sup>99</sup>  
24950

LOWER PRICE

- 2 Screw Adjusters for Precise Positioning - Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability
- 1,100 Lbs. Capacity



2 HOOKS - 2 CHAINS

TWICE THE ADJUSTMENT MEANS FASTER, EASIER AND SAFER



**Leasing Terms Available!**

Ask Your AutoZone®  
Commercial Sales Manager

**AutoZone®**  
**Tool & Equipment QUARTERLY**



Torin®'s newest brand "TCE" brings the professional market the same pride, dependability and service, automotive professionals have trusted for the last 50 years. All TCE products carry a two (2) year limited warranty



**2-Post Car Lift**



Leasing Terms Available.  
Ask Your Autozone Commercial Sales Manager  
**Free Delivery!**  
in 48 Continental United States

Price Does Not Include,  
Installation or Optional  
Equipment as Shown.

**10,000 lbs Car Lift  
2 Post Overhead Clear Floor**

- Features and Benefits:**
- High Overhead Clearance
  - Single Point Synchronizing Safety Latch System
  - Adjustable Lifting Arms
  - Dual Heavy Duty Hydraulic Cylinders
  - Aircraft Quality Equalizing cables
  - Matted Powder Coat Finish
  - 78" Lifting Height Clearance
  - Every Transmission Mechanics Best Friend

**Symmetric**

SKU 171266  
T10000-20H-B  
**2799<sup>99</sup>**

**Asymmetric**

SKU 451565  
T10000-20HA-B  
**2799<sup>99</sup>**

**4-Post Car Lift**



Price Does Not Include  
Vehicles, Installation  
or Optional Equipment  
as Shown.

**7,000 lbs Car Lift  
4 Post Parking Lift**

- Features and Benefits:**
- Ladder Lock System
  - Commercial Grade Synchronizing Safety Latch System offers a unique two position locking mechanism
  - Air locking system
  - Detachable Tilting Approach Ramp)
  - Large Heavy Duty 3" Cylinder
  - Aircraft Quality Lifting cables
  - Matted Powder Coat Finish

**Narrow / Hobby  
74" Lifting Height**

SKU 171267  
T7000-4N  
**2499<sup>99</sup>**

**Narrow / Tall  
87" Lifting Height**

SKU 464061  
T7000-4NT  
**2699<sup>99</sup>**

**High Lift Jack Stands**

**1,500 lbs  
High Position  
Jack Stand**

SKU 451493  
TCE40753  
**99<sup>99</sup>**

- Max Height 79-7/8"
- Featuring heavy-duty steel and high-strength welds for safety in mind
- ACME all thread rod adjustment for varied load heights
- Handles have thrust bearings to turn easily under loads
- Large bases for extra stability
- For Heavy Duty Jobs That Need Maximum Height Adjustment



**2 Ton  
Tri-Fold  
High Position  
Jack Stand**

SKU 451494  
TCE42009  
**109<sup>99</sup>**

- Max Height 83-3/4"

**Transmission Jacks**

**1000 lbs Telescoping  
Transmission Jack**

SKU 451475  
TCE50055  
**849<sup>99</sup>**

- Double ram for a lower profile
- Saddle forward tilt 30 degree
- Saddle reverse tilt 12 degree
- 2 Stage Cylinder Ram
- Lifting range: 35" to 70-1/2"

- Single person operation
- Heavy-duty jack for transmission installation and removal
- For use with car and light truck transmissions
- Universal mounting head provides a wide fore and aft tilt range
- Manual operated hydraulic system



**1 TON  
Transmission Jack**

SKU 451476  
TCE10001  
**729<sup>99</sup>**

- Single person operation
- Heavy-duty jack for transmission installation and removal
- Universal mounting head provides a wide fore and aft tilt range
- Low profile design enhanced by four heavy duty steel swivel casters for easy maneuvering throughout the shop
- Manual operated hydraulic system
- Patented Unique 360° Handle Design



Saddle forward tilt 68 degree  
Saddle reverse tilt 15degree  
Rated Capacity: 2000 lbs  
Lifting range: 8-1/4" to 30-5/8"

**4,000 lbs (2 Ton)  
Ultra-Low Profile Garage Jack**

- Lifting range: 3" to 20"
- Ultra-low profile design gives clearance to even high performance super cars.
  - Heavy duty tubular grip handle that provides easy handling
  - Patented Quad-trak designed polyurethane front wheels that get over any bump or crack with no resistance.
  - Polyurethane mounted rear swivel caster wheels
  - Rubber saddle pad and foam bumper pad
  - Built-in wheel nut tray

SKU 451477  
TCE82002  
**399<sup>99</sup>**



**10 Ton Round Tube  
Vehicle Support Stand**

SKU 451491  
TCE41000  
**329<sup>99</sup>**

- Adjustment Range: 28-3/8" to 46-7/8"
- Featuring a heavy duty tubular structure for increased strength and stability and a welded frame structure for safety in mind
  - Large bases for extra stability
  - Solid steel height adjustment pin



**7 Ton Square Tube  
Vehicle Support Stand**

SKU 451490  
TCE47000  
**119<sup>99</sup>**

- Adjustment Range: 9-5/8" to 15-3/8"
- Featuring a heavy duty square tube structure for increased strength and stability and a welded frame structure for safety
  - Solid steel height adjustment pin



**Vehicle  
Support Stand**

- One piece multi-position ductile ratchet bar provides super strength and durability and quick adjustment mechanism that securely locks into desired location

**4 Ton**  
Adjustment Range:  
12-3/16" to 18-7/8"

SKU 451488  
TCE44008  
**79<sup>99</sup>**

**7 Ton**  
Adjustment Range:  
16-5/16" to 25-3/16"

SKU 451489  
TCE47008  
**119<sup>99</sup>**



**Lift Equipment**

**6,500 lbs (3-1/4 Ton)  
Professional Garage Jack**

- Lifting range: 3-13/16" to 21-1/8"
- Designed for the shop guys with work in mind and security guaranteed.
- Dual pump pistons for faster rising action
  - Thick U-Channel Frame Side Plates and reinforced lifting arm
  - Tubular grip handle that provides easy handling
  - Rubber saddle pad and foam bumper pad

SKU 451485  
TCE83508  
**269<sup>99</sup>**



**Auto Body Repair Kit**

**4 Ton Auto Body Repair Ram System**

Min. Ram Stroke  
10-3/4"

Max. Ram Stroke  
15-5/8"

SKU 451492  
TCE70401  
**159<sup>99</sup>**



- Included Items:**
- (1) 16-1/2" extension tube
  - (1) 19-1/2" extension tube
  - (1) 3-1/4" extension tube
  - (1) 5" extension tube
  - (1) 8-1/2" extension tube
  - (1) 90° comb. Head
  - (1) Cylinder assembly
  - (1) Flat base
  - (1) Gray blow mold case
  - (1) Hydraulic spreader
  - (1) Male connector
  - (1) Plunger toe
  - (1) Rubber head - flat
  - (1) Serrated saddle
  - (1) Wedge head

**Bottle Jacks**

**12 Ton Stubby**

Lifting range: 6-5/8" to 9-15/16"  
SKU 451483  
TCE91208  
**84<sup>99</sup>**

**12 Ton**

Lifting range: 9" to 18-1/8"  
SKU 451480  
TCE91207  
**84<sup>99</sup>**

**24,000 lbs**

Lifting range: 10-7/16" to 20"  
SKU 451478  
TCE31000  
**199<sup>99</sup>**

**20 Ton Stubby**

Lifting range: 7-1/8" to 10-1/2"  
SKU 451487  
TCE92008  
**119<sup>99</sup>**

**20 Ton**

Lifting range: 10-7/8" to 18-3/8"  
SKU 451486  
TCE92007  
**119<sup>99</sup>**

**40,000 lbs**

Lifting range: 10-7/16" to 20"  
SKU 451479  
TCE31001  
**229<sup>99</sup>**



**Shop Presses**

**20 Ton Shop Press**

SKU 451481  
TCE20021  
**1,299<sup>99</sup>**  
Force: 40,000 lbs  
Bed Internal Dimension: 21-5/8"  
Working Range: 0" to 39-3/8"  
Stroke: 7-1/2"

**30 Ton Shop Press**

SKU 451472  
TCE30021  
**1,599<sup>99</sup>**  
Force: 60,000 lbs  
Bed Internal Dimension: 21-5/8"  
Working Range: 2" to 44-1/2"  
Stroke: 5-7/8"

**50 Ton Shop Press**

SKU 451473  
TCE50021  
**1,899<sup>99</sup>**  
Force: 100,000 lbs  
Bed Internal Dimension: 27-15/16"  
Working Range: 2-5/8" to 36-1/4"  
Stroke: 7-1/2"

- Heavy-duty H-frame steel construction
- Side-to-Side Cylinder Ram Adjustment combines Speed & Precision
- Adjustable Platform
- Safety Guard
- Dial Gauge

