

SERVICE TOOLS

Torque Wrenches

3/4" Drive Torque Wrench

100-600 Ft/Lbs. Range
SKU 217376 **349⁹⁹**
25688

- Right Hand Direction



Micrometer Click Style

Turn Any Ratchet or Breaker Bar into a Digital Torque Wrench!



3/8" Drive Digital Torque Adapter

SKU 362559 **49⁹⁹**
25684

- Range 27 - 135 N-M (238.9-1194.8 In/Lbs.)



1/2" Drive Digital Torque Adapter

SKU 900805 **59⁹⁹**
25682

- Range 40 - 200 N-M (29.5-147.5 Ft/Lbs.)
- Buzzes When Target Torque is Reached

1/4" Drive Torque Screwdriver

SKU 695088 **79⁹⁹**
33627172

- Range: 10 - 50 In/Lbs.
- Great for Low Torque Applications
- Easy to Read Window Scale



OEM®

Professional Micrometer Adjustable Torque Wrenches

1/2" Drive

25-250 Ft/Lbs. Range
SKU 133659 **79⁹⁹**
25687

- Heavy Duty 24 Tooth Pear Shaped Ratchet Head
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counter-Clockwise Operation



3/8" Drive

25-250 In/Lbs. Range
SKU 133657 **49⁹⁹**
25685

3/8" Drive

10-100 Ft/Lbs. Range
SKU 133658 **49⁹⁹**
25686

- 45 Tooth Round Head Ratchet
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counter-Clockwise Operation

3/4" Drive Torque Multiplier

SKU 191056 **299⁹⁹**
25683

- Increase Torque Output
- It Utilizes a 3:1 Ratio Planetary Gear Set to Convert Low Torque (Max. 650 Ft/Lbs.) to High Torque (2,200 Ft/Lbs. / 3,000 N-M) for Heavy-Duty Tightening or Loosening. Input Drive 3/4", Output Drive 1"
- Comes with a 3/4" Drive 2-Way Quick Release Ratchet



Measuring Tools

Feeler Gauge

SKU 001927 **6⁹⁹**
25025

STORE STOCK

- 26 Blades with Laser Etched In/mm



OEM®

Angle Finder

SKU 186499 **22⁹⁹**
CEN6494

- Measure Auto and Truck Front Ends
- Measure Drive Shaft Angles
- Magnet in Base
- Graduated in 1/2 Degree Increments



Central TOOLS, Inc.
QUALITY AND INNOVATION SINCE 1908

X-Tread Digital Tire Gauge

SKU 186495 **19⁹⁹**
FOW74225500

- For Tire Tread Thickness Measurement
- Reads in Inch, Metric and Fractions



Electronic Digital Caliper

SKU 864649 **29⁹⁹**
25363

- Large Easy to Read LCD Display
- Zeroing Feature
- Thumb Roller with Locking Device



OEM®

STORE STOCK

Disc Brake Rotor Micrometer

SKU 607071 **49⁹⁹**
25367

STORE STOCK

- .001" Accuracy, .0005" Reading
- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On



OEM®

RotoCal with Twin Conical Anvils

SKU 186492 **74⁹⁹**
FOW74150004

- Range 0 to 5.5"
- Reads in Inch, Metric and Fractions
- 3.5" Jaw Depth for Large Rotors



Fowler

Dial Indicator Set

SKU 186500 **69⁹⁹**
FOW72522101

- Includes 1" Indicator, Magnetic Base Plus Rods, Swivel Clamp and Case
- 2-1/4" Dial, .001" Increments



Mini MAG Protractor

SKU 186501 **79⁹⁹**
FOW744224501

- Embedded Magnets with 35 Lbs. Pull
- Uses Standard 9V Battery
- 360 Degree Measuring Range
- Accuracy +/-2 Degrees




Fowler

Rotor/Drum Measuring Kit

SKU 186504 **79⁹⁹**
CEN3K301

- Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors
- 8 to 13" Range
- 0 to 6" Digital Caliper Included



Central TOOLS, Inc.
QUALITY AND INNOVATION SINCE 1908

Disc Brake Rotor Micrometer

SKU 186498 **89⁹⁹**
FOW72234422

- Easy to Read Digital Counter
- Range is 0.3" to 1.7"
- Ratchet Thimble



Fowler

Disc Brake/Ball Joint Gage

SKU 186496 **99⁹⁹**
FOW72520757

- Checks Ball Joint Wear and Disc Rotor Run-out
- Checks Gear Backlash and Valve Guide Wear
- 0 to 1" Travel and .001" Graduations



Fowler

Mechanical Digital Rotor Micrometer

SKU 186497 **94⁹⁹**
CEN3M230

- 3-1/2" Deep Frame
- Digital Read Out to .001"
- .300 to 1.300" Range



STORM
The Value Line From

Straight Edge 24"x1/4"

SKU 404660 **119⁹⁹**
CEN6429

- Measure Head, Block and Flywheel Straightness
- Precision Ground to +/- .001"

3-Piece Micrometer Set

SKU 186503 **134⁹⁹**
CEN3M113

- 0 to 3" Range
- 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103
- Set Includes Calibration Tools



Central TOOLS, Inc.
QUALITY AND INNOVATION SINCE 1908

Sensor Sockets

Oil Pressure Switch Socket

SKU 141490 **9⁹⁹**
25254

STORE STOCK

- Fits Most 1" and 1-1/16" Switches
- Accepts Oil Pressure Sending Units Up to 2-5/8" Long

OEM®



3/8" Drive Oxygen Sensor Socket

SKU 047738 **10⁴⁹**
25001

STORE STOCK

- For Use with 3/8" Drive Ratchet or 1" Wrench
- Removes and Installs Oxygen Sensors on All Domestic and Imported Computerized Engine Controlled Vehicles
- Cutaway Slot Provided in the Side for Sensor Wire Clearance
- Durable Alloy Steel Construction

OEM®



Water Sensor Wrench Fits Aftermarket Sensors

SKU 459101 **16⁹⁹**
LIS34910

- Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 through 2011 6.6L Duramax Diesel Engines



Lisle

Water Sensor Wrench

SKU 459099 **16⁹⁹**
LIS34900

- Removes and Installs the Water Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines



Lisle


Oxygen Sensor Wrench

SKU 947305 **29⁹⁹**
33625246

- Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines
- 7/8" / 22 mm Used in SUVs and Light Trucks

STORE STOCK

OEM®



Oxygen Sensor Socket Set

SKU 695125 **25⁹⁹**
33627110

- Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors
- 3/8" and 1/2" Drive, 22 mm / 7/8"



OEM®

IPR Socket

SKU 080593 **29⁹⁹**
LIS68210

- Used to Remove and Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and Other Diesel Engines
- Built to Bottom Out on the Hex So it Does Not Put Torque on the Connector in Case It Can Be Reused



Lisle

7-Piece Sensor Socket Set

SKU 900823 **59⁹⁹**
27189

- For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Sending Units and Thermal Sensor Switches



OEM®

Power Steering

Air Bleed Adapter for Ford

SKU 751704 **29⁹⁹**
MITMVA662

- Helps Remove Trapped Air in the Power Steering System
- Seals Ford Power Steering Pump Necks Having an Internal Diameter of 1-1/4" or 2" (32 or 50 mm)
- Works with a Hand Vacuum Pump



NEW

Air Bleed Adapter for GM

SKU 751698 **29⁹⁹**
MITMVA661

- Helps Remove Trapped Air in the Power Steering System
- Designed for Sealing GM Power Steering Pumps with a Two-Tab Cap Design
- Works with a Hand Vacuum Pump



NEW

THEXTON



Power Steering Vacuum Pump

SKU 463254 **189⁹⁹**
THX212

- Bleeds Trapped Air from Power Steering System
- Tapered Adapter Allows Use on Most Makes and Models

Universal Air Bleed Adapter

SKU 751699 **24⁹⁹**
MITMVA660

- Helps Remove Trapped Air in the Power Steering System
- Rubber, Cone-Shaped Design
- Seals Pump Necks Ranging from 5/8" Up to 1-5/8" (16 Up to 41 mm) Internal Diameter
- Works with a Hand Vacuum Pump



NEW

90 Degree Air Bleed Adapter

SKU 751710 **24⁹⁹**
MITMVA665

- Available Separately and Can Be Interchanged with the Inline Connector on MVA661 and MVA662
- For Applications with Limited Overhead
- Works with a Hand Vacuum Pump



NEW



1-877-AZTool1 (phone)
 (1-877-298-6651) *Hablamos Español*
aztool@aztool1.com (email)
www.aztool1.com (visit website)

Harmonic Balancer



Harmonic Balancer Puller Retrofit Kit for GM
 SKU 695100 13⁹⁹
 33627296

- Use with OEM 33627019, 27019 and 25053 Harmonic Balancer Pullers and Many Other Popular Balancer Pullers
- The 3 Bolts Fit Through the Slotted Holes in the Balancer and Screws Into the Threads of the Balancer on GM 3300 and 3800 V6 Engines
- Shoulders on the Bolts Prevent Damage to the Crank Sensor That Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft and Threads

OEM



Harmonic Balancer Installer
 SKU 695105 45⁹⁹
 33627144

- Used to Properly Install Harmonic Balancers
- Set Includes: Jaw Screw, Jack Screw Nut, Pressure Bearing, 3/8" x 24" Bolt and (8) Thread Adapters
- Includes: Adapters: 12mm x 1.5m, 14mm x 1.5, 16mm x 2.0, 7/16" x 2.0, 1/2" x 2.0, 9/16" x 18, 5/8" x 18, 3/4" x 16,

OEM



Long Reach Harmonic Balancer Pulley Installer
 SKU 544785 59⁹⁹
 24442

- Install Crank Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16x2.0 - GM; M14x1.5 - Dodge, Chrysler, Jeep; M12x1.75 - Dodge, Chrysler, Jeep; M112x1.5 - Ford; Nut / Bearing Assembly

OEM



Chrysler Harmonic Balancer Puller
 SKU 695109 75⁹⁹
 33627139

- For Removal of the Harmonic Balancer on Many Chrysler and Mitsubishi Engines
- Heat Treated Jaws and Pressure Screw for Durability
- Two Adapter Rods for Different Sizing



Applications Include Dodge Hemi and GM GEN III Motors

Harmonic Balancer Installer
 SKU 343394 139⁹⁹
 LIS53460

- Installs Harmonic Balancers or Drive Pulleys that are Pressed on the Crankshaft
- Adapters: M12 x 1.5 M14 x 1.5, M16 x 2.0 7/16 - 20, 1/2 - 20, 9/16 - 18, 5/8 - 18 and 3/4 - 16

Pullers

Harmonic Balancer/Steering Wheel Puller

SKU 532440 17⁴⁹
 25053

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



2 Jaw Gear Puller 5-1/2" Reach, 6" Spread

SKU 526494 19⁹⁹
 WLMW87124LT

- Heavy-Duty Chrome Vanadium Construction
- Plated to Resist Corrosion
- Size with 2/3 Jaws



While Supplies Last

2/3 Jaw Gear Puller 3-1/4" Reach

SKU 526500 19⁹⁹
 WLMW87123LT

- 2/3 Jaw and 2 Ton Capacity
- 4-3/4". Maximum Spread
- 3-1/4" Reach 4"
- Heavy-Duty Chrome Vanadium Construction
- Plated to Resist Corrosion



While Supplies Last

2 Jaw 5-Ton Gear Puller

SKU 141513 29⁹⁹
 25914

- Reversible
- Maximum Reach: 3-1/4"
- Maximum Spread: 6"



2/3 Jaw 2-Ton Gear Puller

SKU 070134 34⁹⁹
 25901

- Maximum Reach: 3-1/2"
- Maximum Spread: 4-3/4"
- Center Forcing Screw: 3/8" to 24" x 4-7/8"



2/3 Jaw 5-Ton Gear Puller

SKU 231202 39⁹⁹
 25919

- Reversible
- Maximum Reach: 5-1/2"
- Maximum Spread: 7"



7-Ton Reversible Puller

SKU 978100 79⁹⁹
 27183

- Maximum Reach: 6"
- Maximum Spread: 7"
- Used to Pull Gears with 2/3 Jaws



Bearing and Pulley Puller Set

SKU 900824 89⁹⁹
 27190

- Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More

MAKES UP TO EIGHTEEN DIFFERENT PULLERS!



Specialty Pullers

Timing Gear and Pulley Set

SKU 695623 16⁹⁹
 33627009

- Services Crankshaft Pulleys and Timing Gears on Gasoline and Diesel Powered Engines



Alternator Decoupler Pulley Tool Kit

SKU 300124 24⁹⁹
 27261

- Set Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off the Vehicle
- Comes in Blow Mold Storage Case



Alternator Decoupler Tool Set

SKU 255865 34⁹⁹
 LIS57650


- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Includes Molded Case



Alternator Decoupler Pulley Service Kit

SKU 695085 60⁹⁹
 33627275

- Allows Alternator Shaft to be Held While the Pulley Retainer is Removed
- Includes: A Special Set of Spline and Star Socket Bits for the Removal of Bosch Type Alternator Free-Wheel Drive Pulleys



Steering Pivot Pin Remover

SKU 265106 14⁹⁹
 25135

- Works on 1969 to Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



Pulley Puller/Installer Kit

SKU 141495 29⁹⁹
 25298

- Fits Pulleys with Hub Diameters Measuring 1-1/8", 1-1/4", 1-5/16" and 1-3/8"



Steering Wheel and Lock Plate Puller Kit

SKU 900821 49⁹⁹
 27182

- Used to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel



VW®/Audi® Diesel Injector Puller Kit

SKU 548566 59⁹⁹
 27282

- Remove Diesel Injectors from 1996 to Current VW and Audi Vehicles
- Applications: VW, Audi TDI Engine Code: ALH/AHU/1Z



Slide Hammer Pullers



Slide Hammer Pilot Bearing Puller Set

SKU 526497 84⁹⁹
 WLMW89742

- This Tool is for Removal of Pilot Bearings or Any Other Items Requiring Internal Pulling
- Set Includes Four Collets Which Fit a Wide Range of Applications

While Supplies Last

OEM



9-Way Slide Hammer Puller Set

SKU 900825 99⁹⁹
 27191

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two and Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8" - 18 Thread Slide Hammer Attachments

OEM



Blind Hole Puller Set

SKU 695118 160⁹⁹
 33627128

- This Special Puller is Designed to Pull Blind Hole Bearings, Bushings, and Sleeves with Inside Diameters 3/8" - 1-3/8"

SERVICE TOOLS



1-877-AZTool1 (phone)
 (1-877-298-6651) *Hablamos Español*
aztool@aztool1.com (email)
www.aztool1.com (visit website)

Tubing

Mini Tubing Cutter

SKU 532507 **6⁹⁹**
 25058
STORE STOCK
 • Capacity: 1/8" to 7/8"
 • Cutter is Capable of Turning on a 1-7/8" Radius
 • Lightweight for Easy Handling



Tubing Cutter

SKU 141489 **7⁹⁹**
 25299
STORE STOCK
 • Cuts Tubes Capacity: 1/8" to 1-1/8"
 • Two Facing Flare Groove Rollers
 • Die Cast Frame with Reamer
 • Alloy Steel Cutting Wheel
 • Large, Easy Grip Knob with 1/8" to 1-1/8" 2 Facing Flare Groove Rollers



Ratcheting Tubing Cutter

SKU 466309 **37⁹⁹**
 24520
STORE STOCK
 • Ratcheting Action Ideal Where Space is Limited
 • Cuts 1/4" to 1-1/8" Tubing



Multi-Purpose Tubing Bender

SKU 390889 **14⁹⁹**
 25179
STORE STOCK
 • Works on 3/16", 1/4", and 3/8" (4, 6, and 8 mm) O.D. Copper, Aluminum and Stainless Steel Tubing
 • Used to Make Left, Right and Offset Bends Up to 90 Degrees



Double Flaring Tool

SKU 864647 **19⁹⁹**
 25358
STORE STOCK
 • Includes Five Adapters 3/16, 1/4, 5/16, 3/8 and 1/2 (4.8 mm Through 12.7 mm)



In-Line Flaring Tool Kit

SKU 238197 **24⁹⁹**
 24364
STORE STOCK
Create a Perfect Flare Every Time!
 • Use on Thin Walled Steel and Copper Tubing
 • Low Profile Design Allows for Use On or Off the Vehicle
 • 3/16" and 4.75 mm Tubing
 • Double Clamp and Hex Screw Keeps Tubing Locked Tightly in Position




Double Flaring Tool

SKU 695622 **30⁹⁹**
 33627015
 • Produces Single and Double Flares in Soft Steel



Tubing Bender Pliers

SKU 265107 **34⁹⁹**
 25170
 • Bends All Types of 3/16" Brake Lines and 1/4" OD Tubing without Kinking or Flattening, Especially in Tight Spots



Die and Adapter Flare for GM Transmission Cooling Line

SKU 300785 **49⁹⁹**
 MSC71099-TC
 • Die and Adapter Flare for GM Transmission Cooling Line



Universal Hydraulic Flaring Tool Set

SKU 390927 **439⁹⁹**
 MSC71475
 • Fabricates Push to Connect Flares: 1/4, 5/16 and 3/8"
 • GM Fuel Line Flares: 5/16 and 3/8"
 • Flares Double Flares: 3/16, 1/4, 5/16, 3/8 and 1/2"
 • Flares Metric Bubble Flares: 4.75, 6, 8, and 10 mm



Mastercool
 World Class Quality

BONUS Exhaust Donut Stretcher

SKU 390901 | Part# 25543
VALUE: \$4.99



with Purchase of:
Exhaust Manifold Spreader Set
 SKU 504028 | Part# 25253TWO

Exhaust Manifold Spreader Set

SKU 504028 **22⁹⁹**
 25253TWO
 • Used for Reinstalling the Manifold on Small Block Chevrolets
 • Simple Way to Expand a Warped Manifold So All Bolt Holes are Accurately Aligned

• Helps Prevent Cross-Threading of Manifold Bolts
 • Works Best When Used In Pairs or Install Before Removing Manifold to Prevent Mis-Alignment



Offer Good Through September 30, 2015 While Supplies Last

Exhaust Tools

Tailpipe Cutter

SKU 695599 **50⁹⁹**
 33627045
 • Used to Cut Tail Pipe
 • Range 3/4" to 3-1/4" (19-83 mm)



Tailpipe Expander 1-1/2" to 2-7/16"

SKU 695615 **25⁹⁹**
 33627027
 • Expands Tail Pipes so Mufflers and Tail Pipes Can Be Fitted to the Exhaust System



Tailpipe Expander 2-1/8" to 3-7/16"

SKU 695614 **35⁹⁹**
 33627028
 • Expands Tail Pipes so Mufflers and Tail Pipes Can Be Fitted to the Exhaust System



Pipe Stretcher Kit

SKU 080137 **274⁹⁹**
 LIS17350
 • Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
 • Use with Impact Wrench to Quickly Stretch Pipes
 • Collet Sets Expand Pipes from 1-5/8" to 4-1/4"



Thread Chasers



Spark Plug Hole Thread Chaser

SKU 070109 **11⁹⁹**
 25124
 • Double End for 14 mm and 18 mm
 • For Use with 13/16 in Deep Sockets
 • Cleans Spark Plug Threads of Dirt and Carbon Build-Up



Limited Access Spark Plug Chaser

SKU 607068 **12⁹⁹**
 25155
 • Narrow profile and Long Length Allows Access to Spark Plug Holes in Confined Spaces
 • Use with a 3/8" Ratchet or Extension
 • Size: M14 x 1.25



M12-1.25 Spark Plug Hole Chaser

SKU 480773 **13⁹⁹**
 LIS20000
 • Size: M12 x 1.25
 • Use with a 3/8" Ratchet and Locking Extension



Oxygen Sensor Thread Chaser

SKU 607067 **13⁹⁹**
 25255
STORE STOCK
 • Use with 3/8" Hex Socket or 3/8" Square Drive
 • Size: M18 x 1.5

Spark Plug Installation

Magnetic Spark Plug Sockets



SKU	Part No.	Item	Price
300146	22885	3/8" Drive Magnetic Spark Plug Socket 5/8" Drive X 6"	24.99
300147	22886	3/8" Drive Magnetic Spark Plug Socket 9/16" Drive X 6"	24.99
300136	22890	2 Piece Kit 1/2" Drive Set Includes 5/8" and 13/16" Standard Length Magnetic Spark Plug Sockets	19.99
300140	22891	3 Piece Kit 3/8" Drive Set Includes 5/8", 9/16", 13/16" Standard Length Magnetic Spark Plug Sockets	29.99

Heavy Duty Spark Plug Boot Plier

SKU 390900 **8⁹⁹**
 25542
STORE STOCK
 • Designed to Remove Hard to Reach Spark Plug Boots
 • Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
 • Vinyl Coated Grips for Comfort
 • Do Not Use When the Engine is Running



3/8" Drive 9/16" Spark Plug Socket

SKU 265110 **22⁹⁹**
 25259
 • 10" Long with Thin Wall Design to Reach Into the Cylinder Head
 • Fits 2004-Newer Ford F-150 Pickup Trucks with 5.4L 3-Valve Triton V-8 Engines
 • Chamfered Ends
 • Chrome Plated to Resist Rust



Thread Repair

*NES Sets Come with Extra Blade(s)



6-Piece Internal/External Thread Repair Set

SKU 343363 **559⁹⁹**
 NES1025*
 • Includes the NES1A, NES2, NES21, NES22, NES23 and NES24
 • Floating Cutters are Self-adjusting to Any Pitch and Size within Range
 • Self-Adjusting, No Need for Calibration or ID Thread Type



3-Piece External Thread Repair Set 5/32" - 6"

SKU 343364 **549⁹⁹**
 NES1300*
 • Includes NES1A, NES2 and NES3
 • Floating Cutters are Self-Adjusting to Any Pitch and Size Within Range



3-Piece Internal/External Thread Repair Set

SKU 343362 **249⁹⁹**
 NES1015*
 • Includes the NES1A, NES21 and NES22
 • Replaces a Huge Array of Taps and Dies



2-Piece External Thread Repair Set 5/32" - 1.1/2"

SKU 343361 **199⁹⁹**
 NES1000*
 • Includes the NES1A and NES2
 • Restores Inch or Metric, Right or Left Handed Fastener Threads

External Thread Repair 5/32" - 1/2"

SKU 343360 **39⁹⁹**
 NES6040
 • Restores Inch or Metric, Right or Left Handed Fastener Threads

External Thread Repair 5/32" - 11/16"

SKU 343365 **74⁹⁹**
 NES1A
 • Also Repairs Damaged Threads on Pipes up to 7/16"

External Thread Repair 11/16" - 1.1/2"

SKU 343366 **104⁹⁹**
 NES2
 • Also Repairs Damaged Threads on Pipes from 3/8" to 1-1/8"

Internal Thread Repair 5/16" - 7/16"

SKU 343367 **84⁹⁹**
 NES21

1/2" - 5/8"
 SKU 343369 **84⁹⁹**
 NES22



Scan the QR Code for More Info on NES Thread Repair Products