

# AIR COMPRESSORS

## TWO STAGE | 60 GALLON DELIVERY INCLUDED



**\$1,479<sup>99</sup>**

### Two-Stage, 5 HP 60-Gallon Vertical

SKU 210433 | IRT2340L5  
 • CFM: 14.7 @ 175 Psi  
 • Cast Iron Pump  
 • 230 Volt/Single Phase  
 • Factory Mounted and Wired Motor Starter

**Start Up Kit 119<sup>99</sup>**  
 SKU 970496 | IRT32305880

- (4) Quarts Synthetic Lube and (2) Air Filters
- Use of Kit Extends Compressor Pump Warranty to 2 Years

**Lift Gate Service**  
 SKU 262532 IRTLIFTGATE  
**80<sup>00</sup>**

**\$1,179<sup>99</sup>**

### Two-Stage, 5 HP 60-Gallon Vertical with Magnetic Starter

SKU 110299 | OEMTE5060VM  
 • CFM: 15 @ 150 Psi  
 • Cast Iron Pump  
 • 230 Volt/Single Phase  
 • Factory Mounted and Wired Motor Starter  
 • Easy Access Drains

- PLUS:**
- Vibration Damper Pads
  - Synthetic Oil

**BEST VALUE**

**Lift Gate Service**  
 SKU 295540 OEMLIFTGATE  
**80<sup>00</sup>**

**IN STOCK**  
 Ready To Ship

OEM Tank Color May Vary Depending on Stock



**\$1,099<sup>99</sup>**

### Two-Stage, 5 HP 60-Gallon Reciprocating Air Compressor

SKU 344627 CPTRCP561VNS  
 • CFM @ 100 Psi: 15.3  
 • Premium Cast Iron & Aluminum Hybrid Pump  
 • Volts: 208 - 230 Single Phase  
 • Magnetic Starter: Not Required  
 • Full 2 Year Warranty  
 • Pump Oil Included

**Lift Gate Service**  
 SKU 361260 CPTLIFTGATE  
**125<sup>00</sup>**



## TWO STAGE | 5 HP | 80 GALLON DELIVERY INCLUDED



**\$2,449<sup>99</sup>**

### Two-Stage, 5 HP 80-Gallon Vertical

SKU 095102 | IRT2475N5V  
 • Cast Iron Pump  
 • CFM: 16.8 @ 175 Psi  
 • 230 Volt/Single Phase  
 • Factory Mounted and Wired Motor Starter

**Start Up Kit 119<sup>99</sup>**  
 SKU 970496 | IRT32305880

- (4) Quarts Synthetic Lube and (2) Air Filters
- Use of Kit Extends Compressor Pump Warranty to 2 Years

**Lift Gate Service**  
 SKU 262532 IRTLIFTGATE  
**80<sup>00</sup>**

**\$1,699<sup>99</sup>**

### Two-Stage, 5 HP 80-Gallon Vertical

SKU 110300 | OEMTN5080VM  
 • Cast Iron Pump  
 • CFM: 16.5 @ 175 Psi  
 • 230 Volt/Single Phase  
 • Factory Mounted and Wired Motor Starter  
 • Easy Access Drains

- PLUS:**
- Vibration Damper Pads
  - Low Oil Shut-off
  - Synthetic Oil

**BEST VALUE**

**Lift Gate Service**  
 SKU 295540 OEMLIFTGATE  
**80<sup>00</sup>**

**IN STOCK**  
 Ready To Ship

OEM Tank Color May Vary Depending on Stock



**\$2,249<sup>99</sup>**

### Two-Stage, 5 HP 80-Gallon Vertical - Premium Model

SKU 344629 CPTRCP581V  
 • CFM @ 100 Psi: 18.5  
 • Premium Cast Iron and Aluminum Hybrid Pump  
 • Volts: 208 - 230 Single Phase  
 • Premium Model Includes: Low Oil Level Switch, Auto Tank Drain, Triple Pass Pump Mounted Aftercooler  
 • Mag Starter Included  
 • Full 2 Year Warranty  
 • Pump Oil Included

**Lift Gate Service**  
 SKU 361260 CPTLIFTGATE  
**125<sup>00</sup>**



## TWO STAGE | 7.5 HP | 80 GALLON DELIVERY INCLUDED



**\$2,499<sup>99</sup>**

### Two-Stage, 7.5 HP 80-Gallon Vertical

SKU 210434 | IRT2475N7.5  
 • CFM: 24.0 @ 175 Psi  
 • Cast Iron Pump  
 • 230 Volt / Single Phase  
 • Factory Mounted and Wired Motor Starter

**Start Up Kit 119<sup>99</sup>**  
 SKU 970496 | IRT32305880

- (4) Quarts Synthetic Lube and (2) Air Filters
- Use of Kit Extends Compressor Pump Warranty to 2 Years

**Lift Gate Service**  
 SKU 262532 IRTLIFTGATE  
**80<sup>00</sup>**

**\$2,199<sup>99</sup>**

### Two-Stage, 7.5 HP 80-Gallon Vertical

SKU 110301 | OEMTUE7580VM  
 • CFM: 24.8 @ 175 Psi  
 • Cast Iron Pump  
 • 230 Volt / Single Phase  
 • Factory Mounted and Wired Motor Starter  
 • Easy Access Drains

- PLUS:**
- Low Oil Shut-off
  - Vibration Damper Pads
  - Synthetic Oil

**BEST VALUE**

**Lift Gate Service**  
 SKU 295540 OEMLIFTGATE  
**80<sup>00</sup>**

**IN STOCK**  
 Ready To Ship

OEM Tank Color May Vary Depending on Stock



**\$2,349<sup>99</sup>**

### Two-Stage, 7.5 HP 80-Gallon Vertical Premium

SKU 344631 CPTRCP7581V  
 • CFM @ 100 Psi: 25.3  
 • Premium Cast Iron & Aluminum Hybrid Pump  
 • Volts: 208-230 Single Phase  
 • Premium Model Includes: Low Oil Level Switch, Auto Tank Drain, Triple Pass Pump Mounted Aftercooler  
 • Mag Starter Included  
 • Full 2 Year Warranty  
 • Pump Oil Included

**Lift Gate Service**  
 SKU 361260 CPTLIFTGATE  
**125<sup>00</sup>**



## GASOLINE | 13 HP | 30 GALLON DELIVERY INCLUDED

### 13 HP, 30-Gallon Horizontal with HONDA Engine

SKU 110435 | IRT2475F13GH  
 • Gas Powered Honda Engine  
 • CFM: 25 @ 175 Psi  
 • Cast Iron Pump

**Start Up-Kit 89<sup>99</sup>**  
 SKU 970499 IRT32312936

- For 2475F13GH 4 Cycle Gas Compressor
- Kit Includes: (2) Air Filter Elements, (2) Quarts 4-Cycle Engine Oil, (4) Liters of All Season Synthetic Lube
- Using this Kit Extends Compressor Pump Warranty to 2 Years



**Lift Gate Service 80<sup>00</sup>**  
 SKU 262532 IRTLIFTGATE

**\$2,349<sup>99</sup>**

### 13 HP, 30-Gallon Horizontal with HONDA Engine

SKU 110306 OEMTUK13030HGE  
 • Gas Powered Honda Engine  
 • CFM: 22 @ 175 Psi  
 • Cast Iron Pump

- PLUS:**
- Synthetic Oil

**Lift Gate Service 80<sup>00</sup>**  
 SKU 295540 OEMLIFTGATE

**IN STOCK**  
 Ready To Ship

OEM Tank Color May Vary Depending on Stock



**\$2,549<sup>99</sup>**

### 13 HP, 30-Gallon Horizontal with HONDA Engine

SKU 344741 CPTRCP1330G  
 • CFM @ 100 Psi: 25.3  
 • Premium Cast Iron and Aluminum Hybrid Pump  
 • 12V Electric and Recoil Starter Standard  
 • EZ Pull Type Tank Drain  
 • Oil Monitor  
 • Cold Start Valve  
 • Full 2 Year Warranty  
 • Pump Oil Included

**Lift Gate Service 125<sup>00</sup>**  
 SKU 361260 CPTLIFTGATE



**Chicago Pneumatic**

## TWO STAGE | 10 HP | 120 GALLON DELIVERY INCLUDED

**\$2,849<sup>99</sup>**

**COMPARE AND SAVE**

**\$2,599<sup>99</sup>**

### Two Stage, 10 HP 120-Gallon Horizontal

SKU 210437 IRT2545E10V  
 • CFM: 35 @ 175 Psi  
 • Cast Iron Pump  
 • 230 Volt/Three Phase  
 • Factory Mounted and Wired Motor Starter

**Start-Up Kit 99<sup>99</sup>**  
 SKU 970497 IRT32305898

- (4) Quarts Synthetic Lube and (2) Air Filters
- Use of Kit Extends Compressor Pump Warranty to 2 Years

**Lift Gate Service 80<sup>00</sup>**  
 SKU 262532 IRTLIFTGATE

### Two Stage, 10 HP 120-Gallon Horizontal Three Phase

SKU 110305 | OEMTUK100120M3  
 • CFM: 32.5 @ 175 Psi  
 • Cast Iron Pump  
 • 230 Volt/Three Phase  
 • Factory Mounted and Wired Motor Starter

- PLUS:**
- Low Oil Shut-off
  - Synthetic Oil
  - Auto Drain

### Two Stage 10 HP 120-Gallon Horizontal Single Phase

SKU 110303 OEMTUK100120M1 **2,999<sup>99</sup>**

**IN STOCK**  
 Ready To Ship

**Lift Gate Service 80<sup>00</sup>**  
 SKU 295540 OEMLIFTGATE

OEM Tank Color May Vary Depending on Stock



## Gas Compressor OEM

### 8 HP, 30-Gallon Horizontal with HONDA Engine

SKU 979920 OEMTUE8030HGE **1,899<sup>99</sup>**  
 • Electric Start  
 • CFM: 16 @ 175 Psi  
 • Cast Iron Pump  
 • Synthetic Oil

### 5.5 HP, 30-Gallon Horizontal with HONDA Engine

SKU 110298 OEMPUK5530G **1,099<sup>99</sup>**  
 • Gas Powered Honda Engine  
 • CFM: 12.0 @ 90 Psi



**IN STOCK**  
 Ready To Ship



**Leasing Terms Available!†**

Ask Your AutoZone®  
Commercial Sales Manager

†See Page 100 for More Information

**AutoZone®**  
**Tool & Equipment QUARTERLY**

**Air Compressors**

**5 HP, 60-Gallon, Single-Stage Compressor**  
SKU 544555  
MAXGNC5160VIM  
**1,149<sup>99</sup>**

- 18.5 CFM @ 100 Psi
- Max Rated Psi: 170 (Ships Preset to 150 Psi)
- Voltage: 208/230V Single Phase
- Rugged Cast Iron Cylinders are Built to Work Hard and Last a Long Time
- Extended Easy to Reach, No Mess Oil Drain
- 2 Year Warranty

**MAXair PREMIUM**

**5 HP, 80-Gallon, Single-Stage Compressor**  
SKU 544556  
MAXGNC5180VIM  
**1,449<sup>99</sup>**

- 18.5 CFM @ 100 Psi
- Max Rated Psi: 170 (Ships Preset to 150 Psi)
- Voltage: 208/230V Single Phase
- Rugged Cast Iron Cylinders are Built to Work Hard and Last a Long Time
- Extended Easy to Reach, No Mess Oil Drain
- 2 Year Warranty

**MAXair PREMIUM**

**7.5 HP, 80-Gallon, Single-Stage Compressor**  
SKU 544557  
MAXGNC7180IMS  
**2,399<sup>99</sup>**

- 30 CFM @ 100 Psi
- Max Rated Psi: 170 (Ships Preset to 150 Psi)
- Voltage: 208/230V Single Phase
- Rugged Cast Iron Cylinders are Built to Work Hard and Last a Long Time
- Extended Easy to Reach, No Mess Oil Drain
- 2 Year Warranty
- Magnetic Starter Included

**11 HP, 30-Gallon Truck Mount Air Compressor with Honda Engine and Electric Start**

SKU 544558  
MAXGN1130TRHM  
**2,649<sup>99</sup>**

- 18.5 CFM @ 100 Psi
- Max Rated Psi: 170 (Ships Preset to 150 Psi)
- 11-HP Honda GX340 Manual/Electric Start Engine - CARB Approved
- Extended Easy to Reach, No Mess Oil Drain
- Uses 12 Volt, Motorcycle-Style Starter Battery (Battery Not Included; Must Be Purchased Separately)



**MAXair PREMIUM**

**Air Compressors\***

- Rugged Cast Iron Cylinders are Built to Work Hard and Last a Long Time
- Extended Easy to Reach, No Mess Oil Drain
- Max Rated Psi: 170 - Ships Preset to 150 Psi (Unless Noted in Table)
- 2 Year Warranty

**MAXair PREMIUM**

SKU	Part #	Description	Specifications	Price
547023	MAXGNC4160VIM	5 HP, 60-Gallon, Single Stage	• 12.5 CFM @ 100 Psi • 208/230V Single Phase	1,049.99
547015	MAXGNC7380IC2	7.5 HP, 80-Gallon, Single-Stage	• 30 CFM @ 100 Psi • 208/230V 3 Phase	2,399.99
547016	MAXGNC7380IC4	7.5 HP, 80-Gallon, Single-Stage	• 30 CFM @ 100 Psi • 460V 3 Phase	2,399.99
547018	MAXGNC7580ICS	7.5 HP, 80-Gallon, Single-Stage	• 30 CFM @ 100 Psi • 575V 3 Phase	2,399.99
547019	MAXGNC101208M	10 HP, 120-Gallon, Single-Stage	• 50 CFM @ 100 Psi • 208V Single Phase • Magnetic Starter	3,949.99
547020	MAXGNC103208M	10 HP, 120-Gallon, Single-Stage	• 50 CFM @ 100 Psi • 208V 3 Phase • Magnetic Starter	3,699.99
547021	MAXGNC103230M	10 HP, 120-Gallon, Single-Stage	• 50 CFM @ 100 Psi • 230V 3 Phase • Magnetic Starter	3,699.99
547022	MAXGNC103460M	10 HP, 120-Gallon, Single-Stage	• 50 CFM @ 100 Psi • 460V 3 Phase • Magnetic Starter	3,699.99

SKU	Part #	Description	Specifications	Price
547024	MAXGNC105575M	10 HP, 120-Gallon, Single-Stage	• 50 CFM @ 100 Psi • 575V 3 Phase • Magnetic Starter	3,699.99
547026	MAXGNC153208M	15 HP, 120-Gallon, Single Stage	• 60 CFM @ 100 Psi • 208V 3 Phase • Max Rated Psi: 150 • Magnetic Starter	5,199.99
547027	MAXGNC153230M	15 HP, 120-Gallon, Single Stage	• 60 CFM @ 100 Psi • 230V 3 Phase • Max Rated Psi: 150 • Magnetic Starter	5,199.99
547028	MAXGNC153460M	15 HP, 120-Gallon, Single Stage	• 60 CFM @ 100 Psi • 460V 3 Phase • Max Rated Psi: 150 • Magnetic Starter	5,199.99
547029	MAXGNC155575M	15 HP, 120-Gallon, Single Stage	• 60 CFM @ 100 Psi • 575V 3 Phase • Max Rated Psi: 150 • Magnetic Starter	5,199.99

**Lift Gate Service**  
SKU 295540 OEMLIFTGATE **80<sup>00</sup>**

\* 10 HP and Above Electrical Air Compressors are Horizontal Tank Units

**18 HP, 55-Gallon Truck Mount Vanguard V-Twin Electric Start Air Compressor**

SKU 544559  
MAXGN1855TRHM  
**3,699<sup>99</sup>**

- 55 CFM @ 100 Psi
- Max Rated Psi: 170 (Ships Preset to 150 Psi)
- 18HP Briggs and Stratton Vanguard Engine
- 2 Year Warranty



Carb Compliant

**Single Stage Compressors**

**Single Stage, 6 HP\* OEM® 60-Gallon Vertical Compressor**  
SKU 110297  
OEMPK7060VS  
**1099<sup>99</sup>**

**IN STOCK**  
Ready To Ship

- 3 Cylinder Cast Iron Pump
- 19.5 CFM @ 90 Psi
- Max Psi: 150
- 230 Volt/Single Phase
- \*3 HP/6 HP Peak

**PLUS:**  
• Vibration Damper Pads, Synthetic Oil, Easy Tank Drain

OEM Tank Color May Vary Depending on Stock



**Lift Gate Service**  
SKU 295540 OEMLIFTGATE **80<sup>00</sup>**



**Single Stage, 5 HP\*, 20-Gallon Vertical Compressor**

SKU 110315  
PUMPK5020VP  
**529<sup>99</sup>**

- CFM: 7.1 @ 40 Psi
- CFM: 5.5 @ 90 Psi
- 120/240 Volt / Single Phase
- \*2 HP/5 HP Peak



**Single Stage 6 HP\*, 60-Gallon Vertical Compressor**

SKU 436011  
PUMPK6060V  
**599<sup>99</sup>**

- 2 Cylinder Cast Iron Pump
- 12 CFM @ 90 Psi
- Max Psi: 150
- 230 Volt Single Phase
- \*3 HP/6 HP Peak



**Compressor Oil SAE30 (1 Qt)**  
SKU 301791  
PUM074-SAE30  
**19<sup>99</sup>**

**Compressor Synthetic Oil (1 Qt)**  
SKU 301795  
PUM074-SYN30  
**29<sup>99</sup>**

**Regulators/Filters/Drains**

**Digital Air Regulator**

SKU 978113  
25862  
**29<sup>99</sup>**

- Ensures Accurate and Consistent Air Pressure for Spray Guns and Other Air Operating Tools



**Regulator with Gauge (1/4")**

SKU 543086  
ARRR262G  
**29<sup>99</sup>**

- Adjustment Range is 5-125 PsiG
- Rated for 25 SCFM



**In-Line Air Tool Filter (1/4")**

SKU 543067  
ARR9132  
**14<sup>99</sup>**

- Protect Your Air Tools
- Max Pressure: 500 Psi
- Length: 1-9/16"



**Disposable In-Line Desiccant Filter Dryer (1/4")**

SKU 543077  
ARRDFD-10  
**24<sup>99</sup>**

- Maximum Flow Capacity: 15 CFM
- Maximum Pressure: 125 Psi
- See-Through Housing Shows Desiccant Color Change, Indicates that the Dryer Needs to Be Replaced



**Particulate Filter (1/2")**

SKU 543079  
ARRF354  
**44<sup>99</sup>**

- 40 Micron
- 100 CFM
- 150 Psi



Description	SKU	Part #	Price
Particulate Filter (3/8")	543078	ARRF353	44.99

**Air Regulator with Gauge (1/2")**

SKU 543091  
ARRR354G  
**64<sup>99</sup>**

- Adjustment Range is 5-125 PsiG
- Rated for 100 SCFM



Description	SKU	Part #	Price
Regulator with Gauge (3/8")	543088	ARRR353G	64.99

**Automatic Lubricator (1/2")**

SKU 543085  
ARRL354  
**79<sup>99</sup>**

- Lubricator May Be Filled without Shutting Down Air Line
- 3-Position Adjustment Knob



Description	SKU	Part #	Price
Automatic Lubricator (3/8")	543083	ARRL353	79.99

**Electronic Drain (1/2")**

SKU 543065  
ARR5804  
**89<sup>99</sup>**

- Automatically Drains Compressor Tanks, Receiver Tanks or Filters
- 110 Volt
- 6' Power Cord



**Coalescing Filter Oil Removing Filter (1/2")**

SKU 543081  
ARRF554AW  
**99<sup>99</sup>**

- .003 Micron Filter Element
- 37 CFM
- Manual Drain



Description	SKU	Part #	Price
Coalescing Oil Removing Filter (3/8")	543080	ARRF553AW	99.99

**Integral Filter/Regulator with Gauge (1/2")**

SKU 543071  
ARRB754G  
**99<sup>99</sup>**

- Operating Pressure Range 5-125 Psi
- 40 Micron Element
- 3 Position Non-Rising Adjustment Knob



Description	SKU	Part #	Price
Integral Filter/Regulator w/Gauge (1/4")	543069	ARRB752G	99.99
Integral Filter/Regulator w/Gauge (3/8")	543070	ARRB753G	99.99

**Filter Regulator Lubricator w/Gauge Modular Combo (1/2")**

SKU 543075  
ARRC33354  
**289<sup>99</sup>**

**Extend the Life of Your Air Tools!**

- Cleans, Dries and Lubricates Air Supply
- Operating Pressure Range 5 - 125 Psi
- 40 Micron Element
- 142 CFM



Description	SKU	Part #	Price
Filter Regulator Lubricator w/Gauge Modular Combo (1/4")	543072	ARRC33352	289.99
Filter Regulator Lubricator w/Gauge Modular Combo (3/8")	543073	ARRC33353	289.99

**5-Stage Desiccant Filter/Dryer**

SKU 543076  
ARRC7612XL  
**499<sup>99</sup>**

- Includes Gauge, Shut Off Valve and One Gallon of Desiccant
- Lowers the Dew Point to -30° F



Description	SKU	Part #	Price
Replacement Desiccant Silica Gel, 1 Quart	543068	ARR34189	16.99

**Compressor/Generator/Welder**

**Compressor/Generator/Welder**

SKU 410033  
MTMAGWSR143M  
**4,674<sup>99</sup>**

- Quality Cast Iron Two Stage Compressor
- Electric Start Option Included
- Battery and Cables Not Included
- Generator Output: 4,500 Watts Continuous
- Welder: 150A@100% Duty Cycle (50-170A Working Range)
- CFM: 15.7@175 Psi (Equipped with 150 Psi Maximum Rated Regulator)





# AIR TOOLS

**SAVE \$100**

## 1/2" Drive Composite Impact Wrench

SKU 347258  
24400

**199<sup>99</sup>** REG: \$299.99

- Max Torque: 900 Ft/Lbs.
- Air Consumption: 5.1 CFM
- Air Inlet Thread: 3/8"
- Weight: 4.58 Lbs.
- Noise Power: 96.2 db.A



Offer Good Through September 30, 2015 - While Supplies Last

**SAVE \$30**

## OEM TOOLS Stubby 1/2" Drive Impact Wrench

SKU 626146  
24403

**149<sup>99</sup>** REG: \$179.99

- Max. Torque: 450 Ft/Lbs. Reverse
- Small But Powerful
- Lightweight: 3.5 Lbs.
- 3 Torque Adjustments



Offer Good Through September 30, 2015 While Supplies Last

## 1/2" Impact

OEM

Air Consumption  
**3.9 CFM**



## 1/2" Composite Impact Wrench

SKU 900832  
25775

**149<sup>99</sup>**

- Max. Torque: 500 Ft/Lbs.
- CFM: 3.9

## 1/2" Impact Wrenches

OEM



### 1/2" Impact Wrench

SKU 884521  
25821

**59<sup>99</sup>**

- Torque: 400 Ft/Lbs.
- 6,500 RPM Forward

OEM



### 1/2" Impact Wrench

SKU 900831  
25774

**89<sup>99</sup>**

- Torque: 400 Ft/Lbs.
- 5.6 CFM Air Consumption

OEM



### 1/2" Impact Wrench

SKU 466599  
25769

**89<sup>99</sup>**

- Torque: 425 Ft/Lbs.
- 4 CFM Air Consumption

## 3/4" Impact Wrenches

OEM

### 3/4" Heavy Duty Impact Wrench

SKU 466617  
25810

**279<sup>99</sup>**

- Torque: 1,300 Ft/Lbs.
- 6.6 CFM Air Consumption
- 4,400 RPM Free Speed



### 3/4" Impact Wrench

SKU 970473  
IRTIR261

**569<sup>99</sup>**

- Jumbo Hammer Mechanism
- Torque: 1,100 Ft/Lbs.



IR Ingersoll Rand.



### 1/2" Impact Wrench Classic

SKU 495316  
IRT231C

**179<sup>99</sup>**

- Torque: 600 Ft/Lbs.
- Pressure-Feed Lubrication

IR Ingersoll Rand.



### 1/2" Impact Wrench

SKU 970487  
IRT231HA

**189<sup>99</sup>**

- Pressure Fed Lubrication System
- Handle Exhaust Direct Away from User
- Standard of the Industry for 3 Decades
- Sound Pressure: 94 - 105

IR Ingersoll Rand.



### 1/2" Super Air Impact Wrench with 2" Extended Anvil

SKU 604744  
IRT231HA2

**229<sup>99</sup>**

- Torque: 590 Ft/Lbs.

## 3/8" Impact Wrenches

OEM

### 3/8" Drive Impact Wrench

SKU 466598  
25768

**99<sup>99</sup>**

- Torque: 230 Ft/Lbs.
- 2.5 CFM Air Consumption



NEW

IR Ingersoll Rand.



### 1/2" Quiet Impact Wrench

SKU 738489  
IRT2135QXPA

**279<sup>99</sup>**

- Light, Quiet and Powerful Impact
- Twin Hammer Mechanism
- Weighs Only 4 Pounds
- 780 Ft/Lbs. of Torque

IR Ingersoll Rand.



### 1/2" Street Legal "Thundergun" Impact Wrench

SKU 495318  
IRT232TGS

**309<sup>99</sup>**

- Torque: 625 Ft/Lbs.
- 10,000 RPM for Lightning Fast Removal is Best-in-Class

NEW

IR Ingersoll Rand.



### 1/2" Extended Anvil Impact Wrench

SKU 738490  
IRT2235TIMAX2

**329<sup>99</sup>**

- Torque: 1,350 Ft/Lbs.
- Max Reverse Torque: 930 Ft/Lbs.
- 8,500 Free Speed RPM
- Titanium Hammercase

### 3/8" Impact Wrench

SKU 970486  
IRTIR212

**199<sup>99</sup>**

- Most Powerful 3/8" Pistol Grip Impact
- Torque: 180 Ft/Lbs.
- Single Hammer Design



### 3/8" Titanium Air Impact Wrench

SKU 198065  
IRT2115TIMAX

**349<sup>99</sup>**

- Torque: 300 Ft/Lbs.
- Feather Touch Trigger and Patented Push Button Forward/Reverse



## 1" Impact Wrenches

OEM



### 1" Super Duty Impact with Extended Anvil

SKU 466618  
25811

**379<sup>99</sup>**

- Torque: 1,600 Ft/Lbs.
- 4,000 RPM Free Speed

IR Ingersoll Rand.



### 1" Impact Wrench with Extended Anvil

SKU 970474  
IRTIR285B6

**669<sup>99</sup>**

- 6" Anvil for Better Truck Wheel Nut Accessibility
- 1,770 Ft/Lbs. of Reverse Torque
- Hi-Efficiency Motor

## Reversible Drills

OEM

### 3/8" Reversible Air Drill

SKU 466595  
25765

**89<sup>99</sup>**

- 90 Psi
- 4 CFM Air Consumption
- 2,200 RPM Free Speed
- 35 In/Lbs. Max Torque
- Sound Level: 91 Decibels
- Weight: 2-1/2 Lbs.



IR Ingersoll Rand.

### 3/8" Reversible Air Drill

SKU 970482  
IRTIR7802RA

**199<sup>99</sup>**

- Variable Speed Throttle
- Reversible Motor with a Quick Reverse Lever
- 2,000 RPM Free Speed
- Lightweight, Compact



IR Ingersoll Rand.

### 1/2" Reversible Air Drill

SKU 970483  
IRTIR7803RA

**289<sup>99</sup>**

- 500 RPM Free Speed
- Auxiliary Side Handle
- Heavy-Duty 1/2" Industrial Grade Chuck



## Air Hammers

OEM

### Heavy Duty Air Hammer

SKU 900833  
25776

**79<sup>99</sup>**

- 2,200 Impacts Per Minute
- Recommended Air Pressure: 90 Psi
- Air Consumption: 6.3 CFM
- Air Inlet Thread Size: 1/4" NPT



Accessories Included





**1-877-AZTool1** (phone)  
 (1-877-298-6651) *Hablamos Español*  
**aztool@aztool1.com** (email)  
**www.aztool1.com** (visit website)

# AutoZone®

## Tool & Equipment QUARTERLY

### Air Sanders and Polishers **OEM**



**High Speed Air Sander\***  
 SKU 466594 25764 **39<sup>99</sup>**  
 • 90 Psi  
 • 4.5 CFM Air Consumption  
 • 14,000 RPM Free Speed  
 • Sound Level 88 Decibels  
 • Weight 2-1/2 Lbs.

\*While Supplies Last



**Dual Action Air Sander**  
 SKU 011577 33625830 **49<sup>99</sup>**  
 • Air Consumption: 4.0 CFM  
 • Free Speed: 10,000 RPM  
 • Pad Size: 6"  
 • Recommended Air Pressure: 90 Psi  
 • Sound Level, Free Speed, DBA: 90  
 • Air Inlet Thread Size: 1/4" NPT  
 • Recommended Hose Size: 3/8"  
 • Weight: 3.87 Lbs.



**2" Surface Prep Tool**  
 SKU 094650 25778 **49<sup>99</sup>**  
 • 4 Position Air Volume Control  
 • RPM: 20,000  
 • CFM: 3  
 • Quick Change "Twist Lock" Mandrel

All Twist Lock Accessories Work with This Sander



**6" Dual Action Sander**  
 SKU 970475 IRTIR311A **79<sup>99</sup>**  
 • Dual Action Pad Motion Reduces Swirl  
 • Built in Silencer for Quiet Operation



**Straight Line Sander**  
 SKU 970479 IRTIR315 **149<sup>99</sup>**  
 • Twin Piston Design for Smooth Operation  
 • 3,000 Strokes Per Minute  
 • Quick-Action Paper Clamps



**Orbital Sander**  
 SKU 970476 IRTIR312A **169<sup>99</sup>**  
 • 8,000 RPM Free Speed  
 • One Hand Operation  
 • Contoured Palm Grip

### Heavy-Duty Angle Sander

SKU 970477 IRTIR313A **249<sup>99</sup>**  
 • 5,000 RPM Free Speed  
 • Lightweight, Only 4-1/2 Lbs.  
 • Ball Bearing Construction for Long Life



### Heavy-Duty Buffer Polisher

SKU 970478 IRTIR314A **269<sup>99</sup>**  
 • Hi-Speed Range: 1,500-2,500 RPM  
 • 7" Backing Pad  
 • Handles the Toughest Polishing and Buffing Jobs



### Die Grinders

**3" Mini Die Grinder**  
 SKU 466591 25761 **44<sup>99</sup>**  
 • 4 CFM Air Consumption  
 • 25,000 RPM Free Speed  
 • Recommended Air Pressure: 90 Psi  
 • Recommended Hose Size: 3/8"  
 • Air Inlet Thread Size: 1/4" NPT



**1/4" Straight Air Die Grinder**  
 SKU 751631 24404 **49<sup>99</sup>** **NEW**  
 • Lightweight: 0.7 Lbs.  
 • Collet Size: 1/4"  
 • Requires Only 2.4 CFM @ 90 Psi for Optimum Performance  
 • Free Speed: 25,000 RPM  
 • Ultra Compact Size Fits Into Spaces Regular Die Grinders Cannot



**Mini Angle Die Grinder**  
 SKU 466592 25762 **79<sup>99</sup>**  
 • 6 CFM Air Consumption  
 • 25,000 RPM Free Speed  
 • Recommended Air Pressure: 90 Psi  
 • Recommended Hose Size: 3/8"  
 • Air Inlet Thread Size: 1/4" NPT



### 1/4" Mini Angle Die Grinder and Surface Prep Kit

SKU 094648 25777 **59<sup>99</sup>**  
 • Right Angle Design for Tight Places  
 • Weights Only 1.1 Lbs.  
 • Grinding and Cleaning All-in-One Kit  
 • 20,000 RPM for Clean Precise Work  
 • 4 CFM Air Usage Works with Small Compressors  
 • Adjustable Air Throttle for Control to Fit the Job  
 • Air Inlet Strainer  
 • Angle Head Grease Fitting



Includes: (10) Grinding Stones in 1/4" and 1/8" Shank Sizes; 1/4" and 1/8" Collet; (4) 2" and (4) 3" Cleaning Discs Stripping; 2" and 3" Backing Pads; 2 Piece Hand Wrench and 2 Piece Disc Holder (1/4")

### 1/4" Air Ratchets

**1/4" Industrial Air Ratchet**  
 SKU 466593 25763 **49<sup>99</sup>**  
 • Delivers 25 Ft/Lbs. of Torque and 265 RPM Free Speed



**1/4" Stubby**  
 SKU 970472 IRT105D2 **129<sup>99</sup>**  
 • Delivers 25 Ft/Lbs. of Torque and 250 RPM Free Speed



### 3/8" Air Ratchets

**3/8" Pro Air Ratchet**  
 SKU 210212 25819 **49<sup>99</sup>**  
 • Max Torque: 60 Ft/Lbs.  
 • Free Speed: 160 RPM  
 • Recommended Air Pressure: 90 Psi



**BEST VALUE**

**3/8" Air Ratchet**  
 SKU 970485 IRTIR107XPA **119<sup>99</sup>**  
 • Advanced Head Design  
 • Features 54 Ft/Lbs. of Torque  
 • 360° Adjustable Exhaust



**3/8" Super-Duty Air Ratchet**  
 SKU 495290 IRT109XPA **199<sup>99</sup>**  
 • Torque: 76 Ft/Lbs.  
 • Variable Speed Button Trigger  
 • 360° Adjustable Exhaust



### Cut Off Tools

**Heavy-Duty Air Nibbler**  
 SKU 970480 IRTIR325B **189<sup>99</sup>**  
 • Cuts Quarter Panels with No Distortion  
 • Starts Cuts in the Center of a Panel  
 • Holds 1/4" Radius Accurately



**Heavy-Duty Air Shear**  
 SKU 970484 IRTIR7802SA **209<sup>99</sup>**  
 • The Shear that Cuts Squares, Angles and Circles  
 • Cuts Up to 20 Gauge without Chips




**Air Reciprocating Saw**  
 SKU 970481 IRTIR429 **119<sup>99</sup>**  
 • Designed for Cutting Intricate Shapes  
 • Cuts Flat and Curved Surfaces  
 • Comes with (6) High Speed Steel Cutting Blades



**DID YOU KNOW?**

AutoZone Carries a Full Line of Fel-Pro Gaskets.



Contact Your AutoZone Commercial Sales Manager for Pricing and Availability