OIL CHANGE

Drum Drain Basin for 55 Gallon Drum SKU **568472** | Part# 87015 VALUE: \$49.99

Oil Drain Funnel

with Purchase of: **21-Gallon Oil Drain** and Vacuum Evacuator SKU 546658 | Part# 24862

21-Gallon Waste Oil Drain KU **544817** | Part# 24

and a Chuck

OEM TOOLS

Screen and Wide-Mouth Extension

Adjustable Height

Gauge

Tank Pressure

Heavy-Duty Swivel Casters (2 Locking)

SKU **110284** | Part# 25378 VALUE: \$14.99

OEM

with Purchase of: 18-Gallon Oil Drain with Pump SKU 383453 | Part# 25897

8-Gallon Oil Drain

8-Gallon

Oil Drain

SKU **383454**

7999

Drain Adjusts from

30" to 63" Tall

• 4" Heavy-Duty

• 18" Diameter

Funnel with

Casters

Strainer

25896

21-Gallon Oil Drain and Vacuum **Evacuator**

SKU **546658** 24862

• Designed for Collection of Motor Oil, Transmission Fluid and Coolant from Under Lift-Mounted Vehicles or By Evacuation from Fluid Reservoirs or Through Dipstick Tubes

• Funnel Diameter: 15"

Oil Drains

• Funnel Extension Adapter: 22"

• Funnel Height Adjustment: 45" - 62"



21-Gallon Waste Oil Drain SKU **544817**

24861

70" Discharge • Large Diameter Hose with Shut-off Valve Funnel That Includes a Removable Filter Screen and Wide-Mouth Extension • Funnel Diameter: 15

• Funnel Extension Diameter: 22 • Funnel Height

Adjustment: 45" - 62"

Offers Good Thru September 30, 2015 - While Supplies Last

18-Gallon Oil Drain

with Pump SKU **383453** 25897

14999

- Drain Adjusts from 48" to 71" Tall
- 4" Heavy-Duty Casters
- 18" Diameter Funnel with

Offers Good Thru September 30, 2015 - While Supplies Last

Replacement Funnel for OEM 8 and 18-Gallon Oil Drains

SKU **543345 57999**

• Powerful Compressed Air Operated from Reservoirs

 Includes Mercedes, BMW and VW Dipstick Tube Adapters and (6) Evacuation Wands of Varying Flexibility, Diameter and Length

• Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

Truck Drain with

SKU **526487 62999**

• Pump Operates with a Standard

Through a 6' (1.8 M) Hose

with Steel J-Hook

Power Outlet and Discharges Fluid

• Features a Durable 120V Electric Pump

Installed Below the Front of the Reservoir

Electric Pump

LIN3669



LINCOLN

18-Gallon Rolling Oil Drain

SKU **988882** 🦪 LIN3601

- All Steel Design Includes Reinforced Caster Supports • 14" Telescoping Bowl; Range
- of 45" to 72" • Preset Air Regulator (Up to 150 Psi)
- Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

VALUE: \$39.99

LINCOLN

25-Gallon **Used Fluid Evacuator** SKU **543344 44999** LIN3637

- Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs
- Includes Mercedes, BMW and VW Dipstick Tube Adapters and (6) Evacuation Wands of Varying Flexibility, Diameter and Length
- Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

LINCOLN

Low Profile Oil Drains

17-Gallon Low-Profile

SKU **526486 37999**

of the Reservoir and Can Be

Connected to a Pump to

Evacuate Fluid from

• 6' Hose Extends from the Bottom

Truck Drain

LIN3665

the Drain

25-Gallon Used Fluid **Gravity Drain**

sku **543350 54** LIN3635

- Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids • 7' Long Nylon-Reinforced
- Discharge Hose with Steel J-Hook and Tethered Drip Plug Convenient Tool Tray for Storing



17-Gallon Low-Profile

SKU **526485** 49999

• Features a Rotary Hand Pump

and a 6' Discharge Hose with

Truck Drain with Hand Pump

LINCOLN

25-Gallon Used Fluid Combo Drain/Evacuator

LIN3639

- Venturi Vacuum Quickly Draws Fluids



DID YOU KNOW?

We Can Supply 55 Gallon Drums of Motor Oil, ATF, DEF, Antifreeze, Washer Fluid and **Brake Parts Cleaner?**

Contact Your Commercial Sales Manager for Pricing and Availability

17-Gallon Low-Profile LINCOLN

Accessories

Super Transmission **Drain Funnel** SKU 291377 4 9 99 LIS17902

• Extends the Catch Area

of Any Lift Drain

 Fits the Ford E 40D





No Splatter Pads

• Insert Pad in Funnel or Pan Before Oil Change to Eliminate Oil Splatter • Porous Material Allows Fluid to Quickly Pass Thru Into Funnel or Pan



22" Square SKU **080574** LIS38780 7999

15" Round SKU **080548** LIS38750

Oil and Transmission Funnel SKU **547009**

87008 • Straight and 45° Angle Screen to Prevent Trash

• Dust Cover to Keep Funnel Clean



1999

OEM TOOLS

25-Gallon Low-Profile **Portable Oil Drain with Electric Evacuation Pump** SKU **360668** DOWJDILP5

• 25-Gallon Measured Capacity

- (22-Gallon Functional Capacity) • Low-Profile Drain (8") for Large-Volume Vehicles
- 10' Evacuation Hose
- 38" T-Handle Folds Down Flat for Easy Storage
- Size 48"(L) x 25"(W) x 8"(H)



John**D**ow Industries

17-Gallon Low-Profile **Portable Oil Drain**

LINCOLN

SKU **360666** DOWJDILP4 **549**99



• 17-Gallon Evacuation Capacity • 10" Ground Clearance

• Expanded Metal Shield Reduces

Splash

· Emptied by Gravity Drain, Evacuation Pump or Air Evacuation



John**D**ow

Industries

Air Evacuation Kit for DOWJDILP4

DOWJDIEK

Fluid Management & Accessories

4.5-Gallon Drain Pan (Green)

SKU **255766 2699** LIS17952

· Pan is Resistant to Chemicals and Solvents

1" Wide Diameter Spout for Quick and Easy Pouring



Truck/Trailer Wheel Pan SKU **291383 1099**

LIS19852 • Catches Oil from Wheel Hubs

After Removing Cap

 Capacity of 88 Oz. • Handle Compartments Hold Hub Nuts Out of the Oil



MOP 301 Sorbent (1 Lbs. Box) SKU **125704** MES1MOP301

• Aggressively Absorbs Oil-Based Liquids

• Rejects Water-Based Liquids

• 100% Recycled Materials, 100% Biodegradable • Effective on Earth, Land, Hard Surfaces and Water

• 1 Lbs. Box will Absorb 30 Lbs.



OEM



2.8-Quart Low Profile Oil Drain Pan

SKU **568474** 87017 • Low Profile Oil Drain Pan

• Dimensions: 15.9"(L) x 8.5"(W) • Capacity: 2.8 Quarts



Drain Pan with Level Scale SKU **568469 799** 87013

• Great for Transmission Fluid Changes • Built in Level Scale Lets You See Fluid • Fits on Top of Standard Size 5 to

8 Gallon Drums



Drum Drain Basin for 5 Gallon Bucket SKU **568471 2699**

• Fits on Top of Standard Size 5 to 8 Gallon Drums • Ribbed Drainage Channels

• Filter Gate to Catch Foreign Objects

• Size: 13.8" Diameter *Bucket not included • Capacity: 3.2 Quarts



Oil Drain Basin with Pour Spout


SKU 568473 **2699** 87016

- Pour Spout and 2 Handles to Allow for Easy Spill-Free Work Anti-Splash Lip Helps
- Capacity: 4 Gallons
- 17.7" Diameter





SKU **568472 1 Q99** 87015



- Size: 26" Diameter
- Capacity: 21 Quarts

• Fits on Top of Standard Size 55-Gallon Drums

*Drum not included

Tool & Equipment Quarterly

KNOWP Contact Your

AutoZone Offers Filter Stocking Programs that Include Oil, Air, Fuel, Cabin Air and Transmission Filters.

AutoZone Commercial Sales Manager for Details

Over \$9,00 in Savings When You Buy the Set!

4-Piece Oil Drain and Funnel Set

SKU **754740 2499** 68985 **24**REG: \$34.96

Includes:

- Oil and Transmission Funnel (#87008)
- 850 cc Square Oil Funnel (#87012)
- Drain Pan with Level Scale (#87013) 13.8" x 12.6" x 4.3"
- 2.8 Quart Low-Profile Oil Drain Set (#87017)



Offer Good Through September 30, 2015 - While Supplies Last

Oil Filter Wrenches

Profesional 3-Legged **Filter Wrench**

SKU 231212 **1999**

• Range: 2-1/2" to 4-1/2"

• Fits 3/8" Drive Ratchet and Extensions

15" Chain Wrench

SKU 452624 3 999 22659

- Designed for Tight Spaces When Ordinary Wrenches Can't Fit • Double-Action Allows Use in Either Direction
- Will Work on Fittings or Pipes Up to 5" in Diameter
- Chain Length is 19'

10-Piece Cap Filter Wrench Set FITS 95% OF DOMESTIC & IMPORT

27196

SKU 900828 4 299 **AUTOMOBILES WITH SPIN-ON FILTERS**

- (10) 3/8" Drive Cap Oil Filter Wrenches
- Fits 95% of Domestic and Import Automotive Applications • Includes: 65/67 mm - 14 Flutes, 80 mm - 15 Flutes, 68 mm – 14 Flutes, 86 mm – 16 Flutes, 74/76 mm – 15 Flutes, 93 mm – 15 Flutes, 76 mm – 14 Flutes, 93 mm – 36 Flutes, 76 mm – 30 Flutes, 100 mm – 15 Flutes





Heavy Duty Truck Oil Filter Wrench

- Heavy Duty Design for Strength and Durability
- Extra Wide Band for Secure Grip
- Designed for Use with 1/2" Drive Tools

SKU	Part #	Size	Price
344322	25231	4-1/8" to 4-5/8"	19.99
344323	25232	4-5/8" to 5-1/4"	19.99
344324	25233	5-1/4" to 5-3/4"	19.99

Toyota/Lexus Oil Filter **Cap Wrench Set** SKU 383457 **3999**

• Sizes: 64 mm, 73 mm and 74 mm

• Use in Conjunction with a 22 mm or 7/8" Socket or Wrench




Covers All 1980-2009 Toyota and Lexus Vehicles

9-Piece **Oil Filter Cap Wrench Set**

SKU 255627 11999

Audi & Mercedes



Benz -27mm BMW.

GM-32mm

Mercedes-

Ford, Mercedes, Mini Cooper & VW-36mm

- (3) Forged Low Profile Sockets Wrenches Included: 27 mm, 32 mm and 36 mm Sizes
- (5) High Quality, Chrome Plated Aluminum Wrenches: 1 Adjustable, 63 mm to 83 mm Sizes and a Filter Wrench for Universal Applications

BMW & Volvo

• All Wrenches are Designed to Work with 3/8" Square Drive Tools

Universal

• Includes Application Chart

Oil Filter Cap Wrenches











U	Part #		Description		Size	Price
2540	8	25451	25452	25453		25454


SKU	Part #	Description	Size	Price
383456	25408	2006 BMW Series (E90) and All 1999 - 2005 Volvo Cars (Except 2005 40 and 50 Series)	86.5 mm, 16 Flutes	19.99
255634	25451	2005 Toyota on Cartridge Style or 2006 Lexus on Cartridge Style - Fits 4 & 6 Cylinder Engines	64.5 mm, 14 Flutes	19.99
255669	25452	BMW (M44 Engine), Mercedes (M102, M103 Engines), Porsche (924, 928), VW, Audi	74.2mm, 14 Flutes	19.99
255675	25453	BMW (N52, N54, N55, N63 Engines - 2006 to 2012), Volvo (All Models exc 2005 40 & 50 Series)	64.5 mm, 14 Flutes	24.99
255659	25454	Hyundai, Kia	88.8 mm, 15 Flutes	19.99

Dispensers

5-Quart **Translucent** Oil Dispenser

SKU **544816 7 899** 87011

• Translucent White Material Enables





8-Ouart

Dispenser Lid and Cap SKU 080078 7 9 99 LIS19702

OEM'

Spout Cap and Lid to Keep Out Contaminants

 Many Large SUVs and Trucks Now Require More Oil

Flexible Spout LINCOLN **Measuring Cans**

- Designed for One-Hand Operation • 14" Flexible Spout with Tapered Tip
- Recessed Bottom Drains Fully and Guards Against **Punctures**
- Rolled-Edge Top Helps Prevent Spilling

5-Ouart

SKU **298486** LING525 8-Quart

SKU **298473** LING528



Oil Meters

Digital Oil Meter

SKU **383183** 🤦 LIN982

- Large 6-Digit LCD Display with Two Decimal Point Precision Measures in Quarts, Pints,
- Gallons or Liters • 13" Flexible Extension with
- Automatic Nozzle Low Battery Indicator
- Built-In Trigger Guard

Mechanical Oil Meter SKU 383184 LIN877

- Large 3-1/2" Dial with 1/4 Quart Graduation
- Measures in Quarts 10" Flexible Extension with Automatic Nozzle

Thermal Oil Change

Sticker Printer

SNGFKGX00106 **69**

• Kit Includes: Printer, Keyboard,

Power Cord/Adapter, (1) Ink Ribbon

and (2) Rolls of 500 Generic Static

SKU **526488**

Oil Change Labels



LINCOLN

7-Piece **Oil Filter** Removal

Wrench Set SKU 191682 / 0 99 27197

- 3/8" Drive
- Includes: 24 mm for Cadillac 36 mm, 27 mm for Mercedes, VW, Cadillac, Buick Saturn, SAAB, 29 mm for Dodge Cummins Fuel Filter, 30 mm for Korean Cars. 32 mm for GM, Saturn and SAAB, 35/36 for Ford Diesel, Mini Cooper, BMW and Mack, 38 mm for

Oil Filter Sockets OEM

3-Piece Low-Profile Oil Filter **Socket Set**

SKU **094803** 27204

- Includes 27, 32 & 36 mm • 3/8" Drive
- Comes in Blow Mold Case





SKU **291380** SNGMFKG016501

Refill Kit

- (2) Rolls of Labels • (1) Replacement
- Ribbon

Oil Filter Crusher



Oil Filter Can Crusher SKU 990215 1,37999



- Reduces the Size of Used Oil Filters to One Fourth of Their Original Size
- An Integrated Collection Chamber and Collector Down-Spout Tube Allows Quick Recovery of the Oil for Easy Disposal to a Drum or Bulk Container
- Save on Disposal Costs and Storage Space

GŘIP

OIL AND LUBE

Pumps

INTRODUCING OEMTOOLS HIGH QUALITY LEVER-ACTION PUMPS

These pumps can handle a range of liquids from 40 wt. oils to the strongest acids. Models available with poly or Ryton® bodies, steel or stainless rods.

OEM TOOLS

Lever-Action Pump (Polypropylene)

SKU 688036 24471

3999

- · Ideal for Diesel, Kerosene, Lubricants and Other Oils
- Not for Gasoline, Water-Based Chemicals or DEF



Lever-Action Pump (Polypropylene, Stainless Steel Rod) SKU **688038** 24472

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- Not for Gasoline or DEF



Lever-Action Pump (Ryton® Stainless Steel Rod) SKU **688037** 24473

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Acids including DEF
- Not for Gasoline



- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- Not for Gasoline or DEF



Multi-Use Fluid Transfer Pump

SKU **094647 1 499** 25713

- Small and Lightweight • Intake and Discharge
- Transfer System
- Pumns Air Into Inflatables
- Includes (2) 50' (127 cm) Long Hoses



OEM

LINCOLN

Fluid Siphon Pump

SKU **568475** 24863

- Transfers Fluids Easily · Use to Transfer Gas, Water,
- Oil and Other Non-Corrosive Liquids
- · Hose Reaches 6' with 1/2" Diameter



OEM

Multi-Purpose OEM **Drill-Powered Pump**

SKU **526513 1099** 24503

• Works with a Corded or Cordless Drill to Transfer the Following Liquids: Fresh Water, Sea Water,

Organic Solvents, Motor Oil, Heating Oil, Insecticides and Liquid Fertilizers

LIN6917



24381 • Oil Pump for Use with Oil Based Fluids, Heating Oils. Motor Oils, Heavy and Light Oils, Diesel

- and Kerosene • Built-In 1-1/2" and 2" Bung for Use on 16 to 55 Gallon Drums with Either Opening
- Not for Gasoline





Not for Gasoline

Rotary

Barrel Pump



Kerosene




LINCOLN

OEM

Lever Action Barrel Pump

SKU **970530** LIN1340

- Telescoping Tube for
- Removable Non-Drip Spout Allows for Threaded



Manual Gear Lube Dispenser SKU **174166 Q Q 99**

LIN1293

- 5' Hose, 13" Pump Tube • Fits 25 - 50 Lbs., 5 Gallon
- Delivers 1 Oz. Per Stroke
- * Container Not Included



LINCOLN

Fluid Evacuator

SKU **594882**

MITMV7400

Reservoir

• Large Base with

Foot Stabilizer

10499

• Integrated 1.9 Gallon

(7.3 Liter) Capacity

• Portable 50:1, Air Operated, Double-Acting Grease Pump Ensures High-Output Grease Delivery

Grease Pump Package

94999

- Lube Fitting with Control Valve and Universal Swivel
- Standard Follower Wipes 120 Lbs. Drum Sides Clean and Keeps the Pump Primed
 - * Drum Not Included



• 50:1 Double Acting Pump • Flexible Follower for Positive Prime

Heavy Duty Grease Pump

- 7' Hose, Universal Swivel
- and Control Valve

for 120 Lb Drum

SKU **174148**

LIN917



* Drum Not Included

Manual Rotary Pump with Hose for 55 Gallon Drums SKU **265089 22999** LIN1385H LIN1385H

• Includes: 8' x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger; Seal-Tight Telescoping Pick-Up Tube with Strainer for 16 - 55 Gallon Drums with 2" Bung and H.D. *Drum Not Included

Manual Rotary Pump for 55 Gallon Drums*

SKU **462977**

LIN1385

* Hose and Drum Not Included



Manual Rotary Fuel Pump with Hose for 55 Gallon Drums

LIN1387

SKU 265088 26 999

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline, Diesel, Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids, Hydraulic Oils and ATF

* Drum Not Included

™ityvac_



12V Fuel Transfer Pump

SKU **754742 49999** LIN1550 • Delivers Fuel at a Rate of 15 Gal./Min.

- (57 L/Min.) • 13' (4 m), Heavy-Duty,
- Anti-Static Hose That is Kink Resistant • Pre-Wired with a
- Heavy-Gauge 18' (5.4 m) Cable for Operator Convenience
- Applications: Diesel, Kerosene or Mineral Spirits from Both Mobile and Stationary Tanks

Universal Fluid

• Dispenses Fluids Under

Pressure to Fill or Top-Off

Master Cylinders, Coolant Bottles, Automatic

and Power Steering and

• Large 1.2-Gallon (5-Liter)

Other Reservoirs

Transmissions, Differentials

SKU **265093**

MITMV6400

Dispensing System



mityvac.

Fluid Evacuators

Fluid Evacuator (1.4 Gallon) SKU **544744**

24389

- 1.4 Gallon (5.6 Quarts) Reservoir with Hand Operated Pump • 5' of Flex Hose and Two Dipstick
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid,



OEM TOOLS

Fluid Evacuator (2.5 Gallon) SKU **547010**

24397

- Extracts All Types of Engine, Transmission and Lubricating Oils • Extracts Fluids Through Dipstick
- Tubes as Well as Other Openings • Float Assembly to Prevent



Brake Bleeder Adapter Hose for Fluid Evacuators 24389 and 24397

OEM TOOLS

24446 Quickly Connects to OEM Models 24397 or 24389 Fluid Evacuators Converting Them Into One-Person Vacuum Brake or Hydraulic Clutch Bleeders



PneumatiVac Fluid Evacuator MITMV7300 Operates on

• 2.3 Gallon (8.8 Liter) Capacity Reservoir • Large Base with Foot Stabilizer

Compressed Air

• Independent Air Shut-Off Valve



Transmission Refill

ATF Adapter Kit SKU **972278**

- MITMVA7216 Quick-Change Coupler for Fast Adapter Changes and Brass Ball Valve Controls the Flow of Fluid
- (10) Adapters Fit Ford, Toyota, BMW, Honda, Nissan, VW. Audi and Mercedes Transmissions



AIF Ketili and Universal Fluid Dispensing System SKU **526508** 24441

- Complete System for Servicing Sealed **Automatic Transmissions**
- Includes Adapters to Fit Ford, RMW. Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes Transmissions
- Reservoir Capacity 3 Liters (3.1 Quarts) OEM TOOLS

Only 17 Part Numbers Needed to Cover 99% of Vehicles on the Road.

O-Ring Expands When in Contact with Oil, Sealing Against Leaks or From Vibrating Loose.



mityvac:





SKU **265092 32** MITMV6410

mituvac:

Drain Plugs

SMART-O™ **264 Plug Starter Kit** sku **404648 Q**

• Kit Includes 264 Plugs with Washers: 50 Each: F1; 40 Each: F3, R1, R6; 20 Each: R3, R9; 10 Each: R20; 3 Each: R4, R22, R13; 5 Each: R5, R11, R16, R21, R23, R24, S18

• Includes: Carrying Case, Customer Information, Feedback Forms, Counter Holder/Display and Four Videos on Benefits and Applications



SMART-O™ 74 Plug Starter Kit

SKU 404637 **339**99 BRA74 Kit Includes 74 Plugs with Washers:

- 4 Each: R9, R20; 2 Each: R4, R5, R11, R16, R21, R22, R23, R24, S13, S18 Includes: Carrying Case, Customer
- Information, Feedback Forms, Counter Holder/Display and Four Videos on Benefits and Applications





SMART-O™ 38 Plug Starter Kit SKU **404638** BRA38

• Kit Includes: 38 Plugs with Washers: 6 Each: F1; 5 Each: R1, R6; 4 Each: F3, R9 3 Each: R3; 1 Each: R4, R5, R11, R16, R20, R21, R22, R23, R24, S13. S18

• Does Not Include POS Materials



44

BRA264



Tool & Equipment Quarterly

Grease Gun Accessories

7-Piece Grease Fitting **OEM*** **Adapter Kit**

SKU **978118 7099** 25711

• Includes: Press-On 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-on 90° Coupler, Rubber-Tipped Nozzle, Needle Nozzle, 360° Coupler



Impact Fitting Cleaner LINCOLN SKU 110269

• Clears Hardened Grease from Fittings

and Joints
• Includes: Steel Drive Cylinder, Hardened Piston, Safety Shield, High-Pressure Hose for Hard-to-Access Fittings and Spare Drive Seals

LIN5805



ECIAL SAVE \$67

160 of the most popular

with specialty oil filter

model cars and trucks.

wrenches to service late

Tool Set Savings: **Bonus Tool Cart:** TOTAL SAVINGS: \$329.99

DEM TOOLS

OEM TOOLS

160-Piece Lube tools used by Lube Techs. Includes hand tools, battery **Tech Starter Set** and tire service tools, along

SKU **227302 9999** 24965

REG PRICE: 1,349.99



Service Cart SKU**512949** | Part# 24962 VALUE: \$329.99 with Purchase of: 160-Piece Lube Tech **Starter Set** SKU**227302 |** Part# 24965

Offer Good Through September 30, 2015 While Supplies Last

∮ JohnDow Industries

FIRST S

Packer

OEM

Bearing Packer

SKU 900799 🦱 25073

• Works on Bearings Up to 3-1/2" O.D.

• Forces Old Grease Out and



Automatic Transmission Service Equipment

Transmission Fluid Exchange ATF1

SKU 112434 SYM30110000

• Cooler Line and Dipstick Modes of Operation

Adapter Kit Included

• On-Board Battery • Level Sensor Technology, Never Needs

Calibration • Precise Fluid Measurement to the Tenth of a Quart

• External Mounted Filter for Easy Maintenance



Automatic Transmission Fluid Exchanger SKU **534584**

RTIATX-2

Fast, Automatic and Accurate Fluid Exchange!

• Digital Weight Scale

 Multi-Fluid Capability • Fast 2-5 Minute

Average Exchange; Fluid-Flow Direction Indicated

• Diagnostic Pressure



Fuel Carts

25-Gallon **Steel Gas Caddy**

SKU **360585**

DOWFC25GC • 25-Gallon Tank is Constructed of 14"

Gauge Steel for Use with Unleaded Gasoline, Kerosene, Ethanol E85, Diesel and Bio-Diesel

Fuel Cart

DOWFC-25PFC **569**99

• 10" HD Pneumatic Tires/Wheels Makes It Easy to Move on Any Surface

• 2" Fill Spout Makes Refilling the Fuel Cart Easy

• 10', 3/4" Dispensing Hose • Optional Pump Kit

Fuel Cart Pump Kit

SKU **452625** DOWFC-PRK13 **299**

Replacement Filter SKU 360660 **5099** DOWGCFF

 Replacement Filter for Older Models DOWFC25GC DOWJDI25GCP1 and DOWFC-PRK13



LINCOLN

NEW

PowerLuber®

Pneumatic PowerLuber®

SKU 445386 LIN1162

• Fully Automatic, Continuous Operation • Accessible Check Valve Assembly

• 30" High-Pressure Hose with Coupler and Attachment Clip

Pump Ratio: 40:1 at 150 Psi

• Max. Grease Pressure: 6,000 Psi • Air Pressure Range: 40-150 Psi

30" Grease Gun Hose

SKU **343386 5499** LIN1230 Use with Lincoln PowerLubers®

LINCOLN

12 Volt PowerLuber® **Grease Gun**

SKU 219686 7 LIN1242

• 6,000 Psi

• High Capacity Ni-Cad 12 Volt Battery • 30" Flex Hose, Spring Guard and Coupler

• One Hour Smart Charger

SKU 219687 **9 6 0 9 9** LIN1244

• Same as LIN1242 Kit But with (2) Batteries to Reduce Downtime



 High Quality Ni-Cad Rechargeable Battery for PowerLuber®





20 Volt Li-Ion Battery

• 3X the Charging Capability of NiCd

SKU **751659 2999**

• Compact and Light Weight

LIN1871

LINCOLN

20 Volt Li-Ion PowerLuber® **Grease Gun with** 2 Batteries

SKU **751676 37999** LIN1884 LIN1884

• Delivers Grease at Up to 10,000 Psi

• Built-In LED Illuminates the Work Area

• Multi-Function LCD Display Shows Grease Output and Battery Charge and Alerts the

Operator of Blocked Fittings and Loss of Prime • The 36" (91 cm) Flex Hose Comes with Anti-Kink Spring Guards on Each End



SKU **751663 5999** LIN1875A LIN1875A

• For Use in Vehicles & Heavy Equipment

with 12 or 24 Volt Accessory Outlets

• Automatically Recognizes Input Voltage • Automatic Trickle Charge Maintenance Mode



Grease Guns



Professional Lever Action Grease Gun

SKU **094656 999** 25893

- Lever Action Handle with Textured Rubber Non-Slip Grip
- Lightweight Rust-Free Anodized Aluminum Barrel



Professional Pistol Grip Grease Gun

25892

- Coupler and Protective PVC Cap • 5.5" Extension with 1/8" NPT
- Male Threads
- SKU **094654 2999** 25818 • 12" Heavy-Duty Nylon Hose with
- Working Pressure: 4,500 Psi



OEM

Air Grease Gun SKU 125116 4 999

- Great for Automotive, Workshop and Marine Use Operating Pressure: 30 - 150 Psi
- Delivery Pressure: 1,200 6,000
- Air Consumption: 4.0 CFM



Grease Gun SKU **526489**

LING103 • Uses 3 Oz. (85 g) Cartridge or Can Be Hand

Packed or Bulk Filled Lever-Action Design Produces 6,000 Psi • Conveniently Stores in

Tool Box or Tray



Professional Grease Gun SKU 522902 2 99 LIN1142

• 3 Way Loading: By Cartridge, Bulk Load and Suction Load

• Develops 10,000 Psi Pressure

• Uses Common 14-1/2 Oz. Cartridges



4499 3 Way Loading: Cartridge, Bulk Load and Suction Load

• Rugged Cast Pump Head Jam Proof Toggle Mechanism Prevents Binding or

Accidental Bending of Plunger

• Develops 10,000 Psi Pressure • Uses Common 14-1/2 Oz. Cartridges





- 18" Whip Hose • Includes Rigid Pipe
- Jam Proof Handle
- Variable Stroke Design
- 7,500 Psi • Filler Nipple/Bleeder Valve