POWER TOOLS

OFFERS VIA MAIL-IN REBATE • **OFFERS VALID JULY 1, 2015 THROUGH SEPTEMBER 30, 2015** All Mail-In Rebate Requests Must Be Postmarked No Later Than October 14, 2015 • While Supplies Last For Rebate Form, Go to WWW.DEWALT.COM/FAQS.ASPX and Type "AUTOZONE" in the Search Field

DEWALT

Hand-Held Area Light

• 2 Brightness Settings: 500

Tool Only,

Does Not Include

-

SKU 695139

DWTDCL050

6 3 VIA MAIL-IN REBATE[†] **UP TO A \$24.99 VALUE!** 8v MAX* 20 V MAX **8V MAX* Gyroscopic** 20V MAX* Li-Ion 1/2" High **Torque Impact Wrench Kit Screwdriver 2 Battery Kit** sku **559052** DWTDCF680N2 sku **559064** DWTDCF889HM2 **36999** 8V MAX* Worklight DWTDCL023 DIWALT • 400 Ft/Lbs. of Maximum Torque • LED Output - 80 Lumens Motion Activation Variable Speed and Reversing Control Variable Speed Trigger • 2 Zone Light Pattern with Electric Brake Adjustable Two-Position Handle Tool Only, Does Not Include Battery or Charger • Hog Ring Anvil and a state of the second of GET ONE OF THE BELOW $\mathbf{R}\mathbf{I}\mathbf{V}$ ONE OF VIA MAIL-IN REBATE (YOUR CHOICE) 1/2" (13 mm) 18V Cordless 1/2" (13 mm) 18V Cordless 1/2" (13 mm) 18V Cordless 🚺 **UP TO A \$129.99 VALUE! 18** XRP[™] Drill / Driver Kit XRP[™] Impact Wrench Kit XRP[™] Impact Wrench Kit sku **559109** DWTDW059HK-2 sku **559110** DWTDW059K-2 **369**99 SKU 559044 099 18V/20V MAX* Cordless 0099 **18** DWTDCD940KX LED Worklight 20 v max • 300 Ft/Lbs. of • 300 Ft/Lbs. of • 3-Speed All-Metal Transmission DWTDCL060 Maximum Torque Maximum Torque Multi-Port Battery Interface is Compatible with DEWALT 18V & 20V MAX* Batteries • 1,650 RPM/2,600 BPM • 1,650 RPM/2,600 BPM Heavy-Duty 1/2" Ratcheting Chuck 1000 Detent Pin Anvil • Hog Ring Anvil • Adjustable Light Head Allows the Light to Be Directed • 1,500 Lumens OR **20V MAX* Li-Ion 20V MAX* Li-Ion 20V MAX* Li-Ion** 20 v MA) 20 v MA 20 v MAX 3/8" Impact Wrench Kit 1/2" Impact Wrench Kit 1/2" Impact Wrench Kit 8v MAX* **8V MAX* Gyroscopic** sku **559059** DWTDCF883M2 **279**99 sku **559057** DWTDCF880M2 **299**99 SKU 559056 DWTDCF880HM2 2 0099 **Screwdriver and Battery Kit** • Compact (5.70" Front to Back), Lightweight (3.4 Lbs.) Design DWTDCF680N1 Compact (5.70" Front to Back), • Compact (5.70" Front to Back), Lightweight (3.4 Lbs.) Design Lightweight (3.4 Lbs.) Design • Motion Activation Variable Speed • Three (3) LED Lights with XR™ Li-Ion Batteries • (3) LED Lights with and Reversing Control 20 Second Delay After with Fuel Gauge 20 Second Delay After Adjustable Two-Position Trigger Release Trigger Release Handle Detent Pin Anvil Hog Ring Anvil OR 20V MAX* XR™ Li-Ion Brushless Compact Drill/Driver and 20V MAX* Li-Ion Grinder 20vma **20V MAX* Li-Ion** 20V MAX* Li-Ion 4-1/2" 20 v MAX 20 v MAX 1/2" High Torque Tool Kit (115 mm)/5" (125 mm) **Impact Wrench Kit** sku **559068** DWTDCG412P2 **Impact Driver Combo Kit Grinder (Tool Only)** SKU **559065** DWTDCF889M2 SKU **559077** DWTDCK281D2 **299**⁹⁹ DWTDCG412B 20 v MAX • 7,000 RPM Motor • 7,000 RPM Motor • DCD790 20V MAX* 1/2" Drill / Driver • 300 Ft/Lbs. of Quick-Change™ • Quick-Change™ Wheel Release Compact (7.2" Front to Back) Maximum Torque Wheel Release Variable Speed Trigger Desian • DCF886 20V MAX* 1/4" with Electric Brake Impact Driver Compact Tool Only, Does Not • Detent Pin Anvil Include Battery or Charger (5.6" Front to Back) Desian sant in small same **GET ONE OF THE BELOW BUY ANY** ONE OF THE BELOW TIMES VIA MAIL-IN REBATE (YOUR CHOICI 20V MAX* Li-Ion Compact 20V MAX 20V MAX* Li-Ion Compact **20V MAX* Li-Ion Premium UP TO A \$139.99 VALUE!** 20 y MAX **Drill/Driver/Impact Driver 3-Speed Drill/Driver Kit** Drill/Driver Kit (1.5 Ah) 20 MAX sku **559042** DWTDCD780C2 **21** 20 y MAX **20V MAX* LED**

 High Speed Transmission Delivers 2 Speeds (0-600 & 0-2,000 RPM)
 Ergonomic Handle

6

- omic Handle DEW
- Drin/Driver/Impact Driver

 Combo Kit (1.5 Ah)

 SKU 559076

 DWTDCK280C2

 26999

 DCD780 20V MAX* 1/2" Drill / Driver Features Two Speed Transmission (0-600 / 0-2,000)

3-Speed Drill/Driver Kit (4.0 Ah) SKU 559047 DWTDCD980M2 29999 • 3-Speed All-Metal Transmission • Heavy-Duty 1/2" Metal



* For Rebate Form, Go to WWW.DEWALT.COM/FAQS.ASPX and Type "AUTOZONE" in the Search Field

Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.



1-377-4210011 (phone) (**1-877-298-6651**) Hablamos Español aztool@aztool1.com (email) www.aztool1.com (visit website)



OFFERS VIA MAIL-IN REBATE • OFFERS VALID JULY 1, 2015 THROUGH SEPTEMBER 30, 2015 All Mail-In Rebate Requests Must Be Postmarked No Later Than October 14, 2015 • While Supplies Last For Rebate Form, Go to WWW.DEWALT.COM/FAQS.ASPX and Type "AUTOZONE" in the Search Field



ONE OF THE

VIA MAIL-IN REBATE⁺





With respect to 8V MAX, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2. *With respect to 12V MAX*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. *With respect to 20V MAX*, maximum initial battery voltage (measured without a workload) is 2 volts. Nominal voltage is 7.2. *With respect to 12V MAX*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. *With respect to 20V MAX*, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 7.2. *With respect to 12V MAX*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. *Terms and Conditions: This is not a game of chance. Void where prohibited. Offer only available at the participating AutoZone retail locations. Offer valid on purchases made from 07/01/2015 through 09/30/2015, while supplies last. All federal, state and local laws and regulations apply. Redemption items of equal or greater value. AutoZone and DEWALT reserve the right to limit number of redemptions per customer and/or transaction. Offer subject to change without notice. Copyright ©2015 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories; the yellow & black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; & the array of lozenge-shaped humps on the surface of the tool. CH Auto Zone DW 03 040315.indd/TH/GDS/#15-0904

7

Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.





- 12 LED Light with Pivoting and Tilting Light Panel
- Up to 22 Hours Runtime
- 18V 3 0 Ah Li-Ion Batterie



Thakita

• Rapid Charger Charges Batteries in 30 Minutes

Batteries/Chargers



Thakita

099

18V Dual Port Charger

SKU 751667 MAKDC18RD


- 18 Volt Charger
- Built in USB Port for Charging Portable Elecronic Devices
- Rapid Charge



18V 4.0Ah **Li-Ion Battery**

sku **555437 99**99 MAKBL1840 • 18V Li-Ion 4.0Ah Battery

Provides 30% More Run Time Than a 3.0Ah Battery



Lithium Battery

Uses Optimum Charging

Increases Run Time

Lithium Chargers

• Uses Standard Makita

SKU 695131 1 999

18V 5.0Ah

MAKBL1850

System



Thakita

Thakita

18V Compact Driver Drill SKU **751677** MAKXFD01CW

• Includes Drill, Two 18-Volt Compact Lithium-Ion Batteries (BI1815), Charger (DC18RC) and Tool Case NEW

Thakita

• 3-Year Warranty on Tool

Drills

- 1-Year Warranty on Batteries and Charger • LXT Lithium-Ion Battery Provides Longer
- Run Time

Flashlights **18V Li-Ion LED Flashlight**

sku **555435** MAKLXLM04

- 18V Li-Ion LED Flashlight Delivers 200 Lumens
- 12 Position Aluminum Head for Increased Durability
- Multi-Faceted Reflector Provides a Sharp Round Light
- Strap Hook for Hanging
- Tool Only, Does Not Include Battery or Charger

Thakita



- 18V Li-lon, 12 LED Panel Light Runs Up to 22 Hours on a Single Battery
- 3 Position Switch Illuminates 12 LED, 6 LED or Off
- LED Panel Adjusts and Rotates
- Flip Hook to Hang the Light as Needed
- Tool Only, Does Not Include Battery or Charger

8





1-877-AZTool1 (phone) (1-877-298-6651) Hablamos Español **aztool@aztool1.com** (email) www.aztool1.com (visit website) Tool & Equipment QUARTERLY



Portable Band Saw - 110 Volt (Tool Only)

 Spark Diversion Guard for Operator Safety



Reciprocating Saws

18V Compact Reciprocating SawSKU 69513229999MAKXRJ0129999

- Compact Design for Close Quarter Cutting
- Variable Speed (0 3,000 Strokes per Minute) Combined with a 1/2" Stroke Length for Faster and More Efficient Cutting
- Dual-Position On/Off Switch Allows for Either Paddle
 or Trigger Switch Operation
- "Tool-Less" Blade Change System Allows for Faster Blade Installation and Removal

9 Amp Reciprocating Saw HD

sku **262515** MAKJR3050T **119**99

- Long 1-1/8" Stroke for Faster Cutting
- Internal Dust Blower System Clears Debris from the Line of Cut for Better Visibility and Accuracy
- All-Ball and Needle Bearing Construction for Longer Tool Life
- Soft Grip for Increased Comfort and Control



Thakita



sku **751689 29999** MAK2107F **2999**

- Dual Bearing Blade Guides and Adjustable Stopper Plate
- Variable Speed Control Dial Enables User to Match the Speed to the Application
- Blade Tightening Lever for Fast and Easy Installation

Grinders

Thakita 4-

Thakita

Thakita

18V Li-Ion 4-1/2" Grinder (Tool Only) sku 555421 MAKXAG01Z

- RPM: 10,000
- Small Diameter Barrel and Paddle Switch for Ease of Operation
- Operates on 18V 3.0Ah or 4.0Ah Li-Ion Battery

Tool Only, Does Not Include Battery or Charger



- 4-1/2" Grinder with 10,000 RPM for Fast Material Removal
- Powerfull 7.5 Amp Motor for Heavy-Duty Applications
- AC / DC Switch for Alternative Power Sources
- Small Diameter Barrel and Paddle Switch for Operator Comfort



POWER TOOLS



🚺 Great Neck

- 17-15/16" x 10-5/8" Base

 15" (W) x 25-1/3 (D) x 63-1/3" (H) Overall

KNNW?

easier, safer and even more fun. That's why we source high quality, name brand tools and equipment while offering them at a competitive price and unbeatable service.

Polishers

Vortex 6" **Dual Action Pro Polisher** SKU **544818 0 099** 6018



- Professional Polisher Provides Variable Speed of 1,500 to 6,800 OPM
- Adjustable D-Handle and Reversible Side Handle
- Powerful 5 Amp Motor

Heat Guns



STORE STOCK

- · Built with Power and Comfort to Get the Job Done
- Powerful 1,200 Watt Heating Power
- 3 Position Trigger Switch for On/Off and Temperature Setting

Dual Temp Heat Gun Set sku 094815 2099 80131

- Powerful 1,500 Watt Motor
- 3 Position Trigger Switch for On/Off and Temperature Setting

10 Piece Set Includes:

• Dual Temp Heat Gun, (4) Nozzle Deflectors, (3) Interchangeable Scraper Blades, Scraper Handle, Scraper and Sturdy Storage Case



Prices Subject To Change Without Notice. 10

Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.