ENGINE SERVICE TOOLS

STOP the Knock!

- Cam Phaser Knock on the 4.6/5.4L 3V Engines is Common in Older Models and Can Lead to Bigger Problems If Not Fixed
- There are Millions of Trucks on the Road with This Problem, But Until Now, There have Been Few Good Options to Permanently Fix the Knock
- This Kit Helps to Eliminate Any Knocking Noise Heard from the Front Valve Cover/Timing Cover Related to the Phasers
- · All-in-One Kit Corrects the Cam Phaser Knock on ONE Engine
- Labor Guide Suggests 8½ Hours
- · Easy to Follow DVD Instructions





This Kit is the Only True, Long Term Repair for Ford Cam Phaser Noise on the Market



Cam/Crankshaft Tools

Stop Saying No to Business and Be Confident Your Customers Will Be Satisfied!

OEM TOOLS

Ford Cam Phaser Noise Repair Kit (4.6/5.4 3V Engines)

SKU **494959 69** LMEF1503V

Kit Includes:

- Wedge Tool for Easier
- (2) OEM Quality Phaser Bolts
- (2) Lock Outs



Product Made by High-Performance Engine Specialists:



DOHC Cam

Lock Holder

SKU **291419 3999** LIS36880

• This Versatile Tool Easily Locks

and Holds Both Camshaft Sprockets Firmly in Place

SAVE \$10

Timing Gear Holder

099

- **T** REG: \$49.99 SKU **544797** | 24387
- Holds the Timing Gear in Place During Removal and Installation and Prevents It from Moving While the Retaining Bolt is Removed • Allows the Cam Gear to Rotate to Align Valve Timing Marks
- Single Lever Locking Design is Easy-to-Use

March 31, 2016 - While



SKU **217379 2 999 OEM TOOLS**

Honda

• Holds Crankshaft Dampeners When Tightening/Loosening Crankshaft Bolts On Honda and Acura Engines 1990 to Present

Crankshaft Pulley

Holding Tool

M TOOLS

CamClamp™ Set SKU **238159 7 4 99** 24360

STORE STOCK

2 Piece

- Specifically Designed to Retain Sprocket Wheels While Maintaining Prope Timing During Belt Service
- Simple to Use · Installs in Seconds

Universal **Cam Adjuster** SKU 222524 4 1 99 LIS38220

• Adjusts to Fit Different

Sized Cam Sprockets • Holds Cam Sprocket in Place When Removing Cam Bolt

Ford 2.0L, 2.3L, 2.5L

SKU **626108 9 4 99**

• Applications: 2.0L DOHC Engines Found in 1994-2003 Ford and Mercury, 2004-2012 2.5L DOHC,

2.3L DOHC 4V and 2.0L DOHC

Engines in Ford, Mercury and Mazda, and 2.0L DOHC

Engines in 1993-1994

Ford Probe

Cam Tool Kit

24448

• Works On All Single and Dual Overhead Cam Sprockets with Holes



OEM TOOLS

OEM TOOLS

- Easy On Bearings
- Shaft Extension, Expander Unit, (5) Split Driving Plugs, (2) Driving Collars and Center in Cone

SAVE \$10 OEM TOOLS

Camshaft and Crankshaft Seal Tool Kit

SKU **544799** | 24386

- Easily Remove and Install Camshaft and Crankshaft Seals
- Compact Puller with Unique Extracting Hooks Engage Seal for Quick Removal • Interchangeable Sleeves and Mandrels Allow Easy Installation of New Seal
- Suits Seals from 21.5 mm 64 mm • Sleeves and Mandrels Made from High Strength Fiber Glass Reinforced ilass neimoro

Offer Good Through March 31, 2016 -While Supplies Last







Scan for Instructions on How to Use This Universal Seal Tool Kit

5 Piece Master OEM TOOLS **Cam Clamp Kit**

OEM TOOLS

SKU **383452 7 9 9** 27210

- · Covers Most Single, Twin Cam and Quad Cam Engines
- Locks Camshaft to Hold Valve Timing During Timing Belt



Crank Seal Remover and Installer Kit

SKU **512952 14999 27**222

• Used to Install and Remove Oil Seals Between 27 mm and 58 mm in Diameter



Preserves the Engine Timing During Belt or Chain Replacement

OEM TOOLS Universal **Camshaft Bearing Tool**

SKU 191677 **779**99 27143

- Removes or Inserts Camshaft Bearings in Nearly All Engines
- Range: 1.125" to 2.69"
- Set Includes Driving Shaft, Driving



CAL981 19 mm Crank **Bolt Socket**

SKU **818784 9099** CAL982 21 mm Crank

Bolt Socket SKU 818782 **999** CAL983



- Remove Stubborn Crankshaft Pulley Bolts-No Special Tool Required
- Increase Working Torque Up To 50% Works with Any Standard 1/2" Impact

Piston Tools

Piston Ring Compressor (2-1/8" - 5")

SKU **531921** 25037

STORE STOCK

- Spring Steel with 1/4" Square Drive Adjuster
- Beaded Edge Prevents with Pistons







Wrinkle Band Compressor

Piston Ring

Compressor

(3-1/2" - 7")

sku **531947**

STORE STOCK

with Pistons

· Constructed of High Grade

Spring Steel with 1/4"

Square Drive Adjuster

Beaded Edge Prevents

Tool from Entering Cylinder

25039

SKU **246373** 25257



- 1-1/2" Deep Low
- Fits 3" to 5" Pistons







Valve Tools

Valve Spring Compressor

SKU **231210** 25220

STORE STOCK • Designed for Use On Most Trucks and Cars with

Overhead Valves



SKU**459100 2499** LIS48300

 Redesigned for Newer 3.5L and 3.6L GM Engines - Also Works On GM V6 2.8L, 3.1L and 3.4L

• Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms

Push Rod Remover



Piston Ring Compressor Set

SKU **526501** WLMW89410

• You Get Six Band Sizes for Multiple Applications and

- the Pliers Can Be Used Parallel or Perpendicular to the Cylinder Block
- Set Comes in a Blow Mold Case • 2-7/8" - 3-1/8" (73 - 79 mm)
- 3-1/8" 3-3/8" (79 86 mm)
- 3-3/8" 3-5/8" (86 92 mm) • 3-5/8" - 3-7/8" (92 - 98 mm)
- 3-7/8" 4-1/8" (98 105 mm)





- Friction Wrinkle Band



- (76 mm to 127 mm)



OEM TOOLS

Ford Valve Spring Compressor SKU **626111**

• Applications: 1991-2004 Ford Vehicles with 4.6L 2V. V8 Engines; 4.6 4V,

- 5.4 V8 and 6.8 V10 Works with Engine Removed or Installed, Cylinder Head On or Off
- Not for Triton 5.4 3V



Parallel Lift

Spring Compressor SKU **516515** 27075

· Strong but Light Frame - Weighs Only 6 Lbs.

- Works with Most Valve-in Head and L-Head Engines As Well As Truck & Tractor Engines
- Capacity 1"- 2" Springs • Throat Depth 10"
- · Includes Straight and Offset Jaws



OEM TOOLS



Tool & Equipment Quarterly

Throttle Depressors



Throttle Pedal Depressor

SKU **222525** LIS48700

- Holds Throttle at a Constant RPM
- Length: 40"

Brake -Accelerator **Pedal Depressor**

SKU **802194** 24232

- · Easy to Adjust
- Extends to 24"
- Suitable for Many Diagnostic Applications

Belt Tools

Stretch Belt Installation Tool

SKU **227301 7 199** 24363

STORE STOCK

- Works On Both Large and Small Pulleys
- Clamping Jaw Allows User to Position Serpentine Belt without the Belt Slipping Out of the Tool



Stretch Belt Mate Kit

24388

SKU **544729 1299**

• Easily Installs All Stretch Fit Belts



OEM TOOLS

OEM TOOLS



Scan for Instructions on How to Use Stretch Belt Mate Kit

Stretch Belt Remover and Installer

SKU **255866 2299** LIS59370

- Unique Magnetic Faces Hold the Tool in Place On the Pulley
- Compact, One-Piece Tool Can Be Used On the Front or Back Side of the Pulley





OEM TOOLS

Serpentine Belt Tool

SKU 695121 **30**99 33627115

• Provides Required Leverage and Clearance to Release Spring Pressure and Remove Tensioner Pulley



Block Testers

Block Tester

SKU **695104** 33627145

- Locate Internal Combustion Leaks Quickly and Easily
- When Fluid Turns from Blue to Yellow a Combustion Leak is Present



Block Tester Test Fluid [8 oz]

SKU 391381 **Q 99** 25739

STORE STOCK

 Use with Block Tester #33627145



Engine Cylinder Hones



Cylinder Hone Deglazer

SKU 532002 31 99 25041

STORE STOCK

- Range: 2" to 7" (51 mm to 128 mm)
- Spring Tension Adjusting Nut for Positive Cutting Action
- Supplied with 4" Medium Grit Stones

Replacement **Stone Sets**

SKU **141540**

• 3 Coarse Grit

(#100)



2541C 2541M

STORE STOCK

STORE STOCK

2541F

STORE STOCK • 3 Medium Grit • 3 Fine Grit

FLEX-HONE

Flex-Hone BC

10 mm (.394") SKU **341249** BRMBC10M18

6.4 mm (.250") SKU **343384** BRMBC64M24



Flex-Hone GB

3-1/2" (89 mm) 3-1/4" (83 mm) SKU **341239** SKU **341232** BRMGB31212 BRMGB31412

4799

3-3/4"

(95 mm)

4-1/8" (105 mm)SKU **341317** SKU **341325** BRMGB33412 BRMGB41812

4-5/8" (118 mm) SKU **341332** BRMGB45812

CALL FOR ADDITIONAL SIZES



Universal Pulley and Fan Clutch Holder

7 REG: \$69.99

- Fits Many Different Fan Clutches, Cam and Crank Pulleys With Slots or Holes
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm, 11-16 mm
- Adjustable Diameter: 1-1/2" 8-5/8"

Offer Good Through March 31, 2016 - While Supplies Last

Fan Clutch Tools

Universal Fan Wrench Set

SKU **080554** LIS43600

- Use On the Most Popular Applications
- Unique Hooked Wrench Design Will Hold Bolted On Water Pump Pulleys by Applying Pressure Against Another Bolt
- Double-Sided Spanner Style Holding Wrench Will Hold Pressed On Pulleys On Many GM, Jeep and Dodge Vehicles



Fan Clutch Wrench Set

SKU 110280 7099

- OEM Master Fan Clutch Wrench Set Combines OEM #27108 and OEM #27141 into a Master Set
- Ideal for Removing Fan Clutches from Water Pumps
- Set Includes: 36, 40, 48, 54, 57, 68, 72, 76 and 83 mm Wrench Sizes



OEM TOOLS

Pneumatic Fan Clutch Wrench Set

SKU **291409** LIS43300

• Quickly Removes and Installs Fan Clutch When Repairing the Water Pump or Fan Clutch

• Set includes: 36, 41 and 42 mm; 1.5", 1-9/16", 1-7/8" and 2" Wrench Sizes



OEM TOOLS'

Fan Clutch Service Set for Mercedes-Benz and BMW

SKU **512958 1 0 99**

- Removes Lock Nuts On Thermo Viscous Fans Found On Mercedes-Benz, BMW and Many Ford Models Includes:
- (1) Mercedes-Benz Fan Clutch Wrenches 36 mm, 40 mm and 65 mm Opening
- -(1) BMW Fan Clutch Wrench 3 mm Opening
- -(1) BMW Fan Clutch Holding Wrench 38 mm and 44.5 mm -(1) Mercedes-Benz Fan Clutch Holding Tool



Clutch Tools

Duramax Flywheel Lock

SKU 301613 **1 Q** 99 LIS22100



• Saves Time by Locking the Flywheel at the Transmission Instead of Having to Remove the Starter for Water Pump Replacement





Flywheel Turner SKU **505066**

LIS23800 **2 199**

• For Turning and Holding Flexplates and Flywheels

Easily Turn Engine from Underneath the Vehicle



Freeze Plug Tool

MasterFreeze Plug **Installation Tool Kit** SKU **965837** 🕡 🕡 **99**

27208



Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines

CHASSIS/SUSPENSION

Ball Joint



Ball/U-Joint Press Set

SKU **695617** 33627023

- Removes and Replaces Ball Joints On Many Vehicles
- C-Clamp Frame Press May Also Be Used to Remove and Replace U-Joints



Ball/U-Joint Press with 4WD **Adapter Set** SKU **695584**

33627089

- 3999 • 1967 to Current 1/2
- to 3/4 Ton 4WD • Dana 44 Series Front Adapter Sets Available: 27163, 27164, 27165, 27166, 33627163, 33627164, 33627165 and



Ford Ball Joint Adapter Set SKU **695095** 33627163

STORE STOCK

- 1996-2004 Ford Taurus and Mercury Sable
 - Ball Joint Adapter Set for 27023, 33627023 33627089 or 27089 • Rust Resistant

Finish On All Parts

 Upper and Lower Ball Joint Adapter Set for 27023, 33627023, 27089

4 Wheel Drive

Ball Joint

SKU **695093**

33627165

Adapter Set

• Designed for Use

Dana 44 Axles

On 1967 - Current 4WD Vehicles with



2 Wheel Drive **Ball Joint Adapter Set**

SKU **695092** 33627166

- · Ford Van 2WD, Upper and Lower Ball Joint Adapter Set for 27023 and
 - 33627023 Rust Resistant Finish On All Parts



11099

Accord, Civic,

CRX and Prelude

Joint Installer/ Remover Honda **Ball Joint** Adapter Set Adapter Set SKU **793562**

33627310 SKU **695094** 33627164

 Expands the Capabilities of OEM #27023 Ball Joint • 1980-2000 Honda Press

Master Ball

- For Working On Many GM, Ford and Chrysler 2 and 4 WD Pick-Ups, Vans and SUVs
- Includes: 8 Receiving Tubes, 2 Installing Tubes, 2 Receiving Cups, 1 Plug and 1 Remover/Installer • Comes in a Sturdy Blow

Mold Case



3/4" Drive **Ball Joint Impact**

Socket 2-9/64" SKU 462494

24215

- Used On Chrysler/Dodge Mid Size Cars Light Trucks and
- Fits 2-9/64" Ball Joints • 3/4" Drive



 Used for Separating the Ball Joint from the Spindle Support Arm On Domestic and Import FWD Vehicles

OEM TOOLS

- Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8 In. and 2-1/8 In. • Steel Construction with
- Black Oxide Pins · Comes in a Sturdy Blow Mold Case

Spindle Nut

1/2" Drive Socket **Bearing Locknut**

SKU231203 7499

25243 STORE STOCK

• Fits Adjusting Nuts Found On 1995-96 Ford F-150 Trucks and Full-Sized Broncos with Automatic Locking Hubs



4WD 4-Lug **Spindle Socket**

SKU **552265 1099**

STORE STOCK



O≣M TOOLS

4WD 6-Lug **Spindle Socket**

SKU **695598** 33627046



4WD 2-Lug Spindle Socket SKU 110264 **9 0** 99



While Supplies Last

1/2" Drive Wheel Bearing **Locknut Socket Kit**

SKU **295858 4 999** WLMW89314

• Six-Point Wheel Bearing Locknuts Are Easy to Remove or Install with These Specially **Designed Sockets**

Contains 2-3/8", 2-1/2" and 55 mm Locknut Sockets and 2-1/2", 2-3/4", 2-9/16" and 2-3/8" Rounded Locknut



Suspension

Knock Out Tool

SKU **420336 1 099**

GM Upper Control Arm



©≣M TOOLS

OEM TOOLS

Spindle Locknut Wrench Kit

SKU 695087 11099 33627174

• Ideal for 4-Wheel Drive Axle Retainers

• Use with Many 1/2 Ton Vehicles with Dana 44 Series Axles GM, Ford and Dodge and with Many 3/4 Ton Vehicles with Dana 70 Series Axles GM, Ford and Dodge

Axle Tools

FWD Axle

Puller Adapter SKU **695592**

Attachment

SKU 695583 35

27033 and 33627033



4WD Spindle Puller

EM TOOLS



Hub Puller SKU **695606** 33627037 Fits Most Domestic and Import

Yoke and Bolt Are Threaded

Front Wheel Drive

Front Wheel Suspension 5/8" x 18

5 Lbs. Slide Puller

Attachments As Well As

Other Manufacturer's

Attachments with the

SKU **695611 4599** 33627033

• Threaded 5/8" x 18 Works with OEM

Same Thread

33627033



OEM TOOLS

OEM TOOLS

Axle Puller

SKU **695612 2** 33627032

• Used with OEM Slide Hammer (27033, and 33627033) to Pull Flange Type Axle On Most Domestic Cars and Trucks with 4.5 or 5.5 Bolt Circles

Rear Axle Bearing

SKU **821450 70**00 33627305

Strike the Axle Popper Wedge

• Shim Included to Fill the Gap On

or Use it As a Pry Bar to Remove

Remover Set

the Half Shaft

Some Vehicles



OEM TOOLS

Services 1989-2001 Chevrolet and GMC 1/2 - 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks and 1990-2002 All Wheel Drive Chevrolet Astro and GMC Safari Vans **Universal Steering**

Tool SKU **512957** 27234

 Used to Spread Lower Ball Joint, Preventing Costly Damage to Knuckle

Adjustment Tool

• Makes Camber Adjustment

Inflatable Air Bladder Fits Between

Tire and Strut for Easy and Controlled Adjustment of Camber Settings

• Camber Can Be Set with Wheels On Ground

Eliminates the Need for Special Camber Bolts

Camber

DOWTC614

SKU**360484**

a "One-Man Job"



TOMESCA1

John Dow

Industries

OEM TOOLS

Knuckle Spreader



Rear Axle Bearing Remover Set

and 2" On 4WD Vehicles

• Use with OEM Sledge Hammer

• Fits Most Spindles 1-1/2", 1-5/8"

SKU **695117 5599** 33627129 • Used to Pull Semi Floating Rear

Axle Bearings Use with OFM #27033 and #33627033 Slide Hammer Puller



OEM TOOLS

Axle Popper Kit SKU **514017 5999 514010**

- Valuable Tool for Transmission Shops, Garages, Tire Shops and Body Shops
- Shim Included in Kit to Fill Larger Gap Found on Some Vehicles
- Applies Even Pressure to Both Sides of Shaft
- Safer and Surer Than a Pry Bar OEM TOOLS



OEM TOOLS

OEM TOOLS

SKU **514007 7999** 27233 27233

Axle Spindle

Threading Set

• Set Includes: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar



Rear Axle Puller Set SKU **094801 10 99** 27202

• Use for Flange-Type Rear Axle and Bearing Removal On Most Late Model Passenger Cars and Light Trucks



23 Piece **Hub Bearing**

Remover and Installer Kit SKU **094804 1 9 9 9 9** 27205

Steering Knuckle and Strut

Assembly Vehicle. Eliminates Need for Alignment

OEM TOOLS

• Removes and Installs Wheel Bearings with



CV Boot Tools



· Removes and Installs Many Boots On GM Constant Velocity Joints Having Stamped Retaining Rings



Pickle Fork

Tie Rod End Puller SKU **004463 199**

25201 STORE STOCK • Tapered Fork Wedged Ends with 21/32" Opening

 Overall Length: 11-7/8" Ball Joint Separator

SKU **004464 1** 99 STORE STOCK

• Tapered Fork Wedged Ends with 5/16" Opening



3 Piece **Pickle** Fork Set

sku **802196 3**4 27080 · Can Be Used for Tie Rod End, Pitman Arm and Ball

Joint Removal

OEM TOOLS **5** Piece **Pickle Fork Set**

SKU 466511 3 5 25261

 Set Includes: Tie Rod Spreader with 11/16" Wedge Opening, Ball Joint Separator with 15/16" Jaw Opening, Pitman Arm Wedge with 1-1/8' Opening, 8" Handle





Stepped Pickle Fork Set SKU **291410 5999** LIS41400

• Six Tools in One Includes: 1-1/8", 15/16", 11/16" Forks and Two Handles



SKU **094799 6999**

27201

5 Piece Tie Rod and Ball Joint Set

• Used to Remove Tie Rods and Ball Joints

• Includes: 11"x 1-1/8", 11-3/4" x 1-5/8", 11-5/8" x 1-7/16", 16" x 11/16" and 16" x 15/16"



Tool & Equipment Quarterly

Pitman Arm Pullers

Pitman Arm and Ball Joint Front End Service Kit

SKU 900820 **999** 27181

- Services Pitman Arm, Tie Rod and Ball Joints
- Includes: Pitman Arm/Tie Rod End Puller, Ball Joint Separator, Pitman Arm Puller, Ball Joint/Tie Rod End Remover, Ball Joint/Tie Rod End Remover
- Comes in a Sturdy Blow Mold Case

Heavy Duty Pitman Arm Puller SKU 695090 **9 1** 99 33627170

- Services Cars and Light Trucks 3/4 Ton • Can Be Used for Bearing, Collar or Gear Removal
- Features Forged Adjustable Jaws and Two Clamp Bolts that Lock Jaws Together
- Pressure Screw Has Ball Head Designed for Striking



OEM TOOLS

Pitman Arm Puller SKU 695620 **799** 33627016

- Heat-Treated Frame for Strength and Durability
- Pressure Screw Has Ball Head Designed for Striking
- Frame Has Opening for



- For Use On Compact Cars



33627022

- and Smaller Pitman Arms
- 2-1/16" Opening



Drive Line Impact Socket 1/2" (12 mm) Ford Drive-Line Impact Socket

SKU 420319 **1 99** 24212

• Applications Include Many Ford Drive Line Bolts

• 12 mm, 12 Point

Shock Tools DEM TOOLS

Volvo Shock Retaining Nut Strut Removal

Socket Tool SKU 300125 **24**99

24365

- Includes Holding Socket and Double-D Axle Center Socket • Fits Several Models Volvo 1999-2010



Absorber Tool SKU 036202

25038 For Removing and

OEM TOOLS



Universal Shock

Installing Shock Nuts

• Fits Many Shock Stems

Spring Compressors

Universal Strut Remover

SKU 141509 7 Q 99 25423

- Removes the Top Nut On Many MacPherson Struts
- Deep Socket is Used to Remove Nut
- Includes: 3/4" Adapter, 6.5 mm Hex As Well As "Double D" and 7.5 mm Hex and "Double D" Sockets
- Comes with T-50 Star and 10 mm Internal "Double D Sockets



MacPherson Strut **Spring Compressor**

SKU **070135** 🤦 25550

STORE STOCK

- Used to Compress Strut Spring During Cartridge Replacement
- Forged Hook
- Heat-Treated Forcing Screw
- Safety Latches



OEM TOOLS

OEM TOOLS

Coil Spring Compressor SKU **695608 50 99 3 3 6 2 7 0 3 5**

33627035

- Used to Compress the Coil Spring in the Installation of Coil Spring Spacers
- Comes in a Sturdy Blow Mold Case



Strut/Coil Spring **Compressor Kit**

SKU **094802** 27203

- Used to Compress Most Sizes of MacPherson Springs and Coil Springs
- 10 Piece Kit
- Heat-Treated for Toughness
- Comes in a Blow Mold Case



GM Torsion Bar Unloading Tool

SKU **099289 1 1 1 99** 27235

- Built for GM's K-3500 Series Trucks with the Heavy Duty Chassis
- Also Works On 1988 and Newer GMC and Chevrolet 1/2-3/4- and 1-Ton Pick-ups: S-10 Blazers, S-15 Jimmys, 4WD Pick-ups with 4.3L V-6 Engines and 1991 to 2001 Oldsmobile Bravada



Air Operated Strut Spring Compressor

SKU **544805** 24860

- Foot Controlled Valve
- Maximum Air Pressure: 116 PSI

Model 7600 Strut

SKU **547959 89999**

BRA7600

Made in the USA

Spring Compressor

• Handles the Toughest Applications

• Min/Max. Spring Diameters: 3.5/11.5"

- Spring Diameters: 4-6.5" • Upper Yoke Travel: 16.5"
- Maximum Load: 2200 Lbs



Tie Rod Tools


Inner Tie Rod Tool SKU **094645** 25296



- Used to Easily Turn Tie Rods
- Slide Tool Over the End and Tighten Collar to Allow Access with an Extension
- Tool Can Remove Inner Tie Rod without Removing the Outer Tie Rod

Tie Rod End Remover SKU 695086 4099

33627175 • Used On Import and Many



Not Damage Tie Rod End



OEM TOOLS

OEM TOOLS

Inner Tie Rod Tool Kit SKU 217377 **C** 099 27185

- Removes and Installs Tie Rod End On Rack and Pinion Steering
- Includes: 1-3/16", 1-5/16" and 1-7/16



OEM TOOLS

Inner Tie Rod Tool SKU **291414 8999** LIS45750

• Utilizes Six Sizes: 1-1/4", 1-1/2"

- 1-3/16" 1-5/16", 1-7/16" and 33.6 mm Long Socket Slips Over Tie Rod End and Connects to the Crow Foot
- Includes 1-1/2" Crow Foot for Use on Chevrolet Colorado and GMC



Master Inner Tie Rod Tool

SKU **080557** LIS46800

- Works On Inner Tie Rods with Inaccessible Wrench Flats • Includes All 9 Crows Feet to
- Work On Many Applications
- Long Socket Slips Over the Tie Rod End and the Crow Foot Engages On the Socket for Easy Removal and Installation





Cart for BRA7600

SKU **547960**

BRA00-0137

12 Point

Axle Nut

SKU **751696**

7999

24480

Socket Set



1/2" Drive Axle Nut Sockets

SKU **079988 7 99** 25203

32 mm STORE STOCK

34 mm store stock SKU **010252 1 499** 25205

35 mm STORE STOCK SKU 864642 1899

36 mm STORE STOCK
SKU 079772 1999

• For Use with a 1/2" Drive Ratchet
• Chrome Plating to Resist Rust
• 1/2" Drive Chamfered Square Drive

Removes and Installs the Front Drive Hub/Axle Nuts On 4 Wheel Drive and Many Front Wheel Drive Automobiles

39 mm. 12 Point Axle Nut Socket SKU **452638** LIS39650 2499

• Fits Toyota/Lexus

6 Point OEM TOOLS Axle Nut Socket Set SKU **900822** 27188

8499 Includes

- 27, 29, 30, 32, 33, 34, 35, 36, and 38 mm • Chrome Moly Sockets Are Impact Rated • Black Oxide Finish to Resist Rust
- Comes in a Blow Mold Case





BRA00-0125

OEM TOOLS

2000

- Includes Sizes: 29, 30, 32, 34, 35, 36, 38 and 39 mm
- Chrome Moly Sockets Are Impact RatedBlack Oxide Finish to Resist Rust
- Comes in a Blow Mold Case

29mm 12 PT Axle Nut Socket 1/2" DR SKU **821446** 33627322 **2000** 30mm 12 PT Axle Nut Socket 1/2" DR

SKU **191051** 2515 **31mm 12 PT Axie Nut Socket 1/2" DR** SKU **821448** 33627324 **200** 32mm 12 PT Axle Nut Socket 1/2" DR SKU **821449** 33627325 **200**

36mm 12 PT Axle Nut Socket 1/2" DR

33mm 12 PT Axle Nut Socket 1/2" DR SKU **821451** 33627326 **200** 34mm 12 PT Axle Nut Socket 1/2" DR

SKU **821453** 33627327 **2000** 35mm 12 PT Axle Nut Socket 1/2" DR sku **821455** 33627328 **2000**

SKU **821456** 33627329 **2000** 38mm 12 PT Axle Nut Socket 1/2" DR SKU **821457** 33627330 **2000** 39mm 12 PT Axle Nut Socket 1/2" DR

SKU **821452** 33627331 **2000**

CV Axle Nut Sockets

30 mm *store stock*

SKU **552315 799** 25204 33 mm store stock

SKU 864643 7 99

Seal Tools

OEM TOOLS

25152

Seal

25014

Puller

SKU **048199**

STORE STOCK

All Seal Sizes

• Two Tips Fit

OEM TOOLS



Bearing Race and Seal Driver Set

SKU **695119 6099** 33627119 Used to Install Most Standard Wheel Bearing Races and Seals



25082

 Knurled Handles • Includes: 3" Driver, 2.5" Driver, Short Handle, Long Handle, Spider Insert, 5/16" x 1" Cap Screw, Large Spider,

Small Spider and Washer • Long Handle Provides Good Flexibility When Installing Pinion Seals Comes in a Sturdy

Blow Mold Case



Pinion Shaft Seal Driver

SKU 080559 **8999** LIS56950 · Used for Driving Pinion

- and Other Seals into Place Hollow Adapter Allows Driver to Slide Over Shaft to Drive Seal
- Both Driver Faces Hold Seal in Place Until Ready to Drive into Place



SERVICE TOOLS

Measuring Tools

Feeler Gauge

SKU 001927 699 25025

STORE STOCK

26 Blades with Laser Etched In/mm



Electronic Digital Caliper SKU **864649 7999**

- 25363
- Large Easy-to-Read LCD Display
- Zeroing Feature
- Thumb Roller with Locking Device



OEM TOOLS

Disc Brake Rotor Micrometer

SKU **607071 1 0 99** 25367

STORE STOCK

- .001" Accuracy, .0005" Reading
- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On



X-Tread Digital Tire Gauge

SKU **186495**

F0W74225500

- For Tire Tread Thickness Measurement
- Reads in Inch. Metric and Fractions



RotoCal with Twin Conical Anvils

SKU **186492**

F0W74150004

- Range 0 to 5.5"
- Reads in Inch, Metric and Fractions
- 3.5" Jaw Depth for Large Rotors



Dial Indicator Set

SKU **186500** FOW 72522101 **6999**

- Includes 1" Indicator, Magnetic Base Plus Rods, Swivel Clamp and Case
- 2-1/4" Dial, .001" Increments



Fowler

Mini MAG Protractor

F0W744224501 **7999**

- Embedded Magnets with 35 Lbs. Pull • Uses Standard 9V Battery
- 360 Degree Measuring Range
- Accuracy -/+2 Degrees



Fowler

Angle Finder

SKU186499 2299

CEN6494

- Measure Auto and Truck Front Ends
- Measure Drive Shaft Angles
- Magnet in Base
- Graduated in 1/2 Degree Increments





Central Tools, Inc.

Rotor/Drum Measuring Kit

SKU **186504 7 0 99** CEN3K301

- Attaches to Any Caliper On the Lower Jaws
- Outward Facing Anvils to Inspect Drums • Inward Pointing Anvils to Measure Rotors
- 8 to 13" Range
- 0 to 6" Digital Caliper Included



Straight Edge 24"x1/4" SKU 404660 11999

CEN6429

- Precision Ground to -/+.001"

• Measure Head, Block and Flywheel Straightness

3 Piece Micrometer Set

CEN3M113

SKU 186503 • 0 to 3" Range

- 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103 • Set Includes Calibration Tools



SAVE \$10

Disc Brake/Ball Joint Gage

SKU **186496** FOW 72520757 **999** REG: \$99.99

- Checks Ball Joint Wear and Disc Rotor Run-Out • Checks Gear Backlash and Valve Guide Wear
- 0 to 1" Travel and .001" Graduations



Fowler

Offer Good Through March 31, 2016 -While Supplies Last

OEM TOOLS

3/8" Drive

3/8" Drive

25685

25686

Ratchet

Reached

25-250 In/Lbs. Range

SKU **133657** 🖊 🕦 99

10-100 Ft/Lbs. Range

SKU 133658 🖊 🔘 99

• 45 Tooth Round Head

Audible Click When

Desired Torque is

Both Clockwise and

Counter-Clockwise

OEM TOOLS

DID YOU AutoZone Can Get Stoptech Brand High Performance Brake Systems.

Contact Your AutoZone Commercial Sales Manager or call 1-877-823-5535 Ext. #3 for details

Torque Wrenches

3/4" Drive Torque Wrench 100-600 Ft/Lbs. Range

SKU 217376 34999 · Right Hand Direction

> Micrometer **Click Style**

Turn Any Ratchet or Breaker Bar into a Digital Torque Wrench!



3/8" Drive Digital **Torque Adapter** SKU 362559 **4** 999

25684 • Range 27 - 135 N-M (238.9-1,194.8 ln/Lbs.)

3/4" Drive 1/2" Drive **Digital Torque Torque Multiplier** SKU191056 **299**99

Adapter SKU **900805 5999** 25682 25682

- Range 40 200 N-M (29.5-147.5 Ft/Lbs.)
- Buzzes When Target Torque is Reached

1/4" Drive Torque Screwdriver SKU **695088 7 1 99**

33627172

- Range: 10 50 In/Lbs.
- Great for Low Torque Applications • Easy-to-Read Window Scale
- **Professional Micrometer Adjustable Torque Wrenches**

1/2" Drive 25-250 Ft/Lbs. Range

- SKU **133659 7999** 25687 Heavy Duty 24 Tooth Pear Shaped Ratchet
- Head Audible Click When Desired Torque is Reached
- Both Clockwise and Counter-Clockwise Operation



- 25683
- Increase Torque Output • It Utilizes a 3:1 Ratio Planetary Gear Set to Convert Low Torque (Max. 650 Ft/ Lbs.) to High Torque (2,200 Ft/Lbs. / 3,000 N-M) for Heavy Duty Tightening or Loosening. Input Drive 3/4", Output Drive 1"
- Comes with a 3/4" Drive 2-Way Quick Release Ratchet

Sensor Sockets

Oil Pressure Switch Socket

25254

SKU **141490**

STORE STOCK

- Fits Most 1" and 1-1/16" Switches • Accepts Oil Pressure Sending
- Units Up to 2-5/8" Long

Water Sensor Wrench

Fits Aftermarket

Sensors

SKU **459101**

LIS34910

LIS68210

• Used to Remove and



OEM TOOLS

3/8" Drive Oxygen SensorSocket

SKU **047738** 25001

STORE STOCK

- For Use with 3/8" Drive Ratchet or 1" Wrench • Removes and Installs Oxygen Sensors On All
- Domestic and Imported Computerized Engine Controlled Vehicles
- Cutaway Slot Provided in the Side for Sensor Wire Clearance
- Durable Alloy Steel Construction

Water Sensor Wrench SKU **459099 1699** LIS34900

• Removes and Installs the Water Sensor Located On the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines

Oxygen Sensor Socket Set



OEM TOOLS

Oxvaen Sensor Wrench sku **947305 999** 33625246

Removes and Installs the Aftermarket Water Sensor Located On the Fuel Filter On 2001 through

• Use with Oxygen Sensors On Ford 4.6 and 5.4 Engines

2011 6.6L Duramax Diesel Engines

• 7/8"/22 mm Used in SUVs and Light Trucks STORE STOCK



7-Piece Sensor

• 3/8" and 1/2" Drive,

Sensors

22 mm / 7/8'

Socket Set SKU 900823 🔀 27189

SKU **695125** 🥠 \llbracket 99

• Universal Slotted Socket

to Service Hex Vacuum


Switches and Oxygen

· For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



IPR Socket SKU **080593 7 99**

Replace the Injector Pressure Regulator (IPR) On Ford 6.0L and Other Diesel Engines





Harmonic

SKU **532440**

Shaft End

25053

Wheel Puller

Removes Balancers

Pulleys and/or Gears

with Tapped Holes

• Floating Swivel Helps

Prevent Damage to

3/8"-16 Bolt Sizes

• 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and

Steering Wheels,

Balancer/Steering

Tool & Equipment Quarterly

Harmonic Balancer OEM TOOLS

OEM TOOLS



Harmonic Balancer Puller Retrofit Kit for GM

33627296

SKU **695100 1399**

- Use with OEM 33627019, 27019 and 25053 Harmonic Balancer Pullers and Many Other Popular Balancer Pullers
- The 3 Bolts Fit Through the Slotted Holes in the Balancer and Screws into the Threads of the Balancer On GM 3300 and 3800 V6 Engines
- Shoulders on the Bolts Prevent Damage to the Crank Sensor that Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft and Threads

OEM TOOLS



Harmonic **Balancer Puller Kit** SKU **818738 1099** 25090

- Includes: Puller Body, 3-Jaw Puller, (3) Jaw Retaining Pins, (3) Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32
- Used On Many GM, Mitsubishi and Chrysler Engines
- Comes in a Sturdy Blow Mold Case

OEM TOOLS



Long Reach Harmonic Balancer Pulley Installer SKU **544785 5099** 24442

- Install Crank Pulley On Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16x2.0 GM; M14x1.5 Dodge, Chrysler, Jeep; M12x1.75 Dodge, Chrysler, Jeep; M112x1.5 -Ford; Nut / Bearing Assembly

Alternator

Alternator Decoupler Pulley Tool Kit SKU **300124 7 199**

27261 • Set Works On Both Overriding Alternator Decoupler

- (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or
- Comes in a Blow Mold Case



OEM TOOLS'

Alternator Decoupler Tool Set

SKU 255865 **2 199** LIS57650

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Comes In a Blow Mold Case



Alternator Decoupler Pulley Service Kit

SKU 695085 6 0 99 33627275

• Allows Alternator Shaft to Be Held While the Pulley Retainer is Removed

• Includes: A Special Set of Spline and Star Socket Bits for the Removal of Bosch Type Alternator Free-Wheel Drive Pullevs



Pullers

OEM TOOLS

2 Jaw 5 Ton Gear Puller SKU 141513 🦱 25914

- Reversible
- Maximum Reach: 3-1/4"
- Maximum Spread: 6"

STORE STOCK



OEM TOOLS'

2/3 Jaw 2 Ton Gear Puller

SKU 070134 🤦 25901

- Maximum Reach: 3-1/2"
- Maximum Spread: 4-3/4'
- Center Forcing Screw: 3/8" to 24" x 4-7/8"



OEM TOOLS

2/3 Jaw 5 Ton Gear Puller

SKU **231202** 🤦 🕦 **99** 25919

- Reversible
- Maximum Reach: 5-1/2
- Maximum Spread: 7"

STORE STOCK



Bearing and Pulley Puller Set

SKU 900824 **Q 9 9 9** 27190

 Use On Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More

MAKES UP TO EIGHTEEN DIFFERENT PULLERS!



OEM TOOLS

Specialty Pullers

Timing Gear OFM TOOLS and Pulley Set

SKU 695623 1699 33627009

• Services Crankshaft Pulleys and Timing Gears On Gasoline and Diesel Powered Engines



OEM TOOLS

Steering Pivot Pin Remover

SKU 265106 7 4 99 25135

• Works On 1969 to Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



OEM TOOLS

Power Steering Pulley Puller/ Installer Kit

SKU **141495** 25298 STORE STOCK

• Fits Pulleys with Hub Diameters Measuring 1-1/8", 1-1/4",



OEM TOOLS

Steering Wheel and **Lock Plate Puller Kit**

SKU 900821 4 999 27182

- Used to Pull Steering Wheels On Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel



OEM TOOLS

VW®/Audi® Diesel Injector Puller Kit SKU **548566 C**099

27282

- Remove Diesel Injectors from 1996 to Current VW and Audi Vehicles
- Applications: VW, Audi TDI Engine



OEM TOOLS

Steering Wheel Puller Leg Kit SKU **793567**

33627312

• Steel Construction for Durability

• Includes (2) J Hook Puller Legs • Use with OEM Steering Wheel Puller and



Fuel

OEM TOOLS

Fuel Pump Module Spanner Wrench

SKU 110278 25156



OEM TOOLS

Fuel Tank Lock Ring Tool

SKU **751721 5 999**

- For 2004 Newer Ford F-150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango; 2004 Newer Chevy 1/2-Ton and 3/4-Ton Trucks
- Works with 1/2 Drive Ratchet or Breaker Bar



Slide Hammer Pullers

9 Way Slide **Hammer Puller Set** SKU**900825 QQ99**

27191

- Pulls Flange Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings
- Two and Three-Way Cross Blocks • Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8"-18 Thread Slide Hammer Attachments

OEM TOOLS

Blind Hole Puller Set SKU **695118**

> 33627128 16099

• Pull Blind Hole Bearings, Bushings and Inside Diameters

3/8" - 1-3/8"



Power Steering

mityvac:__ **Air Bleed Adapter for Ford**

SKU **751704 99** MITMVA662 • Helps Remove Trapped Air in the

- Power Steering System • Seals Ford Power Steering Pump Necks Having an Internal Diameter
- of 1-1/4" or 2" (32 or 50 mm) • Works with a Hand Vacuum Pump



Mityvac:

Air Bleed **Adapter for GM**

SKU **751698 7099** MITMVA661

- Helps Remove Trapped Air in the Power Steering System • Designed for Sealing GM Power Steering Pumps with a Two-Tab
- Works with a Hand Vacuum Pump



mityvac:

Universal **Air Bleed Adapter**

SKU **751699** MITMVA660

- Helps Remove Trapped Air in the Power Steering System
- Rubber, Cone-Shaped Design • Seals Pump Necks Ranging from 5/8" Up to 1-5/8" (16 Up to 41 mm)
- Internal Diameter · Works with a Hand Vacuum Pump



mityvac:...

90 Degree Air Bleed Adapter

SKU **751710** MITMVA665

- Available Separately and Can Be Interchanged with the Inline Connector On MVA661 and MVA662
- Limited Overhead Works with a Hand

For Applications with

Vacuum Pump



THEXTON



Power Steering Vacuum Pump SKU **463254** THX212

• Bleeds Trapped Air from Power Steering System • Tapered Adapter Allows Use On Most Makes

and Models

- Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

SERVICE TOOLS




SAVE \$13

Ratcheting **Tubing Cutter**

SKU **466309** 24520

REG: \$37.99 • Ratcheting Action Ideal Where

Space Is Limited





Double Flaring Tool SKU **864647 7 199**

25358

STORE STOCK

• Includes Five Adapters 3/16, 1/4, 5/16, 3/8 and 1/2 (4.8 mm Through 12.7 mm)



Tubing

OEM TOOLS

Mini Tubing Cutter

SKU **532507** 25058

STORE STOCK

- Capacity: 1/8" to 7/8' • Cutter is Capable of
- Turning On a 1-7/8" Radius
- Lightweight for Easy



OEM TOOLS

Tubing Cutter SKU **141489**

25299

STORE STOCK

- Cuts Tubes Capacity: 1/8" to 1-1/8'
- Two Facing Flare Groove Rollers
- Die Cast Frame with Reamer
- Alloy Steel Cutting Wheel
- Large, Easy Grip Knob with 1/8" to 1-1/8"2 Facing Flare Groove Rollers

Multi-Purpose Tubing Bender

SKU **390889**

STORE STOCK

- Works on 3/16", 1/4", and 3/8" (4, 6, and 8 mm) O.D. Copper, Aluminum and Stainless Steel Tubing
- Used to Make Left, Right and Offset Bends Up to 90 Degrees



OEM TOOLS

OEM TOOLS

In-Line Flaring Tool Kit

SKU **238197** 24364

2499 STORE STOCK

- Use On Thin Walled Steel and Copper Tubing
- 3/16" and 4.75 mm Tubing
- Double Clamp and Hex Screw Keeps Tubing Locked Tightly in Position

OEM TOOLS

Create a **Every Time!**



- Low Profile Design Allows for Use On or Off the Vehicle

Double Flaring Tool

SKU **695622 3099** 33627015

• Produces Single and Double Flares in Soft Steel



Tubing Bender Pliers

SKU **265107 3** 25170

• Bends All Types of 3/16" Brake Lines and 1/4" OD Tubing without Kinking or Flattening, Especially in Tight Spots



OEM TOOLS

Die and Adapter Flare for GM **Transmission Cooling Line**

MSC71099-TC

• Die and Adapter Flare for GM Transmission Cooling Line



OEM TOOLS

Universal Hydraulic Flaring Tool Set

SKU **390927** MSC71475

• Fabricates Push to Connect Flares: 1/4, 5/16 and 3/8'

- GM Fuel Line Flares: 5/16 and 3/8"
- Flares Double Flares: 3/16, 1/4, 5/16, 3/8 and 1/2"
- Flares Metric Bubble Flares: 4.75, 6, 8 and 10 mm



Nes The Thread Part



Spreader Set u 504028 | Part# 25253TW

M TOOLS



Exhaust Manifold

- Used for Reinstalling the Manifold on Small Block Chevrolets
- Simple Way to Expand a Warped Manifold So All Bolt Holes Are Accurately Aligned
- Helps Prevent Cross-Threading of Manifold Bolts
- · Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Mis-Alignment

Offer Good Through March 31, 2016 - While Supplies Last

Exhaust Tools

Tailpipe Cutter SKU **695599 5099** 33627045

• Used to Cut Tail Pipe • Range 3/4" to 3-1/4" (19-83 mm)



Pipe Stretcher Kit

SKU **080137** 🦱

- Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
- Use with Impact Wrench to Quickly Stretch Pipes

- Collet Sets Expand Pipes from 1-5/8" to 4-1/4"

Thread Chasers OEM TOOLS

Spark Plug Hole Thread Chaser

25124



- Double End for 14 mm and 18 mm
- For Use with 13/16 in Deep Sockets
- Cleans Spark Plug Threads of Dirt and Carbon Build-Up

STORE STOCK



Limited Access Spark Plug Chaser

SKU **607068 1999** 25155

- Narrow Profile and Long Length Allows Access to Spark Plug Holes in Confined Spaces
- Use with a 3/8" Ratchet or Extension
- Size: M14 x 1.25
- STORE STOCK



Oxygen Sensor Thread Chaser

SKU 607067 1399 25255

STORE STOCK

- Use with 3/8" Hex Socket or 3/8" Square Drive
- Size: M18 x 1.5

Thread Repair

2-Piece External Thread Repair Set 5/32" - 1.1/2" SKU **343361 1 0 0 99**

NES1000*

• Includes the NES1A and NES2 • Restores Inch or Metric, Right or Left Handed Fastener Threads



External Thread Repair 5/32"-1/2"

SKU **343360** NES6040 3999

 Restores Inch or Metric, Right Fastner Threads

External **Thread** Repair **5/32" - 11/16"** SKU **343365**

NES1A

to 7/16"

7499 · Also Repairs Damaged Threads On Pipes up



SKU **343366** NES2 10499

 Also Repairs Damaged Threads On Pipes from 3/8" to 1-1/8"

Internal Thread Repair 5/16" - 7/16" SKU **343367** NES21

1/2" - 5/8" SKU **343369 8499** NES22





Scan the QR Code for More Info on NES Thread Repair Produ

Spark Plug Installation

Heavy Duty Spark Plug Boot Plier

SKU 390900 **(199** 25542

STORE STOCK

- Designed to Remove Hard-to-Reach Spark Plug Boots
- Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
- Vinyl Coated Grips for Comfort • Do Not Use When the Engine is Running
- 3/8" Drive 9/16" Spark Plug Socket

SKU **265110 7 799** 25259 • 10" Long with Thin Wall Design to Reach Into the Cylinder Head

• Fits 2004–Newer Ford F-150 Pick-Up Trucks with 5.4L 3-Valve Triton

- Chamfered Ends
- Chrome Plated to Resist Rust









THREAD REPAIR

OEM TOOLS

Tool & Equipment QUARTERLY

Spark Plug Thread Repair

14 mm Tapered Spark Plug **Thread Repair Kit**



14 mm Tapered Spark Plug **Inserts**

SKU 141512 25648

STORE STOCK

- 6 Pieces in Three Lengths M14 1.25
- Drill Size: 14.25 mm; 9/16"

M14 - 1.25 Spark Plug **Thread Repair System**

SKU **557108** 🤦 🕦 **99** 25643

STORE STOCK

- Replaces Threads for 14 mm Spark Plug
- · Kit Includes: 3 Thread Inserts Thread Installer Tool and Thread Tap
- Sizes: M14-1.25
- Not for Tapered Spark Plugs



14 mm Thread Inserts

SKU **557140 199** 25644

STORE STOCK

- 10 Pieces in Sizes M14 1.25 x 3/8",1/2", 3/4"
- Drill Size: 14.25 mm: 9/16"
- Not for Tapered Spark Plugs

OEM TOOLS

M12 - 1.25 Spark Plug Thread Repair Kit SKU **789141**

25640

- Kit Includes: 3 Thread Inserts, Thread Installer Tool and Thread Tap • Designed for Rethreading in All Materials Such As Alloys, Steels, Plastics, Magnesium, etc.
- Specified for Military, Aviation and Other Critical Usage
- Inserts Are Made from High Quality 18-8 Stainless Steel Wire with a Diamond Shaped Cross Section Wound to the Shape of a Spring Thread

NEW

• Not for Tapered Spark Plugs

Drain Plug Repair

Drain Plug Repair Kit

SKU 818569 7999 CAL38400



• The Drain Plug Repair Kit Contains A Drill, Counter Bore, Tap, Driver, Guide and Five 12 mm Inserts

· Repairs Stripped Drain Plugs without Leakage and Allows Users to Use Original Plug Instead of a Replacement





OEM TOOLS

Thread Repair

Metric **Thread Repair Kits**

*STORE STOCK

*STORE STOCK Part No. SKU Part No. Size Price SKU Size **Price** 516472* 29.99 6.99 25626 M6 - 1516473* 25627 M6 - 1516474 * 29.99 516475 * M8 - 1.25 7.99 25628 M8 - 1.25 25629 516477 * M10 - 1.5 29.99 M10 - 1.5 7.99 25632 516478 * 25633

Replacement

Inserts

SAE **Thread Repair Kits**

	OI OIL OI	OUN						
9	KU	Part No.	Size	Price	SKU	Part No.	Size	Price
5	557009*	25602	UNC 1/4" - 20	22.99	557116*	25603	UNC 1/4" - 20	6.99
5	557017 *	25604	UNC 5/16" - 18	22.99	557124*	25605	UNC 5/16" - 18	6.99
5	557090*	25606	UNC 3/8" - 18	22.99	557132*	25607	UNC 3/8" - 16	7.99
5	516464*	25608	UNC 7/16" - 14	29.99	516465*	25609	UNC 7/16" - 14	7.99
5	516467 *	25610	UNC 1/2" - 13	29.99	516468*	25611	UNC 1/2" - 13	9.99

Drill Bits and Extractor Sets

35 Piece Master Screw **Extractor/Drill Bit Set** SKU 099258 **1 4** 999

24377

• Full Range of Spiral and Multi-Spline Extractors for Removing the Toughest Bolts and Screws from 3/32" to 15/16"

 OEM 135° Split Point Left Hand Cobalt Drill Bits, Start Easy and Drill the Toughest Metals



25 Piece Screw Extractor/ **Drill and Guide Set**

SKU **099215 2 0 99** 24376 • Can Be Used On

Thread Sizes 5 mm to 16 mm • Turns Broken

Fastener Out and Permits Highest Torque without Expansion

Comes in a Blow Mold Case



10 Piece **Bolt Extractor Set** SKU **231204**

25467 STORE STOCK

 (5) Mechanic's Length R.H. Cobalt Drill Bits

• Set Includes Size Extractors: #1, #2, #3. #4. #5 and Bits: 5/64", 7/64", 5/32", 1/4" and 19/64"



OEM TOOLS 10 Piece **Multi-Spline Screw Extractor Set**

SKU **099281 2 0 99** 24375

Replacement

Inserts

*STORE STOCK

• Contains Sizes from 1/8" - 13/32' in 1/32" Increments

· Can Be Used with Hand Sockets and Wrenches

• Constructed of High Carbon Steel for Strength Under Stressful Conditions

• Aggressive Left Hand Spiral Design Provides Extra Gripping Power



OEM TOOLS

Spark Plug Thread Repair for Ford Triton

Ford Cylinder Repair Set

SKU 104283 25999 24200





Comes with Instructional Video

- Repair of Ford Triton Modular Engines is Going to Be a Large Issue in Next 5 Years. Ford Triton Engines 1996 – 2003 Have a Problem with Spark Plug Thread Erosion, Resulting in Spark Plug Threads Coming Out During Tune-Up or Shooting Spark Plugs Out During Operation
- Current Repair Takes About 10 Labor Hours, this Tool Cuts Time to 30 Minutes to an Hour
- Works on Ford 4.6, 5.4, 6.8 V10 Engines
- a Permanent Fix That Does Not Have to Be Replaced with Every Tune-Up
- Patented Guide Makes Drilling and Tapping in a Straight Line Easy Set Includes: Instruction Sheet, DVD. (6)

• Individual Inserts Available As Part Number

24203. The Patented Replacement Insert is

- Inserts, Reamer Tap, Drill Bit, Expanding Tool and Air Blower Accessory Assembly

Ford Triton 14 mm x 1.25 Repair Insert sku 104287 **2 199** ea



Ford Triton 3 Valve Set

SKU **343388 90099** CAL39300



• Includes (8) Inserts



Ford Triton 16 mm x 1.5 3 Valve Insert

• Note: THIS IS NOT the Replacement Insert for the Triton 2 Valve Kit





Ford Spark Plug Extractor Set SKU 104286 24201

- Works to Extract Frozn and Broken Off Spark Plug Sleeves in 2004 to Present Ford Triton Engines
- Specially Machined Guide Works with Extra Long Tap and Extractor to Make Sure the Job is Done Right



Spark Plug Porcelain Extractor Set

SKU **104290 799** 24202

- Used to Extract the Broken Porcelain from Broken Spark Plugs in 2003 to Current Ford Triton Engines • In Some Cases the Porcelain Will Break Off in the
- Sleeve and Will Need to Be Extracted in Order for the 24201 to Function Effectively • Unlike Other Tools that Tell You to Push the

Porcelain Through the Sleeve (Ford Says Specifically Not to Do this) This Tool Adheres to the Porcelain Using a Special Adhesive and Then Allows a User to Extract the Broken Porcelain from the Sleeve



Replacement Pins SKU **248476**



FIX-A-THRED

Ford Triton Plug-Saver® Kit

FIX98140T

SKU 094873 14999

- Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines
- · Repairs Worn, Damaged Threads
- Self Cutting Tap
- Includes Tap, Tool and Eight Inserts in a Sturdy Case



Inserts (Pack of 8) SKU 110263 2799 FIX98149P



Broken Spark Plug Remover Ford Triton 3 Valve

LIS65600

SKU **489173 Q Q 99**

• Includes a Unique Porcelain Pusher Tool and a Tapered Left Hand Thread Remover for Removing the Broken Spark Plug without Leaving the Porcelain in the Engine Cylinder

SPECIALTY TOOLS

STECK

BigEasy™ Glo with Easy Wedge Lockout Kit SKU **964494** | Part# STK32955

BigEasy™ Carrying Case SKU 227873 | Part# STK32935

BigEasy™ Glo with Easy Wedge Lockout Kit

SKU 964494 **74**99 STK32955

- Glow-in-the-Dark Yellow Allows You to See the Tool at Night or Through **Tinted Windows**
- Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo



• High Visibility Pink Powder Coating and Improved Non-Marring Wedge • Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door

• Paint Protector Reduces Friction Between the Car Door and the BigEasy

Lockout Tools

BigEasy™ Carrying Case SKU **227873** 🥠 🕦 99 STK32935

- Made of Soft, Yet Firm, Material to Protect Your BigEasy Kit
- Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck



Professional Snap Ring Plier Set

SKU 141502 1699 25356

STORE STOCK

Shop Tools

SKU 191055

• Lenath: 8-1/4"

Spring Loaded Jaws

25354

Angle Tip Lock Ring Pliers

• Jaws Are Scored On the Outside for Secure Gripping

- 180°, 90° and 45° in One
- Tip Size: 0.8 mm, 1.2 mm, 1.4 mm, 2.0 mm



OEM TOOLS

10-Piece Snap Ring Plier Set

SKU 900819 6 799 27180

- For Both Internal and External Rings
- Set Includes: 5-1/2" Bent Pliers with .038" Tip; 6" Straight Pliers with .038" Tip, 5-1/2" Bent Pliers with .047" Tip; 6" Straight Pliers with .047" Tip; 7-1/2" Bent Pliers with .070" Tip; 8" Straight Pliers with .070" Tip; 8" Straight .090" Tip; 9" Straight Pliers with .090" Tip; 9" Straight Pliers with .090" Tip
- Aldo Includes Two Stainless Steel Handled



BigEasy™ Easy Wedge

BigEasy™ Lockout Tools Kit

(Inflatable) SKU **964493 3499** STK32922

SKU **964491 3999** STK32900

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy





SKU 964492 **1 799** STK32903

- Clips to Any BigEasy to Allow Grabbing of Door Handles and Locks, It Even Glows in the Dark
- Provide Easy Leverage to Pull Door Handles and
- Handy Accessory Tool Easily Snaps On the End of the BigEasy Tool Avoiding Need to Purchase Additional





- Window Cranks During the Door Unlocking Process
- Costly Specialty Tools



sки **094658 7 099** 25940

- Includes: Straight, 90°, Offset and Hook Pick
- Chrome Vanadium Steel for Strength and Durability
- Black Oxide Finish to Resist Rusting
- Cushion Grip Handles



OEM TOOLS

Dead Blow Hammers

Professional Grade Quality

- One Piece, Hot Cast Polyurethane Construction
- Safety Red
- Maximum Dead Blow Non-Bounce Action
- Textured, Non-Slip, Comfort Contured Handle



Dead Blow Sledge Hammers



SKU	KU Part # Retail Name		Weight	Face Diameter	Head Length	Overall Length	Price
420347	TCHBP16	Ball Pein - 16	26 Oz	1"	4.1875"	12.75"	3999
420349	TCHBP24	Ball Pein - 24	36 Oz	1.25"	4.5"	13"	4499
420351	TCHBP32	Ball Pein - 32	47 Oz	1.75"	4.8125"	13.625"	4999
420352	TCHBP40	Ball Pein - 40	50 Oz	1.75"	4.8125"	16.5"	5999
420353	TCH7	Soft Face Sledge - 7	5.5 Lb	2.75"	7"	20"	5999
420354	TCH14	Soft Face Sledge - 14	12 Lb	3.25"	8"	36"	12999
420343	TCH1	Soft Face Hammer - 1	21 Oz	1.75"	3.75"	11.25"	1999
420344	TCH2	Soft Face Hammer - 2	26 Oz	2"	4.125"	12.75"	24 ⁹⁹
420345	ТСН3	Soft Face Hammer - 3	45 Oz	2.25"	4.625"	14.375"	29 ⁹⁹
420346	TCH4	Soft Face Hammer - 4	53 Oz	2.75"	5.375"	15.25"	4499



LOWER PRICE



3 Piece Dead Blow Hammer Set
SKU 900804

- 1/2 Lbs. 1 Lbs. and 2 Lbs. Soft Rubber Handles
- for Non-Slip Grip
- Steel Shot Filled for More Force
- Non-Spark Material Used

Rivet Tools

Deluxe Riveter Kit SKU **094877** MAR39001Kit **3999**

The Choice of Professionals

- Kit Includes: HP2 Riveter. (Sets Up to 3/16" Diameter Rivets), (200) Rivets and Molded Case
- 39003 Same as 39001 but Contains (200) Assorted Klik-Fast Stainless Steel Rivets



Stainless Steel

SKU **094879**MAR39003Kit **3999**

Industrial Riveter SKU 291353 4 999

• For Use with Steel and Aluminum Rivets Noses: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)


• 18" Overall Size with Long Handle Provides More Leverage



OEM TOOLS

Big Daddy® Hand Riveter SKU **094886 13999** MAR39031

The Big Daddy is the Most Versatile and Powerful Hand Riveter. Sets Large Diameter Blind Rivets



Nose Pieces Stored in the Body



KLIK-LOK Plastic Rivet Setter

SKU **222531 5999** MAR48005

• Includes a Universal Nose Piece that Sets All Plastic Rivets



Air Over Hydraulic Powered Rivet Tool

SKU **222750 44999** MARAK-175

- Sets 1/8" 1/4" Steel Rivets with Up to 3,500 Lbs. of Pull Capacity
- Unique Jaw System Accommodates 1/8" 1/4" Rivet Sizes by Simply Changing the Nose Assembly (No Tools Required)



marson

68



Tool & Equipment Quarterly

Remote Starters

Remote Starter Switch

SKU **265124** 25330

1999

• Heavy Clips with Insulated Sleeves Attach to Ground and Starter Solenoid SwitchThumb Activated Switch

• 6' Heavy Insulated Wire for Long Tool Life



OEM TOOLS

OEM TOOLS

Heavy-Duty Remote Starter Switch

SKU **265127 |** 25331 **3999**

- Heavy Duty, Push Button Remote Starter Allows Technicians to Bump or Crank Engines While Under the Hood
- 5' Heavy Insulated Wire for Long
- · Heavy Duty Insulated Alligator Clips

LED Indicator Light Shows Current is Present




SAVE \$40

Relay Circuit Tester

SKU 383450 **99 T** REG: \$139.99

- Includes: Tester, (5) Popular Relay Leads, (1) Universal Relay Lead
- Used to Test Relay Circuits in Late Model Vehicles
- Can Also Be Used to Perform Easy Combination Tests, Fuel Pressure Tests and Jump Relay for A/C Fill
- Set Comes in Blow Mold Case for Storage

Offer Good Through March 31, 2016 - While Supplies Last



AutoZone Carries Vehicle Make Specific Body Fastener Kits.

Contact Your AutoZone Commercial Sales Manager for Details

Relay Tools

Relay Puller Pliers

SKU **291342 2399** LIS46950

• Works On Many Heavy Duty and Industrial Applications

• Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay



Circuit Testers

Digital Display Circuit Tester sku 568468 **4999**

24451

- Detect Voltage, Power, Ground and Circuit Condition
- Display Provides Precise Voltage
- Voltage: 5-30V DC
- Computer Safe Do Not Use On Airbags



OEM TOOLS

Voltage Display

Relay Test Jumper Set II

SKU **291341 7499** LIS60610

• Set Includes Four Jumpers to Fit Many Popular Relays on Honda, Nissan, Toyota, Newer Ford and GM Mini Micro Relays As Well As International Trucks

Relay Test Jumper Set

• Set Includes Four Jumpers to Fit the Most Popular Size Relays On Domestic and Import Vehicles • Jumpers Have Tabs for

SKU 291333 **7**499

Clamping and Flat Pads

to Place Test Leads On

• Set Comes in Blow Mold Case for Storage

LIS56810

• Set Comes in Blow Mold Case for Storage



Terminal Tools

Wire **Terminal Tools**

SKU **191676** SKU **191676** 25228 (Green)

SKU **255953 1999** 25229 (Red) 25229 (Red)



- Fits Most GM and Domestic Motors, Computer Connectors and Terminals
- Designed to Remove Wires from Terminals without Damaging Either
- Prongs Depress the "Barbs" On Conventional Terminals

Deutsch Terminal Tool

SKU 222527 **3299**

Peterbilt, Freightliner, Mack and



• Works On OEM Electrical

Connectors Used On Trucks and Equipment: Caterpillar, Kenworth,



OEM TOOLS

19-Piece Master Terminal Tool Kit

SKU **447159 10999** 27169

- The Latest Tools for Coolant Sensors, Wiring Harnesses and Terminal Blocks on Most
- Eliminates Potential Damage to Wires or Terminal Blocks
- Application Chart Included Inside Storage Case



OEM TOOLS

Ignition Tester

In-Line Ignition Spark Tester SKU 900800 999 STORE STOCK 25227

- Quickly Troubleshoot Ignition System
- "Hands-Free" Device Connects In-Line Between Sparkplug and Plug Wire
- Shows a Duplicate View of the Ignition Spark
- Technician Can Visually Check Condition of Ignition System at Each Cylinder





Radio Remover

• Disengages Radio Retaining Clips



Wire Strippers/Crimpers OEM TOOLS

Wire Cutter/ **Stripper Combo** SKU **191685**

25192 (Small) • Used for Soft Copper,

- Electrical Wires • Self-Adjusts to Wire Sizes:
- 14 AWG to 26 AWG • Grab, Hold and Strip Wire in One Quick Motion
- Jaws Are Made of Surgical Steel



OEM TOOLS



Radio Remover

SKU **222508** LIS11770

*15*5

On Fords and Imports for Removal



• Strips 20-12 Gauge Insulated and Non-Insulated Wire

- Use for Wire Cutting and Stripping, As Pliers for Grabbing and Twisting, or for Crimping of Insulated and Non-Insulated Connectors
- Industrial Finish with Red Textured Grips

Fuse Buddies



3-in-1 Tester

Fuse Buddy Pro Tester Kit SKU **374602 Q 0 99**

3 Interchangeable Test Functions:

ESI310

- 1. 30 Amp MINI Circuit Amperage Testing
- 2. 30 Amp ATC Circuit Amperage Testing 3. 30 Amp All Purpose Amperage Testing
- **Fuse Buddy Tester Mini 30 Amp Fuse Buddy Tester ATC 30 Amp**

ESI307M

Fuse Buddy Current Loop Mini



SKU **374610** SKU **374613** SKU **374603**

ESI306B 2499 ES1307M 2999 ESI305M 2999 ESI306B

SPECIALTY TOOLS

Disconnect Tools



4 Piece **Disconnect Set**

SKU **864648** 25150

STORE STOCK

• Sizes: 1/4", 1/2", 5/16" and 3/8"

OEM TOOLS



15 Piece Master Disconnect Set

SKU 900807 **3999** 27195

• Includes Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line

OEM TOOLS



22 Piece Disconnect Master Set

SKU 900817 **7099**

• Includes Quick Connects Set, Air Conditioning and Fuel Line Disconnect Tools

OEM TOOLS

A/C and Fuel **Line Disconnect Tool Set**

SKU **246366 799** 25042

STORE STOCK

• Range: A (3/4") B (5/8"), C (1/2") and D (3/8")



Fuel Line Disconnect Tool

SKU **246367 799** 25043

STORE STOCK

• Fits Any 5/16" or 3/8" Fuel Line Found on GM, Ford and Chrysler Vehicles



OEM TOOLS

A/C and Fuel Line **Quick Connect Tools**

SKU 002356 199 25052

STORE STOCK

• Easily Disconnects Air Conditioning Lines and Quick Connect Fuel Lines

OEM TOOLS

Quick Connect Tools SKU 363869 **1299** 25184

STORE STOCK

- Sizes: 3/8", 1/2", 5/8" and 3/4"
- Enables Quick and Easy Disconnect of Air Conditioning Couplings



OEM TOOLS

3 Piece 1/2" Oil Line **Disconnect Set**

SKU094653 2699 25187

• Used to Remove and Replace Oil and Transmission Cooler Lines On GM, Ford, Nissan and Toyota



OEM TOOLS

4 Piece **Disconnect Set**

SKU **948999 9199** 25183

STORE STOCK

• Includes: 1/2", 5/8", 3/4" and 7/8"

Over-Tank Fuel Pump **Disconnect Set**

33627131

SKU **695115 1 699** • 5/16" and 3/8"



OEM TOOLS

OEM TOOLS

Heater Hose Disconnect Tool

SKU 695607 2099

33627106

- Removes Heater Hoses with 5/8" or 1/4" Quick Disconnect Couplings on '86 to Current Ford Aerostar Vans and '01 to Current Full Size Ford Vans
- Works on Rear Heater Hose Couplings on '86 to Current Chrysler and Plymouth





Ford Clutch Disconnect Tool

SKU **695116 199**

33627130

• Works on 1988 to Present Ford Vehicles and Light Trucks with Hydraulic Clutches





Fuel Module Disconnect

SKU **291418** LIS37500

- Fits Both 3/8" and 5/16" Connectors and Applications
- Tool Can Be Clipped Together for Convenient





AC/Fuel Line Tool Set

SKU 222520 799 LIS37000

• Set Includes (6) Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8'



Angled Disconnect Set

SKU 291416 7 799 LIS39400

- Disconnects Spring Lock Couplings On Ford and Chrysler AC Lines
- Works On Fuel Lines and Other Quick Disconnect
- Couplings On Domestic and Import Vehicles • (6) Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



SKU **343391 2799** LIS37300

• Unique Design Provides Extra Leverage When Disconnecting Quick Connect Coupling Air Conditioning and Fuel Lines



Master Disconnect Tool Set

SKU **291413 5999** LIS39900





Caller



Coolant Hose Removal Tool Set

CAL2441NZ

SKU **383214 9 0 99**

- Used to Completely Fill the Void in the Connector to Release the Fastener
- 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces

Fuel/Transmission Line Disconnect Tool Set WLMW89330 **1999**





- Fuel Line Coupling Tool Ford & Mercury Oil Cooler
- Line Disconnect Tool Ford & GM Quick Disconnect Tool

While Supplies Last



Master Disconnect Set SKU **452636 3999** WLMW89331

- Performance Master Disconnect Set Includes Disconnect Tools for Air Conditioning, Fuel, Heater, Transmission and Power Steering Lines
- O.E. Tool Identification Number Included • Tools Color Coded for Easy Identification



While Supplies Last

Windshield Tools

Window Molding Clip Remover

SKU 265130 7 4 99 25338

- Use to Release Body Molding Clips
- The Double-Sided Design Works On a Variety of Clip Configurations

• Constructed of Heavy Duty Steel and

Aluminum and a Padded Ergonomic Handle

Carbon Steel for Strength



OEM TOOLS

OEM TOOLS

Universal Wiper Arm Puller SKU 265136 **999** 25339

• Prevents Damage to Wiper Arm Cross-Piece Special for Wiper Featuring a Nozle

Cakkan



Double Head Suction Cups



- Twin Head Suction Cups Help Remove Windshields ABS Rubber Cups Grab Hold to Glass
- Flexible Handle Bends to Windshield



OEM TOOLS

AutoZone Has Availabilty on MOOG Hub Bearings.

Contact Your AutoZone **Commercial Sales** Manager for Details



SKU 191681 **1599** 25319

• Easily Removes Wiper Arms On Most Domestic and Foreign Vehicles

70

CAL53100

• Length: 18"

PAINT AND BODY

Grinding Wheels

Depressed Center Hubless Grinding Wheels

4.5" x 1/4" x 7/8" (10 Pack)

SKU **459136 2999** SHA12661

- Fits 4-1/2" Angle Grinder
- Great for Auto Body Work As Well As All Types of Metal Fabrication and Steel Finishing/Removal
- Max. RPM: 11,900



Depressed Center T27 Hub Grinding Wheels

4.5" x 1/4" x 7/8" - 5/8" - 11NC (10 Pack)

SKU **459155 3999** SHA12662 SHA12662

- Fits 4-1/2" Angle Grinder with 5/8" - 11NC Arbor
- Great for Auto Body Work As Well As All Types of Metal Fabrication and Steel Finishing/Removal
- Max. RPM: 11.900





14" x 1/8 x 1" Cut-Off Wheel (5 Pack)

SKU **459158** SHA12663

4999

- Use On Stationary Chop Saws
- Max. RPM: 4.400





OEM TOOLS

Spring Tool SKU 447118

25336

Door

- Quickly and Easily Remove or Install Door Hinge Springs
- Designed for GM Cars and Light Trucks



OEM TOOLS

Telescopic Hood Support SKU 420337 1 099

Hood Props

- A Simple Turn Unlocks and Locks Support in Place
- Rubber End Caps Protect Vehicle's Finish • 21" When Closed and Almost 48" When Fully Extended
- Compact and Easy to Store

Hood Prop with Adapter SKU **291352 3999** LIS46170



• 3 Piece Telescoping Shaft Locks in Any Position - (Telescopes from 20" to 4-1/4")



Universal Lift Support Adjuster

SKU 191671 7699 25307

• Holds Weak Gas Charged Lift Supports Open On Hoods, Tailgates, Hatchbacks and Trunks

Remover

STORE STOCK

• For Easy Removal of Door Panel

Clips without Damage

25313

• Aluminum Body and Brass Threads Prevent Damage to the Lift Support Shaft

OEM TOOLS

Door Tools

Door Hinge Adjuster

SKU 447144 4 999 25946

OEM TOOLS • Adjusts Door Hinge Position

OEM TOOLS

- On Most Vehicles Two Head Adapter Works
- with Large and Small Latches

5 Piece Door Panel and Trim Tool Set

SKU 989263 **2 9 9 9** 25312

- Comprised of Three Door Panels and Two Trim Tools
- Textured, Comfortable Grips with Thumb Stop and Hanging Hole



Door Panel OFM TOOLS Window and Door Clip Remover/Installer SKU **048579 199**

Hog Ring Pliers Set

SKU 447162 / 199

• Use On the Upholstery Work of Most Domestic

• Includes 45° and Straight

and Foreign Cars

Hog Ring Pliers

SKU **191679 199**

STORE STOCK DEM TOOLS

· Works On GM, Ford and Other Vehicles Using the Common

OEM TOOLS

Air Sanders and Polishers

OEM TOOLS



High Speed Air Sander*

SKU 466594 **3999** 25764

- 90 PSI
- 4.5 CFM Air Consumption
- 14,00 RPM Free Speed • Sound Level 88 Decibels
- Weight 2-1/2 Lbs.

*While Supplies

6" Dual Action

Dual Action Pad Motion

. Built in Silencer for Quiet

SKU **970477**

• 5,000 RPM Free Speed • Lightweight, Only 4-1/2 Lbs.

Heavy-Duty Angle Sander

Reduces Swirl

Operation

Sander

SKU **970475**

IRTIR311A

(IR) Inversed Rand

M TOOLS



Dual Action Air Sander

SKU **011577**

- **49**99 33625830
- Air Consumption: 4.0 CFM • Free Speed: 10,000 RPM
- Pad Size: 6"
- Recommended Air
- Pressure: 90 PSI Recommended
- Weight: 3.87 Lbs.
- Hose Size: 3/8

(IR) Ingersoil Rand (IR) Ingersoll Rand

2" Surface

SKU 094650 **4** 099

All Twist Lock

Accessories

Work with

this Sander

Prep Tool

• 4 Position Air

• RPM: 20,000

• Quick Change "Twist Lock"

Mandrel

• CFM: 3

Volume Control

25778



Straight Line Sander SKU **970479**

IRTIR315 • Twin Piston Design for Smooth Operation

- 3,000 Strokes Per Minute
- Quick-Action Paper Clamps

Orbital Sander SKU **970476**

IRTIR312A

- 8,000 RPM Free Speed • One Hand Operation
- Contoured Palm Grip

Easy Pry Tool SKU **222857 1999** STK21730

• Non-Marring Wedge



• Ball Bearing Construction for Long Life

Heavy-Duty Buffer Polisher SKU **970478** IRTIR314A

- Hi-Speed Range 1,500-2,500 RPM
- 7" Backing Pad
- · Handles the Toughest Polishing and Buffing Jobs





Body Tools



- 25924
- Standard Bumping Hammer Pick and Finish Hammer Reversed Curve Hammer
- Shrinking Dolly Two Ended and Curved Dolly



SKU **447154** 🥠 🖊 25930

25931

• Minimizes Risk of Damage to the Clip and Panel During Removal

Panel Clip Pliers



OEM TOOLS

Body Clip Pliers sku **094657**

Trim Clip

25947

Pliers Set

SKU **447152 3999**

• Quickly Removes Plastic

Pins or Anchors

Anchors that Have Center Pins without Damage to

25923

- Designed to Remove Any Clip Found On Trim, Bumpers, Etc.
- Steel Levers Enclosed in Plastic, Prevents Scratches

OEM TOOLS

5 Piece Fastener and **Molding Remover Set** SKU 900801 **1799**

25314 • Includes (5) Tools for Easy Removal of Fasteners.

Molding, Wheel Hubs and More For Use On Internal and External Vehicle Molding and Trim Fasteners



Air Bag Release Tool for GM SKU 191678 1699

25310

• Fits Most GM Cars, Minivans and Light Trucks Tips Are Tapered to Make Removal Easier

Moldings, Trim and Panels without Scratching

Super Dent Puller Set

• 1" Blade with a Curved Clip End that Allows

Easy Access and Removal of Plastic Bezels.

SKU **265148** 25922

- 12 Lbs. Hammer, Slide Hammer Shaft, Slide Hammer Handle, Slide Hammer Adapter, Deep Hook, Short Hook, Door Edge Tool, Claw, Straight Driver, Hook and Chain, Sheet Metal Screw and Holder, Nose Piece with Screw
- Comes in a Blow Mold Case



OEM TOOLS