## JACKS AND HYDRAULICS



HEIN-WERNER AUTOMOTIVE 3 Ton Floor Jack SKU **964623 42999** HEIHW93652 • Min. Height: 5" • Max. Height: 23-1/2'

AUTOMOTIVE 4 Ton Floor Jack SKU **964624** HEIHW93657 • Min. Height: 5" • Max. Height: 25-3/4"

**10 Ton Manual Floor Jack** SKU 964625 2 HEIHW93660 • Min. Height: 6-3/4" • Max. Height: 25-1/2"

10 Ton Jack Stand Set SKU 222506 49999 HEIHW93512

• Max. Height: 31-1/2"



#### 3 Ton Ratcheting **Jack Stand Set**

SKU **964601** HEIHW93503

• Max. Height: 19"

BHKB6350





- SKU 344792 16499
  - Min. Height: 5-1/2" • Max. Height: 22"



**Jack Stand Set** SKU **222493 3999** BHKBH5030

• Max. Height: 17"



Pro-Lift

#### 3 Ton "Magic Lift" Jack with 3 Ton Stands

• Ratchet Action Height Adjustment

**6 Ton Ratcheting** 

**Jack Stand Set** 

• Max. Height: 25-3/8"

SKU **964621** 

HEIHW93506

SKU **544584 16999** 

- OMG25033 • Jack Maximum Height: 20-7/8'
- Jack Minimum Height: 5-1/4"
- Jack Stands Maximum Height: 17" • Jack Stands Minimum Height: 11-1/2"



#### 3-1/2 Ton "Magic Lift" **Service Jack**

SKU **964644 24999** OMG27035

- Innovative Design of Magic Lift Offers a Quick Lift
- Max. Height: 23"
- Low Profile Design Allows for Easy Access to Lift Points



Ranger Ranger

2 Ton Low Profile Jack SKU **964645** OMG29023

- For Low Profile Cars As Well As SUVs
- Extra Long Low Side Rails to Reach Hard to Get to Jack Points
- Low Height: Only 2.5"
- Max. Height: 20'



#### **1,500** Lbs. **Motorcycle Jack** SKU 300788 17999

SFAT-2152 Lift and Lower Your Motorcycle, ATV, Dirtbike and More with the

- Easy-to-Use Foot Pedal • 1,500 Lbs. Weight Capacity
- Lift Height Over 14" • Low Profile Clearance of 4-1/2"



#### 22 Ton Truck Stand -**Pin Style**

SKU **964651** OMG32225



- Max. Height: 19-7/8"
- Sturdy, Welded Steel Construction for Superior Safety and Strength
- Sold in Pairs
- Used in Pairs



#### 1-1/2 Ton **Aluminum Racing Jack**

RANRFJ3000AL **25999** 

- Min. Height: 3-1/2"
- Max Height: 17-3/4"



#### 1,500 Lbs. **High Reach Jack Stand**

SKU **300796** BHKBH5710

- Min. Lift Height: 53-3/8"
- Max. Lift Height: 78-7/8" Base: 12" Diameter

3/4 Ton **High Reach Jack Stand** with Foot Pedal

SKU 300797 BHKBH5715



OEM TOOLS

#### **Hydraulic Jacks**

#### **22 Ton Air Hydraulic Truck Jack**

SKU **544796 39999 24851** 

• Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles

Ranger (

- Min. Height: 8-7/8"
- Max. Height: 17-3/4"
- Ram Travel: 4-3/4"
- Screw Adjustment: 4-1/8"



#### **Jack Accessory**

#### **Garage Floor Jack Crossbeam**

SKU **544803 599** 24833

- Compatible with Any Floor Jack that has a 1-1/8" Diameter Saddle Stud
- Saddles Adjust from 23" to 32" On Center
- Weight Capacity at Min. Max. Width: 3,000 Lbs. 4,000 Lbs.



#### **Tripod Jack Stands**

#### 2 Ton High **Tripod Jack** Stands

RANRJS2TH

SKU **901744** 

- Perfect for Holding Drive Train or Exhaust Components in Position
- Capacity: 4000 Lbs.
- Low Height:
- Max Height: 87"



#### 2 Ton Tripod Auxiliary Stand SKU **818750**

OMG33020



53-3/4" - 78-7/8" • Base: 24 x 24 x 24





### **Bottle Jacks**

#### 20 Ton Air Hydraulic **Bottle Jack**

24850

SKU **544795 1999** 

- Can Be Operated with Air or Manually
- Height: 10.25" 20"
- Extension Screw Adjusts 3.25"



**OEM** TOOLS'

**20 Ton Air Actuated Bottle Jack** 

SKU **964637 37999** OMG18202C

- Min. Height: 9-1/2"
- Max. Height: 18-3/4"



### **Wheel Dolly**

3/4 Ton Wheel Dolly

SKU **291389 389 99** OMG47053

- Safely Remove and Install Wheel Assemblies from HD Trucks
- Single, Duals/Tandems and Duplex Tires and Wheels
- Lift Arms Can Be Adjusted to Handle







## Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

<sup>†</sup>See Page 84 for More Information

## Tool & Equipment Quarterly

#### **Transmission Jacks**

#### 1.100 Lbs. **Telescopic Transmission** Jack

SKU **544786** 24840

- Lift Range: 51" 70"
- Adjustable Saddle with Tilt in Both Directions
- Durable Steel Casters
- Safety Tie-Down Chain to Secure the Load



OEM TOOLS

1,100 Lbs. High Lift **Transmission Jack** with Foot Pump SKU **750006** 24844 **349**99 • Lift Range: 47" - 77" • Adjustable Saddle with Tilt 77" • Spring-Loaded Release Valve Controls Lowering **REACH** • Durable Steel Casters

1/2 Ton Capacity **Transmission** Jack SKU **902481** 

- RANRTJ1100
- Lifting Capacity: 1,100 Lbs.
- Lowered Height: 45" • Raised Height: 72"



Ranger Ranger

#### 700 Lbs. **Transmission Jack**

SKU **533215 BHKBH7000 399**99

- Lifting Capacity: 700 Lbs.
- Lowered Height: 57-1/4"
- Raised Height: 76-5/8"





#### 1 Ton, 2 Stage **Transmission Jack**

SKU **544788** 24842

- Lift Range: 33.5" 72.5"
- 3-Way Adjustable Saddle Slides and Tilts Both Directions
- · Convenient Foot Pedal Pump and Release
- Safety Anchor Chain Included



78-1/8"

1 Ton Telescoping "Transjak"

SKU **902478** RANRTJ1

- **689**<sup>99</sup> • Capacity First Stage: 2,000 Lbs.
- Capacity Second Stage:
- Lowered Height: 37"
- Raised Height: 79-1/2"



Ranger Ranger 1-1/2 Ton Telescoping **Transmission Jack** 



- Capacity First Stage: 3,000 Lbs.
- Capacity Second Stage: 2,000 Lbs.
- 79-1/2



1/2 Ton Telescoping Transmission Jack`




- Lifting Capacity: 1,000 Lbs.
- Lowered Height:
- 37-7/8 • Raised Height: 77-5/8



1/2 Ton Air Actuated **Telescopic** 

**Transmission Jack** SKU **222744 99999** OMG41001C



Reach Operated By a User-Friendly Foot Pedal • Max. Height: 78-1/8"

AUTOMOTIVE 1/2 Ton Air/Hydraulic Telescopic Transmission





OEM TOOLS

#### **800 Lbs. Low Profile Transmission Jack**

SKU **544789** 24843

- Lift Range: 8-1/4" to 30-1/2"
- Fully Adjustable Saddle Adapts to Most Transmission Pans • Swivel Saddle Adjusts Both Directions



1 Ton **Floor Style** Transmission Jack

SKU **964631 1,984 99** HEIHW93718

- Max. Height: 44-3/4"
- Designed for Heavy Duty



JohnDow

**Fuel Tank Adapter for Transmission Jacks** SKU **222503** 

DOWJDI-FTA7

- Safe and Convenient Adapter for Handling Vehicle Fuel Tanks
- Works with Most Transmission Jacks



Accessories

SKU 964667 10999

• Ideal for Applications in Limited Spaces

**5 Ton Flat Body Kit** 

PPBB65139

• (4) Adapters for Added Height

#### **Body Repair**



**4 Ton Porto Power Kit** SKU **301327 14999** 24820 24820

- Long Handle Provides Low Pumping Effort
- Comes in a Blow Mold Case



4 Ton Body Repair Kit SKU **964654 17999** OMG50040



**Power Kit** SKU **964658** 









#### 10,000 PSI Air Acutated **Foot Pump**

SKU **964639 25999** OMG22903

- Provides Up to 10,000 PSI with Standard Shop Air Supply of 110 - 175 PSI
- Oil Capacity: 50 oz



#### **10 Ton Porto Power Kit** SKU 301328 7 5099

- 24821 • Features a Faster (Double-Action) Hydraulic Pump Causing the Ram to Move with Both the Up and
- Down Strikes of the Arm • Comes in a Blow Mold Case



## JACKS AND HYDRAULICS

### **Shop Press Pin Set**

SKU **544794** | PART# 24813

#### Value: \$99.99

- Includes Set of (8) Press Pins, 2 to 20 Ton Capacity, with 25 mm Ram Adapter
- Suitable for Use with Hydraulic Ram Style Shop Presses Which Have a Female Ram Assembly Diameter of 25 mm and Are Secured with a Bolt
- Includes Mountable Bracket Works with OEMTOOLS 24811 and 24812

12 Ton

**Hvdraulic** 

SKU **544790** 

• Includes Press

Gauge Provides

Blocks

Oil Filled

Pressure

Accurate

Pressure

Readings

Between

Measurement

Uprights: 20"

Working Range:

0" to 36-1/8"

24811

**Shop Press** 

with Gauge

Not for Use with Bottle Jack Style Shop Presses

**OEM** TOOLS'



with Purchase of:
12 Ton Hydraulic Shop Press w/ Gauge

20 Ton Air/Hydraulic Shop Press w/ Gauge SKU 544793 | Part# 24812

#### **OEM** TOOLS 20 Ton



- Blocks • Oil Filled Pressure Gauge Provides Accurate Pressure Readings
- Ram Moves Side to Side for Versatility Measurement
- Between Uprights:



Offer Good Through March 31, 2016 - While Supplies Last



SKU **347218 1 1 1 1 99** 



- Separator Tools Are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- Set Includes: 2" and 3" Bearing Splitters, (4) Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw

#### **Shop Presses**

#### 20 Ton **Shop Press**

SKU **300134** 24810

Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys

OEM TOOLS

- Multi-Position Bed for Work
- Height Adjustment • Max. Height: 31.5"
- Max. Width: 21.75"
- Includes Press

SUPER HEAVY DUTY H-FRAME PRESS **WEIGHS OVER** 50 LBS. PROVIDING MORE STRENGTH AND DURABILITY **COMPARED TO** SIMILAR LIGHTER **WEIGHT SHOP** PRESSES ON THE



#### **Bearing Splitter,** 1/4" to 15/16"

SKU **514005 7099** 27231

- Maximum Spread: 15/16'
- Minimum Spread: 1/4"Thread of Tapped Holes in
- Adapter: 5/16" 18
- Distance Between Adjusting Screws: 1-11/16"

#### **Bearing Splitter,** 1/2" to 4-5/8"

27232

- Razor Sharp Edges Wedge Between Parts and Securely Holds Tool
- Maximum Spread: 4-5/8"
- Minimum Spread: 1/2"
- Thread of Tapped Holes in Adapter: 5/8" 18 • Distance Between Adjusting Screws: 4-3/8'

THEXTON

**OEM** TOOLS

- Heavy Gauge Square Steel Tube Frame
- 360° Rotation
- into Position
- Includes Tool Tray

#### **Engine Lifts** 2 Ton Capacity

#### **Engine Hoist** SKU 123037 🥎 🤦

80-900T • 8 Ton Capacity Hydraulic

- Jack for Faster and Easier Raising Action • Large Diameter Ram to
- Withstand Side Loads • 4 Position Telescoping Boom Is Adjustable from 1/2 Ton to 2 Ton Capacity
- Legs Are Over 55" Long for Greater Stability

**2 Ton Folding** 

**Engine Crane** 

RANRSC2TF

SKU 902288 49999

Convenience of a Crane • Front Casters Include a Safety Brake

to Prevent Movement

• Heavy Duty Hydraulic Folding Engine Hoist with 8 Ton Capacity Ram Is

Perfect for Shops that Have Limited Space but Still Need the Pure Lifting



#### **OEM** TOOLS

Ranger (

#### 2 Ton Folding Shop Crane

SKU 544801 20099

- Foldable Design Makes for
- Convenient, Easy Storage • (6) Solid Steel Caster Wheels
- Add Mobility
- Fully Adjustable 4 Position Boom

SKU **512946** 24950

- (2) Screw Adjusters for Precise Positioning Makes Job Easier, Faster



2 HOOKS - 2 CHAINS

TWICE THE ADJUSTMENT MEANS FASTER, EASIER AND SAFER

#### **Engine Supports**

#### **GM** Engine **Moving Tool**

SKU **511006 \_099** THX419X

- Fits GM Front Wheel Drive Vehicles with Engine Torque
- · Safely Holds Engine in Place • Extra Bolt Holes Provide Fit On
- Includes Adapter 419A

#### **3-Point Engine Support Bar**

SKU 133617 7099



- 700 Lbs. Capacity
- (2) 14" Adjustable Hook Screws • Width Expands from 34-1/2" to a Full 61"
- (2) 38" Braided Steel Cables

## 1,100 Lbs. Engine Support



• Rubber Feet to Prevent Damage to Vehicle and Ensure Stability



## **SAVE \$100**


OEM TOOLS **Vehicle Position Jacks with Storage Cradle** (Set of 4)

SKU **696485** 

REG: \$549.99

- Includes (4) Position Jacks with Storage Stand
- Move Up to a 6,000 Lbs.





 Dimensions 24-7/8" (L) x 31-7/8" (W) x 9-9/16" (H)

#### 1,500 Lbs. Vehicle Position Jack (Each) SKU **544798**

 Hydraulic Ram Provides Stable Foot Pedal Lift in

24855

Seconds



#### 1.250 Lbs. **Engine Stand** SKU 462493 **1 2 9 9 9**

24829

- · Easy to Move and Rotate
- Extra Wide 4 Wheel Base Provides Added Stability
- Lock Pin Locks Engine

#### 1,250 Lbs. **Engine Stand** SKU **534418** OMG31250

Constructed from Heavy Gauge Welded Square Tubular Steel

• Extra Long Handle with Rubber Grips for Easy Rotation and Maneuvering



#### 1 Ton Folding **Engine Stand**

SKU **544804 24 9 9 9** 24834 • Folds Upright to Conserve Valuable

Floor Space Sturdy, Wide Base Design to Prevent Tipping Under Load

 Slotted Adjustable Saddle Permits Quick and Easy Installation • Head Swivels 360° to Easily



SKU **964646** OMG31256

Extra Long Handle with Rubber Grip for Easy Rotation and Maneuvering

• Head Plate Locks in 8 Positions and Rotates 360° · Heavy Duty Worm Gear Allows for Smooth





## Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

See Page 84 for More Information

# Tool & Equipment QUARTERLY



Torin®'s newest brand "TCE" brings the professional market the same pride, dependability and service automotive professionals have trusted for the last 50 years.



**All TCE products** carry a two (2) year limited warranty.



Saddle Forward Tilt 68 Degree

Saddle Reverse Tilt 15 Degree

Lifting Range: 8-1/4" to 30-5/8"

Rated Capacity: 2000 Lbs.

#### **Hoist Stands**

#### 1.500 lbs. **High Position Jack Stand**

SKU **451493** 

TCE40753 9099

- Max Height 79-7/8" Featuring Heavy-Duty Steel and High-Strength Welds for
- Safety in Mind

   ACME All Thread Rod Adjustment for Varied Load Heights
- Handles Have Thrust Bearings to Turn Easily Under Loads
- Large Bases for Extra Stability For Heavy Duty Jobs That Need Maximum Height Adjustment



#### **Transmission Jacks**

#### 1000 lbs **Telescoping Transmission Jack**

SKU **451475** TCE50055

**Double Ram for a Lower Profile** 

Saddle Forward Tilt 30 Degree Saddle Reverse Tilt 12 Degree Lifting Range: 35" to 70-1/2"

- Single Person Operation Heavy-Duty Jack for Transmission
- Installation and Removal
- For Use with Car and Light Truck Transmissions
- Universal Mounting Head Provides a Wide Fore and Aft Tilt Range · Manual Operated Hydraulic System



#### 1 TON **Transmission Jack**

SKU 451476

• Single Person Operation Heavy-Duty Jack for Transmission

- Installation and Removal · Universal Mounting Head Provides a Wide Fore and Aft Tilt Range
- Low Profile Design Enhanced by Four Heavy-Duty Steel Swivel Casters for Fasy Maneuvering Throughout the Shop
- Manual Operated Hydraulic System
- Patented Unique 360° Handle Design



#### **Jack Stands**

#### **7 Ton Square Tube Vehicle Support Stand**

SKU **451490** TCE47000

Adjustment Range 9-5/8" to 15-3/8"

 Featuring a Heavy-Duty Square Tube Structure for Increased Strength and Stability and a Welded

Frame Structure for Safety

• Solid Steel Height Adjustment Pin



(Sold in Pairs)

**64**99

Adjustment Range:

28-3/8" to 46-7/8" · Featuring a Heavy-Duty Tubular Structure for Increased Strength and Stability and a Welded Frame

- Structure for Safety in Mind Large Bases for Extra Stability
- Solid Steel Height Adjustment Pin



#### Vehicle **Support Stand**

 One-Piece Multi-Position Ductile Ratchet Bar Provides Super Strength and Durability and Quick Adjustment Mechanism That Securely Locks Into Desired Location

4 Ton

Adjustment Range: 12-3/16" to 18-7/8" Adjustment Range 16-5/16" to 25-3/16 SKU **451489** 

SKU **451488** TCE44008

TCE47008

7 Ton



• Heavy-Duty H-Frame Steel Construction • Side-to-Side Cylinder Ram Adjustment

Combines Speed & Precision

 Adjustable Platform Safety Guard

#### Lift Equipment

#### 4,000 lbs (2 Ton) **Ultra-Low Profile Garage Jack**

Lifting Range: 3" to 20"

- Ultra-Low Profile Design Gives Clearance to Even High Performance Super Cars
- Heavy-Duty Tubular Grip Handle That Provides Easy Handling
   Patented Quad-Trak Designed Polyurethane Front Wheels
- That Get Over Any Bump or Crack with No Resistance Polyurethane Mounted Rear Swivel Caster Wheels
- Rubber Saddle Pad and Foam Bumper Pad • Built-In Wheel Nut Tray
- SKU **451477** TCE82002





#### 6,500 lbs (3-1/4 Ton) **Professional Garage Jack**

Lifting Range: 3-13/16" to 21-1/8" Designed for the Shop Guys with Work in Mind and Security Guaranteed

- Dual Pump Pistons for Faster Rising Action
- Thick U-Channel Frame Side Plates and Reinforced Lifting Arm • Tubular Grip Handle That Provides Easy Handling

SKU **451485** TCE83508





#### **Auto Body Repair Kit**

#### 4 Ton **Auto Body Repair Ram System**

SKU **451492** TCE70401

Min. Ram Stroke 10-3/4"

Max.Ram Stroke 15-5/8"



1) 19-1/2" Extension Tube (1) 3-1/4" Extension Tube (1) 5" Extension Tube (1) 8-1/2" Extension Tube (1) 90° Comb. Head

(1) Cylinder Assembly

Included Items

(1) Gray Blow Mold Case (1) Hydraulic Spreader (1) Male Connector (1) Plunger Toe (1) Rubber Head - Flat (1) Serrated Saddle (1) Wedge Head

(1) Flat Base

#### **Shop Presses**

#### **20 Ton Shop Press**

SKU **451481** TCE20021

Force: 40,000 lbs Bed Internal Dimension: 21-5/8" Working Range: 0" to 39-3/8" Stroke: 7-1/2"

#### **30 Ton Shop Press**

SKU **451472** TCE30021


Force: 60,000 lbs Bed Internal Dimension: 21-5/8" Working Range: 2" to 44-1/2" Stroke: 5-7/8"

#### **50 Ton Shop Press**

SKU **451473** TCE50021

**899**99

Force: 100,000 lbs Bed Internal Dimension: 27-15/16" Working Range: 2-5/8" to 36-1/4" Stroke: 7-1/2'



and equipped with a locking device on all models Great for hard to maneuver parts.

#### **Bottle Jacks**



12-Ton Stubby Lifting range: 6-5/8" to 9-15/16" SKI 1451483

**20-Ton Stubby** Lifting range: 7-1/8" to 10-1/2" SKI 1 451487 TCE92008



**12-Ton** Manual Lifting range: 9" to 18-1/8' SKI1451480

**20-Ton** Manual Lifting range: 10-7/8" to 18-3/8"

