Recovery Machines MAHLE



CONTACT US FOR FACTORY SETUP AND TRAINING 1-877-AZTool1 (1-877-298-6651)

All MAHLE Recovery Machines Come with Fully Automatic 2 Year Warranty

MAHLE

Fully Automatic 2 Year Warranty



MSSACX1150

- 4.3" Color TFT Touchscreen • ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure Faster Service Times
- Automatic Oil Injection and Measurement

MAHLE

Fully Automatic 2 Year Warranty

> HYBRID READY

R134a A/C Refrigerant **Handling System**

SKU **850571** MSSACX1150H

- Hybrid Function. Designed for Servicing All
- Passenger Cars, Trucks and Hybrid Vehicles • 4.3" Color TFT Touchscreen
- ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure Faster

MAHLE **Fully Automatic** 2 Year Warranty



SKU **850566** MSSACX1180

- Completely Recover, Recycle Or Recharge R134a Air Conditioning Systems
- Quicker Service Times
- · Automatic Air Purge
- Fully Automatic

R134a A/C Refrigerant **Handling System**

SKU **850570** MSSACX1120H

- ECO LOCK® Quick Couplers Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles
- High Performance Vacuum Pump to Ensure Faster Service Times

MAHLE **Fully Automatic** 2 Year Warranty

HYBRID READY



SKU **850567** MSSACX-1180H

• Completely Recover, Recycle Or Recharge R134A Air Conditioning Systems

Hybrid Ready



MAHLE

Fully Automatic 2 Year Warranty

R1234YF ArticPro Refrigerant Handling System Hybrid with Printer and Identifier

SKU **850569** MSSACX1280

• Completely Recover, Recycle Or Recharge R1234YF Air Conditioning Systems In Conventional and Hybrid Vehicles

CDS

- Fully Automatic
- Ouicker Service Times
- Automatic Air Purge

by Machine to Assure Adequate Moisture and Contaminant Remova as Well as Prevent Lockout at 150



CDS

A/C Refrigerant Recovery and Recycling Station Filter Kit for RTI and Mahle

SKU **818739** RTI3608213300 **11999**



Basic Maintenance on Your RTI and Mahle Recovery Machine. RTI Filters Need to Be Replaced Every 150 Lbs. of Use in Order to Properly Remove

CDS

Compressors and Contaminate Oil in the Vehicle. DO NOT Accept Look Alike or Knock Off Filters. You Should Change the Filter-drier When Notified

Recovery Recycling Recharging Machine That Can Be Used with R-134a or HFO-1234yf

Convert-Able

SKU **452639**

CPSFA1234

Multi Refrigerant

Recover/Recycle/

Recharge Machine

Ships Prepared for 134a and

134a or HFO-1234yf Gas

Can Be Used for Either

• Will also Work with R22

and R407C for Reefers

• High Performance Two

Stage 6 CFM Vacuum

• Standard Equipment Includes 8 foot Hoses, R-134a Couplers, HFO-1234yf Couplers, R-134a Tank Refill Adapter



Recovery Machines

Dual Gas Recovery/ Recycle/Recharge Machine with Printer

SKU **850572** CPSFX3030

- Convertible Between R134a and R1234yf
- Built-In Refrigerant Identifier • Vehicle Refrigerant Capacity
- Database Included • Includes 2 Tanks and 2 Sets of Hoses
- 1-2-5 Warranty



HYBRID READY **DUAL**

SKU **850568** CPSFX1234 Patented Oilless Compressor

1234YF Recovery/

Recycle/Recharge

with Printer

- 6 CFM Vacuum Pump/ 50
- Micron Rated
- Patented Motor-Controlled Ball Valves
- AC Systems Capacity Database Included
- 1-2-5 Warranty



CPSFX134A • On Board Vehicle A/C Data: 1994-2015

Recover/Recharge

Machine with Printer

- 10 Ft. Charging Hoses
- 6 CFM Vacuum Pump • Heater Blanket Included
- 1-2-5 Warranty

R134a

SKU **695135**

Refrigerant/



DUAL GAS

HYBRID

READY

Pump

• Filter Removes Moisture and Contaminants Before the

AR2788/2788S Recovery **Machine** Filter

89⁹⁹

HYBRID

READY



READY

- Design for Use on the AR2788S

Recovery Machines



R134a Recovery, Recycle and Recharge Machine SKU **300784**

MSC69788-A • Certified for Compliance

Automatic

- with SAE J2788 • Large Display: 4.8'
- Vacuum Pump: 6 CFM
- Bottle Heater: Standard Equipment • Includes Upgradeable Refrigerant Čapacity Database
- 1 Year Warranty



🗫 Mastercool: 🛣

Fully Automatic R134a Recovery, Recycle, **Recharge Station**

SKU **300780** MSC69789 Automatic.

Programmable with Manual Modes Compressor:

Hermetically

- Sealed, 12 cc Vacuum Pump: 6 CFM, 100 Liter/Min. Capacity
- Bottle Temperature Sensor: Integrated • Includes Upgradeable Refrigerant Capacity
- 1 Year Warranty



Fully Automatic

R134a and Hybrid Recovery, Recycle, Recharge Station SKU **295555**

MSC69789-H • Automatic, Programmable

- with Manual Modes • Auto Oil Discharge
- Vacuum Pump: 6 CFM
- High Voltage Protection • Includes Upgradeable
- Refrigerant Capacity Database 1 Year Warranty







Reduce Down Time... Keep an Extra Filter Set On Hand!

| Mastercool

Replacement High/Low Filter Set

SKU **389222** MSC69788FLTPK

• Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789-H Recharge-Recover-Recycle All-in-One Units



Offers Good Through June 30, 2016

While Supplies Last

Infrared Thermometer VALUE: \$34.80



with Purchase of a: R134a Recovery, Recycle and Recharge Machine SKU **300780** | Part# MSC69789 or SKU **300784** | Part# MSC69788-A or SKU **295555** | Part# MSC69789-H Shipping Not Included. Manufacturer's Coupon Must Be Completed for Bonus

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY

Portable Recovery Systems



Portable R134a **Recovery System**

SKU **290024** MSC69100

- High Performance Oil-Less Compressor
- Includes an Oil Separator and Filter Dryer to Clean Refrigerant During Recovery
- Recovers All Refrigerants, 30 Lbs. DOT Recovery Tank Included



CDS^{*}

Portable A/C Recovery **Machine**

SKU **504026** CPSTRA21

- SAEJ2810 Approved Fastest Recovery Recycle Machine in the Industry Oil Separator and Filter Includes 30 Lbs.
- Tank and Manifold Set with 60" Hoses and Manual Couplers



Vacuum Pump Kits



A/C Service Set with Air **Vacuum Pump - R134a** SKU **850564** 68991

- Complete Kit for Diagnosing and Charging R134a A/C Systems
- Includes Air Vacuum Pump with 1/2" Acme R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve and Large Diameter Dual Scale Thermometer



- R134a SKU **695127**

68987

Kit Includes:

- OEM 1.8 CFM, 100 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensures Moisture Removal and Reduces Evacuation Time
- OEM Professional Quality Extruded Aluminum Manifold with Sight Glass 72" Hoses High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEM R134a Can Tap Connects to Any Acme Threaded



SKU **626121** 68989

Kit Includes:

- OEM 6 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation. and Provides Powerful, Quiet, High Vacuum Capability, Ensures Moisture Removal and Reduces Evacuation Time:
- OEM Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy To Read Spring Dampened Gauges To Reduce Flutter
- OEM 3 in 1 Can Tap Fits 1 lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports



- OEM 4 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation. and Provides Powerful, Quiet, High Vacuum Capability, Ensures Moisture Removal and Reduces
- OEM Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy To Read Spring Dampened Gauges To Reduce Flutter
- OEM 3 in 1 Can Tap Fits 1 Lbs. Cans of R134a, R12 and 2"
 Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL
- OEM AC Refrigerant Leak Detector is Sensitive to 0.1 oz/ Year and Responds to All Halogenated Refrigerants

A/C Recycle Guard Accessories



R12 Adapter Kit, 1/4 In. Flare

Recycle Guard

SKU **504086 2099** AIR72138





In. Service Hose SKU **504082** AIR72101

- Protect your recovery equipment from debris, sealant, dve, excess lubricant and other contaminants
- · Works with all A/C service equipment



AIRSEPT.

AIRSEPT.



SKU **504083** AIR72102

- Protect Your Recovery Equipment from Debris, Sealant, Dve. Excess Lubricant and Other Contaminants · Works with All A/C Service
- Equipment



AIRSEPT.



Dual Automatic Recycle Guard for R134a with (2) 36 In. **Service Hoses**

SKU **504091** AIR75000

• High and low side protection from debris, sealant, dve, excess lubricant and other contaminants For R134a with (2) 36" service hoses



CDS

A/C Recovery Machine Accessories

A/C Recovery Machine **Vinyl Dust Cover**

A/C Recovery Machine

Vinvl Dust Cover

Vinyl Dust Cover for

A/C Recovery Machine

SKU **291481** ROB17492

SKU **752708**

SKU **751574**

ROB17499

Medium Gray Color With Cooltech Logo Fits All 342000, 17700-2K, 34700-2K, 34134Z, 34700Z, 34711-2K, AC375, AC375A, 17700Z, 34702Z

12099

• Medium Gray Color with Cool-Tech Logo

Fits 34900, 34800-2k, And 17800b Series





ROBINAIR



ROBINAIR

Refrigerant Canister Filter 1/2 In. Acme

SKU **544562 5499** AIR72900

- Use Inline Between the Virgin Refrigerant Tank the Tank Fill Hose
- Helps Stop Debris From Entering Your Refrigerant Supply Protects Your Recovery Machine from Tank Debris

ROBINAIR



Spin-On Filter-Drier

SKU **414883** ROB34724

- Fits Current Models: ROB34288, ROB34788, ROB34988, ROB34700Z
- Genuine Robinair Spin-On Filter with the Proper Serial Number to Input into Your Machine to Get it Up and Running Again
- High Quality Filter Protects Your Investment
- · Easy to Install

ROBINAIR



Filter-Drier SKU **522875 74 99** ROB34430

• For Older 17700A, 34450, 34700 (1997), AC375, AC375A, AC375C, and

34134Z Robinair

Recovery Machines





Machine **Maintenance Kit** SKU **752703 7099**

ROB13172

- Contains: One (1) Quick Change Filter-Drier to Be Used On both R-12 and R-134a Stations and One (1) 16-Ounce Bottle of Our Premium High Vacuum Pump Oil
- For Models Using 34724 Filter/Drier 17700A, 17700-2K, 34700, 34700-2K 34800 34800-2K 34900 Series





Machine Filter SKU 186483 8999 CPSARXF5

- Required to Clean The Refrigerant Before Putting Back Into the Vehicle
- Design for Use on the AR2788S • Filter Removes Moisture
- and Contaminants Before the Refrigerant is Returned to the System

✓ Mastercool[®]




Capacities for Vehicles, Model Years 1997-2014

Protect Your Investment with a Heavy-Duty Vinyl Dust Cover Fits AC1234-6, 34788NI, 34788NI-H Models

ROB34412 • Use with a Robinair 34788NI and 34788NI-H A/C RRR Machines to Display Charge Amount and Oil



A/C Capacities Database 2014 SKU **752709** ROB34411-E





A/C Refrigerant Recovery and Recycling Station Filter Kit for RTI and Mahle SKU **818739**

RTI3608213300

- Includes All Needed Items to Perform Basic Maintenance on Your RTI and Mahle Recovery Machine. RTI Filters Need to Be Replaced Every 150 Lbs. of Use in Order to Properly Remove Acids and Moisture That Can Damage Compressors and Contaminate Oil in the Vehicle. DO NOT Accept Look Alike or Knock Off Filters. You Should Change the Filter-drier When Notified by Machine to Assure Adequate Moisture and Contaminant Removal as Well as Prevent Lockout at 150 Lbs. of Use.
 - Fits Recycler Model # : ACS 620 and RHS980





SKU **389222** MSC69788FLTPK

All-in-One Units

• Replacement Filter Pack Kit for Mastercool's MSC69788-A MSC69789 and MSC69789-H Recharge-Recover-Recycle



Vacuum Pumps

OEM TOOLS

Air-Operated Vacuum Pump

SKU **544730**

- **79**99
- Includes 1/2" ACME (R134a) and R12 Connectors
- Air Pressure Range: 75-180 PSI
- Air Consumption: 4.2 CFM @ 90 PSI
- Vacuum Capacity: 28.3" of Mercury @ 90 PSI



OEM TOOLS

1.8 CFM Single Stage **Vacuum Pump**

SKU **466312** 24500

- 1/4 HP, 110V Motor
- 100 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME - 1/4" Flare • Oil Capacity: Included



OEM TOOLS

4 CFM Single Stage **Vacuum Pump**

SKU **466305** 24501

- 1/3 HP, 110V Motor
- 75 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME -1/4" Flare
- Oil Capacity: 330 mL



OEM TOOLS

6 CFM Single Stage Vacuum Pump

SKU 466306 24502

- 1/3 HP, 110V Motor
- 75 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME
- 1/4" Flare · Oil Capacity:



Premium Vacuum Pump Oil 1 Quart Bottle

SKU **517580** CPSVP0Q12

- Compatible with Most Pumps
- Improves the Life of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use





OEM TOOLS

Vacuum Pump Oil (8 oz) SKU **363429**

999

- Improves the Life of the Pump
- Performance of Your Pump Depends On Regular Service and the Quality and Purity of the Vacuum Pump Oil that You Use
- Compatible for Use in Pumps Made by Most Manufacturers



1.5 CFM Single Stage

Vacuum Pump SKU **573206**

MSC90059-R • HP 1/6

• 75 Microns



⋘ Mastercool≗

6 CFM 2 Stage Vacuum **Pump**

MSC900662V110 **349** SKU **301619**

• 1/3 HP

• 15 Microns



🛂 Mastercool: 🛣

SKU **851868** 24564

1999 REG: \$24.99 • Covers Most Vehicles That Require Air

Conditioning Orifice Tubes Includes: GM Black T-Top, Jeep Green-White, Ford Black Ford Blue, GM White, Ford and Mazda Black, Ford Red, Chrysler Purple T-Top,

Volvo Yellow, Ford Brown, GM Yellow, Ford Green and Chrysler Orange Offer Good Through June 30, 2016 - While Supplies Last

Valve Tools

No Gas Loss A/C Valve Core Remover/Installer

SKU **466321** 24529

- Remove and Install Standard R134a Valve Cores without the
- Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports



✓ Mastercool:

OEM TOOLS

Thermometers

Non-Contact Infrared Thermometer

SKU **951642** 25245

STORE STOCK

- Temp Range: 35° to +365°C, -31° to +689°F
- Distance to Spot Ratio of 8:1
- · Laser Pointer



-58 to 300° F Digital

Pocket Thermometer SKU **447147**

24351

• Accurate Readings from -58 to 300° F (±2°) and from -50 to 150° C (±1°)

- Digital Display Will Rotate 180° and Moves Up and Down for Easy Viewing
- Comes with 1.5V Battery



OEM TOOLS

A/C Flush

A/C System Flush Kit SKU **466308**

- 24515 • Use with MSC91049 A/C Flush
- Includes Canister, Hose, Blow Gun, Rubber Tip and Cylinder Cap

Total A/C Quick Flush Kit

SKU **695646** MSC91051

- Includes: 17 oz. Pressurized A/C Flush, Hose and Rubber Tipped Blow Gun with Thumb Control Pressurized to 150 PSI
- Ion-Toxic Self Evaporating Single Use Disposable Cans



✓ Mastercool[®]



OEM TOOLS





A/C Flush





A/C Flush Machine CDS^{*}

SKU **217370** CPSAFM100

- Air Operated • 8 Foot Hoses To Reach Any System
- · Forward or Reverse Flush Without Changing Hoses • 2 1/2 Gallon Capacity Tank for Use on Cars

and Buses

- Universal Couplers Allows Connection to Virtually All Types of Connections
- Clear Filter Bowl Allows You to See What is Coming Out of the System with a



Loss of Refrigerant

A/C Flush Solvent

(1 Gallon) SKU **695653**

- MSC91049-128 • Non-Toxic, Quick Evaporating
- Effectively Removes Debris and Sludge from A/C Components
- · Solvent-Based, Evaporates Quickly, Leaves No Residue
- · Professional Use Only • Flush Any A/C System

SKU **695654**

MSC910491284

MSC91049-32

MSC91049-32-6



A/C Flush 32 oz. Bottle SKU **695650**

A/C Flush 6 Pack 32 oz. Bottles SKU **695652**



A/C Quick Flush 17 oz. Replacement

SKU **695647** MSC91050

SKU **695649** MSC91050-6

A/C Quick Flush 17 oz. Replacement 6 Pack



Can Taps

Refrigerant and Oil Charge Can Tap

SKU **466313**

- 24523 • Fits 1 Lbs. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip with Positive Lock
- Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve

R134a DIY Refrigerant Recharge Kit SKU **466316**

- Will Service Most R134a Systems • Includes High Pressure Hose and Quick Disconnect Coupler

Digital Scales



Electronic Charging Scale (220 Lbs. Capacity) SKU **481699**

24512 • Heavy Duty Load Cell for Years of Reliable Service

Accu-Charge II/ **Electronic Charging Scale**

Large LCD Control Box

240 Lbs. Capacity SKU 290029 2 MSC98210A

• Programmable with Alarm

OEM TOOLS

Digital Refrigerant

Scale (240 Lbs. Capacity) SKU **752521** 24560

- High-Visibility .75" x 2.5" LCD Backlit Display • (3) Units of Measure: kg/oz/Lbs.
- Automatic Shut-Off After 10 minutes, Backlight Will Shut-off After 3 Minutes











26


Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Mastercool:

Manifold Gauges



R134a Brass Manifold **Gauges Set** SKU **752520**

- 24563 • High Quality Brass Body with
- Sight Glass Large 2-1/2" Gauges Are Easy to Calibrate and Have a High
- Impact Lexan Lens • 60" 3,000 PSI Burst, 600 Working Pressure Hoses
- Snap Style Quick Couplers

Dual Unit with Extra Long Hoses



R134a/R12/R22 **Dual Manifold Gauge** Set

SKU **512961** 27229

- For Use with R134a, R12 and R22
- 3,000 PSI Burst and 600
- SAE J2196/ R134a
- Extra Long High and Low Hoses: 72"; Freon Hose: 96"
- Manual Couplers Included

OEM TOOLS



R1234YF Manifold Gauge Set

SKU **752518** 24559

- 3" Easy-to-Read Gauges with Température Chart
- 72" Hoses
- High Quality 6 Ball Manual Couplers

▼ Mastercool:



R134a Aluminum Manifold Kit with Dye Injector

SKU **290023** MSC89660UV

• Includes R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



R134a Aluminum **Manifold Kit** with Dye Injector SKU **290022**

MSC89661UV

• Includes R134a Aluminum Manifold, 60" Hoses, Manual Couplers and 10

Application Mini Dye Injector



R134a Manifold **Gauge Set** with Sight Glass

SKU **466319** 24527

7 REG. \$99.99

- Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 72" Hoses with Manual Couplers

Offer Good Through June 30, 2016 -While Supplies Last

Manifold Gauge Repair

1/4" Hose Set 72" SKU **752515** 24557

- 72" 1/4" SAE 3 Hose Set Color Coded: Red, Yellow and Blue
- Includes Spare Gasket and Depressor Set



R134a Hose Set 72" SKU **752516** 24558

- 72" R134a 3 Hose Set Color Coded: Red. Yellow and Blue
- Includes Spare Gasket and Depressor Set



1/4 In. Hose Set SAE 5 Ft.

SKU **347260** 24390

• Maximum Working/ Burst Pressure 300PSI / 3000PSI Solid Brass Fittings 60" Long



OEM TOOLS

Replacement Gauge Low Side for A/C Manifold

SKU **481709** 24531



- OEMTOOLS and Other Brands of A/C Manifold Sets Used to Service A/C Systems on Cars
- Reads 0-120 PSI and 0-30 In Hg
- 1/8 In. NPTF Male Threads

96 In. R134a Red Hose

SKU **489152 3999** MSCR4963 MSC84963

• 1/2" ACME-F 14 mm-M auto A/C fittings, 96'



96 In. R134a Blue Hose

SKU **489151**

Auto A/C Fittings - 96"

MSC84961 • 1/2" Acme-F and 14 mm-M



1/4 In. SAE Hose Set

SKU **512962 699** 27230

• High Pressure Hose Length: 6 Feet. Low Pressure Hose Length: 6 Feet Freon Hose Length: 8 Feet.



Replacement Gauge High Side for A/C Manifold SKU **481705**

24530

• This Replacement High Side Gauge Fits OEMTOOLS And Other Brands of A/C Manifolds Used to Service A/C Systems on Cars

- 1/8 In. NPTF Male Threads
- Reads 0-500 PSI

A/C Couplers

R134a Refrigerant **Tank Adapter**

24554 • Male Low Side R134a to

SKU **850565**





R134a High and **Low Side Coupler Set**

SKU **362980** 24396

• Change Your Old R12 Manifold Set to R134a with this Set of Manual Couplers • All Metal Construction for Extra Durability

- · Includes Adapter for Use with R12 Hoses
- 6 Ball Coupler for



R134a Extra Long Coupler

SKU **752517** 24556

 Used On BMW E60 (2003-2009 5 series) and Some

Volvo Models Allows for A/C Service with No. Radiator

Removal



Conversion Coupler Set R134A to HFO-1234YF

SKU **752527** 24561

- HFO-1234YF Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to HFO-1234YF
- Includes Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter



R134a High Side **Manual Coupler**

SKU **347267** 24395

• All Metal Construction for Extra Durability 6 Ball Coupler

for Secure Grip · Includes an Adapter for Use with R12 Hoses



OEM TOOLS

R134a Low Side **Manual Coupler**

SKU **347266** 24394 • All Metal Construction for

- Extra Durability 6 Ball Coupler for Secure Grip • Includes an
- Adapter for Use with R12 Hoses



A/C Service Tools



Compressor **Turner Tool**

SKU **504135** AIR67700 OEM-Approved

Compressor Start-up Assistance Prevent New

Compressor Seizure at

Startup Fits Most Hex-less



33627008 from OEM are Additional Jaws for Use with the OEM 27001 AC Pulley

Puller



A/C Clutch Puller Jaws SKU **695624**

• The Clutch Puller Jaws



A/C Condenser Fin Comb Straightener/Cleaner

SKU **466317** 24526

• Clean and Straighten Condenser and Evaporator Coils Compact Design for Confined Spaces Includes: (6) Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch

SKU **514015**

THX467A



A/C Clutch Hub Remover

SKU **695628** 33627005 • Removes Club Hutch from

Ford ES-6 Compressors



A/C Clutch Hub **Plate Remover**

SKU **695626** 33627006

- Removes Club Hutch from the Compressor
- · For Use with Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches



A/C Clutch Hub Installer SKU **695625**

33627007

• For Use in Conjunction with OEM 27006, A/C Clutch Hub Plate Remover to Install Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches



A/C Clutch Plate **Remover Shoe Tool**

SKU **695630** 33627002

• Used for GM A6 and R4 Compressor Clutches Simply Screw Into Clutch and Turn Pressure Screw to Remove

OEM TOOLS



Clutch Hubs

A/C Compressor Pulley Removal Tool

SKU **695609** 33627001

• Makes AC Compressor Pulley Removal Jobs Fast and Easy



• Holds Compressor Clutch in Place When Removing Holding Bolt

A/C Clutch

SKU **695102**

33627000

Holding Tool

• Adjust Pins to Fit Holes in Clutch



• New, Improved High Pressure Air/Water Cleaning Wand Reaches 24-Inches Between Radiator and Condenser, Under Mowing Decks, Etc. to Clean Away Dirt and Debris. Made of Zinc-Plated Steel with Adjustable Valve Assembly. Special Tips Deliver Air or Water at a 90 Degree Angle




Orifice Tube Remover Set SKU **752530** 24562

• To Use, Simply Turn into Orifice Tube for Grip Then Turn Out Includes Auger for Removing Broken



A/C Orifice Tube Tool SKU **695629** 33627004



• Can Be Used with OEM 27008

0099

Leak Detection Lights

OEM TOOLS



UV Pen Light

SKU **695128**

24610

- Pen Style Ultra-violet Light
- Lightweight, Aluminum Casing
- Convenient Pocket Clip
- Maximum Continuous Runtime is 4.5 Hours

▼ Mastercool:



Mini UV Flashlight - 12 LED

SKU **300782** MSC53512-UV

• 25,000 Hour Bulb Life 3 AAA Batteries / Operates for 22 Hours Under Normal Work Conditions Comparable to 50 Watt Illumination UV Goggles Included

✓ Mastercool:



Compact UV Flashlight - 17 LED

SKU **300783**

MSC53517-UV

• 25,000 Hour Bulb Life 3 AAA Batteries / Operates for 22 Hours Under Normal Work Conditions Comparable to 75 Watt Illumination UV Goggles Included

GreatLite

TRACER PRODUCTS

🚺 Mastercool🗅



USB Rechargeable UV Light with Glasses

SKU **626122** EXPE93-E02

- 1W Bulb that Casts a Beam Up to 5 Meters
- 0.8 Lumens
- 3 Light Modes: 100%, 50% and 25%
- Runtime: 12 Hours
- USB Cord
- Uses (2) CR123A or (1) 18650 Li-lon Batteries
- UV400 High Impact Resistant Safety Glasses

Leak Detection

TRACER PRODUCTS

Detection Starter Kit SKU **291378**

- TRATP8621
- 50 Watt 6 LED Lamp Pinpoints A/C, Oil Systems and Coolant Leaks
- EZ-Ject[™] Dye Injector with (3) 1 Oz Bottles of Dye



OPTI-PRO™/EZ-Shot™ A/C **Dye Injection Kit**

SKU **568718** TRATP8616

• Cordless, Economical, True UV Led Leak Detection Flashlight EZ-Shot A/C Dye Injection Gun 8 Oz (237 ml) BigEZTM Universal/Ester A/C Dye Cartridge





OEM TOOLS

EZ-Shot™ A/C and Fluid Leak Detection Kit with TP8620 OPTI-Lite™

SKU **291402**

TRATP8626 Kit Includes: Inspection Lamp, EZ-Shot™ A/C Dye Injection Gun, R134a

Hose and Coupler with R-12 Adapter/Purge Fitting, 8 oz. BigEZ™ Universal Dye Cartridge for All A/C Systems, 8 oz. Spray Bottle of GLO-AWAY™ Dye Cleaner, Fluorescence-Enhancing Glasses, Underhood Labels and Plastic Carrying Case

Professional UV Leak Detection Kit with 12V/50W **UV Light**

SKU **290041**

MSC53351

• 12 Volt/50 Watt UV Leak Detector. 1 Ounce Coolant Dye, 1 Ounce Oil/ATF/Fuel Dye, Dye Remover Mini Dye Injector (10 Applications of Universal A/C Dye) which is compatible with R134a and R12 Adapter UV Enhancing Safety Glasses 12 Service Labels

✓ Mastercool≗



SKU **466307**



- Sensitive to 0.1 Oz /Yr.
- Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach to Almost Any Space
- Includes Spare Sensor Tip



MSC55900

• Detects: Combustible Gases, Hydrogen, Refrigerants (all CFC's, HCFC's and HFC's)

• Includes Leak Test Vial and Replacement Filters in a Blow Molded Box Meets and Exceeds J2791 and J2913



Nitrogen Leak Test Kit

SKU **295560**

Adjustment Kit

MSC53010 • Tee Handle for Ease of Pressure

• Includes Leak Testing Gauges and Hoses



▼ Mastercool:



Electronic Leak Detector with 3 Sensitivity and **5 Detection Levels**

SKU 290030 19999

• Detects All Refrigerants (CFC's, HCFC's, HFC's)

Meets and Exceeds



"Inspector" 2-in-1 Electronic/UV **Leak Detector**

SKU **290031 19999** MSC55200

• Pin-point Leaks as Small

as 1/10 Oz. (3 gr) per Year • The Ultra Bright UV Light Is

Built into the End of the Probe, Allowing Easy Access Into Tight Areas



Identifier

Refrigerant Identifier for R134a SKU **295556**

MSC69134-A

• Avoid Potential Damage from Refrigerant Contamination Automatically Provides Step-by-Step Indication

of the Gas Sampling Process • Accuracy: Pass/Fail - 95% Pure R134a



Injectors



In-Line Dye and Oil Injector

SKU **466322** 24532

R134a Systems

 Add Up to 2 oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant

• Use with TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dye

• 1/2" ACME Fittings to Fit Most



Hand Turn Dye Injector SKU **466320** 24528

R12 and **R134**a

- Injects Dye or Oil into R12 or
- R134a Systems • Refillable, Capacity: 2 oz.
- Includes R134a Quick Coupler
- Use with TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dye





A/C Dye Injection Kit - Professional Grade! SKU **568721**

TRATP9844

- Multi-Dose Cartridge Prefilled With R-1234Yf/PAG A/C Fluorescent Dye
- Easily Overcomes System Pressure. Dye Can Be Injected While System Is Off Or Running
- EZ-Ject™ R-1234Yf/PAG A/C Dye Cartridge, Services Up to 14 Vehicles



EZ-Shot™ Universal A/C Dye Injection Kit - Universal and Economical!

SKU **568723** TRATP9790

 \bullet EZ-Shot $^{\text{TM}}$ Quickly Introduces Dye Into a Vehicle'S A/C System

- BigEZ™ Cartridges Are Prefilled With Co-Solvent Free A/C Dye, Certified to Meet SAE J2297 and Calibrated For Exact Dosing
- BigEZ™ 8 Oz Universal Dye Cartridge Services Up to 64 Vehicles

Leak Detection Fluid

TRACER PRODUCTS
A Division of Spectranias Caracasta

1 Oz. Bottle Dye-Lite® All-In-One™ Oil Dye (6 Pack)

SKU **291395** TRATP3405





1 Oz. Bottle Fluoro-Lite® **Universal/POE** A/C Dye (6 Pack) SKU **291398**



• Pourable Dye for Use with Many Dye Injectors Or Simply Pour Into an Open System Includes 4 Applications for Standard Sized Systems



BigEZ™ 8 Oz. Universal Dye Cartridge SKU **291396**

TRATP97700108 • Treats Up to 64 Vehicles

Fits Most Caulking Gun Injectors Including TRATP9790





(5 Pack) SKU **505040**

MSC53810-5 • 5 Pack of Dye for 53585

Dye Cartridge - 1 Oz.

Leak Detector Kit • 10 Applications per Bottle



28

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

AIRSEPT.

Tool & Equipment Quarterly

A/C Hose and Line Repair

Line Splice Straight Repair Kit

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough
- Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2600 PSI



SKU	Part#	Size	Price
SAE			
504140	AIR76003	5/16" Line	\$29.99
504138	AIR76002	3/8" Line	\$29.99
504136	AIR76001	1/2" Line	\$29.99
504143	AIR76011	5/8" Line	\$39.99
504145	AIR76012	3/4" Line	\$39.99
METRIC			
504132	AIR77008	8 mm Line	\$29.99
504155	AIR77010	10 mm Line	\$29.99
504156	AIR77012	12 mm Line	\$29.99
504133	AIR77015	15 mm Line	\$39.99
504117	AIR77016	16 mm Line	\$39.99

Smart Splice Straight Connectors

- When a Metal-to-rubber A/C Line Is Damaged, You Often Must Replace the Complete OE Line. If the Line Is Not in Stock Locally You Inconvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™.
- Leak-Proof Line Splice™ Technology On the Metal Side of the Connection
- Superior Hose Crimp Technology On the Rubber Side
- Works for Heater and Coolant Lines Also
- Install in 5 Minutes



SKU	Part#	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99

Line Splice Straight Repair Kit Reducer

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough
- Automotive Applications • HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2 600 PSI.
- Also Works on Heater and Coolant lines





SKU	Part#	Size	Price
504141	AIR76004	3/8" to 5/16" Line	\$29.99
504095	AIR76005	1/2" to 5/16" Line	\$29.99
504142	AIR76006	1/2" to 3/8" Line	\$29.99

Line Terminator Rear A/C Blockoff Kits

- OE-approved Rear A/C Block-off Kits. Block Damaged or Unused A/C Lines — No Line R&R. Save Time and Satisfy Customers. Leaking Rear A/C Components or Lines Can Result in High Operating or Repair Costs. Many Car Owners Would Rather Avoid That Expense and Operate the Front A/C Unit Only. With Airsept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or
- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the
- Front System "Y" • Block Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part#	Size	Price
504150	AIR76503	5/16" Line	\$22.99
504149	AIR76502	3/8" Line	\$22.99
504146	AIR76501	1/2" Line	\$22.99
504152	AIR76504	5/8" Line	\$26.99
504154	AIR76505	3/4" Line	\$31.99



Line Terminator SAE - 5 Pack

SKU **504122** AIR76526

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y" Block Off Leaking Rear Evaporators and Failed System Components
- Includes: One Each: 5/16", 3/8" 1/2", 5/8" and 3/4" SAE Kits





Line Terminator SAE/Metric - 10 Pack

SKU **504124** AIR76530

• Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y" Block Off Leaking Rear Evaporators and

Failed System Components Includes: One Each: 5/16", 3/8" 1/2", 5/8" and 3/4" SAE Kits, Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kits





Line Splice Straight SAE (5 Pack)

SKU **504101** AIR76050

• Effective, Durable Leak Repair with

- No Line Removal OE Approved
- 5 Minute Install No Special Tools
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" Line Splice Kits





Line Splice Straight SAE/ Metric - 10 Pack

SKU **504103**

AIR76051 • Effective, Durable Leak Repair with No

- OE Approved • 5 Minute Install - No Special Tools
- Includes one each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Line Splice Kits, Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Line Splice Kits





Hose Repair Kit

SKU **295557** MSC91334-A

• 55 Piece Assortment of Replacement Gaskets, O-rings, Depressors for Charging Hoses









• Everything Needed to Repair A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater Lines

• OEM Approved Line Repair Solution Installs in Five Minutes, on the Vehicle, Without Special Tools or Adhesives

• Leak Free Up to 2600 PSI



Airsept Smart Splice Multi **System Line Repair Tray**

SKU **687973** AIR76076

• Includes: 1 Each 5/16", 3/8", 1/2", 5/8", 3/4" Line Splice Straight SAE Repair Kits; 1 Each 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits; 1 Each 5/16", 3/8", 1/2", 5/8" Line Splice 45°SAE Repair Kits; 1 Each 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE

Top Tray in Master Cabinet



🙀 AIRSEPT.

Airsept Smart Splice Line Terminator and Service **Tee Repair Tray**

SKU **687974** AIR76077

• Everything Needed to Block Off A/C, Coolant and Heater Lines, or Add a A/C Service Port

• SAE Sizes for 5/16", 3/8",1/2", 5/8", 3/4" OD

• Metric Sizes for 8 mm, 10 mm, 12 mm, 15 mm, 16 mm OD Metal Lines



Airsept Smart Splice Hose To Tube, Hose To Hose Repair Tray SKU **687975**

AIR76078

• Everything Needed to Make Hose to Line or Hose to Hose Repairs on A/C, Coolant and Heater Lines

Includes: SAE Sizes for 5/16", 3/8",1/2", 5/8", 3/4" OD Metal Lines, SAE Sizes for # 6, # 8, # 10, #12 3/4" A/C Reduced Barrier Hose





Airsept Smart Splice Aluminum **Tube Insert Service Tray** SKU **687989**

AIR76079

 Repair Long Sections of Damaged or Leaking A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater lines.

" Lengths of Aluminum Tubing for SAE and Metric Lines

Airsept 5 Piece Smart Splice





Tool Assortment SKU **688003**

AIR76080

• Includes: De Burring Tool, Tube Cutter, Caliper, Pex Crimper, Rubber Hose Crimper



OEM TOOLS



Manual Style A/C Hose Crimper, Bench or **Vise Mounted**

SKU **290028** MSC71550

- The 71550 is our "Manual Style" A/C Hose Crimper. The Dies Snap Quickly into Place Requiring No Pins or Screws. The Unit Can Be Easily Mounted to a Bench Using the Holding Fixture or Held Securely in a Vice. This Kit Comes with a Complete Set of Dies Covering Standard Hose Sizes #6, #8, #10 and #12.
- Includes: 71500 001 Yoke Assembly 71550 002 Arbor Assembly 71550 003 Holding Fixture Assembly 71500 6 Die Set #6 (5/16 In.) 71500 8 Die Set #8 (13/32 In.) 71500 10 Die Set #10 (1/2 In.) 71500 -12 Die Set - #12 (5/8 In.) 71500-PB Custom Mold Box Carrying Case



Hydra-Krimp A/C Hose Crimping Tool SKU **290027**

MSC71500 Vehicle

• Repair A/C Hoses On or Off the

• Includes a Complete Set of Dies Covering Hose Sizes #6, #8, #10, #12 and Reduced Barrier #6, #8, #10 and #12



🚺 Mastercool: 🐪

Heavy Duty Ratcheting **Hose Cutter**

SKU **466311** 24522 Smooth Action and







New Technology From the Market Leader **Unmatched 98.5% Recovery** Fully Automatic Operation- Program and Walk Away

ROBINAIR®

SKU **751569 ROB34788NI**

Premier R134a Refrigerant Recovery, Recycling and Recharging Machine

- Fully Automatic Function: Program to Recover, Vacuum, Leak Test and Charge without Operating Panel Valves
- Automatic Oil Drain: A Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace
- Oil Inject: Automatically Inject Oil Back into the Vehicle's A/C Systems
- Save and Print Before and After Service Data: Allows the User to Store Before and After Service Information by Vehicle and Print This Information to Provide to a Customer



- **On-Site Training Supported** by the Industry's Best Service Network
- The New Design Features a **Larger Graphical Display**
- **Automatic Features Including Leak Testing, Automatic Refrigerant Refill** and Oil Drain/Inject, Putting A/C Lubricant Back into the **System**
- Also Boasts the Ability to Add a Printer, USB **Data Sharing, Refrigerant Identifier and Wireless Module for Wi-Fi or** Bluetooth® Communication.

Also Available from

ROBINAIR



Cool-Tech R134a Recovery,

Recycling and Recharging

• Combines Simple Operation with Superior Accuracy

• Automatic Oil Drain: A Display Reminds You to

Empty the Graduated Container to Show the

• Automatic Air Purge: Eliminates Damaging Air

• Refrigerant Management System: Displays Refrigerant Use and Monitors Remaining Filter Life -

without Monitoring Gauges or Opening Valves

Prompts Appear When 1/3 of Filter Life Remains

Machine

SKU **221185**

ROB34288

Machine for a Low Volume

Operation Turn Panel Valves During Operation

ROBINAIR.



Prepare Your Shop for the **Future Vehicle**

Unmatched

Services any R134a Vehicle **That Rolls Into**

the Shop

98.5% Recovery

Recycling and Recharging Machine for Hybrid and **Non-Hybrid Vehicles** SKU **751572**

R0B34788NI-H

- Fully Automatic Function
- Automatic Oil Drain
- Save and Print Before and After Service Data
- Visual and Audible Alarm: Notifies the User When Service is Complete or if a Problem Has Occurred

COBINAIR



Premium Refrigerant

Recnarging wacnine

SKU **249512**

R0B34988

Recovery, Recycling and

Recovers, Recycles, Evacuates, Leak Tests and Recharges R134a Quickly and Accurately

Automatic Operation Means Less Attention Is Needed! SAE J2788 Compliant

• Automatic Oil Measure and Inject: Machine Will

• Automatic Dye Inject: Gives the Ability to Use the Machine to Inject UV Dye into a Vehicle's A/C System

Automatically Determine How Much Lubrication Oil

On How Much Oil was Taken Out During Recovery

Needs to Be Injected Back into the A/C System Based

functionality, **Including Dye**

Meets or On-board Exceeds All SAE Regulatio

> Integrated Identifier

Machine



ROBINAIR.

1234YF Recover, Recycle, Recharge **Machine**

SKU **751575** ROBAC1234-6

ROBINAIR

 Fully Automatic Operation — Program for Service, Walk Away and Return When Complete On-board Printer Capable of Printing Vehicle Service Report Slips to Present to Customers Integrated Refrigerant Identifier (Meets SAE J2927)

Robinair Accessories

Spin-On Filter-Drier SKU **414883**

Amount of Oil to Replace

ROB34724 • Fits Current Models: ROB34288,

- ROB34788, ROB34988, ROB347002 and ROB341342
- Genuine Robinair Spin-On Filter with the Proper Serial Number to Input into Your Machine to Get it Up and Running Again
- · High Quality Filter Protects Your Investment
- Easy to Install



Recycling Filter-Drier

SKU **522875** R0B34430

• For Older 17700A, 34450, 34700 (1997), AC375, AC375A AC375C, and 34134Z Robinair Recovery Machines

A/C Recovery Machine Maintenance Kit

SKU **752703** ROB13172

• Contains: One (1) Quick Change Filter-Drier to Be Used On Both R-12 and R-134a Stations and One (1) 16 Oz. Bottle of Our Premium High Vacuum Pump Oil for Models Using 34724 Filter/Drier - 17700a, 17700-2K, 34700, 34700-2K, 34800, 34800-2K, 34900 Series

A/C Capacities Database - 2014 SKU **804464**

ROB34412

• Use with a Robinair 34788NI and 34788NI-H A/C RRR Machines to Display Charge Amount and Oil Capacities for Vehicle's, Model Years 1997-2014



SKU **752709** ROB34411-E





DIAGNOSTIC



15 SECONDS TO ROCK*

1 DIAGNOSTIC TOOL FOR EVERY TECHNICIAN

*ROCK OUT WITH FAST STARTUP,
ANDROID™ OS AND FREE J2534. MUSIC TO YOUR EARS.

IN STOCK NOW









800-533-6127







The OTC Encore Deluxe Kit

SKU **463113 1,9999**

- Combines OTC and Bosch Vehicle Coverage Providing the Best User Experience
- 2015 Vehicle Coverage
- Diagnostics for Life Keep the Coverage Subscription Up to Date and the Hardware Warranty NEVER Expires
- Full Scan Functionality Domestic, Asian and European Coverage, Bi-Directional Control and Enhanced Data
- Over 100,000 Systems, Adjustments and Actuations Added to the Coverage in the Last 3 Years
- Includes 365 Day Coverage Subscription
- On Board Database of 30 Million + Confirmed Repair Solutions

OTC BOSCH COMBO

INCLUDES THE OTC ENCORE (#3893)
AND THE BOSCH MASTERTECH VCI (# F00E901631)





BOSCH[™]

OTC Encore and Bosch Mastertech VCI Combo

3893MVCI

3,1999



KEY FEATURES OF THE MASTERTECH VCI:

- Validated J2534 Flashing Covers GM, Ford, Chrysler, Honda, Nissan, Mazda, Mitsubishi, SAAB, BMW and More to Come in the Future
- Authentic OEM Dealer Level Diagnostics Compatible with BMW ISTA, SAAB GDS 2, GM Tech2Win, GM GDS 2, and More to Come in the Future. OEM Dealer Level Diagnostic Software Is Purchased Separately from Vehicle OEM Websites
- Enhanced High Speed Ford Cylinder Contribution Test Enables Technicians to Quickly Diagnose Cylinder Performance Problems on Ford CAN Vehicles. Optional FREE Download Available

KEY FEATURES OF THE OTC ENCORE:

- Combines OTC and Bosch Vehicle Coverage Providing the Best User Experience
- 2015 Vehicle Coverage
- Diagnostics for Life- Keep the Coverage Subscription Up to Date and the Hardware Warranty NEVER Expires
- Full Scan Functionality Domestic, Asian and European Coverage, Bi-Directional Control and Enhanced Data
- Over 100,000 Systems, Adjustments and Actuations Added to the Coverage in the Last 3 Years
- Includes 365 Day Coverage Subscription
- On Board Database of 30 Million + Confirmed Repair Solutions