# TIRE SERVICE



Contact Us: **1-377-AZTool1** Phone (1-877-298-6651) Hablamos Español




32

Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

Leasing Terms Available!<sup>†</sup> Ask Your AutoZone® **Commercial Sales Manager** 





#### KANK/6AIK J**T**77

- Alloy Steel Mount and Demount Head, Nylon Tool Head also Comes Standard
- External Rim Clamping Capacity: 9" 28"
- Forged Steel Foot Pedal Levers
- Maximum Tire Diameter: 43"

Tilt-Back 28" with Assist **Tower Tire Changer** 

SKU **544550** RANR76ATRF

• External Rim Clamping Capacity: 9" - 28"

• Maximum Tire Diameter: 43"

**Lift Gate Service** SKU 262533 RANLIFTGATE 13500

• 2 HP (208 - 240V, 50 - 60 Hz, 1 Phase Only)

**Features True** Variable Speed **Control** 



#### RANKJUXLI

- Internal Rim Clamping Capacity: 13" 33"
- External Rim Clamping Capacity: 10" 28"
- Turntable Tire Width Capacity Mount: 5" 22"
- Bead Breaker Tire Width Capacity Demount: 3" - 15'
- Maximum Tire Diameter: 50"

**Lift Gate Service** SKU 262533 RANLIFTGATE 13500





# TRE SERVICE

Leasing Terms Available!<sup>†</sup>

Ask Your AutoZone® **Commercial Sales Manager** 







**74099** • Works with Ranger Wheel Balancers Listed On This Page



Leasing Terms Available.<sup>†</sup>

Price Does Not Include Tires or

On-Site Fá

34

Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

Delivery Included on Tire Changers and Wheel Balancers

1-877-AZTool1 (1-877-298-6651) Hablamos Español







Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

35





#### Contact Us: **1-877-AZTOOI1** Phone (1-877-298-6651) Hablamos Español



## **Tire Pressure Monitoring Systems**



**SCHRADER**<sup>®</sup>

# EZ-sensor

SCHRADER

# TPMS OE Replacment Sensors

#### **Call Local Store for Pricing**

- ▶ Quick and easy TPMS sensor replacement
- ▶ OE fit, form and function



TPMS Service **Schrader** Packs

SKU **987130** Part # 20008 (Snap-in)

SKU **269787** Part # 34000 (Clamp-in)

- OEM validated
- Quick and easy TPMS replacement parts
- OE fit, form and function

Part # 20008



#### 12 most popular TPMS Service Packs in a convenient case!

Schrader's

Pack

SKU **810811** Part # 33500-12

**529**<sup>99</sup>

Save over

\$6900

**EZ-sensor Bulk** 

36

Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

Part # 34000



#### **Steel Weight Starter Kits**

099

## Metal Floor Rack with 1,700 Steel Weight Assortment

#### SKU 383179 AMM5202075

• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-a-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

#### Bench Top Rack with 1,000 Coated **Steel Weight Assortment**





- Louvered Rack Can Be Placed On Top of Any Work Bench
- Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange

## Bead Seater

**5** Gallon

SKU 526505

24449

**Bead Seater** 

Seats Beads On All Tires, from Small 4" Tires to 24-1/2" Truck Tires Operates On Standard Shop Air: Max. 120 PSI Lip On Barrel Allows for Proper Angle for Correct Bead Seating



OEM TOOLS

#### Wheel Stud Alignment Guide Kit

SKU **818715** 24233

8 Piece

- Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts
- Application: Mercedes, BMW, Audi, VW, Porsche, Fiat and Dodge
- Sizes Included: 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75



- VCTSET For Inserting or Removing Valve Cores
- Ergonomic Shaped Handles that Provide Firm Grip
- Includes 2" and 4" Tools



Wheel Stud

Spare Tire

SKU **479984** 

THX497X

Vehicles

that Fits Easily

Behind the

Seat in the

Truck or in

the Tool Box

**Removal Tool Kit** 

Kit Includes a Hand Crank and (6)

Different Zinc Plated Steel Tools to Fit

Kit is Complete in Heavy Nylon Pouch

Most Pick-Ups, Vans and SUV-Type

- Easily Installs New Wheel Studs
- Use with a Ratchet or Impact Wrench to Pull the New Stud Securely in Place
- Works On Most Automotive and Light Duty Truck Wheel Studs. Foreign and Domestic



**44**99



- Installs Most Truck Wheel Studs in Seconds
- Use with an Impact Wrench or Ratchet

Truck Wheel

lisle

- Thrust Bearing Easily Pulls the New Wheel Stud into Place
- Fits Truck Wheel Studs Up to 22 mm (7/8") in Diameter







*fisle* 

- LIS19822
- Tank Features Reinforcement Ribs for Extra Support
- Will Handle Passenger Tire Sizes to Wide Oval and Light Duty



Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

