Evaporative Coolers

Half the Price of Comparable Coolers

Offers Good Through September 30, 2016 - While Supplies Last

2200 CFM 2 Speed **Evaporative Cooler** SKU **849598**

1999 REG. \$399.99 HESMC37A • Cools Up to 750 Square Feet

- 3 Speed Variable Motor with Energy Efficient
- Delivers the Most CFM/\$ On
- Cooling \$0.03/Hour
- USB Charging Port Provides Ability to Charge Phones and Accessories
- Dimensions: 37" x 17" x 25"; Weight: 43 Lbs; Water Capacity: 10.3 Gallons



1999 REG. \$599.99 SKU **849597** HESMC61A

5300 CFM 2 Speed

Evaporative Cooler

- Cools Up to 1,600 Square Feet
- 3 Speed Variable Motor with Energy Efficient Electronic Timer
- Delivers the Most CFM/\$ On Cooling \$0.03/Hour
- USB Charging Port Provides Ability to Charge Phones and Accessories
- Dimensions: 45" x 17" x 28": Weight: 63 Lbs: Water Capacity: 14.6 Gallons



Evaporative Cooler SKU **019241** HESMFC18000

- Cools Up to 2,100 Square Feet
- Uses the Natural Process of Water Evaporation to Reduce Temperatures By Up to 20 Degrees
- Rugged Polypropylene Housing with UV Protection
- Easy Fill Tank Holds 32.8 Gallons of Water, Enough for 3-4 Hours of Operation
- Portable Design with 4 Extra Strength Caster Wheels

• Less than Half the Price of the Competition

18" Evaporative Cooler (Variable Speed)

- Reduces Temperature By Up to 33 Degrees • 33% More Cooling Surface Than Standard 6" Media
- Garden Hose Connection
- Housing Constructed of Roto-Molded Corrosion Free Polyethylene
- Fan Motor High Efficiency, Totally Enclosed 1/2 HP
- Direct Drive: 110 Volt / 1 Ph. / High 2.9 Amps / Low 1.45 Amps
- Cooling Coverage Area Approx. 1,200 Sq. Ft.

Direct Drive Portable

SKU **850492** CLSCS5-16-VD

 Water Reservoir – Internal 16 Gallon Capacity

SKU**110321** | Part#CLSCS-T101 SKU**110322 |** Part# CLSCS-T102 VALUE: **579.98** with Purchase of:

18" Evaporative Cooler

Lift Gate Service SKU **543687** CLSLIFTGATE 7500

36" Evaporative Cooler (Single Speed) SKU **850052**

SKU **850051** CLSCS6-36-VD

Free Polyethylene

Low 1.8 Amps

CLSCS6-36-1D • Reduces Temperature By Up to 33 Degrees

- 33% More Cooling Surface Than Standard 6" Media
- Garden Hose Connection or Portable Supply Tank • Housing – Constructed of Roto-Molded Corrosion
- Fan Motor High Efficiency, Totally Enclosed 1/2 HP

36" Evaporative Cooler (Variable Speed)

- Direct Drive: 110 Volt / 1 Ph. / 6.0 Amps
- Water Reservoir Internal 46 Gallon Capacity
- Cooling Coverage Area Approx. 2,900 Sq. Ft.

• Reduces Temperature By Up to 33 Degrees

• 33% More Cooling Surface Than Standard 6" Media

• Garden Hose Connection or Portable Supply Tank

• Housing – Constructed of Roto-Molded Corrosion

• Fan Motor - High Efficiency, Totally Enclosed 1/2 HP

• Direct Drive: 110 Volt / 1 Ph. / High 6.3 Amps /

• Water Reservoir - Internal 46 Gallon Capacity

• Cooling Coverage Area - Approx. 3,600 Sq. Ft.



12" Evaporative Cooler (Variable Speed) SKU **005816**

CLSCSW-12-VD

- Reduces Temperature By Up to 20 Degrees • Garden Hose Connection or Portable Tank Supply
- 4" Thick, High Efficiency Corrugated Media
- Tough, UV Resistant, Durable Molded Polyethylene Housing
- 110 Volt / 1 Ph. / 0.8 Amp
- Water Reservoir Internal 10 Gallon Capacity
- Cooling Coverage Approx. 700 Sq. Ft.



HESSAIRE

48" Evaporative Cooler (2 Speed)

SKU 110318 CLSCS5-48-2B **3,599**99 • Reduces Temperature By Up to 33 Degrees

- 33% More Cooling Surface Than Standard 6" Media
- Garden Hose Connection or Portable Supply Tank
- Housing Constructed of Roto-Molded Corrosion Free Polyethylene
- Fan Motor High Efficiency, Totally Enclosed 1 HP • Direct Drive: 110 Volt / 1 Ph. / High 9.6
- Amps / Low 5.8 Amps
- Cooling Coverage Area Approx. 4,700 Sq. Ft.



48" Evaporative Cooler SKU**110318** | Part# CLSCS5-48-2B



SKU **005890** CLSCS-COVER48 Made of Durable, 100% Polyester Fabric with Polyurethane Backing

- Water Repellent Finish Allows Maximum
- Defense from the Elements
- Fitted Design for 48" Cooler

Tall Base SKU **850050** CLSCS5-16VDTB Internal 52 Gallon Capacity

CTT-EC Scale Treatment Tablets SKU 110321

CLSCS-T101 • Protect Pads from Hard Water and Scale

Refresh Algae Treatment Tablets SKU **110322** CLSCS-T102

• Prevents Hard Water and Algae from Deteriorating the Pads

36" Evaporative Cooler SKU**850051 |** Part# CLSCS6-36-VI

36" Cooler Cover SKU **005901** CLSCSCOVER366


 Made of Durable, 100% Polyester Fabric with Polyurethane Backing • Water Repellent Finish Allows Maximum

Defense from the Elements • Fitted Design for 36" Cooler

PORTACOOL EVAPORATIVE COOLERS







48" Cooler

Cover

WATER ADJUSTMENT VALVE KEEPS YOUR EVAPORATIVE COOLER COOLING IN EVEN THE MOST HUMID AREAS

LIQUID LEVEL INDICATOR PREVENTS OVER HEATING AND PROTECTS YOUR INVESTMENT

GFCI PLUG

DUAL WATER FILL

EXTRA LARGE DRAIN ALLOWS FOR EASY AND

Autozone SKU	Descriptions	Cooling (s.f.)	СҒМ	Velocity (mph)	Amps	Water (G)	Weight (lb)	Dimensions H X W X D	Electrical Component Warranty	Housing Warranty	Price
850515	Jetstream 270	5,625	22,500	26	20	65	375	90 x 79 x 41	3 Years	Lifetime	\$3,699.99
850517	Jetstream 260	3,125	12,500	25	15	60	267	77 x 67 x 34.5	3 Years	Lifetime	\$2,699.99
850516	Jetstream 250	2,125	8,500	24	9.2	55	213	70 x 55 x 32.5	3 Years	Lifetime	\$2,199.99
850514	Jetstream 240	1,125	4,500	29	5.4	50	152	61 x 42 x 24.5	3 Years	Lifetime	\$1,499.99
850513	Cyclone 3000	700	3,000	27	5.6	16	100	38 x 29 x 25	1 Year	1 Year	\$799.99
850053	Cyclone 2000	500	2,000	30	2.5	10	61	31 x 24 x 25	1 Year	1 Year	\$569.99



WHEN COMFORT COUNTS™

Barrel Fans

24" Barrel Tilt Fan SKU **688216** 24874

- 24" Tilting Barrel Fan
- 180° Tilt
- 2 Speed High-Efficiency Motor
- 3 Aluminum Fan Blades
- 9,230 CFM
- 6' UL Listed Cord



36" Barrel Tilt Fan SKU **688217**

- 36" Tilting Barrel Fan
- 2 Speed High-Efficiency Motor
- 3 Aluminum Fan Blades
- 11,280 CFM • 6' UL Listed Cord

42" Belt Driven **Barrel Fan** SKU **688203** 24876

- Versatile 42" Barrel Fan
- 2 Speed Belt Driven Motor
- 4 Aluminum Fan Blades • 15.800 CFM
- 6' UL Listed Cord



30" Pedestal

Fan SKU 688201 24873



- 30" Pedestal Fan • 3 Speed High-
- Efficiency Motor • 3 Aluminum
- Fan Blades • 7 250 CFM
- 6' UL Listed Cord




Blower Fans DEMITOOLS

24877

Portable Mechanic's Fan - 300 CFM SKU **850064** 6099

Portable Mechanic's Fan 1.200 CFM SKU **850066**

- 24878
- For Indoor or Outdoor Use • 4 Position Feet
- Great for Use in Shops, Offices, Homes and Other Locations • 3 Speed Switch
- (2) 11 Amp Grounded Receptacles





Fans

20" Floor Fan SKU **688200** 24870

- 20" High Velocity Floor Fan
- Energy Efficient 3 Speed Motor
- 3 Aluminum
- Fan Blades
- 5' UL



Vacuums

KUB54101

Kubota® 5 Gallon

Wet/Dry Vacuum
SKU OUTSIDE BUY/EPO

Vacuum Comes Complete

Needed to Get Your Next

• This Stainless Steel

With All Accessories

Household Job Done



- 20" Orbital Fan
- 3 Speed High-Efficiency Motor
- 3 Aluminum Fan Blades
- 4,200 CFM
- 6' UL Listed Cord



20" Oscillating **Pedestal Fan** SKU **688197** 24871

- 20" Pedestal Fan Oscillating 3 Speed
- Motor • 5 Aluminum Blades
- 4,200 CFM
- 6' UL Listed Cord



Kubota® 8 Gallon Wet/Dry Vacuum SKU OUTSIDE BUY/EPO

KUB54102 • This 8 Gallon Stainless Steel Vacuum Is Perfect for the Garage. House or Office



Kubota® 14.5 Gallon **Leaf Blower Wet Vacuum** SKU OUTSIDE BUY/EPO KUB54104

• Multi-Functional Large 14.5 Gal Drum with a Convenient Handheld Blower With Wand to Perform for Any Job



Kubota® 12 Gallon Wet/Dry Vacuum SKU OUTSIDE BUY/EPO KUB54103

• Large 12 Gal Stainless Steel Push Vacuum Will Ensure All Your Large Jobs Get Done



GENERAC

(Vubota

Kubota[®] 3 Pack Vacuum Filter Bags SKU OUTSIDE BUY/EPO

• Multi-Fit Disposable Filter Bag Is Designed for Use with 4-8 Gallon Kubota® Wet/Dry Vacuums

NEW





Power Washers

2,500 PSI Residential CARB **Compliant Power Washer**

• Powerful Generac Horizontal Shaft OHV Engines Feature Low Oil Shutdown, Engine Oil Is Included

• Easy Access Axial Cam Pump Means No More Kneeling On the Ground to Make Hose Connections • Ergonomic Generic Spray

Guns with Soft Grip and Easy-to-Pull Trigger Reduces Fatigue • 25' PVC Hose

2,500 PSI SKU 005721 28999



2,800 PSI Residential CARB

Compliant Power Washer



2,800 PSI SKU **005718**



3.100 PSI Residential CARB **Compliant Power Washer** SKU **005720**



- Easy Access Axial Cam Pump Means No More Kneeling On the Ground to Connection Hoses
- Ergonomic Generac Spray Guns with Soft Grip and Easy-to-Pull Trigger Reduces Fatigue
- 30' PVC Hose



3.800 PSI Commercial **Power Washer**

SKU **570262** GEN6564

• Pro-Grade Triplex Pump Up to 4X Longer Life Than Axial Cam Pumps

• Powerful 302 cc Generac OHV Engine Delivers Maximum Cleaning Performance and Reliability

 Low Oil Shutdown Sensor Safeguards the Engine

• 3/8" x 35' Steel Reinforced Rubber Hose

These Units are Not for Sale in California, Call for Pricing on CARB Compliant Models



3,100 PSI Commercial **Power Washer**

SKU **570165** GEN6590

- Powerful Generac OHV Horizontal-Shaft Engine Features Low Oil Shutdown
- Professional Grade Triplex Pump with Ceramic-Coated Pistons
- Pressure Control Valve Provides Complete Control of Water Pressure
- for All Applications • 5/16" x 35' Hose



4,200 PSI Commercial **Power Washer**

SKU **570263** GEN6565

- Powerful 420 cc Generac Horizontal Shaft Engine with Low Oil
- Shutdown, Engineered for Long Life in Demanding Applications • Professional Grade Triplex Pump with Ceramic Coated Pistons, Designed for Long Life
- Pressure Control Valve Provides Complete Control of Water Pressure
- 3/8" x 50' Steel Reinforced Rubber Hose



These Units are Not for Sale in California, Call for Pricing on CARB Compliant Models



Tool & Equipment Quarterly

Shop Heaters

6 energylogic



COMPLETE SYSTEMS (include furnace, tank and standard flue kit*)									FURNACES ONLY								
			130 Gallon Tank			200 Gallon Tank			250 Gallon Tank								
Furnace	BTU's	Heats Up To	SKU	Part No.	Price	SKU	Part No.	Price	SKU	Part No.	Price	Furnace	BTU's	Heats Up To	SKU	Part No.	Price
EI-140H	140,000	3,500 Sq. Ft.	012662	ENL01140102	\$6,499.99	012663	ENLEL01140108	\$6,824.99	850048	ENL01140103	\$7,019.99	EI-140H	140,000	3,500 Sq. Ft.	012654	ENLEL01140101	\$5,334.99
EL-200H	200,000	5,000 Sq. Ft.	012665	ENLEL01200103	\$7,539.99	012657	ENLEL01200109	\$7,709.99	850047	ENL01200104	\$8,074.99	EL-200H	200,000	5,000 Sq. Ft.	012653	ENLEL01200101	\$6,164.99
EL-350H	350,000	8,500 Sq. Ft.	NA	NA	NA	NA	NA	NA	850049	ENL01350104	\$9,814.99	EL-350H	350,000	8,500 Sq. Ft.	012656	ENLEL01350101	\$8,214.99

*Includes: Waste Oil Furnace and Tank, Swing-Away Burner with Built-In Air Compressor, Accutemp Preheater, Side-suction Metering Pump with Elevated Fuel Pick-Up, Low-fuel Cut Off, Draft Gauge, Fuel Gauge, Drain Valve and Class A Flue Kit

HVLS Fans

energylogic

Purchase an **HVLS** fan from EnergyLogic today to start saving on energy costs all year long!

HLVS Fan Model	Blade Diameter	Number of Blades	Available Blade Lengths	CFM	Industry Spacing	SKU	Part No.	Price
AVD 370	12 ft.	6	6 to 12 ft.	54,000 CFM	48 ft.	012679	ENLEL06000875	\$3,399.99
AVD D3	12 ft.	3	10 to 24 ft.	84,000 CFM	60 ft.	012669	ENLEL06000948	\$4,399.99
AVD D3	14 ft.	3	10 to 24 ft.	117,000 CFM	70 ft.	012693	ENLEL06000949	\$4,399.99
AVD D3	16 ft.	3	10 to 24 ft.	125,000 CFM	75 ft.	012700	ENLEL06000950	\$4,399.99
AVD 550	18 ft.	6	8 to 18 ft.	181,000 CFM	95 ft.	012701	ENLEL06000887	\$5,899.99

Includes fan, mounting hardware, Cat 5 cable, digital touchscreen controller and 50k hour warranty.



Shop Heaters

Value Package 🛑

Thru-Roof Chimney

150.000 BTU SKU 988908 LAN9963C MODEL MX150C

200,000 BTU SKU 988916 LAN9964C MODEL MX200C

250,000 BTU SKU **988923**

LAN9965C MODEL MX250C

300,000 BTU SKU 988926 LAN9966C MODEL MX300C



Value Package

Thru-Wall Chimney

150,000 BTU SKU 988912 LAN9963D MODEL MX150D

200,000 BTU SKU 988918 LAN9964D MODEL MX200D

250,000 BTU SKU 988924 LAN9965D MODEL MX250D

300.000 BTU SKU 988893 LAN9966D MODEL MX300

Leasing Terms Available. Free Delivery!

[†]See Page 2 for More Information





Exhaust Hoses



Crushproof Flarelock Hoses

 Made Exclusively for Cars and Small Trucks

• End Is Flared to Permit Connection of Two or More Links at a Time

2.5" x 11' SKU **977557** ACSFLT250

3.5" x 11'

SKU **977589**

ACSFLT350

SKU **977559** ACSFLT300

3" x 11'

4" x 11' **99** SKU **977590** ACSFLT400

Crushproof 2.5" Y-Assembly Kit with F250 Adapter SKU **977549**

ACSYA250

Designed for Converting Single Hose into Dual Exhaust System Vehicle Purposes



3" Y-Assembly Kit with F300 Adapter

SKU **977550** ACSYA300

Crushproof 2.5" Service Station Kit SKU **977547**

ACSDSS25 Includes:

• (2) Each - 4' x 2-1/2" Hoses • (1) Each - 6' x 2-1/2" Hose

• (1) Each - 2-1/2" Rubber "Y" Connector

• (2) Each - Straight Tailpipe Adapter,

Hook and Chain

(1) Each - Splice Connector

3" Service Station Kit

SKU **977548** ACSDSS30



Crushproof Door Port for 2-1/2" Hose (Rubber) SKU **977551**

ACSDF25

 Rubber Garage Door Port Adapter



Crushproof Door Port for 3" Hose (Aluminum) SKU **977552**

ACSADF30 • Aluminum Port Allows

Hose to Be Vented Through the Door



Crushproof Door Port for 4" Hose (Aluminum)

SKU **977554** ACSADF40





Crushproof Bell Hose Adapters

Designed for Easy Adapting to All Sorts of Tailpipes

• Connects with Ball and Snap

2-1/2" Adapter SKU **977544** ACSRA250



3" Adapter SKU **977545** ACSRA300





Crushproof Straight Tailpipe Adapters with Hook and Chain

• Designed for Easy Adapting to All Sorts of Tailpipes

2.5" Straight Tailpipe Adapter with Hook and Chain ... SKU 977591 ACSF250... 3" Straight Tailpipe Adapter with Hook and Chain......SKU 977539 ACSF300...

3.5" Straight Tailpipe Adapter with Hook and Chain....SKU 977540 ACSF350.

4" Straight Tailpipe Adapter with Hook and Chain......SKU 977541 ACSF400.... 3" x 6" Oval Tailpipe Adapter... ..SKU **977542** ACSF475.

3.5" x 8.5" Oval Tailpipe AdapterSKU **977543** ACSF575....

Tubing Benders

Blue Bullet Tubing Bender

SKU **015350** BENBB1

- Leg Operated Control Lever at Front Keeps Hands Free • Two Separate End Finishing Units at Rear for All Necessary Flaring and Expanding
- Degree Plate Located Up Front for Easy Viewing
- Comes Complete with Quick Release Bending and End Finishing Dies
- Includes High-Speed Clampless Swager and Internal Expander • 3" Bending Capacity (Dies Optional)



3" Die Kit (Optional) SKU **095070** BEN300-1





SKU **262533** RANLIFTGATE

Lift Gate Service

Leasing Terms Available. Free Delivery!

Inverters

iX800 Watt Gas Powered Inverter SKU **568401** GENIX800

- 850 Watt Peak and 800 Watt Running Power Provides Reliable Power to Run Household Appliances, Camping Equipment and More
- 1.5 Gallon Fuel Tank Runs the Generator Continuously for Approximately 3-1/2 Hours
- 38 cc Engine Runs On Gasoline to Provide Dependable Power
- Two 5-15R Outlets Provide Consistent Output with Less Than 3% Total Harmonic Distortion
- Automatic Shut-Off When Oil Levels Are Low to Help Prevent Engine Damage

GENERAC



- 2,200 Watt Peak and 2,000 Watt **Running Power**
- Clean Power for Consistent Output with Less Than 3% Total Harmonic Distortion Is Ideal for Sensitive Electronic Devices Such As Computers and DVD Players
- Digital Inverter Module Converts DC to AC

GENERAC

Inverter Generator SKU **020739** CHM735361

2000 Watt Stackable

- Run/Start Watts 1700/2000
- Clean Power (<3% THD) Clean Electricity for Powering Sensitive Electronics
- Operates at 53dBA from 23 Feet
- Runs Up to 9.5 Hours, on a Full Tank of Gas • Parallel Capability - Connect with Another Inverter for Increased Power
- Space Saving Stackable Design with Carrying
- CARB Compliant



GENERAC

NEW

Gas Powered Generators

GP3250 Portable Generator SKU **973238**

GENGP3250

- Rated Watts: 3,250
- Runtime at 1/2 Load: 9.7 Hours • Outlets: (1) 120V 20A 5-20R Duplex Outlet; (1) 120/240V 20A L14-20R Twist-Lock Outlet
- Gas Tank: 3.5 Gallons
- Low Oil Level Shutdown Automatically Safeguards Engine

Not Available for Sale in California



GENERAC

CARB Models Available

XG8000E Portable Electric **Start Generator**

SKU **462986** GENXG8000E

- Rated Watts: 8,000
- Runtime at 1/2 Load: 10 Hours
- Outlets: (1) 120/240V 30A L14-30R Twist-Lock Outlet; (2) 120V 20A GFCI 5-20R Duplex
- Includes: First Oil and Maintenance Kit

SKU **568402**

GENGP6500E

a Long Engine Life

- Gas Tank: 9 Gallons
- Low Oil Level Shutdown
- Automatically Safeguards Engine PowerBar[™] Easily Monitors

Power Being Consumed and Available

Generator with Electric Start

GP6500E Gas Powered Portable GENERAC

Not Available for Sale in California

• Generac's 389 cc OHV Engine

with Splash Lubrication Provides

· Low Oil Shutdown Automatically

• Hour Meter Tracks Maintenance

Not Available for Sale in California

Safeguards Engine from Damage

GENERAC



CARB Models Available

XG10000E Gas Powered **Portable Generator with Electric Start**

SKU **568407 2,09999 GENXG10000E**

- User Friendly Controls Including the Start/Stop, Fuel Shut-Off and Choke Are Conveniently Located On an Illuminated Control Panel
- Track How Much Power You Are Using and How Much Power You Have to Spare with PowerBar™
- Covered Outlets Provide Added Protection from the Environment and Can Stand Up to Rugged Working Conditions

GENGP15000E **2,399**99

OHVI Engine Is Designed for Extended

an Emergency Backup Power Source

Runtimes for Use at Jobsites or for

GP17500E Gas Powered

• 16 Gallon Fuel Tank Runs the Generator Continuously Up to 10 Hours

• 16 Gallon Fuel Tank Runs the Generator for Up to 10 Hours at Half Load

• Circuit Breaker Helps Protect the Generator and Connected Appliances

Not Available for Sale in California

• 992 cc Engine Runs On Gasoline to Provide Dependable Power

7500 Watt Portable Generator

at Half Load; Idle Control for Improved Fuel Efficiency



GENERAC

Not Available for Sale in California **GP15000** Gas Powered

Portable Generator

Circuit Breaker Protected

Outlets for Added Safety

Portable Generator with Electric Start

GENGP17500E **2,69**

with Electric Start

• Run/Start Watts 7500/9375

Push Button Electric Start

• 25' Power Cord Included

from Power Surges

• Touch Start - Battery Included for

• Volt Guard Protects Your Appliances

• Runs on Up To 8 Hours on a Full Tank of Gas

SKU **626138**

from Damage

SKU **020758**

CHM100219

GP7500E Watt Gas Powered Portable Generator with Electric Start

SKU **568404**

SKU **020730**

CHM46596

GENGP7500E • Ergonomic Fold-Down Locking Handle

- to Make Transport and Storage Easy Covered Circuit Breaker Protected Outlets Provide Added Protection from the Environment and Rugged Working Conditions

3500 Watt Portable Generator

• RV Ready - Equipped with a Standard 30A RV Outlet

Not Available for Sale in California

GENERAC



• Electric Start with Recoil Backup Battery Included

• Run/Start Watts 3500/4000

Appliances from Power Surges

· Volt Guard Protects Your

• Runs Up to 12 Hours on a


Full Tank of Gas

• Durable Steel Frame

• 49 State EPA Compliant

XG7000E Portable **Electric Start Generator** SKU **432330**

GENXG7000E



- Runtime at 1/2 Load: 12 Hours • Outlets: (2) 120V 20A GFCI 5-20R Duplex Outlets; (1) 120/240V 30A L14-30R Twist-Lock Outlet
- Gas Tank: 9 Gallons
- Low Oil Level Shutdown Automatically Safeguards Engine PowerBar[™] Easily Monitors
- Power Being Consumed and Available

GENERAC



Not Available for Sale in California

5500 Watt Portable Generator SKU **020732**

CHM41135 • Run/Start Watts 5500/6800

- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 10 Hours on a Full Tank of Gas
- Portable Folding Handle and Never Flat Tires
- Cold Start Optimized to Start Easily in Cold Weather
- 120/240V Operation

CARB Compliant







6500 Watt Portable Generator SKU **020745**

- CHM100109 • Run/Start Watts 6500/8125
- Volt Guard Protects your appliances from power surges
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals • Runs Up to 11 Hours on a
- Full Tank of Gas GFCI Protected Outlets with Covers • 120/240V Operation

CARR Compliant





CHAMPION

• Intelli-Gauge to Monitor Power Output and Maintenance Intervals **9200 Watt Portable Generator**

with Electric Start SKU **020759** 1,09

- CHM100110 • Run/Start Watts 9200/11500
- 459cc CARB Compliant for Use in All 50 States
- Touch Start Push-Button Electric Start and Battery Maintenance Smart Charger
- Equipped with a standard 50A RV outlet
- Volt Guard Protects Your Appliances
- from Power Surges • Runs Up to 10 hours on a Full Tank of Gas
- Intelli-Gauge to Monitor Power Output and



CARB Compliant

Propane Powered Generators

LP3250 Watt LP Fueled GENERAC **Portable Generator**

SKU **568405** GENLP3250

• 20 Lbs. Fuel Tank Runs the Generator Continuously for Up to 9 Hours

(Fuel Tank Sold Separately) • 212 cc Engine Runs On Propane Gas • Two 20 Amp, 120V, 5-20R Outlets

and One 20 Amp, Twist-Lock L14-20R Outlet • Low Oil Pressure Protection Safeguards the Engine



CARB Compliant

LP5500 Watt LP Fueled Portable Generator

SKU **568406** GENLP5500

• Powered By Propane Fuel, Which Is Easy to

Use, Safe to Store, Virtually Non-Toxic and with a Longer Shelf Life and Lower Emissions Than Gasoline • Integrated Propane Tank Holder Accepts with 20

Lbs. or 30 Lbs. Propane Cylinders for Flexibility,

(Fuel Tank Sold Separately) • Power Dial Provides Total Control at the Turn of a Dial with All Startup and Shutdown Functions in One Simple, Easy-Access

Convenience and Extended Runtimes

Control

CARR Compliant


3800 Watt GENERAC **Dual Fuel Generator** with Electric Start

SKU **020777** CHM76533

- Run/Start Watts 3800/4750 (Gasoline)
- Runs on Gas or Propane Straight Out of the Box • Touch Start - Battery Included for Push-Button Electric Start

Equipped with a Standard 30A BV Outlet

 Volt Guard Protects Your Appliances from Power Surges





CARR Compliant

7500 Watt Dual **Fuel Generator with Electric Start**

SKU **020752** CHM100165

Electric Start

• Run/Start Watts 7500/9375 (Gasoline)

- Runs on Gas or Propane Straight Out of the Box Touch Start - Battery Included for Push-Button
- Volt Guard Protects Your Appliances from Power Surges Runs Up to 8 Hours on a Full Tank of Gas or 5.5
- Hours on a 20 Lb. Propane Tank Intelli-Gauge to Monitor Power Output and







Tool & Equipment Quarterly

OEMTOOLS Parts Washers Are a New Generation of Water-Based Parts Washers Providing All the Cleaning Power of Solvent While Using Cleaning Solutions that Are Safe and Biodegradable.

DID YOU KNOW?

AutoZone has multiple financing

options for large tool or

equipment purchases to include

Leasing and or interest free

extended payment options.

Contact Your AutoZone Commercial

Sales Manager for Details

20 Gallon Parts Washer SKU **300117** 24801

- Water-Based Parts Washer with 325 Gallon per Hour Electric Pump
- Steel Work Basin Is 31"(L) x
- 21"(W) x 34.5"(H) • Lid Includes Fusible Link for Fire Safety

Replacement Washer Pump SKU **462484** 24800-12

• Fits OEMTOOLS 24800 and OEMTOOLS 24801 Water-Based



Offer Good Through September 30, 2016 While Supplies Last

Parts Washer

Flow-Through **Brush with Hose** SKU **459114** PBC50001H **2699**

Oriflo Flow-Through Parts Washer Brush and High Quality Hose to Connect to Your Parts Washer



ORIFLO Flow-Through Parts Brush

SKU **342336** PBC50001

- Long Lasting, Stiff Trialoy® Polyester Filament Can Be Used with Either Petroleum or Water-Based Cleaning Solutions
- Length: 10.25" (26 cm)



LINCOLN

Atlasta Parts Parts Brush **Cleaning Brush** SKU **342339**

- PBC50003 • A Tough Brush that Will Last and Last
- Length: 9.75" (25 cm)





Air Operated Sprayer SKU **222507** LIN5983

- 1/4" NPT (F) Inlet
- Max. Operating Pressure: 150 PSI
- Can Be Used with Solvents or Detergent Solutions

16 Gallon Solvent Parts Washer

SKU **479979** F0U62125-01

- Removable Screen Filter for Pump Protection
- Flow Through Brush with Adjustable Fluid Control
- Galvanized Drawn Sink Means No Leaks
- Inside Sink Dimensions: 31"(L) x 21"(W) x 9"(D)

Parts Washer

SKU **479982**

F0U57429-01

Cleaning

Epoxy Finish

30 Gallon CleanMaster Solvent Parts Washer

12 Gallon CleanMaster

Low-Profile Solvent Brake

• Flow-Through Brush System for Efficient

• Durable, Baked-On Powder Coated

• Easy-Roll Swivel Casters (2 Locking)

75**999** F0U54821-01

74999



CLEANMASTER

Aqueous Portable Brake Washer SKU **479988**

EcoMaster Heated

F0U61840-02

- Heavy Duty Air Pump
- Heavy Duty Drum Dolly with Two Locking Casters and Two Regular Casters
- Prefilter Screen and Asbestos Sock Filter Designed to Ensure Clean Solution
- Heater: 1,000W Thermostatically Controlled to Hold at 115° F
- Sink Dimensions: 24"(L) x 20"(W)





FOUNTAIN

F0U61444-02

EcoMaster Heated Aqueous Parts Washer SKU **479983**

- F0U61330-02 Capacity: 45 Gallons
- Heater Thermostatically Controlled Preset to 110° F
- Filter System Prolongs Fluid Life

Molded Cart for EcoMaster Heated Aqueous Parts Washer SKU **479985**

F0U61332

• 500 Lbs. Capacity • High Density

Concentrate

Polyethylene Molded Tray



FOUNTAIN

OEMTOOLS Parts Washers Are a New Generation of Water-Based Parts Washers Providing All the Cleaning Power of Solvent While Using Cleaning Solutions that Are Safe and Biodegradable.

3-1/2 Gallon Parts Washer SKU **300128**

- 24800 • Water-Based Parts Washer with 325 Gallon per Hour Electric Pump
- Steel Work Basin Is 18"(L) x 13.5"(W) x 9"(H)

Replacement **Washer Pump**

Abrasive Blast

24815

SKU **462484** 24800-12

• Fits OEMTOOLS 24800 and OEMTOOLS 24801 Water-Based Parts Washer



OEM TOOLS

Mobile Parts Washer SKU **546660**

24804 • Solution Capacity (Gallons): Min. 2 - Max. 4

- Use with Water Works[™] Heavy
- Duty Degreaser Concentrate Not for Petroleum Based Solvents
- Weight: 11 Lbs. • Dimensions: 26"(L) x 18"(W) x 9.5"(H)



OEM TOOLS

SKU **300119** • Easily Remove Paint, Rust

and Óxidation

Cabinet (Bench Top)

- Fits On Bench or Cabinet • Dimensions: 19.3"(H) x 19.3"(W)
- Cubic Inches:



OEM TOOLS

40 Gallon Parts Washer SKU **300118** 24803

• Use with Non-Flammable,

- Water-Based Degreaser or Cleaning Agent • Fully Flexible Nozzle and
- Fusible Link Which Automatically Closes the Lid in Case of Fire
- Dimensions: 44.75"(L) x 20.5"(W) x 35"(H)

SKU **462476** 24803-31 • Fits OEMTOOLS 24803

Water-Based Parts Washer



OEM TOOLS

SKU **227558** WWSHD-5G

Heavy Duty Degreaser

5 Gallons (1) 5 Gallon Container

Designed to Effectively Replace Hazardous Solvent in Water-Based **Parts Washers** • Concentrated to Be Powerful and

- to Save You Money
- Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician



WATER WORKS

WATER WORKS

Storm Ultra Spray Wash Solution

5 Gallons (1) 5 Gallon Container SKU **227559 169**99 WWSSU-5G

• Professional Wash Solution for Heated Spray Cabinet/Jet Cabinet Style Parts Washing

Equipment • Super Concentrated for Cost Effectiveness



• Quickly Blasts Away Grease, Oil, Carbon

4-1/2" Light Duty Bench Vise with **Swivel Base**

SKU **751645** 24216

Vises

SKU **751643**

- Machined Replaceable Steel Jaws Machined Anvil. Permanent Pipe Jaws
- Full 360° Swivel Base
- Clamping Strength: 100 Lbs. 4" Heavy Duty Bench Vise with Swivel Base

24217 • Machined Replaceable Steel Jaws

- Machined Anvil, Permanent Pipe Jaws Full 360° Swivel Base
- Clamping Strength:



Drill Presses OEM TOOLS

5 Speed Bench Drill Press SKU **462480** 24825

• 1/2" Chuck Capacity

- 1/3 HP, 120V, 2.3 Amp • 2" Stroke
- 620 3,100 RPM • 8" Swing
- 1/2" Max. Drilling Capacity
- Threaded Depth Lock; Screwdriver Handle
- 6-5/8" x 6-9/16" Table • 11-5/8" x 7-1/3" Base • 7" (W) x 16-15/16" (D) x 22-1/2" (H) Overall



EM TOOLS 16 Speed 15"

Heavy Duty Floor Drill Press SKU **462481**

- 24826 • 5/8" Chuck Capacity • 1 HP, 120V, 10 Amp
- 3-11/64" Stroke • 240 - 3,200 RPM
- 15" Swing
- 3/4" Max. Drilling Capacity Threaded Depth Lock; Screwdriver Handle
- 12" x 12" Table • 17-15/16" x 10-5/8" Base
- 15" (W) x 25-1/3" (D) x 63-1/3" (H) Overall

6" Heavy Duty **Bench Vise with Swivel Base** SKU **751654** 24218

- Machined Replaceable Steel Jaws
- Machined Anvil, Permanent Pipe Jaws
- Full 360° Swivel Base • Clamping Strength: 300 Lbs.



REG. \$99.99

Offer Good Through September 30, 2016 While Supplies Last



<u>Firepower</u> Stars and **Stripes Darkening Welding Helmet**

SKU **850068** THE1441-0087

- REG. \$109.99 • Variable Shade - Adjustable Welding Shade Levels from 9 to 13
- "Welding" or "Grinding" Selection for
- Process Mode Solar-Powered -So You Don't Have to Worry About Changing Batteries - Ever



Offer Good Through September 30, 2016 **While Supplies Last**

OEM TOOLS Auto **Darkening Welding Helmet** with Grinding Function

SKU **347233** 24358

- Variable Shade 9-13, Variable Sensitivity and Delay Controls
- Viewing Area: 3.62" x 1.65"
- Battery Powered with Solar Assist
- Includes Replacement Cover Lenses CE, ANSI Z87.1, CSA Z94.3, AS/NZS Approved



Welding/Cutting

MST 140i Welder*

WITH MAIL-IN REBATE

Welding Cart SKU **849600** | Part#THE1444-0900 **VALUE: \$139.99**



or Plasma Cutter CUTMASTER 42 tu **688020** | Part# THE1444-0871 or SKU 301766 | Part# THE1-4200

<u>Firepower</u>

SKU **688017** THE1444-0870 **74**

 Includes: Firepower MST 140i Power Supply, Firepower 140 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/ Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and Contact Tips, 15-20 Amps Power Adapter, Shoulder

Strap and CD with Operating Instructions

Offer Good Through September 30, 2016 While Supplies Last

MST 180i Welder*

SKU 688020

THE1444-0871

• Includes: Firepower MST 180i Power Supply, Firepower 180 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and Contact Tips, Standard 230V Plug, Shoulder Strap

MIG, Stick and TIG* Welding Capabilities in One Package

Operating Instructions

Offer Good Through September 30, 2016 While Supplies Last

<u>Firepower</u>

Plasma **IHERMAL DYNAMICS** Cutter **CUTMASTER 42**

SKU **301766** THE1-4200

• Includes: CUTMASTER 42 Power Supply, All New SL40 Torch, Safety Gloves and Glasses, Instructional Plasma Cutting DVD, Consumables Set, Heavy Duty Carrying Case and Power Plug



Offer Good Through September 30, 2016 While Supplies Last

OEM TOOLS

Auto Darkening Welding Helmet

SKU **362974** 24357

- TIG Rated Variable Shade 9-13
- Viewing Area: 3.54" x 1.37" Battery Powered with
- · Includes Replacement



Pro-Tack Plastic Welder SKU **255799**

SHA17030

- Eco-Friendly Plastic Welder that Is Great for Repairing Virtually Anything Made of Plastic
- Capable of Ironing Plastic to a Smooth Finish
- LED Read Out
- Rated to a Maximum of 65 Amps and Has 4 Power Settings
- Kit Includes: (4) Staple Styles, (2) Ironing Blades, Plastic Box for Staples and Plastic Storage Case



THERMAL DYNAMICS

TIG® Torch and **Accessories**

THEW4013802 18999 (Required for TIG® Welding)

- TIG Torch, 17V, 13', 8 Pin and Accessory Kit with 1/16", 3/32", 1/8" Thoriated
- Tungstens; 1/16", 3/32", 1/8" Collets; 1/16", 3/32", 1/8" Collet Bodies
- No. 5, 6, 7 Alumina Nozzle; Short Back Cap; Long Back



*TIG welding requires nurchase of THEW4013802


<u>Firepower</u>

MST 220i Welder SKU **687990** THE1444-0872

 Includes: Firepower MST 200i Power Supply, Firepower 220 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose Electrode Holder and Ground Clamp, 230V-115V Adapter Plug and Cable, Drive Roll and Contact Tips and CD with Multi-Language Operating Instructions



Core-Cut Staples (100 Pack)



SKU **255809** SHA17032 **Outside Corner/**

Outside Corner/ SKU **255820** SHA17033 SKU **255839** SHA17034 **Inside Corner/**

Inside Corner/ SKU **255843** SHA17035 No Wave Flat Small Wave SKU **255845** SHA17036

SHOP(IRON) SOLAR POWERED AUTO DARKENING WELDING HELMETS



SKU 102313 41288

SKU **102314**

- Extra large viewing area: 3.86" x 2.17"
- Automatically darkens in 1/30,000 of a second • Ultra high performance filters protects against
- Variable shades from DIN 9 to DIN 13
- Outside sensitivity adjustments provide clear vision both prior and during welding
- Durable, light weight material is corrosion resistant and flame retardant Special turnover headband mechanism allows
- for greater comfort and reduces fatigue Utilizes high performance solar cells w/ 2 built-in 3V lithium batteries as power back-up
 Complies with DIN, ISO, EN safety standards and ANSI Z87.1-2003 standard
- **EACH**

OEM TOOLS'

Heat-Shrink Tube Sets

171 Piece Heat-Shrink **Tube Set**

SKU **420335** 68165

· Protection and Insulation of Components and Wires



· Quick and Simple to

Shrink by Heat Gun



SKU **459160**

SKU **459162**

SKU **459164**

SKU **459173**

SKU **459175**

SKU **459180**

106 Piece Waterproof **Heat Shrink Tube Set** SKU **420334**

68164

• Tubes Shrink to Fit Over Cable Splices and Can Be Used for Wire Harnessing, Covering, Marking and Bundling

of Wires Adhesive Lined Inner Wall to Seal Out Moisture

• 3:1 Shrink Ratio Waterproof

SHA12000

SHA12001

SHA12003

SHA12007

SHA12008

SHA12009

1699

3499

2999

6499

2499

1999



90 Piece Waterproof **Heat Shrink Terminal Set**

SKU **462482**

Flat "S" Type

68166

- (30) Ring Connectors • (15) Butt Connectors
- (15) Tin Butt Connectors • (15) Female Disconnects
- (15) Male Disconnects
- Re-Sealable Plastic Case

SKU **255851** SHA17037

MACHINERY

Mechanic's **Mini Torch** SKU **804655**

24353

- · Designed for Light Welding, Auto Repair and Heating Material in Confined Spaces
- Adjustable Flame Lights Upside Down
- Auto Ignition, Refillable
- Safety Lock When Not in Use
- Butane Not Included



Offer Good Through September 30, 2016 - While Supplies Last

Welding Accessories

MIG Solid Wire E70S6 - .023 - 2 Lbs. MIG Solid Wire E70S6 - .023 - 11 Lbs. MIG Solid Wire E70S6 - .030 - 11 Lbs. MIG Solid Wire E70S6 - .035 - 33 Lbs. Flux Core Welding Wire - .030 - 2 Lbs. Flux Core Welding Wire - .035 - 2 Lbs.

TIPS (25 PACK)

Lincoln MIG Contact .030 Tips Lincoln MIG Contact .035 Tips Miller MIG Contact .030 Tips

Benzel and Tweco MIG Contact .023 Tips SKU 343399 SHA12937 Benzel and Tweco MIG Contact .030 Tips SKU 343401 SHA12938

ELECTRODES E6011 1/8" Electrode 5 Lbs.

SKU **343402** SHA12874 SKU **343403** SHA12875 SHA12877 SKU **343404**

THE14400106 1999 SKU **988902** THE14400186 1999 SKU **988904**





250 Piece Welding Stud Assortment

SKU **271198** • 250 Piece, 3/40" Size

• Use with Stud Welder or Stud Gun Copper Coated Steel



THERMAL DYNAMICS Leather **Welder's Gloves** SKU **972316** THE14230051



Soldering

Mechanic's Torch SKU **802236**

- 24354 • Designed for Auto Repair, DIY Household Repair and Professional Soldering, Micro Welding and Brazing
- Heavy Duty Piezo Ignition with Strong Flame
- ABS Grip
- CPSC Approved and Child Restraint Safety Latch
- Butane Not Included



Professional 3-in-1

E7018 1/8" Electrode 5 Lbs.

Butane Micro Torch Kit SKU **420339** • 3-in-1 Design Can Be Used As a Soldering Iron, Torch or Hot Air Blower without Iron Tip

Base After Operation • Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering

Easy to Set On Table Top with the

- Tip and Base Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
- Power Range: 30w 125w



OEM TOOLS' **Professional** 3-in-1 Soldering Iron Kit

SKU **420338** 24355

• 3-in-1 Design Can Be Used As a Soldering Iron, Torch or Hot Air Blower • Soldering Iron Kit Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip,

Needle Tip and Hot Air/Soldering Tip

Mini-Ductor

Mini-Ductor Induction Heater Kit SKU **436079** IDIMD-600

• Flameless Heating of Frozen Nuts, Bearings, O2 Sensors and

Other Seized Hardware • No Collateral Damage As with a Torch





18



Tool & Equipment Quarterly

SHOPIRON

INVERTER TECHNOLOGY



SKU **554014**

- Welds 24 gauge up to 5/16" mild steel in a single pass
- Flux-Cored (no gas): tackles the biggest jobs
- MIG (requires shielding gas): weld up to 5/16" mild or stainless steel
- DC Stick: handles up to 5/32" stick electrodes
- Includes: 10ft MIG torch with .030 tip, 10ft ARC lead, 10ft work cable with clamp, 115 /230 V power adapter & argon flow meter/regulator

DUAL VOLTAGE 115V / 230V



SKU **554022** 41199

- Rated 1/4" clean cut on mild steel with 1/2" rough sever
- Cuts mild steel, stainless, brass, aluminum and other conductive materials
- Includes: 10ft work cable with clamp & 115 / 230V power



2,700 PSI RESIDENTIAL **POWER WASHER**

SKU **4863** FPWG2700H-J

- Built Ford Tough, Single Cylinder, 4 Stroke, 180 CC OHV Engine
- 3 Pistol Axial Cam Annovi Reverberi Pump For Optimal Cleaning Performance
- Fold Down Cushion Grip Handle Allows Comfortable Mobility and Simple Storage
- Includes 25' High Pressure Hose, Erganomic Spray Gun and Engine Oil



2,700 PSI RESIDENTIAL POWER WASHER

SKU **4860** PGPW2700H-A

- Single Cylinder, 4 Stroke, 180 CC OHV Engine
- 3 Quick Connect Tips To Adjust Spray Patterns, Plus A Soap Nozzle

Not Available for

Not Available for

Sale in California

- 25' Braided High Pressure Hose For Added Durability
- 12" Never-Flat Tires To Increase Mobility and Stability
- 2700 PSI Max Cleaning Pressure At 2.3 GPM





3,100 PSI RESIDENTIAL **POWER WASHER**

SKU **4862** PWG3100H

- Single Cylinder, 4 Stroke, 208 CC OHV Engine
- 4 Quick Connect Tips To Adjust Spray Patterns, Soap Nozzle, And Turbo Nozzle For The Toughest Jobs
- 30' Braided High Pressure Hose For Added Durability • 12" Never-Flat Tires To Increase Mobility and Stability
- Onboard Soap Tank
- 3100 PSI Max Cleaning Pressure At 2.5 GPM



FORD FG3050P WATT **Gas Powered Portable Generator**

SKU **4673** FG3050P

- 3,050 Watt Peak and 2,500 Watt Running Power
- Includes USB Outlets For Your Modern Devices
- Rubber Outlet Dust Covers
- 11 hour Run Time @ 50% Load
- Large 4 Gallon Fuel Tank

Not Available for Sale in California



FORD FG6250P WATT Gas Powered Portable Generator

SKU **4837** FG6250P

- 6,250 Watt Peak and 5,250 Watt Running Power
- Rubber Outlet Dust Covers
- 11 hour Run Time @ 50% Load · Chrome Ford Inspired Rims
- Fold Down Handles

Not Available for

Not Available for

Not Available for Sale in California



FORD FG11050PE WATT **Gas Powered Portable Generator** SKU **4857**

FG11050PE

• 11,050 Watt Peak and 9,000 Watt Running Power

- Rubber Outlet Dust Covers
- 9.5 hour Run Time @ 50% Load • Electric Start

Fold Down Handles



PULSAR PG5250B WATT **Portable Dual Fuel Generator**

SKU **103253** PG5250B

- Runs On Gasoline and Propane
- Gasoline: 5250w Peak and 4250w Running • Propane: 4750w Peak and 3850w Running
- 3-in-1 Digital Meter
- Strong 7HP OHV Engine



PULSAR PG10000 WATT Gas Powered Portable Generator

SKU **4642** PG10000

- 10,000 Watt Peak and 8,000 Watt Running Power
- Strong 15HP 420cc OHV Engine
- Electric Start
- 3-in-1 Digital Meter

• Automatic Voltage Regulator



FORD FG4650P WATT **Gas Powered Portable Generator**

SKU **4688** FG4650P

- 4,650 Watt Peak and 3,600 Watt Running Power
- Rubber Outlet Dust Covers
- 11 hour Run Time @ 50% Load
- Automatic Voltage Regulation
- Mobility Kit

Not Available for Sale in California



FORD FG7750PE WATT **Gas Powered Portable Generator**

SKU **4839** FG7750PE

- 7,750 Watt Peak and 6,250 Watt Running Power
- Rubber Outlet Dust Covers
- 10.5 hour Run Time @ 50% Load

 Flectric Start Fold Down Handles

Not Available for Sale in California



PULSAR PG2000IS WATT Portable Inverter Generator

SKU **4821 PG200IS**

- 2,000 Watt Peak and 1,600 Watt Running Power
- Stable Sign Wave for Sensitive Electronics
- Strong 80cc OHV Engine
- Runs 8 Hours @ 50% Load
- Includes 12v Charging Cable

PULSAR PG7750B WATT Portable Dual Fuel Generator

SKU **4668** PG7750B

- Runs On Gasoline and Propane • Gasoline: 7750w Peak and 6250w Running
- Propane: 7350w Peak and 5950w Running
- Electric Start
- Strong 15HP OHV Engine



PULSAR PG2200 WATT Portable Dual Fuel Generator SKU **4625**

PG2200

- Runs On Gasoline and Propane
- Gasoline: 7750w Peak and 6250w Running
- Propane: 7350w Peak and 5950w Running • Electric Start
- Strong 15HP OHV Engine

Sale in California

Not Available for Sale in California

