


#### Automatic R134a Recovery, Recycle and Recharge Machine

SKU 300784 MSC69788-A



- Large Display: 4.8"
- Vacuum Pump: 6 CFM
- Bottle Heater: Standard Equipment
- Includes Upgradeable Refrigerant Čapacity Database
- 1 Year Warranty



**QQ**99

#### Fully Automatic R134a **Recovery, Recycle, Recharge Station**

SKU **300780** 30099 MSC69789

• Automatic,

Programmable with Manual Modes

- Compressor: Hermetically Sealed, 12 cc
- Vacuum Pump: 6 CFM, 100 Liter/Min. Capacity
- Bottle Temperature Sensor: Integrated
- Includes Upgradeable Refrigerant Capacity Database
- 1 Year Warranty



#### Fully Automatic **R134a and Hybrid Recovery,** Recycle, Recharge Station

69999 SKU **295555** MSC69789-H

- Automatic, Programmable with Manual Modes
- Auto Oil Discharge
- Vacuum Pump: 6 CFM
- High Voltage Protection
- Includes Upgradeable Refrigerant Capacity Database
- 1 Year Warranty



69789-H Features Refrigerant Oil Flush System

**Reduce Down Time...** Keep an Extra Filter **Set On Hand!** 

Replacement **High/Low Filter Set** 

SKU 389222 MSC69788FLTPK

13999

• Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789-H Recharge-Recover-Recycle All-in-One Units

Offers Good Through September 30, 2016

While Supplies Last

## **Infrared Thermometer VALUE: \$34.80**



with Purchase of a: R134a Recovery, Recycle and Recharge Machine SKU 300780 | Part# MSC69789 or SKU 300784 | Part# MSC69788-A or SKU 295555 Part# MSC69789-H Shipping Not Included. Manufacturer's Coupon Must Be Completed for Bonus





Ask Your AutoZone® Commercial Sales Manager

# Tool & Equipment QUARTERLY





### A/C System Flush Kit **49**99

SKU **466308** 24515

- Use with MSC91049 A/C Flush Solvents
- Includes Canister, Hose, Blow Gun, Rubber Tip and Cylinder Cap



- Includes: 17 Oz. Pressurized A/C Flush, Hose and Rubber Tipped Blow Gun with Thumb Control Pressurized to 150 PSI
- Non-Toxic Self Evaporating Single Use Disposable Cans



Mastercool.

- Non-Toxic, Quick Evaporating A/C Flush Effectively Removes Debris and Sludge
- from A/C Components
- · Solvent-Based, Evaporates Quickly, Leaves No Residue
- · Professional Use Only
- Flush Any A/C System

A/C Flush Solvent 1 Gallon SKU 695653 | MSC91049-128

A/C Flush 1 Gallon Case of 4 SKU 695654 | MSC910491284

A/C Flush 32 oz. Bottle SKU 695650 | MSC91049-32

A/C Flush 6 Pack 32 oz. Bottles SKU 695652 | MSC91049-32-6

A/C Quick Flush 17 oz. Replacement SKU 695647 | MSC91050

A/C Ouick Flush 17 oz. **Replacement 6 Pack** SKU 695649 | MSC91050-6



99%

799

1999

2499

139%

Refrigerant Scale (240 Lbs. Capacity) SKU 752521 **Д**099

- 24560 High-Visibility .75" x 2.5" LCD
- Backlit Display • (3) Units of Measure: kg/oz/Lbs.
- Automatic Shut-Off After 10 minutes, Backlight Will Shut-off After 3 Minutes
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product in or Out of the Protective Case

Accu-Charge II/ Electronic **Charging Scale** 240 Lbs. Capacity SKU 290029 🦪 MSC98210A • Capacity: 240 Lbs. • Programmable with Alarm







Ask Your AutoZone® **Commercial Sales Manager** 









29



30

Ask Your AutoZone® Commercial Sales Manager

AIRSEPT.



### A/C Hose and Line Repair

Line Splice Straight Repair Kit

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough
- Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2600 PSI



SKU	Part #	Size	Price
SAE			
504140	AIR76003	5/16" Line	\$29.99
504138	AIR76002	3/8" Line	\$29.99
504136	AIR76001	1/2" Line	\$29.99
504143	AIR76011	5/8" Line	\$39.99
504145	AIR76012	3/4" Line	\$39.99
METRIC			
504132	AIR77008	8 mm Line	\$29.99
504155	AIR77010	10 mm Line	\$29.99
504156	AIR77012	12 mm Line	\$29.99
504133	AIR77015	15 mm Line	\$39.99
504117	AIR77016	16 mm Line	\$39.99

#### Smart Splice Straight Connectors

- When a Metal-to-rubber A/C Line Is Damaged, You Often Must Replace the Complete DE Line. If the Line Is Not in Stock Locally You Incorvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™
- Leak-Proof Line Splice™ Technology On the Metal Side of the Connection
- Superior Hose Crimp Technology On the Rubber Side
- Works for Heater and Coolant Lines Also
- Install in 5 Minutes



SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99

#### Line Splice Straight Repair Kit Reducer

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required)
- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough
- Automotive Applications • HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2 600 PSI
- Also Works On Heater and Coolant lines



#### Line Terminator Rear A/C Blockoff Kits

• OE-approved Rear A/C Block-off Kits. Block Damaged or Unused A/C Lines — No Line R and R. Save Time and Satisfy Customers. Leaking Rear A/C

Components or Lines Can Result in High Operating or Repair Costs. Many Car Owners Would Rather Avoid That Expense and Operate the Front A/C Unit Only. With Airsept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or Replacement Labor.

## AIRSEPT.

#### Line Terminator SAE - 5 Pack

SKU 504122 AIR76526

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y" Block Off Leaking Rear Evaporators and Failed System Components
- Includes: One Each: 5/16", 3/8" 1/2", 5/8" and 3/4" SAE Kits



#### **Line Terminator SAE/Metric - 10 Pack** SKU 504124 AIR76530

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y" Block Off Leaking Rear Evaporators and Failed System Components
- Includes: One Each: 5/16", 3/8" 1/2", 5/8" and 3/4" SAE Kits, Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kits



#### Line Splice Straight SAE (5 Pack)

- SKU 504101 AIR76050
- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install No Special Tools







- Everything Needed to Repair A/C, Power Steering Return, Transmission,
- Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater Lines OEM Approved Line Repair Solution Installs in Five Minutes, On the
- Vehicle, without Special Tools or Adhesives Leak Free Up to 2600 PSI

## AIRSEPT

#### Airsept Smart Splice Multi **System Line Repair Tray** SKU 687973 AIR76076

- Includes: 1 Each 5/16", 3/8", 1/2", 5/8", 3/4" Line Splice Straight SAE Repair Kits; 1 Each 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits; 1 Each 5/16", 3/8", 1/2", 5/8" Line Splice 45°SAE Repair Kits; 1 Each 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE Repair Kits
- Top Tray in Master Cabinet

### AIRSEPT.

#### Airsept Smart Splice Line Terminator and Service **Tee Repair Tray** SKU 687974 **499**% AIR76077

- Everything Needed to Block Off A/C, Coolant and Heater Lines, or Add a A/C Service Port
- SAE Sizes for 5/16", 3/8", 1/2", 5/8", 3/4" OD Metal Lines
- Metric Sizes for 8 mm, 10 mm, 12 mm, 15 mm, 16 mm OD Metal Lines

## AIRSEPT.

**Airsept Smart Splice Hose To** Tube, Hose To Hose Repair Tray SKU 687975 54099

- · Everything Needed to Make Hose to Line or
- Hose to Hose Repairs on A/C, Coolant and Heater Lines
- Includes: SAE Sizes for 5/16", 3/8",1/2", 5/8", 3/4" OD Metal Lines, SAE Sizes for # 6, # 8, # 10, #12 3/4" A/C Reduced Barrier Hose

## AIRSEPT.

#### Airsept Smart Splice Aluminum **Tube Insert Service Tray** SKU 687989 **219**<sup>99</sup>

AIR76079 • Repair Long Sections of Damaged or Leaking A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater lines.



100

2015







- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" Line Splice Kits

• Effective, Durable Leak Repair with No

Includes one each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Line Splice Kits, Plus

One Each: 8 mm, 10 mm, 12 mm, 15

mm and 16 mm Metric Line Splice Kits

• 5 Minute Install - No Special Tools

100


















- - AIR76078











Line Splice Straight SAE/ Metric - 10 Pack

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y'
- Block Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part #	Size	Price
504150	AIR76503	5/16" Line	\$22.99
504149	AIR76502	3/8" Line	\$22.99
504146	AIR76501	1/2" Line	\$22.99
504152	AIR76504	5/8" Line	\$26.99
504154	AIR76505	3/4" Line	\$31.99



SKU 504103

Line Removal

• OE Approved

AIR76051

R134a / R12 Charging Hose Repair Kit SKU 295557 MSC91334-A

• 55 Piece Assortment of Replacement Gaskets, O-rings, Depressors for Charging Hoses and Adapters



" Lengths of Aluminum Tubing for SAE and Metric Lines



### Airsept 5 Piece Smart Splice Tool Assortment 5099

AIR76080 Includes: De Burring Tool, Tube Cutter, Caliper, Pex Crimper, Rubber Hose Crimper



OEM TOOLS



#### Manual Style A/C Hose Crimper, Bench or **Vise Mounted**



- The 71550 is our "Manual Style" A/C Hose Crimper. The Dies Snap Quickly into Place Requiring No Pins or Screws. The Unit Can Be Easily Mounted to a Bench Using the Holding Fixture or Can Be Easily Mounted to a Bench Using the Holding Fixture or Held Securely in a Vice. This Kit Comes with a Complete Set of Dies Covering Standard Hose Sizes #6, #8, #10 and #12.
- Includes: 71500 001 Yoke Assembly 71550 002 Arbor Assembly 71550 003 Holding Fixture Assembly 71500 6 Die Set #6 (5/16 ln.) 71500 8 Die Set #8 (13/32 ln.) 71500 10 Die Set #10 (1/2 ln.) 71500 -12 Die Set - #12 (5/8 In.) 71500-PB Custom Mold Box Carrying Case



#### Hydra-Krimp A/C Hose Crimping Tool

SKU 290027 MSC71500

- Repair A/C Hoses On or Off the Vehicle
- Includes a Complete Set of Dies Covering Hose Sizes #6, #8, #10, #12 and Reduced Barrier #6, #8, #10 and #12

🖌 Mastercool 🕻

SKU 688003


#### **Heavy Duty** Ratcheting **Hose Cutter**





Provide Quick, Clean and Accurate Cuts

 Cuts Rubber Hose and PVC up to 1-1/2" OD



## **RECOVERY/RECYCLE/ RECHARGE MACHINES**

Fully-Automatic Function: Program to recover, vacuum, leak test and charge without

Automatic Dye Inject: Gives the user the ability to use the machine to inject UV dye

Refrigerant and Oil Database: A/C system capacities for North American market

A/C System Flush: Flushes a vehicle's A/C system with refrigerant, eliminating any

Save and Print Before and After Service Data: Allows the user to store before and

after service information by vehicle and print this information to provide to a customer.

Visual and Audible Alarm: Notifies the user when service is complete, or if a problem

Automatic Air Purge: Eliminates system-damaging air without monitoring gauges or

Automatic Refrigerant Refill: Maintains a user-selectable amount of refrigerant in an

internal vessel and signals when it's time to change supply tank, no monitoring required.

Vacuum Feature: Defaults to 15 mins, programmable up to 99 mins. "Remaining time"

Refrigerant Charging: Select a charge mode from high or low side, or use both sides.

Refrigerant Management System: Displays refrigerant use and monitors remaining

Electric Vehicle: Capable of servicing high voltage electric compressor A/C systems.

Vacuum Leak Test: Monitors level after evacuation, informs of possible leak.

Oil Inject: Automatically inject oil back into the vehicle's A/C systems

vehicles (Optional - not included with the machine)

residual oil or other liquid. (Flushing adapters not included)

filter life. Prompts appear when 1/3 of filter life remains.

Automatic Oil Drain: A display reminds you to empty the graduated container to show

ROBINAIR.

Features

has occurred

opening valves

is displayed.

Printer

Display: Multilingual.

operating panel valves

into a vehicle's A/C system.

the amount of oil to replace



SKU249512 ROB34988

\$4199.99

34988

Х

Х

Х

х

Optional

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

SKU221185 ROB34288

\$2899.99

34288

Х

Х

Х

Х

Х



34788NI-H

Х

Х

Optional

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Optional

Optional

SKU751569 ROB34788NI SKU751572 ROB34788NI-H \$3799.99 \$3899.99

34788NI

Х

Х

Х

Optional

Х

Х

Х

Х

Х

Х

Х

Х

Х

Optional

Optional



SKU751575 ROBAC1234-6 \$6399.99

#### AC1234-6 1234YF A/C Service

- Fully automatic operation program for service, walk away and return when complete.
- 95% recovery efficiency
- Programmable vacuum operation helps get to the necessary vacuum level in any condition quickly.
- System leak test to identify gross leaks in a system.
- Charge accuracy within +/- 1/2 oz. • Automatic oil drain shows how much oil was removed from the
- system during service. • Automatic air purge removes the potential of air accumulating in the internal tank.
- Integrated refrigerant identifier(meets SAE J2927)
- Liquid refrigerant flushing function can flush A/C systems or individual components using liquid refrigerant instead of harsh chemicals.
- Automatic internal tank refill. No stopping to fill the internal tank during service, or before service.
- 1/4 Color VGA display. Large easy to read graphical display
- On-board printer capable of printing vehicle service report slips to present to customers.

## Diagnostic

**Refrigerant Identifier** 

## Fastest code-to-fix <sup>®</sup> with a lifetime warranty

#### New Bravo 2.0 software is faster and more responsive

The OTC Encore features enhanced diagnostic coverage and a lifetime hardware warranty. Warranty never expires if subscription is kept current. The mobile, Android-based system is easy to use, intuitive and fast

#### No tool helps you fix faster than OTC Encore

- Re-engineered Bravo 2.0 software is faster, more responsive.
- First OTC tool with Bosch coverage database for European vehicles, including Mercedes-Benz, BMW and Volvo
- AutoID most CAN vehicles in less than 5 seconds · Read and clear codes in seconds
- Access top reported code fixes in seconds





### 13,000 confirmed **HD** diagnostic fixes

New ESI[repair] subscription service with 13,000 trouble code fixes.

Free trial for current tool owners. Confirmed fixes based on module, code and truck configuration.

Visit boschdiagnostics.com/pro to learn more. 3824-08R

## **ESI** [Truck] HD Diagnostics

### **UNMATCHED COVERAGE AND REPAIR INFORMATION AT THE TRUCK**

The most complete diagnostic coverage for multibrand heavy-duty trucks and engines, performing special tests and parameter reset capabilities.



• Extended-hours tech service days, nights and Saturdays. Call 888-789-2602.

#### 30 Years of Unmatched OE Coverage

TPMS

sensor

process

here.

registration

Encore alerts technicians to on-tool or web-based repair information including Identifix Direct-Hit™.Full scan functionality, including OEM Domestic, Asian and European, bidirectional controls and enhanced data perform a Google search right within a diagnostic session.

SKU 463113

#### 3893

Encore, OBD II cable, USB cable, power adapter and hard carrying case. MAP price \$1899.00

## 3210 CodeConnect with ABS and Airbag

#### New and improved software with 4 multifunction buttons for added functionality.

- Expanded European ABS DTC coverage
- 26 Million+ CodeConnect Top Reported Fixes
- · Oil light and battery resets
- · Stores five vehicle's scan data
- · View vehicle fuel mileage using MAF data
- · USB update cable and batteries included



#### NEW REPAIR INFORMATION SUBSCRIPTION SERVICE

ESI[repair] subscription service for ESI[truck] includes 13,000 experienced based fixes. ALSO The tool includes fixes specific to trouble codes and symptoms with repair information that can be viewed while still in diagnostic mode.

#### TRUCK COVERAGE

Trucks: Freightliner, International, Kenworth, Mack, Volvo, Peterbilt, Sterling, Westernstar, MD Trucks (Freightliner Sprinter Van, Isuzu, GM and Ford). Trailer ABS Controllers; Allison and Eaton Transmissions

#### **ENGINE COVERAGE**

Heavy duty engines - Caterpillar, Cummins, Detroit Diesel-MBE, Deutz, Mack, MTU, Navistar, PACCAR, Perkins and Volvo. Medium and light duty engine software included.

SKU 851263

3824

#### WINDOWS 7 TABLET SCAN TOOL

Includes VCI, 6 pin and 9 pin cables

MAP price \$9995.99

3824BSC

#### SCAN KIT

Use with your shop PC

Includes Bosch diagnostic software, VCI, 6 and 9 pin cables.

#### MAP Price \$7450.00





Invented for life





Ask Your AutoZone® **Commercial Sales Manager** 

# Tool & Equipment QUARTERLY

## **Engine Service**



#### SKU 432093 6918 Ford Spark Plug

#### Remover Kit, Triton 3V

- Unique design helps prevent breakage by locking the plug porcelain core to the plug hex allowing it to turn as one complete unit.
- Will also pull plug porcelain
- core if plug hex only is removed. Detailed Instructions to maximize

#### success rate. Works on:

SKU 112478

**Belt Holding Tool** 

around many pulleys.

**Puller Service** 

applications.

5 lb. Hammer in

Finish.

SKU **110811** 

4579

**Polished Chrome** 

7424

- Ford 4.6L 3V V8 engines used in 2005-2008 Mustang, 2006–2008 Explorer.
- Ford 5.4L 3V V8 engines used in 2004–2008
- F-Series, 2005–2008 Expedition, 2005–2008 Lincoln Navigator.

· Keeps belt from falling off of a pulley during belt installation.

 Super strong magnet to hold the belt firmly on the pulley. · Multiple holders can be used for belt applications that fit

· Durable plastic housing with magnet for steel/iron pulley

· Universal design to fit most pulley styles and sizes.

• Ford 6.8L 3V V10 engines used in 2005-2008 F-Series 250-350-450.



## 6575

OTC Hub Grappler™

The Hub Grappler Kit is the complete solution for servicing wheel hubs and bearings on the vehicle without removing the steering components or knuckle. This eliminates unnecessary alignments or the use of a shop press, cutting service time dramatically. The new Hub Grappler Puller is specifically designed to apply

- maximum force with minimal effort from an impact gun to also minimize service time.
- The new jaws are designed and sized to properly fit hub applications and can be quickly located on the puller bar without the use of fasteners



- The new 3/4" custom drive screw coupled with the special equalizer washer provides smooth operation while the proprietary heat treat-ing extends its life 5-10 times longer than similar designs.
- 6 new adapters increases application coverage up to 2009 model year. Also includes tie rod/ball joint tool and 2 Ford axle installers.
- The Hub Grappler Application Guide is the most comprehensive hub and bearing service guide on the market. Developed to be the first tool used in the kit, it provides quick reference to the other tools in the kit required to do the job, eliminating guesswork and saving time.



#### **Ball Joint Intermediate Service Kit**

- This 20+ adapter kit covers many Truck/Van/SUV applications and some car applications.
- With the majority of Cars and Truck/Van/SUV applications having press-in ball joints and universal joints, this kit is designed to service many of those applications.
- This kit is a combination of 7249, 7918, and 7996 kits, and includes 20+ adapters, C-Frame, and
- Application Diagrams all provided in a case.



#### SKU 087314 **OTC5950A**

#### CrimPro™ 4-in-1

- **Angled Wire Tool**
- Compact 7-inch design.
- · Gripping nose.
- Crimper, 12-20 AWG insulated & non-insulated wire.
- Stripper strips 12-20 AWG wire.
- · Cutter ability to make cuts both above and below pivot.



• Pulls flange-type rear axles and most front-wheel drive hubs. · Internal and external jaws provide a variety of

**99**99

9-Way Slide Hammer Puller Set

- SKU 112536 109% 5900A

**Fasteners** 

#### Master TORX® Socket Set

52-piece, professional socket set in a blow-molded case. Hundreds of applications from front to rear on cars and trucks: - Interior and exterior trim screws

- Seat belt bolts - Tail lamp lenses & assemblies
- Engine assemblies
- Bumpers
- Door strikers & latches

- Headlight bezels - Brake rotor bolts

OTC

- gs, g
- Two- and three-way cross blocks and cone provide the perfect jaw configuration for most jobs.
- Set also includes a grip wrench adapter and a dent puller attachment for sheet metal or other unique pulling requirements.
- · Designed for use with other OTC 5/8"-18 thread slide hammer attachments.
- Packaged in blow-molded case.



#### SKU **491272** 1183

#### **Bearing Splitter Combo Set**


This combo pack contains four of OTC's most popular bearing splitters, plus a pulley pulling attachment. A rugged organizer case is included, enabling you to keep the tools together for instant use.

- GM front-wheel drive front wheel bearings
- -Truck box liners

SKU 291472 6980

- Styles available: TORX, TORX PLUS, tamper-resistant TORX and external TORX.
- · Made from superior S2 steel to meet or exceed torque specifications.
- Stripper strips 12-20 AWG wire
- · Cutter ability to make cuts





· 7-tons of force, yet weighs less than 10 pounds.

· Can be used with air tools to reduce time and fatigue.

**90**99

· Handles large components such as brake drums, rotors,

• One person can easily set the tool in place and use for tough pulls even where there is little access to insert the jaws.

**OTC Brake Drum & Rotor Puller** 

drive gears, flywheels, and pulleys.

• Spread to 12-3/4" and 5" of reach.

