TIRE SERVICE

DAN1381201





Dannmar® T-100 Tire Changer and B-100 Wheel **Balancer Combo**

SKU **818788** DAN1381801

REG. \$3,049.98

• Includes: DAN1381201 Dannmar T-100 Tire Changer and DAN1381202 Dannmar B-100 Wheel Balancer

• This Dannmar Combo is Best Suited for Gas Stations, Small Garages and Auto Salvage Yards. With the T-100, B-100 Combo You Get Great Value and More Bang for Your Buck

- T-100 Outside Clamp: 12" 22"
- B-100 Rim Diameter: 1" 28" • B-100 Includes Data Acquisition
- Wand and Quick Nut • 1 Year Parts Only Warranty

Lift Gate Service SKU **262534**DANLIFTGATE **100**00



Ranger Tire Service Package

3,69999 3,69999 REG. \$3,779.98

• Includes: R980XR NEXTGEN™ Swing-Arm 25" Tire Changer and the DST-2420 Dynamic Wheel Balancer

R980XR External Rim Clamping Capacity: 9" – 28"

• The Highly Accurate DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result Within Hundredths of an Ounce

Lift Gate Service SKU **262533** RANLIFTGATE 13500

Dual Position RimGuard™ Wheel Clamps

Wheel Weight Starter Kit Includes One Bulk Roll of 100 Silver Adhesive Steel Tape Weights, One Bulk Roll of 100 Black Adhesive Steel Tape Weights and One Starter Box of Mixed Clip-On Steel Tape Weights



RANR980XR

5,599.99 Tire Changer

+4,599.99 Wheel Balancer

\$9,599.99 COMBO DEAL

\$599.99 SAVE

\$10,199.98 TOTAL

SAVE ON COMBO OFFERS!

Combo with HOFMANN geodyna® 7100 Balancer and monty1520 **Tire Changer** SKU **079535**

HOFCOMB04

REG. \$7,549.98 • Includes:Hofmann geodyna 7100 Car Wheel Balancer with LED Display and

4,149.99 Tire Changer +3,399.99 Wheel Balancer \$7,549.98 TOTAL HOFM1520110 monty1520

\$5,899.99 COMBO DEAL



Lift Gate Service SKU **290017** HOFLIFTGATE **95**00

Combo with geodyna® HOFMANN 7200s Balancer and monty1575 Tire Changer plus Bead Assist

SKU **080105 8,39999** HOFCOMBO3 REG. \$8,999.97

• Includes:HOFEEWB746A_geodyna® 7200s High Performance Wheel Balancing System and HOFMONTY1575B Tire Changer

Also Includes Patented Easymont Pro, Aiding In Single-Operator Mounting/Demounting Of Extra-Stiff, Low-Profile High Performance and Run-Flat Tires



3,499.99 Tire Changer 4,099.99 Wheel Balancer +1,399.99 Bead Assist \$8,999.97 TOTAL \$8,399.99 COMBO DEAL \$599.98 SAVE



Lift Gate Service SKU **290017** HOFLIFTGATE 9500

monty® 1625

Tire Changer

HOFMONTY1625B

Repair Shops and

SKU **849300**

Coats® RC-55E and 1150-2D Tire **Service Combo** SKU **818790 9,599**99 AMMCOMBO1

REG. \$10,199.98

• The Ideal Combo Packed with Features for Front Line Tire Service

• This package includes: Coats AMM85001150 Wheel Balancer with direct drive, direct Tape-A-Weight® Measurement and Static-On-Screen combined with AMM8560995001 RC-55E Tire Changer featuring the RC Robo-Arm®,



Lift Gate Service SKU **262529** AMMLIFTGATE 5500

Tire Changers HUFMANN

montv® 1520 20" **Capacity Tire Changer** SKU **290001** H0FM1520110

 Outer Wheel Clamping Diameter: 10" - 18"

• Bead Breaker Range: 2" - 13" • Bead Loosening Power: 6,000 Lbs.

• Maximum Wheel Width: 13"

• Maximum Outer Tire Diameter: 40"

Lift Gate Service SKU **290017** HOFLIFTGATE 9500



monty® 1575 Tire Changer SKU **849298**

HOFMONTY1575B • Ideal for Shops Looking for Great Value Without Sacrificing

Productivity • Outer-Wheel Diameter of 21" • Accommodates Tire Diameter

• Powerful Inflation System

Lift Gate Service SKU **290017** HOFLIFTGATE 9500



HOFMANN 🌌

Car Dealerships • Outer-Wheel Diameter of 24" • Accommodates Tire Diameter of 42' • Powerful Inflation System **Lift Gate Service** SKU **290017** HOFLIFTGATE 9500

Designed for High-Volume Tire Shops, Multi-Bay

HOFMANN 🌌

monty® 1625EM HUFMANN Z 24" Capacity High Performance Tire Changer "with Bead Assit" SKU **467483**

H0FM1625EM110 • Outer-Wheel Clamping

Diameter: 10" - 24" • Bead Breaker Range: 2" - 18"

• Bead Loosening Power: 6.000 Lbs. • Maximum Wheel Width: 15"

• Maximum Outer Tire Diameter: 42"

Lift Gate Service SKU **290017** HOFLIFTGATE 9500



Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Ranger.

Tool & Equipment Quarterly

Tire Changers

Tilt Back Tire Changer / 30" **Capacity NextGen™Series**

SKU **544546** RANR76LT

• Drive System Type: Electric/Air

- Motor: 2 HP (110 220VAC 50 60 Hz)
- Air Requirement: 110 175 PSI/8 12 Bar
- External Rim Clamping Capacity: 9" 28" • Internal Rim Clamping Capacity: 10" - 30"
- Table Clamping System: Dual Pneumatic Cylinders
- Bead Breaking System: Pneumatic
- Tower Design Tilt-Back

Lift Gate Service SKU **262533** RANLIFTGATE 13500



TOP SELLER

Swing Arm Tire Changer / 30" Capacity NextĞen™ Series

SKU **312817** RANR980XR

- Drive System Type: Electric/Air
- Motor: 2 HP (110/208 240VAC 50 60 Hz)
- Air Requirement: 140 165 PSI/ 10 11 Bar
- Bead Breaker Tire Width Capacity Demount: 1.5" - 16" (38 mm - 406 mm)
- Internal Rim Clamping Capacity: 10" 30" (254 mm - 762 mm)
- External Rim Clamping Capacity: 9" 28' (229 mm - 711 mm)
- Bead Seating System: Turbo Blast/Bead Seating

Lift Gate Service SKU **262533** RANLIFTGATE 13500



Ranger.

Swing Arm Tire Changer 30" Capacity NextGen™ **Series**

SKU **544590** RANR980XRF

Internal Rim Clamping

- Capacity: 10" 30"
- Maximum Tire Diameter: 50"
- 2 HP, (208 240V, 50 60 Hz, 1 Phase Only)

Lift Gate Service SKU **262533** RANLIFTGATE 13500

Features True Variable Speed Control



? Ranger

» Ranger

Ranger

Swing Arm Tire Changer / Single Tower Assist / 30" Capacity NextGen™ Series

SKU **544537**

RANR980AT

- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30" • Maximum Tire Diameter: 50"
- Motor: 2 HP (110/208 240V, 50 60 Hz)

Lift Gate Service SKU **262533**RANLIFTGATE **135**00

RimGuard™ 28" Swing-Arm and **Single Power Assist Tire Changer**

SKU **544542**

RANR980ATF • 2 HP (208 - 240V, 50 - 60 Hz, 1 Phase Only)

- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30"
- Maximum Tire Diameter: 50"



Features True Variable Speed Control



SKU **544547** RANR980NXTF

• 2 HP (208 - 240V, 50 - 60 Hz,

- 1 Phase Only) • External Clamping (Outer): 9" - 28"
- Maximum Tire Diameter: 50"

Features True

Variable Speed **Control**

Lift Gate Service

SKU **262533** RANLIFTGATE 13500



Tilt Back Tire Changer / Right Tower Single Assist / 30" Capacity NextGen™ Series

SKU **544543**

RANR76ATR 3,4999

• Alloy Steel Mount and Demount Head, Nylon Tool Head

- also Comes Standard • External Rim Clamping Capacity: 9" - 28"
- Forged Steel Foot Pedal Levers
- Maximum Tire Diameter: 43"

Tilt-Back 28" with Assist **Tower Tire Changer**

SKU **544550**

RANR76ATRF

• External Rim Clamping Capacity: 9" - 28"

• Maximum Tire Diameter: 43"

• 2 HP (208 - 240V, 50 - 60 Hz, 1 Phase Only)

Lift Gate Service SKU **262533** RANLIFTGATE 13500

Control



Swing Arm Tire Changer / Single **Tower Assist / 32" Capacity NextGen™ Series**

SKU **312819** RANR30XLT

- Internal Rim Clamping Capacity: 13" 33"
- External Rim Clamping Capacity: 10" 28" • Turntable Tire Width Capacity Mount: 5" - 22"
- Bead Breaker Tire Width Capacity Demount:
- Maximum Tire Diameter: 50"

Lift Gate Service SKU **262533** RANLIFTGATE 13



Tire Changers

BL300 Tire Changer with 24" External **Clamping Capacity**

SKU **510997**

AMM85002300

- Drive System: Electric
- Rim Width: 10" Maximum
- Includes Bead Sealing Jets to Aid in Inflation
- Wheel Clamping Capacity: 10" 24" External 12" - 26" Internal

Lift Gate SKU 262529 Service AMMLIFTGATE



ENTRY LEVEL TIRE CHANGERS

User Setup Required. Factory Authorized Service Network Available.



Changer/Balancer Combo and Receive

Comes with 1 Year Motor and Trans Parts Only Warranty

BL500 Tire Changer with 24" External Clamping and Robo-Arm®

SKU **509828** AMM85002500

- Drive System: Electric
- Rim Width: 10" Maximum • Includes Bead Sealing Jets to Aid in Inflation
- Wheel Clamping Capacity: 10" 24" External, 12" 26" Internal
- Fully Articulating Robo-Arm Helper to Aid in Mounting Stiffer Sidewall Tires

Lift Gate SKU 262529 Service AMMLIFTGATE





Receive a \$400 Rebate!

TIRE SERVICE

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager



RC-55E Rim Clamp® **Tire Changer**

SKU **688223 5,599**99 AMM8560995001

Robo-Arm® Power Assist for

- Low-Profile and Run-Flat Tires
- External Rim Clamping Range from 10" – 21" Diameter
- Maximum Rim Width 10.5"
- Maximum Tire Diameter 50"

• Electric Turntable

Lift Gate Service SKU **262529** AMMLIFTGATE 5500



NEW

Price Does Not Include Tires or Rims as Shown.

70X Rim Clamp® Tire Changer SKU **979918** SKU **979918** AMM80070XEH1 **8,04999**

• Increase Clamping Capacity: 6" - 24"

• Max Rim Width: 14"

• Max Tire Diameter: 50" • Includes Basic Kit

NEW

Grip Max® Plus Adjustable Clamps SKU **012699**

AMM85607986 • 16"-28" External Clamping

• Updated Jaw Profile Accommodates Newer Rim Flange Profiles

• Wider Grip Contact Area and New Material Further Reduce Slip on Polished Surfaces

Lift Gate Service SKU **262529** AMMLIFTGATE 5500



COALS



90X Rim Clamp® Tire Changer with Robo-Arm®

SKU OUTSIDE BUY/EPO

AMM80090XEHL • Hybrid Leverless Duckhead® - Eliminates Traditional Tire Tools That Can Mar The Surface By Eliminating The

• RoboRoller®- Provides Additional Power When Mounting Difficult Tire Assemblies

• Rim Diameter: 6-24" External

Metal-To-Metal Contact

• Rim Width: 14" Max • Tire Diameter: 50" Max

Lift Gate Service

SKU **262529** AMMLIFTGATE 5500

Ranger.

APX90E Tire Changer SKU **OUTSIDE BUY/EPO**

AMM85000222

 Large Clamping Capacity -Externally Clamps Wheels
Up To 30" Or As Small As 9"

• Hi Torque Electric Turntable

• Three Position Bead Loosener • Max Rim Width: 16" Maximum

• Max Tire Diameter: 44" Maximum

Lift Gate Service SKU **262529** AMMLIFTGATE 5500



Wheel Balancers

Digital Wheel Balancer SKU **977528**

RANDST2420

- Motor: 3/4 HP, 110V/220V 50/60 Hz, 1 Phase • Balancing Modes: Dynamic/Static/ 3 Alloy
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating
- Max. Tire Diameter: 47"/ 1,194 mm
- Max. Tire Weight: 145 Lbs.
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 oz • Accuracy: + 1 Gram/.035 oz

SKU **850058**

Wheel Weight Starter Kit Includes One Bulk Roll of 100 Silver Adhesive Steel Tape Weights, One Bulk Roll of 100 Black Adhesive Steel Tape Weights and One Starter Box of Mixed Clip-On Steel Tape Weights



TOP SELLER

Digital Wheel Balancer

SKU **343398** RANDST-64T

• Ergonomic Control Board with Soft Touch Keys and Easy-to-Read LED

• Motor: 1.5 HP, 208 - 230V, 50/60 Hz,

• Maximum Tire Diameter: 50"

• Maximum Tire Weight: 150 Lbs.

Cycle Time: 6 - 12 Seconds (Avg.)
 Depending On Wheel

• Precision-Machined, Hardened-Steel 36 mm Shaft

Bulk Roll of 100 Silver Adhesive Steel Tape Weights One Bulk Roll of 100 Black Adhesive Steel Tape Weights and One Starter Box of Mixed Clip-On Steel Tape Weights

71099 • Works with Ranger Wheel Balancers Listed On This Page



Lift Gate Service SKU **262533** RANLIFTGATE 13500

DON'T FOREST THE ACCESSORY



Truck Cone Kit SKU 902536 RANRWS-1TC-1

Hofmann Geodyna™ 7200s

Wheel Balancer SKU **467485** HOFEEWB746A

- Semi-Automatic Data Entry with Gauge Arm and SmartSonar
- Video Display
- · Balance Time: 6 Seconds
- Includes: Set of 4 Cones with Drum, Ziplock Ring Nut, Rim Caliper and Weight Pliers

SKU **290017** HOFLIFTGATE 9500



HOFEEWB761A • Combines High Accuracy with Small Footprint • Semi-Automatic Input of Rim Diameter and Offset with Gauge Arm • Short Balancing Cycle: 4.5 Seconds

- Rim Diameter: 8" 32"
- Max Wheel Diameter: 37.8 • Includes: Set of 4 Cones

Lift Gate Service SKU **290017** HOFLIFTGATE **9500**



Lift Gate Service

Free Delivery!

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.

Delivery Included on Tire Changers and Wheel Balancers



1-877-AZTool1 (1-877-298-6651) Hablamos Español

BASELINE

Tool & Equipment Quarterly



BaseLine 350 Wheel Balancer AMM85002350 **2,09999**

- Manual Data Entry
- Foot Pedal Brake for Easy Weight Placement
- Self-Diagnosis and Self-Calibration
- One Button Split and Hidden Weight Program



Purchase the Tire Changer/ **Balancer Combo and** Receive a \$200 Rebate!

BASELINE **ENTRY LEVEL** WHEEL BALANCER

User Setup Required. Factory Authorized Service Network Available.

BASELINE

BaseLine 550 Wheel Balancer SKU **818786**

- AMM85002550 Automatic Distance and
- Direct Weight Location

Diameter Entry (2D)

• Direct Selection Ounce/Grams



Purchase the Tire Changer/Balancer Combo and Receive a \$400 Rebate!

Comes with 1 Year Parts Only Warranty **Balancer** SKU 210246

BASELINE

5500

AMM85007775 For Low to Medium

775 Wheel

- Volume Shops Handles Assemblies Up to 100 Lbs.
- Integrated LED Matrix Display • 10 Balancing
- Modes

Self-Calibrating



Lift Gate Service SKU **262529** AMMLIFTGATE 5500

1100 Wheel **Balancer**

(220V, 1 Phase) SKU **527704** AMM85001100 3

- Shaft Diameter: 40 mm
- Maximum Tire
- Diameter: 44" • Maximum Wheel Capacity: 150 Lbs.
- 220V, 1 Phase

1150 Wheel Balancer (220V, 1 Phase)

SKU **527702** AMM85001150 4

- Auto Distance and Diameter Data Entry
- Behind the Spoke Mode
- 40 mm Shaft Diameter • Maximum Tire Diameter: 44

Lift Gate Service SKU **262529** AMMLIFTGATE 5500

V200-3D Wheel Balancer with Laser

Lift Gate SKU 262529

Service AMMLIFTGATE

SKU **688221** AMM800V2003D 👅

BASELINE

- Touch-Free Operation for 85% of Wheel Balances
- Powered By Direct Drive and ProBalance Technology™
- Industrial-Grade Touchscreen
- Laser Guided Operation
- Reduces 80% of Unbalance Related Comebacks



Lift Gate Service SKU **262529** AMMLIFTGATE 5500

Must be Purchased with One of These 3 Adapter Kits:

Basic Pro Adapter Kit

SKU 688219

AMM85609487

Extended Pro Adapter Kit SKU 688220 AMM85609488

Premium Pro Adapter Kit

AMM85609489 **2,34999**

1250-2D Series

40mm Wheel

Balancer

AMM85606431 **5,899**99

- Laser Guided Operation
- LED Display
- Tire Diameter: Up to 44" • Rim Width 2" to 20"
- 220V/1PH

Lift Gate Service SKU **262529** AMMLIFTGATE 5500

Lift Gate Service

AMMLIFTGATE 5500

SKU **262529**

1250 Balancer **Basic Passenger Car Coverage Kit - 40mm**

SKU **432079**

- AMM8500997401
- Basic Kit for 1250 Series Balancer • Covers Most OE Cars and Some OE Light Trucks

Hub Nut, Stub Shaft, Storage Pegs

 Small Cone (1-3/4" to 2-1/4"), Medium Cone (2-1/4" to 3"), Large Cone (3" to 3-3/8"), Light Truck Back Cone, Premium Wheel Weight Hammer, Small Pressure Cup and Rubber Lip, Spring, Calipers,



1250 Balancer **Extended Passenger Car** Coverage Kit - 40mm

SKU **818743**

AMM85009976 **1,12499**

Shaft, Storage Pegs

- Extended Kit for 1250 Series Balancer • Covers Most OE Cars and OE Light Trucks
- Small Cone (1-3/4" to 2-1/4"), Medium Cone Small Colle (1-3/4 to 2-1/4), Medium Colle (2-1/4" to 3"), Large Cone (3" to 3-3/8"), Light Truck Back Cone, Wheel Weight Hammer, Hub Nut, Small Pressure Cup and Rubber Lip, Spring, Calipers, Stub Shaft, Storage Pegs, Short Cone, Light Truck Cone Kit 4.8" – 6.8", Faceplate Extracient in Spring Colleges Hub Nut, Stub

ExtensionLip, Spring, Calipers, Hub Nut, Stub



1250 Balancer **Premium Passenger Car and Light Coverage Kit - 40mm** SKU **818749**

AMM85009977

- Premium Kit for 1250 Series Balancer
- Covers Most OE Cars, Light Trucks and Includes Pin Plates and Storage Rack
- Kit Includes: Small Cone (1-3/4" to 2-1/4"), Medium Cone (2-1/4" to 3"), Large Cone (3" to 3-3/8"), Light Truck

Back Cone, Wheel Weight Hammer, Hub Nut, Small Pressure Cup and Rubber Lip, Spring, Calipers, Stub Shaft, Storage Pegs, Short Cone, Light Truck Cone Kit 4.8" – 6.8", Faceplate Extension, Pin Plates with Balancer Mate

Mount/Demount

Nylon Mount/Demount Head Kit with Round Hole

SKU **459195** TMRTC14024784







Must Be Purchased with One of These 3 Adapter Kits:

3602 3602HP 4260 4560MR Accuturn

4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP John Bean EHP System IVE, IV, III, IIE Snap On

Models

Hofmann John Bean Snap On

Accuturn

Fits On

3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP EHP System IVE, IV, III, IIE

Coats

5030, 5040, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660

TMRTC250309

Kit with Round Hole

Red Nylon Mount/

Coats Nylon Mount/

Demount Head - Tapered Hole

Nylon Mount/Demount Head

SKU **459185**

TMRTCR343

SKU **459183**

TMRTC183061

SKU **459187**

TMRTC450310

Fits On Models

TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, Hunter Accuturn

7060, 7065, 7655, 7660 and 7665

BL200, BL300, BL400 and BL500

(Require Adapter) 220A, All Other Models Require 102765 Adapter R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models,R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter

5030, 5040, 5050, 5060, 5065, 6050, 6060, 7050, 7055,

Coats Nylon Mount/Demount Head - Tapered Hole

TMRTC20024335

TMRTC184432

SKU **557241**

TMRTC14120

SKU **899502**

RAN5150524

Low Profile Mount/Demount Head SKU **557259**

Mounting Flange for Demount



Tool Head for Hunter



Hunter

TCA34 with Serial Numbers 664 and Above

Ranger Ranger

Coats Nylon Mount/Demount Head - Tapered Hole SKU **459189**

Corghi Hofmann Sice All Tool

> Coats Corghi

Giuliano

Hofmann

Hunter

All Models

All Tool

Coats

Ranger

Coats

Baseline

All Models RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90 All Rim Clamp Earlier Models Except 1550, 1620 and 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436 and S436TC

RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90 All Rim Clamp Shaft Needs to Be Turned 180 Degrees for This Head to Work Earlier Models Except 1550, 1620 and 1625 Fits All TCX Series (Earlier TCX500 Requires Upgrade Shaft and Kit RP11-8-114-00091)

M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436 and S436TOP

Head (Flange Only)*

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.

Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

TIRE SERVICE



Scan Tool or Other Accessories. This Tool Functions at the Original **Equipment Level on all Vehicles -Domestic, European and Asian**

ATEQ

VT55 OBDII TPMS Diagnostic Tool SKU **095059** ATEVT550BDII

- Simply Input Vehicle and Start TPMS Tests
- Complete Sensor Diagnostics ID#, PSI,
- Temperature and Battery Status • Triggers All OE Domestic and Import Sensors
- ECU OBDII Programming for Asian Vehicles
- No Scan Tool Required • Free Technical Hotline
- Support • Free Internet Updates for First Year

Offer Good Through **September 30, 2016** While Supplies Last



TPMS Tools and Readers

TPMS Service **Tool Kit**

Dynamic

527699 DYNDY-312

• Includes: Torque Wrench with 11 mm and 12 mm Sockets, Torque Tool for Valve and Sensor, Valve Core Torque Tool 12 In/Lbs., Grommet Removal Tool, Grommet Pick Tool



SKU **531172** ATEVT30-1000

- Decode and Display All TPMS Sensors Currently On the Market, Your's Included
- Synchronize Through Internet Using a **USB** Connection On a PC



MaxiTPMS® TS401 **Diagnostic and Service Tool** 255740 AULTS401

- Activates All Magnetic, Frequency, and Tire Deflation Sensors on All Vehicles
- Receives Both 315MHz and 433MHz Signals
- Reads Sensor ID, Tire Pressure, Temperature, Battery Condition, and OE Part Number • Checks Remote Keyless Entry for Transmissions
- Provides Visual and Audible Responses to Confirm Sensors Are Working Properly
- Intuitive Navigation and Step-by-Step On-Screen Instructions
- Built-in Rechargeable Li-Polymer Battery
- One Year Free Online Software Updates and Multilingual Support
- Saves Up to 10 TPMS Records for Future Data Review
- · Automatic Power-Off to Preserve Battery Life

MaxiTPMS® TS501K Autolus

TPMS Tool 544586 ATEVT56

 VT56 OBII Kit Includes: VT56 Diagnostic Tool, OBDII Interface Connector, OBDII to VT56 Ethernet Cable, USB PC Cable, Power Adaptor, Update Software,

Quickstart User Manual

ATEQ Hard Kit Carry Case

Diagnostic



Diagnostic and Service Tool with 8 Sensors 850650

- AULTS501K **54999** • Activates Sensors Using 125KHz Continuous or Modulated Wave Signals
- Programs Vehicle ECU to Learn Sensor IDs and Positions
- Capable of Programming Single Tires
- Reads/Clears Codes of TPM System • Reset TPMS Malfunction Light
- Display Replacement Part Number

315MHz / 433MHz Universal **Programmable MX-Sensors**

SKU **080038** SKU **080039**

315MHz AULMXSENS315M **433MHz** AULMXSENS433M • Built to Perform like OE Sensors in

Terms of Signal, Durability and Functionality • Automotive Battery Grade to Meet Severe Weather Conditions

- High-Precision Air Valve to Prevent Air Leakage • Replaceable Aluminum Valve Stem is Anodized for Corrosion Resistance
- Robust Clamp-in Pivoting Stem Design Allows for 0-35 Degree
- Angle Adjustment to Fit All Wheels Types
- The 2-SKU Sensor Solution Covering 98% of All OE Sensors





Autelus

Autelus

NEW



SKU**760944** WRT400PRO

1,699⁹⁹

- ☑ More OBD Relearns
- **☑** Wireless Updates
- ☑ TPMS Placard Adjusting
- ☑ Wireless Inductive Charging
- ☑ Passive Key System testing











HERE'S THE DEAL!

Do you have an old Bartec TPMS Tool? Maybe you have one of those "FREE TOOLS" given to you by a sensor distributor? Either way, this is a great opportunity to upgrade! Contact your local AutoZone store, or go to bartecusa.com/tpms-promotions.html

to learn more about the \$800 in add-on items you can receive when trading in your old TPMS tool!

Offer ends 9/30/2016, or while supplies last.

MAXISYS

AUGUST



FEATURES

TETHERED CABLE OBDII CONNECTOR



AULMS906

- COVERS US / ASIAN / **EUROPEAN VEHICLES**
- INSTANTLY RETREIVES **VEHICLE INFO**
- OE-LEVEL VEHICLE **COVERAGE & FUNCTIONS**
- DETECT & DISPLAY FAULTS & TROUBLE CODES
- LIVE DATA VIEW / PRINT / STORE / PLAYBACK
- DEDICATED SERVICES **SECTION - OIL SERVICE** RESET, TPMS RELEARN, EPB, ABS/SRS, SAS
- FULL-SCREEN WAVEFORM GRAPHING ANALYSIS WITH TRIGGER-TYPE RECORDING MODES



SKU **040101**

1,499.99

















DID YOU KNOW?

There are over 120 million vehicles on the road with TPMS and that equates to almost 500 million sensors that will need to be replaced in the coming years.

Contact Your AutoZone Commercial Sales Manager

Tool & Equipment Quarterly

Wheel Weights



Steel Wheel Weights

Complete Wheel Weight Program Available!

Call 1-877-AZTool1 or go to AZTool1.com for More Styles and Information

AZ SKU Number	PART NUMBER	STYLE	QUANTITY	PRICE
382853	AMM025PFEPK4	PFE, 0.25 oz	4 Boxes of 25	23.99
382919	AMM050PFEPK4	PFE, 0.50 oz	4 Boxes of 25	24.99
382920	AMM075PFEPK4	PFE, 0.75 oz	4 Boxes of 25	28.99
382921	AMM100PFEPK3	PFE, 1.00 oz	3 Boxes of 25	27.99
382922	AMM125PFEPK3	PFE, 1.25 oz	3 Boxes of 25	31.99
382923	AMM150PFEPK3	PFE, 1.50 oz	3 Boxes of 25	34.99
382924	AMM175PFEPK3	PFE, 1.75 oz	3 Boxes of 25	37.99
382925	AMM200PFEPK3	PFE, 2.00 oz	3 Boxes of 25	39.99
382926	AMM225PFEPK2	PFE, 2.25 oz	2 Boxes of 25	29.99
382927	AMM250PFEPK2	PFE, 2.50 oz	2 Boxes of 25	31.99
382928	AMM275PFEPK2	PFE, 2.75 oz	2 Boxes of 25	32.99
382841	AMM025MCFEPK4	MCFE, 0.25 oz	4 Boxes of 25	30.99
382842	AMM050MCFEPK4	MCFE, 0.50 oz	4 Boxes of 25	34.99
382843	AMM075MCFEPK4	MCFE, 0.75 oz	4 Boxes of 25	38.99
382844	AMM100MCFEPK3	MCFE, 1.00 oz	3 Boxes of 25	33.99
382845	AMM125MCFEPK3	MCFE, 1.25 oz	3 Boxes of 25	38.99
382846	AMM150MCFEPK2	MCFE, 1.50 oz	2 Boxes of 25	30.99
383004	AMM025TFEPK4	TFE, 0.25 oz	4 Boxes of 25	30.99
383005	AMM050TFEPK3	TFE, 0.50 oz 3 Boxes of 25		27.99
383021	AMM025ALFEPK4	ALFE, 0.25 oz	4 Boxes of 25	30.99
383022	AMM050ALFEPK4	ALFE, 0.50 oz	4 Boxes of 25	34.99
383129	AMM25LHFEPK3	LHFE, 0.25 oz	3 Boxes of 25	25.99
383130	AMM50LHFEPK3	LHFE, 0.50 oz	3 Boxes of 25	27.99
383038	AMM10GFNFEPK3	FNFE, 10g	3 Boxes of 25	28.99
383039	AMM15GFNFEPK3	FNFE, 15g	3 Boxes of 25	30.99
383107	AMM10GENFEPK4	ENFE, 10g	4 Boxes of 25	34.99
383108	AMM15GENFEPK4	ENFE, 15g	4 Boxes of 25	37.99
383118	AMM10GIWFEPK4	IWFE, 10g	4 Boxes of 25	34.99
383119	AMM15GIWFEPK3	IWFE, 15g	3 Boxes of 25	30.99













Introducing Lead Wheel Weights*

BADA's Thinline Style Un-Coated Wheel Weights Are Designed for Steel Wheels On All Import and Domestic Passenger Cars, 1/2 Ton Trucks and All Mini Pickups and Vans with Standard .125" Flange

AZ SKU Number	PART Number	SIZE (OUNCES)	QUANTITY	PRICE
752047	AMM5522025PK4	0.25	4 Boxes of 50	26.99
752041	AMM5522050PK4	0.50	4 Boxes of 50	33.99
752042	AMM5522075PK4	0.75	4 Boxes of 50	45.99
752043	AMM5522100PK3	1.00	3 Boxes of 50	40.99
752044	AMM5522125PK3	1.25	3 Boxes of 50	50.99
752045	AMM5522150PK2	1.50	2 Boxes of 50	39.99
752046	AMM5522175PK2	1.75	2 Boxes of 50	49.99
752048	AMM5522100200	2.00	1 Box of 50	29.99
752051	AMM5522100225	2.25	1 Box of 50	34.99
752053	AMM5522100250	2.50	1 Box of 50	36.99
752065	AMM5522100275	2.75	1 Box of 50	36.99
752066	AMM5522100300	3.00	1 Box of 50	41.99
752066	AMM5522100300	3.00	1 Box of 50	41.99



Domestic Cars and Light-Trucks with Steel Wheels

*Due to environmental laws we are prohibited from supplying lead wheel weights to certain states. If you are ordering lead wheel weights from one of the following states your order will not be processed: California, Maine, Vermont, New York, Washington, Minnesota and Illinois. We do offer steel wheel weights as a suitable alternative to lead wheel weights.

Tape-A-Weight® Steel Wheel Weight

AZ SKU NUMBER	PART NUMBER	SIZE (OUNCES)	QUANTITY	PRICE
019312	AMM5533601025	0.25	10 Lb. Roll	54.99
019310	AMM5533701050	0.50	10 Lb. Roll	54.99
019304	AMM5533600300	0.25	25 Strips - 12 Segments Each	44.99
019294	AMM5533700500	0.50	24 Strips - 10 Segments Each	54.99
019301	AMM5533800700	1.00	16 Strips - 7 Segments Each	54.99



SKII 019292 AMM5310025

Stand only, Weights Not Included



Steel Weight Starter Kits

Metal Floor Rack with 1,700 Steel Weight Assortment SKU 383179

AMM5202075

 Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-a-Weight Scraper, 8 Styles of Wheel Weights: MCFE,

 March 1988

 Medium 1988 ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

Bench Top Rack with 1,000 Coated **Steel Weight Assortment**

SKU **383181** AMM5202125



• Louvered Rack Can Be Placed On Top of Any Work Bench • Includes: Steel Back, Application Guide, Header Card, Bin. Labels, Rim Gauge, Wheel Weight Hammer, (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange



8 Piece Wheel Stud Alignment Guide Kit

Installing the Wheel Bolts

SKU **818715**



• Application: Mercedes, BMW, Audi, VW, Porsche, Fiat and Dodge

Sizes Included: 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75 Offer Good Through September 30, 2016 While Supplies Last

<u>⊙≓M</u> TOOLS

5 Gallon Bead Seater SKU **526505** 24449 REG: \$199.99

 Seats Beads On All Tires from Small 4 Tires to 24-1/2" Truck Tires

• Operates On Standard Shop Air; Max. 120 PSI • Lip On Barrel Allows for Proper

Angle for Correct Bead Seating

Offer Good Through September 30, 2016 - While Supplies Last

Tire Service Tools

5 Piece **Torque Limiting Extension** Set (1/2" Drive)

SKU **965858** 24220

- · Quick, Simple and Accurate Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/ Lbs., 80 Ft/Lbs., 100 Ft/Lbs., 120 Ft/ Lbs. and 140 Ft/Lbs.



8 Piece Torque Limiting **Extension and Thin Wall** Socket Set (1/2" Drive) SKU **347217**

24228 • (4) Extension Bars: 65 Ft/Lbs. (90 nm),

90 Ft/Lbs. (120 nm), 100 Ft/Lbs. (135 nm) and 110 Ft/Lbs. (150 nm)

O=M TOOLS

• (4) Deep Sockets: 17, 19, 21 and 22 mm



While Supplies Last

OEM TOOLS 10 Piece 3 Piece, **Torque Limiting** Extra Thin Wall, Wheel/ Socket Set (1/2" Drive) **Nut Protector Impact** Socket Set (1/2" Drive)

SKU **965855** 24221

• Prevents Under and Over Torquing

• Includes: 17 mm x 55 Ft/Lbs. 17 mm x 80 Ft/Lbs. 21 mm x 80 Ft/Lbs. 19 mm - 3/4" x 100 Ft/Lbs. 19 mm - 3/4" x 65 Ft/Lbs. 19 mm - 3/4" x 80 Ft/Lbs. 22 mm - 7/8" x 120 Ft/Lbs.



4 Piece, OEM TOOLS **Deep Thin Wall, SAE** and Metric Impact Flip Socket Set (1/2" Drive)

SKU **965857** 24223

• Includes 3/4" - 13/16' 19 mm - 21 mm and 7/8" - 15/16"

Sockets and 3" Extension

16 Piece Locking

Lug Master Key

Most Aftermarket Wheels

SKU **626107**

· Chart Included

24447



• Easily Removes Locking Lug Nuts On

Well As 13/16" and 7/8" Sockets

• Comes in a Blow Mold Case

• Thin Wall Sockets Prevent Damaging Wheels and Lugs

• Double Hex-Head Design Fits Most Lug Wrenches As

9 Piece OEM TOOLS **Wheel Lock Removal Impact Socket Set** (1/2" Drive)

24225

SKU **965865** • Includes: GM Hubcap Lock Remover,

GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18 mm Lug Nuts, GM "M" and "F" Body

Wheel Lock Remover and Lug Nut Remover Punch

OEM TOOLS



OEM TOOLS

Wheel Weight **Hammer Tool**

SKU **217378** 25690

9 Piece.

• Tool Installs, Removes Trims and Tightens All Types of Clip-On Wheel Weights

• Features a Special Plastic Material On Hammer Head for Safe Mar-Free Installation of Specially Coated Wheel Weights Used On



OEM TOOLS

OEM TOOLS

• 17 mm / 11/16" – Blue • 19 mm / 3/4" - Yellow

• 21 mm / 13/16" - Red

SKU **094646**

25583



Extra Thin Wall. SAE and Metric Wheel Protector Impact Socket Set (1/2" Drive) SKU **965856**

24224

- Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from
- Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



3 Piece OEM TOOLS **Super Strength Wheel Nut Impact** Socket Set (1/2" Drive)

SKU **347212** 24227

• Color Coded for Easy Size Identification Blue - 17 mm Gold - 19 mm and Red - 21 mm



Standard Thin Wall Sockets

lisle

Than

SKU **222512** LIS22800 Easily Installs New Wheel Studs

Wheel Stud Installer

• Use with a Ratchet or Impact Wrench to Pull

the New Stud Securely in Place · Works On Most Automotive and Light Duty Truck

Wheel Studs, Foreign and Domestic

Truck Wheel Stud Installer SKU **222516**

LIS28950 • Installs Most Truck Wheel Studs in Seconds

• Use with an Impact Wrench or Ratchet

• Thrust Bearing Easily Pulls the New Wheel Stud into Place • Fits Truck Wheel Studs Up to 22 mm (7/8") in Diameter

THEXTON

2 Piece **Tool Set**



Spare Tire OEM TOOLS **Removal Tool Kit**

SKU **479984** THX497X

• Kit Includes a Hand Crank and (6)

Different Zinc Plated Steel Tools to Fit Most Pick-Ups, Vans and SUV-Type

Kit is Complete in Heavy Nylon Pouch that Fits Easily Behind the Seat in the Truck or in

Tire Tube Test Tank SKU **291382**

LIS19822



Extra Support • Will Handle Passenger Tire Sizes to Wide Oval and Light Duty



31" (L) 12" (W) 12" (H)





VCTSET

Firm Grip

• Includes 2'

and 4" Tools

SKU **255622**

· For Inserting or Removing Valve Cores Ergonomic Shaped Handles that Provide