AUTOMOTIVE LIFTS

2 Post Lifts 10.000 Lbs. F10 2 Post Lift

- Includes (4) 3.5" and 5" Adapter
- Warranty: 60 Days Labor, 18 Months

Parts, 5 Years Structural



10,000 Lbs. Dual Width Clearfloor **2 Post Lift**

Symmetric SKU 210257 BENXPR10

Asymmetric SKU **210249**

BENXPR10A 3,09999

Low Profile Arm SKU **557238** BENXPR10LP

Asymmetric Low Profile Arm

BENXPR10ALP

SKU **557237**



- Lifting Capacity: 10,000 Lbs.
- Rise: 69"
- Overall Height: 145"
- Overall Width: 132" 145"



Two Years (24 Months) Warranty on the hydraulic cylinder(s) and power unit
One Year (12 Months) Warranty on operating components

One Year (12 Months) Labor Warranty on site or at factory

One Year (12 Months) Free-Shipping* on ground-freight charges related to warranty performance

Free-shipping applies to direct shipping points within the 48 continental United States. Rural area shipping surcharge may apply for remote addres See BendPak.com for specific terms of warranty.

CL Challenger Lifts

10,000 Ľbs. 2 Post 2 SKU 847098 2 **2 Post Vehicle Lift**

Challenger SA10

- Can Be Configured in Either the Symmetric or Asymmetric Position • 3 Stage Front Arms Provide
- Greater Overall Arm Sweep
- Double Telescoping Screw Pads to Minimize the Need for Adapters



10,000 Lbs. 2 Post Lift SKU **298485** CHLCL10V3

Versymmetric 3 Stage Arms

- Column Height: 11' 3'
- Adjustable Width Overall: 11 6-1/2" / 11 11
- Floor to Overhead Switch: 134.5"
- · Ceiling Height Required: 11' 11"
- Drive-Thru Clearance: 100" / 104-1/2"





Adapter Set SKII 263557 | CHI 10315

THIS

Adapter Set SKU **263785** | CHL10318

Offer Good Through September 30, 2016 - While Supplies Las

CL Challenger Lifts



Designed to lift ANYTHING FROM A COMPACT CAR TO A



Frame Cradle

• Rise Time: 45 Seconds • Motor: 220 VAC/1 Ph (Truck Adapters Included)

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

10,000 Lbs. 2 Post Lift SKU **264325** CHI 010

• Height Overall: 12' 3-1/2" or 11' 5-1/2"

• 3 Stage Front Arm and 2 Stage Rear Arms · Lifts Symmetrically and Asymmetrically

10K Truck Adapter Set

10.000 Lbs. 2 Post Lift SKU 264325 | Part# CHLQ10



10,000 Lbs. 2 Post Lift

- Low Profile 3-5/8" Min. Adapter Height
- \bullet Spot-Rite $^{\text{TM}}$ 3 Stage Front Arms for Symmetric and Asymmetric Lifting
- Overall Height: 143-3/8"
- Overall Floor Width: 137"
- Maximum Lifting Height: 76" • Inside Column Width: 115"
- Drive Through Clearance: 105" • Minimum Ceiling Height: 144"





10,000 Lbs. 2 Post Lifts SKU 210371

SKU **534581** ROTSPOA10

ROTSP010

Asymmetrical

Symmetrical

- Surface Mounted, Frame Contact Lift
- Features Electric Hydraulic Operation and Genuine Symmetrical Design for Overhead Design for Clear Floor Lift
- Factory Rotated Columns Allow Doors of Vehicle to Be Fully
- Opened While Properly Positioned On Lift

• Arm Restraints On All Arms





12.000 Lbs. F12N300 2 Post Lift

FORF12N300BL **4,59999**

- 2 Stage Arms Reach: 35" to 54"
- Accommodates Trucks and Many Cars • Low Profile 4-3/4" Adapters
- Includes Four 3.5" and 5" Adapter
- Height Configurations of 11'- 10". 12'-10", and 14'-10" Are Availab
- Warranty: 60 Days Labor, 18 Months Parts, 5 Years Structural



15,000 Lbs. Clearfloor,

Standard Arms Lift

• Lifting Capacity: 15,000 Lbs • Overall Height: 170"

• Overall Width: 155"

• Minimum Pad Height: 5"

SKU **897976** BENXPR-15C

• Rise: 69"



FORMARD

BendPak







• Includes Four 4" and Four 8" Truck Adapter Extensions

(Truck Adapters Included)



Dannmar

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

HOFMANN 💆

12,000 Lbs. 2 Post Lift

SKU 264341 | Part# CHLQ12

Ba BendPak

FORMARD

Offer Good Through September 30, 2016 - While Supplies Last

Brigadier 10ACX 2 Post Lift

• Lifting Capacity: 10,000 Lbs./4,546 Kg

• Minimum Reach (Front Arm): 25"/635 mm

• Maximum Reach (Front Arm): 46"/1,168 mm

Minimum Reach (Rear Arm): 42"/1,067 mm

• Maximum Reach (Rear Arm): 60"/1,524 mm

 Maximum Lifting Height (Pad Only): 73"/1,854 mm • Maximum Lifting Height (Pad and 6" Adapter): 79"/2,007 mm

• Minimum Pad Height: 4-1/2"/114 mm

• Drive Thru Clearance: 100-1/2'

(Truck Adapters Included)

Hofmann 10,000 Lbs.

SKU OUTSIDE BUY/EPO 2.9

Symmetrically or Asymmetrically

• Overall Height Can Be Adjusted 10"

Three Stage Front Arms Provide

Superior Extended and Retracted

Truck and Frame

Cradle Adapters

12,000 Lbs. 2 Post Lift

SKU **264341 4.19999** CHI 012

• Height Overall: 14' 7" or 13' 10" • Width Overall: 139-3/4" • Drive Thru Clearance: 101" • Rubber Door Protector Padded

Overhead Safety Switch • Floor to Overhead:

13' 3-1/2" or 14' 5"

SKU **897974**

BENXPR-12C

Provide Specific

Capability for Sport

and Compact Cars

• Overall Height: 170"

• Overall Width: 155"

• Min Pad Height: 5"

2 Stage Front and Rear

Arms for Symmetric Lifting

12,000 Lbs. Clearfloor **Triple-Telescope Arms Lift**

Largest Full-Sized Pick Ups and Commercial Vehicles, Yet Still

• Triple-Telescope Arms-All Four to Easily Lift Your

• Power Column Can Be Arranged On

Either the Driver or the Passenger Side

• Vehicles Can Be Positioned and Lifted

• Motor: 220 VAC 60Hz. 1Ph

• Overall Height: 145" / 3,683 mm

· Overall Width (Outside of Base Plates): 143-1/2"

• Overall Width (Outside

of Columns): 136-1/2"

• Rise: 69"/1,753 mm

2 Post Lift

• Width Between Columns:

SKU **186433**

DAN1375647

Asymmetric

Free Delivery!

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.[†]

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

2 Post Floor Plate Lifts

9,000 Lbs. 2 Post Lift **Low Profile Arm**

SKU **557232**BENXPR9LP

- Low-Pro[™] Arms that Accommodate Lowered Sports Cars and Those Vehicles with Lift Points Located On the Extreme Outer Edges of the Chassis
- Shorter Column for Low Ceiling Installations
- Column Height: 113"
- Extended Rise Gives You Over 6 of Under Clearance



9.000 Lbs. 2 Post **Low Ceiling Lift**

SKU **210379** BENXPR-9F **3**,

- 9,000 Lbs. Lifting Capacity
- Short Column for Low Ceiling Installations
- Wide or Narrow Configuration
- Single Piece Columns
- Single Point Safety Release Drop End Arms Provide a Lower Pad Height



Adapters Included)

BendPak

BendPak

9.000 Lbs. 2 Post Lift SKU 499660 3,19999

- Minimum Ceiling Height: 113"
- Overall Width: 138-1/2" (3,518 mm)
- Overall Height: 111-1/4" (2,826 mm)
- Minimum Adapter Height: 3-1/2"
- Adapter Extenders Included
- FTI Certified



Dannmar

FORMARD

Challenger CLFP9 9,000 Lbs. Floor **Plate 2 Post Lift**

SKU **851779 3,39999** CHLCLFP9 **3,39999**

- 3 Stage Front and Rear Arms Provide Excellent Reach to Lift a Variety of Vehicles
- Drive-Thru Clearance:
- · Ceiling Height Required: 121-7/8"







12,000 Lbs. Floorplate **Direct-Drive Lift** SKU **897973**

- BENXPR-12FD 4.
- Lifting Capacity: 12,000 Lbs.
- Overall Height: 170" • Overall Width: 155"
- Minimum Pad Height: 5"
- Rise: 69"
- 45 Seconds



Admiral 9,000 Lbs. 2 Post Lift Extended

DANI375646 **2,649**99 SKU **186430**

- · Perfect for Shops and Garages with Height Restrictions
- Truck and Van Adapter Set Included



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

Quick Lifts: Rise Time 45 Seconds!

CL10 Versymmetric 10,000 Lbs. 2 Post Dual Pendant Controls Quick Cycle Lift

SKU **851780** CHL10V3DPCQC

- Quick Cycle Technology: Increased Rise of Speed to 27 Seconds from 48 Seconds Equating to a 42% Time Savings Lowering Speed Is Held to a Constant 17 Seconds (Approximately) Regardless of the Weight of the Vehicle
- Up/Down Power Button + Dual Single Point Technical Lock Release System Provides Lift Operation from Either Column



Express Solution CL10-XP9 10,000 Lbs. Quick Cycle 2 **Post Pad Lift**

CHLCL10XP90C **7,249**99 SKU **851786**

• CL10-XP9 2 Post Pad Lifts Come Standard

- with (4) 1-1/2" and (4) 3" Rubber Spotting Blocks and (4) Two Position Adapter Blocks • Quick Cycle Technology Means 43%
- Faster Rise Time




Storage Lifts

9,000 Lbs. Free **Standing or Surface Mounted 4 Post Lift -Standard Height**

SKU **264504**

SKU **264504 3,49999** CHLQ4P09H

- Rise Height to Top of Runway: 73-1/2"
- Outside to Outside Columns: 112"
- Overall Length (with Ramps Attached): 209"
- Inside Columns: 95"
- Height of Columns: 84-1/2" • Width of Runways: 20"
- Height of Runways: 7"
- Width Between Runways: 38"





SKU **264473** CHLQ4P09CS Z Rolling Jacks Sold Separately



SKU **264841 89999** CHLQRJ04H





9.000 Lbs. 4 Post Lift

SKU **898142 2,999**

- Overall Width: 116-3/4" / 2,965 mm
- Overall Length: 200" / 5,080 mm
- Column Height: 88" / 2,235 mm • Max. Lifting Height: 74-1/2" / 1,892 mm



Rolling Jacks old Separately

WORKS WILLWITH RJ-45 4,500 Lbs.

Bridge Jack SKU 898534 BENRJ-45

Capacity Rolling





8.000 Lbs. **EFP8 Home** Storage 4 Post Lift

SKU **818781** FOREFP8P000M

- Perfect for Home Use
- Detachable Ramps Included
- Casters, Jack Tray and Drip Trays Included

• Wired to Plug into 115V Receptacle



Rolling Jacks

3,500 Lbs. RJ35BK Hand Pump Rolling Jack SKU **818764 69999** FORRJ35BK

7.000 Lbs. 4 Post **Home Storage / Light-Duty Service Lift**

Charge at

SKU **383185 3,19** CHLQ4P07

- Rise Height Underneath Runway: 63" • Outside to Outside Columns: 100"
- Overall Length (with Ramps): 195 1/2" (w/o Ramps) 165"
- Inside Columns: 92"
- Height of Columns: 79-1/2" • Width of Runways: 20"
- Height of Runway: 4"
- Width Between Runways: 38" • Length of Runways: 150"
- Detachable Aluminum Approach Ramp
- 13 Lock Positions • Pre-Assembled Lock Mechanism



4,500 Lbs. Hand/Hydraulic

Operated Rolling Jack SKU **383186 59999** CHLORJO3H



(Optional

Set of **3 Drip Trays** SKU 186439 Part# DAN101011

Value: \$69.99

Commander[™]

7,000 Lbs. **4 Post Lift** SKU 186464 Part# DAN1375643

Dannmar₂

Commander[™] 7,000 Lbs. 4 Post Lift SKU **186464**

DAN1375643 2,59999

- Spring-Loaded Safety Locks On Each Column
- Self-Lubricating UHMW Polyethylene Internal Slide Blocks Single Safety Lock Release Handle
- 7,000 Lbs. Capacity Free Standing Design
- Detachable Drive-Up Ramps Included



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

Leasing Terms Available.†

Specifications Subject to Change Without Notice or Liability. | Customers Responsible for Off-loading Equipment Upon Arrival. Free Delivery!

AUTOMOTIVE LIFTS

SKU **343410** 🛖

in Each Column

Surface Column Push-Button Safety Release Runways Adjust for Different Tread Widths

DAN1375681

Major D-12™ 12,000 Lbs. 4 Post Lift **Dannmar**

• Single Hydraulic Cylinder Mounted Underneath Runway

• Internal "Anti-Sway" Slider Blocks in Each Column

• Features Heavy Duty 1/2" Aircraft Cable

Oversized Self-Lubricating Cable Rollers

Rugged 1-3/8" Roller Axles

Multi-Position Safety Locks

• Ramps Feature Non-Skid



4,500 Lbs. **Rolling Jack** SKU 568432 99999 FORRRJ45G



14,000 Lbs. 4 Post Lift

SKU **696483** FORCR14N100 **4,49999**

- Heavy Duty Hydraulic Cylinder • Single Point Latch Release
- 78-3/4" Rise
- 18 Lock Positions

• Accommodates 182.5" Wheelbase Vehicles

- High Performance Cable and
- Sheave System
- ETL Certified Model Shown Is



7,000 Lbs. Rolling Jack SKU 568445 1.99999 FORRRJ70G



BendPak

Challenger 4P14 14,000 Lbs. 4 Post Lift

SKU **851781**CHL4P14EFX

• Louvered Approach Ramps for Positive Vehicle Totals

4 Post Rolling Bridge

SKU **343411 1,19999 DAN1**375901 **1,19999**

Jack DRJ-6

Positive Vehicle Traction

• Adjustable Runways to Accommodate a Variety of Tread Widths

• Column Height: 90-1/2" Minimum Bay Size:



7.7K Rolling Jack SKU **264847**

(Optional Equipment)

FORMARD

FORWARD



14,000 Lbs. 4 Post Lift

SKU **898152** BENHDS14

- Overall Width: 130"
- Overall Length: 241"
- Max. Rise: 70"

Rolling Jacks Sold Separately

CL Challenger Lifts



RJ-7 7,000 Lbs. Capacity **Rolling Bridge Jack** SKU **212556**

BFNR,J-7

(Optional Equipment)



BD BendPak

18,000 Lbs. 4 Post **General Service Lift**

SKU 568426 7,999

• Max. Wheelbase: 194" Durable Cable and Sheave System

• ETL Certified to ANSI/ ALI ALCTV: 2011

18,000 Lbs. **Long Wheelbase** 4 Post Lift

SKU 568427 8 FORCR18LW

• Max. Wheelbase: 230'

Rolling Jacks

9,000 Lbs. Rolling Jack SKU 568446 2

FORRJ901000



2 Post Lift Accessories

Rubber 2 Post Lift Pad/ Slip Over/ Round - 1 Each

SKU 343396 **24**99 BEN5715017



BP BendPak **Square Rubber** Arm Pads (1 Each)

SKU **898880 2999** BEN5715365 **296ach** • Works with Any BendPak

- 2 Post Lift • 5-5/8" Square
- 1-1/16" Thick

Frame Cradle



Pad (1 Each) SKU **466304 4999** BEN5215506

• Perfect for Use with Any BendPak

• Tactile Rubber Mat Reduces Slippage and Protects Finish

Dannmar Frame Cradle Pad (1 Each) SKU **289999 4999** DAN119527



• Use with Forward FORI10

SKU **568451 5999** FORTPB10-D1

I10 2 Post Carriage Door Bumper Kit

Round Rubber Lift Pad Assembly Drop-In (1 Each)

SKU **343397 7999** BEN5215507

- Works with Any BendPak 2 Post Lift
- 1 Lift Pad
- 5" Diameter for **Enhanced Stability**
- Easy Drop-In Design



I10 Rubber Adapter Pad Kit

SKU **568440 9999** FOR 994105 FOR994105

• Use with Forward FORI10 • Eliminates Metal to Metal Contact at Vehicle Lift Points

 Includes (4) Pads and Attaching Hardware



FORT100285 • Use with Forward FORI10

 Included Rubber Pad Eliminates Metal to Metal Contact

• Adapters Have Ears to Cradle Frames



Don't Let the Tire Make You Tired! Omega Wheel Arm[™]

SKU 573207 8999 OMG92100

Rolling Jacks Sold Separately

· Holds the Tire at Lift Arm Height and Is Handy with Tire Rotations and Brake Jobs • Easy and Safe for

Mechanics to Put On or Take Off Tires Avoid Bending Over to Put Down or Pick Up

- a Tire • Fits Most Lift Arms 3" - 5" Wide
- Set Includes (2) Wheel Arms and (2) Magnetic Tool Trays





BP BendPak

4 Post Lift Accessories

2 Drip Trays

BEN5700301 **6999**

Caster Wheel Set SKU **898905 29999** BEN5210997 • For Use On HD-9

Series Lift Only

Rolling Oil Drain SKU **898714 37999** BENDP-30 • Adjustable Width: 33" - 60"



Free Delivery!

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.[†]

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager





Tuxedo Distributors, LLC, is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price. With our 15 satellite warehouses strategically located across the US, we offer an unparalled competitive advantage.

Approved Outside Buy Vendor

Call to place order! 817.558.9337 877.558.9337 Toll Free

TP9KF Floorplate N

TWO POST LIFTS

TLT240SC 9,000lbs CAPACITY

2.099⁹⁹

TLT240SB 9,000lbs CAPACITY

1,999⁹⁹

- 9,000 lb. lifting capacity
 Overall Height: 151" (TLT240SC)
 Overall Width: Symm 134", Asymm 140" (TLT240SC)
 Overall Height: 113" (TLT240SB)
 Overall Width: 133" (TLT240SB)
- · Rubber Door Guards
- Dual Point Lock Release
- Heavy-Duty Arm Restraint System
 Double Telescoping Screw Pads
- Adjustable Column Width (TLT240SC)
 Standard or Rotated Asymmetric Columns (TLT240SC)

LAUNCH



1,94999 **TP9KAC**

1.949⁹⁹ **TP9KF** 9,000lbs CAPACITY

- 9,000 lb. lifting capacity
- Overall Height: 142" (TP9KAC)
 Overall Width: 141" (TP9KAC)
- Overall Height: 111-1/2" (TP9KF)
 •Overall Width: 141" (TP9KF)
- · Chain Driven Dual cylinders with low friction chain rollers
- Low profile arms
 1-1/2" and 5" stackable
- drop-in height adapters
- Automatic safety cut-off bar (TP9KAC)
- Mounting Hardware included
- · Powder-Coated Finish

TLT210-XT 10,000lbs CAPACITY

2,79999

- 10.000 lb. lifting capacity
- Overall Height: 149"
 Overall Width: Symm 137", Asymm 138"
- Heavy-Duty Arm Restraint SystemAdjustable Column HeightAdjustable Column Width
- Outer Hose Guards
 Stackable Foot Pad Extensions two 6" and two 3"
- 3 Stage Front Arms

TP12KC-DE

12,000lbs CAPACITY

12,000 lb. lifting capacityOverall Height: 165"Overall Width: 151-1/8"

 Direct Push Drive Cylinders Extra Long (48") carriage Padded overhead cutt-off bar
 Single Point Pneumatic Lock Release

 Mounting Hardware included Powder-coated finish

· 2-1/2" and 5" Stackable Drop in Adapters

STORAGE LIFT

FP8K-DS

8,000lbs CAPACITY

Overall Height:86-1/4"Overall Weight:103-1/2" Overall Length:207-1/8

· Single Point Lock Release

· 8,000 lb. capacity

10 Lock Positions

- Single Point Lock Release
- Standard or Rotated Asymmetric Arm Configuration
 Double Telescoping Screw Pads offering 6.5" adjustment for complete vehicle coverage



3,99999

2,599⁹⁹



Arm Configuration



TP11KC-DX 11,000lbs CAPACITY

- 11,000 lb. lifting capacity
- Direct Drive Cylinders
 Overall Height: 145"
- Overall Width: 145-1/2"
- 3 Stage Front Arms, Low Profile Arms Asymmetric/ Symmetric Arm Configuration
 Symmetric Columns
 Single Point Lock Release
- Rubber Door Guards
- Mounting Hardware included
- Spin Up Pads with 2" and 4" stackable drop in Truck Adapters Powder-Coated Finish



BI-SYMMETRIC ™ **DESIGN** Asymmetric/Symmetric arm configuration with 180 degree front arm rotation

2,799⁹⁹

SERVICE LIFT

FP14K-C 14,000lbs CAPACITY **Service Lift**

- 14,000 lb. lifting capacity
- Overall Height: 68-7/8"
 Overall Width: 136-3/4 · Overall Length: 250-1/2"
- · Closed Front
- Single point pneumatic safety release
 20" wide non-skid, diamond plate runways


4,999999

Mounting Hardware includedPowder-Coated Finish

Also sold as an Alignment Lift

BRIDGE JACK

RAJ-8K



- Dual Height Telescoping Support Arms
 Pneumatic operation w/adjustable Pressure Regulator
 Stackable Pad and Height Adapers 1 5/16" and 5" (1 Pair each)
- Dual Air Bags

 Optimization program Static balancing
 Three centering cones









· Hood, hammer, speed nut

is available





WHEEL SERVICE

• 18" Wide non-skid, diamond plate runways
• Casters, Jack Tray, and Approach Ramps included

Extra-large slider blocks for added stability

Semi-Automatic **TireChanger**

- Internal Clamping Capacity: 12" 23" • External Clamping Capacity: 10" -20"
 • Max Wheel Diameter: 38"
- Wheel Width: 3" 12" · Swing arm design
- Bead seating inflation
- jets are integrated in the clamping jaws Bead Breaker



Semi-Automatic

TC-950-WPA

High Performance Tire Changer with Press Arm

- Internal Clamping Capacity: 15" 28"
 External Clamping Capacity: 13" -24"
- Max Wheel Diameter: 47"
 Wheel Width: 3" 15"
- Swing arm design
- Bead seating inflation jets are
- integrated in the clamping jaws Twin clamping cylinders provide
- more power to hold the most difficult rims
- Conveniently located and powerful bead breaker
- Left side press arm (WPA) Ideal for low profile tires (WPA)
- No scratching, machine never contacts rim (WPA)





HeavyDutyTruck WheelBalancer

- Max Wheel Diameter: 47
- Rim Width: 1.5" 20" Rim Diameter: 10" 24"
- Wheel Weight Capacity: 298 lbs
 Self-calibrating; Self-diagnosis
- · Pneumatic Wheel lift included Foot brake for manual stop
 Capable of balancing a full range of wheels
- Car and Truck cones come standard



AUTOMOTIVE LIFTS

Lift Accessories

Air/Electric **Workstation for** 2 and 4 Post Lift

SKU **751635** DAN1980999

• Add 20 Amp Outlets, Air Functionality and Tool/Line Holders, By Attaching this Workstation to Your 2 Post Lift



Air/Electric Workstation

SKU **898684** BENWSA-100

34999

- Adds Air and Electric Capabilities to Any BendPak Lift Simple, Safe and Extremely Easy-to-Use
- (4) 110V GFI Outlets, Oiler, Air Supply, Pressure Gauge, Storage Hooks for Hose and Tools, Regulator/ Filter, Air Inlet
- Fits 2 or 4 Post Lifts

You Will Need to Know BendPak Lift Model # When Ordering

Air/Electric Workstation for 4 Post Lifts

SKU **263294** CHL10310

35999

- Convenient Power Source for Extension Lights and Other Tools
- Air Supply Will Always Be at Arms Reach for Facilities Using Pneumatic Tools Such As Impact Wrenches

BD BendPak

BandPak

Lift Gate Service SKU 262533 RANLIFTGATE 13500



Air/Electric Workstation

SKU **568448** FOR991359



- Use with
- Forward FORI10 Air/Flectric



Does Not Include Hose and Air Gun.



Mid-Rise Lifts

BendPak

6,000 Lbs. Surface Mount Mid-Rise Pad Lift

SKU **079537** BENMDS-6K

- For Servicing Passenger Cars, SUVs and Light-Trucks
- Lifting Height (Less Lift Blocks): 44"
- Comes Four Rubber Contact Blocks Providing Fast Vehicle



6,000 Lbs. Flush Mount **Mid-Rise Pad Lift**

SKU **079653**

BENMDS-6KF

• Fully Open Center Design for Servicing Passenger Cars, SUVs and Light-Trucks

BendPak

- Lifting Height (Less Lift Blocks): 44" (4.25" for Sub Floor)
- Includes Four Rubber Contact Blocks Providing Fast Vehicle



6000XL Mid-Rise Scissor Lift

SKU **555446** DAN1375652

- For Servicing Light-Duty Cars and Trucks
- Portable Motor Cart Serves as Tow Handle
- Adjustable Arm Assemblies

• Safety Bar with Multiple Lock



Lift Gate Service SKU **262534** DANLIFTGATE



6,000 Lbs. Mid-Rise Lift

SKU **499655** FOR6000MRL

• Width: 41"

• Rise: 52"

• Multiple Locking Positions Truck Adapters Included



6,000 Lbs. Portable Mid-Rise Lift

SKU 210386 2,04999

- Portable, Easy to Move from Bay-to-Bay Adjustable Arms
- Lifting Capacity: 6,000 Lbs.



Rolling Work Seat

SKU 752040 | Part# DAN106625

MaxJax 6,000 Lbs. **Portable 2 Post Lift** SKU 186434

DAN1375659

- Perfect for Low Clearance Ceilings and Home Garages
- Built-In Wheels that Allow You to Store It Out of the Way When Not in Use
- Max. Lift Height (with 3" Adapter): 52

Lift Gate Service SKU **262534 100** DANLIFTGATE



BendPak

Price Does Not Include Installation or Optional Equipment as Shown.

Lift Gate Service

SKU 262533 RANLIFTGATE **135**00

with Purchase of:

MaxJax 6,000 Lbs.

Portable 2 Post Lift

Low-Rise Lifts

6.000 Lbs. **Low-Rise Pad Lift** SKU **210383 1**

BENLR-60

• Max. Height: 26"

 Overall Width: 70 • Overall Length: 82"

Lift Gate Service SKU **262533** RANLIFTGATE **13500**







SKU **568452 19499** FORR.IIO

• Use with Forward FOR100MCL



BendPak

Portable

SKU **210384** BENLR-60P

• Max. Height: 26"

FORMARD

Lift Gate Service

SKU 626137 FORLIFTGATE 9500

- Overall Width: 70-1/2"
- Overall Length: 82



7.000 Lbs. **Low-Rise Pad Lift**

SKU **568436** FORTL07

• Wired to Plug into 115V Receptacle

 Max. Rise: 24-3/4" Lift Gate Service SKU **626137** FORLIFTGATE **9500**

FORMARD

Price Does Not Include Installation or Optional Equipment as Shown.

10.000 Lbs. **Low-Rise Pad Lift**

SKU 479989 🏉 BENLR-5T

• Max. Height: 23" - 32"

- Lowered Height: 4"
- · Lift Blocks Included



Motorcycle Lifts

CL Challenger Lifts

Motorcycle Jack



FORMARD 1,000 Lbs. Air

Operated Motorcycle Lift SKU 499659 1,04999

• Includes Wheel Vise and Two 12' Extensions. Making it Great for Motorcycles, ATVs, Lawn Mowers, Golf Carts, Etc.

• Rise: 33", Length 93" Width 24", Width With ATV Adapters 48"

> Lift Gate Service SKU 626137 FORLIFTGATE 9500

1.000 Lbs. Droptail **Motorcycle Lift**

SKU **568439** FOR1000MCLDT • FORBJ10 Included

• Rise 33" Length 93", Width 24"

Lift Gate Service SKU 626137 FORLIFTGATE 9500



FORMARO

Motorcycle Lift SKU **626120**

RANRML-1500XL • Lifting Capacity: 1,500 Lbs. / 682 kg

• Power Supply: Air/Hydraulic

- Main Platform Length: 89" / 2,286 mm
- Main Platform Length with Front Extension: 102" / 2,591 mm

• Main Platform Width:

30" / 762 mm Lift Gate Service

SKU 262533 RANLIFTGATE 13500



/Ranger

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly



PORTABLE LIFT

MaxJax

SKU 186434 DAN1375659 **2,29999**• Lifting Capacity: 6,000 lbs

- Overall Height: 89" Fully Adjustable
- Lift Arms Easy Set-Up







Rolling Work Seat



Part# DAN1375659

2-POST LIFTS

D-2-9X

SKU 186430 DAN1375646 **2,649**99

- Lift Capacity 9,000 lbs
- Floorplate Style
- Overall Height: 113"
- Rise: 74"



D-10 AC

SKU 186431 DAN1375648 **2,59999**• Lifting Capacity: 10,000 lbs

- Overall Height: 145"
- Rise: 69"
- Overall Width: 130-1/2"
- ASYMMETRIC WIDE

D-10 ACX

SKU**186433** DAN1375647

- Overall Width: 143-1/2"
- ASYMMETRIC WIDE

D-10 CX

SKU 186432 DAN1375649 **2,649**99

 Overall Width: 145" • SYMMETRIC WIDE



Dannmar₂

ALIGNMENT LIFT

D-12A COMBO

SKU **079778** DAN1381815

- Lifting Capacity: 12,000 lbs
- Overall Width: 130"
- Overall Length: 248"
- Max Rise: 66"
- Turn Plates Included





DRJ-6 (Qty 2) SKU **343411**

1,1**99**99

Dannmar*



AIRLINE KIT SKU **752035**

21999

SCISSOR LIFT

Cadet-6000XL SKU **555446** DAN1375652

- Lifting Capacity: 6,000 Lbs. Max Rise with 6"
- Adapter: 49.375" Max Rise with 3"
- Adapter: 46.5"
- Shipping Weight: 792



4-POST LIFTS

D-12A

SKU **343410** DAN1375681

- Lifting Capacity: 12,000 lbs
- Overall Width: 130"
- Overall Length: 248" • Max Rise: 66"

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

Dannmar

LIFT PAD ASSY ROUND

• Works with Dannmar 2-Post Lift

SKU **079518 4999** DAN17107036

• Thick Rubber Construction

• Easy Drop-In Design

TURNPLATES

• 5" Diameter

SKU **751634**

• 14" x 13.5" x 2"

• Smooth Bearings • Sturdy Construction

Sold Individually

SKU **186464** DAN1375643 SKU 186464 DAN1375643 2,59999 • Lifting Capacity: 7,000 lbs

D-7



SKU **186427** DAN1375644 **2** Extended version of D-7

Dannmar_{*}

• Overall Length: 227-1/2"

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

8-GAL OIL DRAIN

Adjustable Height: 48-67"

• Large Funnel mouth to Catch Oil & Reduce Spillage

· Wide Drain Pipe for

Draining Oil Quickly

SKU **186458** DAN122829

• 8-Gal Capacity

SHOP EQUIPMENT

9999



3 Drip Trays SKU 186439 Part# DAN101011 Value: \$69.99 Commander™ 7,000 Lbs. **4 Post Lift**

Set of

Dannmar<u>*</u>

SKU 186464 Part# DAN1375643

Dannmar^{*}

LIFT OPTIONS

FRAME CRADLE PAD SKU **289999**

- DAN119527 • For 2-Post Lifts
- Sturdy Steel Construction
- Tactile Rubber Mat
- Product Description





- Abrasion Resistant
- Tear Resistant
- · Sold Individually





- Works with Any Llft
- 4 110v GFI Outlets
- Oiler, Air Supply, PSI Gauge, Storage Hooks for Hose and Tools, Air Inlet

TIRE SERVICE

T-100 TIRE CHANGER

Max Wheel Diameter: 50"

• Machine Weight: 507 lbs

• Rim Width: 3-15"

Inside Clamp: 15-25"

Price Does Not Include Tires or Rims as Shown.

Shown is OPTIONAL

Power Assist Arm

• Outside Clamp: 12-22"

SKU **547117** DAN1381202





DRIP TRAYS

- SKU **186439** DAN101001
- Lightweight Pans







B-100 WHEEL BALANCER

SKU **547121**

- Max Wheel Diameter: 44"
- Rim Width: 1.5-20" • Rim Diameter: 1-28"
- RPM: 140



TRIPOD JACK STAND

- SKU **186457** DAN105430 • 2 Ton Capacity
- Extra Tall & Stable
- Min Height: 68.7" Max Height: 76.7"



20-GAL OIL DRAIN SKU **343408** DAN122835

- 20-Gal Capacity
- 15" Drainage Funnel
- Product Description
- Includes Regulator and Gauge



50' HOSE REEL SKU **343407**

- DAN116911 • 50' of 3/8 of Rubber Hose
- Working Pressure: 250psi
- Max CFM: 25 • 4 Way Non-Snag Rollers



ROLLING WORK SEAT SKU **752040**

- DAN106625 Capacity: 205 lbs • Depth: 14-1/2"
- Overall Height: 14



TRANSMISSION JACK

SKU **186451** DAN105452

- First Stage: 1,000 lbs
- · Second Stage: 500 lbs Min 34" - Max 71
- Heavy-Duty Steel Swivel Casters • Rigorous Safety Overload System
- Controlled Pneumatic Descent for Safe Lowering

