SERVICE TOOLS

OEM TOOLS

OEM TOOLS

OEM TOOLS

Unique Jaw and

Returning Springs for Easy Positioning of the Puller

Harmonic Balancer Puller Kit SKU **818738** 25090

REG. \$49.99 • Includes: Puller Body, 3 Jaw Puller,

(3) Jaw Retaining Pins, (3) Wave Washers, Pressure Screw

- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- Used on Many GM, Mitsubishi and Chrysler Engines

Offer Good Through December 31 2016 - While Supplies Last

Harmonic Balancer

Harmonic Balancer Puller Retrofit Kit for GM

SKU **695100**



- Use With OEM 33627019, 27019 and 25053 Harmonic Balancei Pullers and Many Other Popular Balancer Pullers
- The 3 Bolts Fit Through the Slotted Holes in the Balancer and Screws Into the Threads of the Balancer on GM 3300 and 3800 V6 Engines
- Shoulders on the Bolts Prevent Damage to the Crank Sensor That Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft and Threads

Steering Wheel Puller **OEM** TOOLS SKU **532440**

25053

Harmonic Balancer/

STORE STOCK

- Removes Balancers, Steering Wheels Pulleys and/or Gears With Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications With 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



Steering Wheel and Lock Plate Puller Kit

REG. \$49.99

- Used to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke Pressure Screw and Five Sets of Pulling Screws With Washers and Swivel

Long Reach Harmonic Balancer Pulley Installer

SKU **544785** 24442

• Install Crank Pulley on Many Late Model Ford, GM, Dodge and

OEM TOOLS 19 mm Harmonic **Balancer Socket** for Honda

SKU **011632** LIS77080

- More Than 3 Times Standard
- Socket Mass · For Use With
- 19 mm Applications
- Made With Heat-Treated, Alloy Steel

Offer Good Through December 31, 2016 - While Supplies Last

Alternator Decoupler Pulley Tool Kit

SKU **300124** 27261

99 REG. \$24.99

- Set Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is on or
- · Comes in a Blow Mold Case

Offer Good Through December 31, 2016 - While Supplies Last

Chrysler Vehicles With V8 and V6 Engines

Includes: M16x2.0 – GM; M14x1.5 – Dodge, Chrysler, Jeep; M12x1.75 – Dodge, Chrysler, Jeep; M112x1.5 – Ford; Nut / Bearing Assembly

Specialty Pullers

Steering Wheel Puller Leg Kit

SKU **793567** 33627312

SKU **695619**

33627019

- Steel Construction for Durability Includes (2) J Hook Puller Legs
- Use With OEM 27017 Steering Wheel Puller and Other Popular Pullers

Harmonic Balancer Puller

• Set Includes: Yoke, Pressure

Screw, and Pulling Screws

Floating Swivel Prevents

Damage to Shaft Ends

Comes in a Sturdy Blow Mold Storage Case

• Heat-Treated for Strength and Durability.

Yoke Features 4 Slots

Steering Pivot Pin Remover

SKU **265106** 25135

Power Steering

SKU **141495**

STORE STOCK

• Fits Pulleys With

Hub Diameters

Measuring 1-1/8", 1-1/4", 1-5/16"

25298

Pulley Puller/Installer Kit

• Works on 1969 to Current GM, Chrysler and Ford Vehicles With Saginaw Steering Columns

Timing Gear TOOLS and Pullev Set

SKU **695623**

33627009 • Services Crankshaft

VW®/Audi® Diesel

Injector Puller Kit

• Remove Diesel Injectors

and Audi Vehicles

Applications:

VW. Audi

From 1996 to Current VW

Pulleys and Timing Gears on Gasoline and Diesel **Powered Engines**

SKU **548566**

27282



OEM TOOLS

Alternator

Alternator Decoupler Tool Set

SKU **255865** LIS57650

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Comes in a Blow Mold Case

Alternator Decoupler Pulley Service Kit

SKU **695085**

33627275

- Allows Alternator Shaft to Be Held While the Pulley Retainer is Removed
- Includes: A Special Set of Spline and Star Socket Bits for a Removal of Bosch Type Alternator Free-Wheel Drive Pulleys

OEM TOOLS





Slide Hammer Pullers

9 Way Slide Hammer Puller Set

SKU **900825**

- Pulls Flange Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two and Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment Designed for Use With Other 5/8"- 18 Thread Slide Hammer Attachments

Blind Hole Puller Set

SKU **695118**

33627128 • Pull Blind Hole

Bearings, Bushings and Sleeves With Inside Diameters



DID YOU KNOW?

AutoZone has over 60,000 specific replacement part numbers for import vehicles through IMC.

Contact Your AutoZone CommercialSales Manager for Details

Pullers

2 Jaw 5 Ton **Gear Puller**

SKU **141513** STORE STOCK

Maximum Spread: 6"

• Reversible • Maximum Reach: 3-1/4"



2/3 Jaw 2 Ton Gear Puller

SKU **070134** STORE STOCK

• Maximum Reach: 3-1/2" • Maximum Spread: 4-3/4" • Center Forcing Screw: 3/8" to 24" x 4-7/8"



2/3 Jaw 5 Ton Gear Puller

SKU **231202**

STORE STOCK • Reversible

• Maximum Reach: 5-1/2 • Maximum Spread: 7'

Bearing and Pulley Puller Set

SKU **900824** 27190

• Use on Pitman Arms, Timing Gears, Carrier Side Bearings,

Crankshaft Pulleys and More Makes Up to Eighteen

Different Pullers!



OEM TOOLS

Power Steering

mituvac: **Air Bleed Adapter for Ford**

SKU **751704** MITMVA662

• Helps Remove Trapped Air in the Power Steering System

• Seals Ford Power Steering Pump Necks Having an Internal Diameter (32 or 50 mm) • Works With a

Hand Vacuum Pump

-- Mityvac:

Adapter for GM SKU **751698** MITMVA661

Air Bleed

• Helps Remove Trapped Air in the Power Steering System

GM Power Steering Pumps With a Two-Tab Cap Design · Works With a Hand

• Designed for Sealing

Vacuum Pump



SKU **751699** MITMVA660

Design Seals Pump Necks Ranging From 5/8" Up to 1-5/8"

Air Bleed Adapter

• Helps Remove Trapped Air in the Power Steering System • Rubber, Cone-Shaped

(16 Up to 41 mm)

Internal Diameter · Works With a Hand Vacuum Pump

90 Degree Air

Bleed Adapter SKU **751710**

MITMVA665

• Available Separately and Can Be Interchanged With the In-Line Connector On MVA661 and MVA662

Limited Overhead • Works With a Hand Vacuum Pump

For Applications With



Mityvac:_

Power Steering

Vacuum Pump

SKU **463254** THX212 • Bleeds Trapped

Air From Power Steering System

 Tapered Adapter Allows Use on Most Makes and Models

THEXTON



Tool & Equipment Quarterly

Measuring Tools

Feeler Gauge

SKU **001927** 25025

STORE STOCK

• 26 Blades With Laser Etched In/mm



X-Tread Digital **Tire Gauge**

SKU **186495** F0W74225500

- For Tire Tread Thickness Measurement
- Reads in Inch, Metric and Fractions



OEM TOOLS

OEM TOOLS

Fowler

Fowler

Fowler

Electronic Digital Caliper

SKU **864649** 25363

STORE STOCK

- Large Easy-to-Read LCD Display
- Zeroing Feature
- Thumb Roller With Locking Device

Disc Brake Rotor Micrometer

SKU **607071** 25367

STORE STOCK

- .001" Accuracy, .0005" Reading
- Large LCD Display With SAE or Metric Reading
- Manual Power Off/On



Dial Indicator Set

SKU **186500**

F0W72522101

• Includes 1" Indicator, Magnetic Base Plus Rods, Swivel Clamp and Case

• 2-1/4" Dial, .001" Increments



RotoCal® With Twin Conical Anvils

SKU **186492** F0W74150004

- Range 0 to 5.5"
- Reads in Inch, Metric and Fractions
- 3.5" Jaw Depth for Large Rotors



Mini MAG Protractor

SKU **186501** F0W744224501

- Embedded Magnets With 35 Lbs. Pull • Uses Standard 9V Battery
- 360 Degree Measuring Range
- Accuracy -/+2 Degrees



• Checks Ball Joint Wear and Disc Rotor Run-Out

- Checks Gear Backlash and Valve Guide Wear
- 0 to 1" Travel and .001" Graduations



 Magnetic Base • 1/2 Degree Graduations



Central TOOLS, Inc.

Central TOOLS, Inc.

Central TOOLS, Inc.

Rotor/Drum Measuring Kit

SKU **186504**

CEN3K301

- Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors
- 8 to 13" Range
- 0 to 6" Digital Caliper Included



CEN6429

- Measure Head, Block and Flywheel Straightness
- Precision Ground to -/+.001

3 Piece Micrometer Set SKU **186503**

CEN3M113

• 0 to 3" Range • 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103

• Set Includes Calibration Tools



3/8" Drive Digital **Torque Adapter**

SKU **362559** 25684

REG. \$49.99 • Range 27 - 135 N-M (238.9-1,194.8 ln/Lbs.)

Turn Any Ratchet or Breaker Bar Into a Digital **Torque Wrench!**

Offer Good Through December 31, 2016 - While Supplies Last

3/4" Drive **Torque Multiplier**

SKU 191056 25683 REG. \$299.99

- Increase Torque Output
- It Utilizes a 3:1 Ratio Planetary Gear Set to Convert Low Torque (Max. 650 Ft/Lbs.) to High Torque (2,200 Ft/Lbs. / 3,000 N-M) for Heavy Duty Tightening or

OEM TOOLS'

OEM TOOLS

OEM TOOLS

Loosening. Input Drive 3/4", Output Drive 1" • Comes With a 3/4" Drive 2 Way Quick Release Ratchet

Offer Good Through December 31, 2016 - While Supplies Last

3/4" Drive **Torque Multiplier** SKU **850046**

7 REG. \$349.99

- Increase Torque Output
- Range: 86-410 Ft/Lbs.

33627309

- Torques in Both Directions
- Positive Lock With Spring-Loaded Pull Down Lock Ring

Great for 2004-2008 Ford F150 Brake Rotor and Hub

Offer Good Through December 31, 2016 - While Supplies Last

Torque Wrenches

1/2" Drive Digital Torque Adapter

SKU **900805 5099** 25682

Range 40 - 200 N-M

Buzzes When Target Torque is Reached

1/4" Drive Torque Screwdriver

SKU **695088 7099** 33627172

- Range: 10 50 In/Lbs.
- Easy-to-Read Window Scale



25687

- Heavy Duty 24 Tooth Pear Shaped Ratchet Head • Audible Click When Desired Torque is Reached
- Both Clockwise and Counter-Clockwise Operation

O=M TOOLS

3/8" Drive Torque Wrench 25-250 In/Lbs. Range

SKU **133657** 25685

3/8" Drive Torque Wrench 10-100 Ft/Lbs. Range

SKU **133658** 25686

 45 Tooth Round Head Ratchet • Audible Click When Desired Torque is Reached

• Both Clockwise and Counter-Clockwise Operation

3/4" Drive Torque Wrench 100-600 Ft/Lbs. Range

Micrometer Click Style

Sensor Sockets

Oil Pressure **Switch Socket**

SKU **141490** 25254

STORE STOCK

- Fits Most 1" and 1-1/16" Switches
- Accepts Oil Pressure Sending Units Up to 2-5/8" Long

Water Sensor Wrench Fits Aftermarket Sensors

SKU **459101** LIS34910

SKU 947305 7099

33625246

IPR Socket

• Used to Remove and

Other Diesel Engines

Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and

Designed to Bottom Out on the Hex

Connector in Case it Can Be Reused

So it Does Not Put Torque on the

LIS68210

Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 through 2011 6.6L Duramax Diesel Engines



• Use With Oxygen Sensors on Ford 4.6

and 5.4 Engines • 7/8"/22 mm Used in SUVs and Light Trucks STORE STOCK



• Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen



Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



OEM TOOLS











• For Removal and Installation of

OEM TOOLS

(29.5-147.5 Ft/Lbs.)

- Great for Low Torque Applications

SKU **133659**

25-250 Ft/Lbs.

Torque Wrenches 1/2" Drive

SKU 217376 2499

• Right Hand Direction

3/8" Drive Oxygen

SensorSocket

STORE STOCK

SKU **047738** 25001

- For Use With 3/8" Drive Ratchet or 1" Wrench • Removes and Installs Oxygen Sensors on All Domestic
- and Imported Computerized Engine Controlled Vehicles Cutaway slot provided in the side for sensor wire clearance

Water Sensor Wrench SKU **459099 1699** LIS34900

• Durable alloy steel construction

• Removes and Installs the Water

Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines

> Oxygen Sensor Socket Set SKU 695125 2599 33627110

Sensors • 3/8" and 1/2" Drive. 22 mm / 7/8'

SKU 900823 🔼 27189

SERVICE TOOLS

Tailpipe Cutter

SKU **695599** 33627045

REG. \$50.99

 Used to Tailpipe

 Range 3/4" to 3 - 1/4" (19 - 83 mm)



OEM TOOLS

Offer Good Through December 31, 2016 **While Supplies Last**

Exhaust Tools

Exhaust Manifold Spreader Set

SKU **504028** 25253TW0

- Used for Reinstalling the Manifold on Small Block Chevrolets
- Simple Way to Expand a Warped Manifold So All Bolt Holes are Accurately Aligned
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Mis-Alianment

Pipe Stretcher Kit

SKU **080137** LIS17350

- Expands All Types of Exhaust Pipe, Including Stainless Steel, From 1 5/8" to 4 1/4" in Size
- Use With Impact Wrench to Quickly Stretch Pipes
- Collet Sets Expand Pipes From



OEM TOOLS

Thread Repair

2 Piece External Thread Repair Set 5/32" - 1.1/2"

SKU **343361** NES1000*

- Includes the NES1A and NES2
- Restores Inch or Metric, Right or Left Handed Fastener Threads

*NES Set Comes With Extra Blades

External Thread Repair 5/32" - 1/2"

SKU **343360** NES6040

• Restores Inch or Metric, Right or Left Handed Fastener Threads



Nes®

External Thread Repair 5/32" - 11/16"

SKU **343365** NES1A

NES2

• Also Repairs Damaged Threads on Pipes up to 7/16"



Thread Chasers

Spark Plug Hole Thread Chaser SKU **070109**

25124

STORE STOCK • Double End for 14 mm and

18 mm • For Use With 13/16" Deep Sockets

• Cleans Spark Plug Threads of Dirt and Carbon Build-Up

OEM TOOLS

Limited Access Spark Plug Chaser

SKU **607068** 25155

STORE STOCK Narrow Profile and Long Length Allows Access to Spark Plug Holes in Confined

Spaces • Use With a 3/8" Ratchet

or Extension • Size: M14 x 1.25

Oxygen Sensor

Thread Chaser

SKU **607067**

- Use With 3/8" Hex Socket or 3/8" Square
- Size: M18 x 1.5



Multi-Purpose Tubing Bender

SKU **390889**

STORE STOCK

OEM TOOLS

25255 STORE STOCK



External Thread Repair 11/16" - 1 - 1/2" SKU **343366**

10499

• Restores Inch or Metric, Right or Left Handed FastenerThreads



Internal Thread Repair 5/16" - 7/16' SKU **343367**

NES21 **1/2" - 5/8"** SKU **343369** NES22

OEM TOOLS

OEM TOOLS

Scan the QR Code for More Info on NES Thread Repair Products

Fuel

Fuel Pump

Module

Spanner

Wrench

SKU **110278**

• Removes and Installs

the Fuel Pump Retaining Ring

25156

Tubing

Mini Tubing Cutter

SKU **532507** 25058

STORE STOCK

- Capacity: 1/8" to 7/8"
- Cutter is Capable of Turning on a 1-7/8" Radius
- Lightweight for Easy Handling

Double

Flaring Tool

SKU **864647**

25358

STORE STOCK

• Includes Five Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2" (4.8 mm Through 12.7 mm)



OEM TOOLS

OEM TOOLS

Tubing Cutter SKU 141489

25299

STORE STOCK

- Cuts Tubes Capacity: 1/8" to 1-1/8'
- Two Facing Flare Groove Rollers • Die Cast Frame With Reamer
- Alloy Steel Cutting Wheel
- Large, Easy Grip Knob With 1/8" to 1-1/8"2 Facing Flare Groove Rollers



OFM TOOLS

- Works on 3/16", 1/4" and 3/8" (4, 6, and 8 mm) O.D. Copper, Aluminum and Stainless Steel Tubing
- · Used to Make Left, Right and Offset Bends Up to



In-Line Flaring Tool Kit OFM TOOLS

SKU 238197 24364

STORE STOCK

- Use on Thin Walled Steel and Copper Tubing • Low Profile Design Allows for Use on or Off the Vehicle
- 3/16" and 4.75 mm Tubing • Double Clamp and Hex Screw Keeps Tubing

Locked Tightly in Position Create a Perfect Flare Every Time!



33627015 • Produces Single and Double Flares in Soft Steel



OEM TOOLS



Ring Tool

24398 • For 2004 - Newer Ford F150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans, PT Cruiser.

1/2 Ton and 3/4 · Works With


OEM TOOLS **Fuel Tank Lock** SKU **751721**

Dakota, Durango; 2004 Newer Chevy


Ratchet or

Ratcheting **Tubing Cutter**

SKU **466309** STORE STOCK



















OEM TOOLS

Flare for GM **Transmission Cooling Line**

• Die and Adapter

Flare for GM

SKU 300785 MSC71099-TC

Transmission Cooling Line



Die and Adapter Mastercool®

Universal Hydraulic Flaring Tool Set

SKU **390927** MSC71475

and 10 mm

- Fabricates Push to Connect Flares: 1/4", 5/16" and 3/8"
- Double Flares: 3/16", 1/4", 5/16", 3/8" and 1/2" Metric Bubble Flares: 4.75, 6, 8



9/16" Spark Plug Socket

• 10" Long With Thin Wall Design to Reach Into the Cylinder Head

F-150 Pick-Up Trucks With 5.4L 3 Valve Triton V-8 Engines Chamfered Ends

• Fits 2004–Newer Ford

SKU **265110**

 Chrome Plated to Resist Rust



Spark Plug Installation

Spark Plug **Boot Pliers**

SKU **390900** 25542

STORE STOCK • Designed to Remove Hard-to-Reach

- Spark Plug Boots • Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
- Do Not Use When the Engine is Running

for Comfort



Heavy Duty OFM TOOLS





SCHRADE ASSISTED OPENING



• 3.4" Black Aluminum Handle

* Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific areas.

SKU

452993

SCHA3CBS

 Assisted Open, Finger Actuator • 2.9" 4034 Stainless Steel Blade

colorshift

• 4.4" Colorshift™ Aluminum Handle SKU

452991

* Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific area<u>s</u>.