AIR CONDITIONING

MAHLE

Recovery Machines



1-877-AZTool1 (1-877-298-6651)

R134a A/C Refrigerant **Handling System**

SKU **850570**

MSSACX1120H

- ECO LOCK® Quick Couplers Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles
- High Performance Vacuum Pump to Ensure Faster Service Times

Hybrid Ready

All MAHLE Recovery Machines are Fully Automatic and Include a 2-Year Warranty



Fully Automatic 2 Year Warranty



Handling System SKU **850573** MSSACX1150

- 4.3" Color TFT Touchscreen
- ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure
- Automatic Oil Injection and Measurement

Fully Automatic 2 Year Warranty



MAHLE

R134a A/C Refrigerant **Handling System**

SKU **850571** MSSACX1150H

- Hybrid Function. Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles
- 4.3" Color TFT Touchscreen
- ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure Faster

A/C Refrigerant Recovery and Recycling Station Filter RTI3608213300 11999



Includes All Needed Items to Perform Basic Maintenance on Your RTI and Mahle Recovery Machine. RTI Filters Need to Be Replaced Every 150 Lbs. of Use in Order to Properly Remove Acids and Moisture That Can Damage Compressors and Contaminate Oil in the Vehicle. DO NOT Accept Look Alike or Knock Off Filters. You Should Change the Filter-Drier When Notified by Machine to Assure Adequate Moisture and Contaminant Removal as Well as Prevent Lockout at 150 Lbs. of Use.

MAHLE



CDS

Recovery Machines

R134a Refrigerant/ Recover/Recharge **Machine With Printer**

SKU **695135** CPSFX134A

On-Board Vehicle A/C Data:

- 1994-2015
- 10 Ft. Charging Hoses
- 6 CFM Vacuum Pump • Heater Blanket Included
- 1-2-5 Warranty

Hybrid Ready



CDS.

Convert-Able Multi Refrigerant Recover/ Recycle/Recharge Machine

SKU **452639** CPSFA1234

- Recovery Recycling Recharging Machine That Can Be Used With R-134a or HFO-1234yf
- Ships Prepared for 134a and Can Be Used for Either 134a or HFO-1234yf Gas
- Will Also Work With R22 and R407C for Reefers • High Performance Two Stage 6 CFM Vacuum Pump
- Standard Equipment Includes 8 Ft. Hoses, R-134a Couplers, HFO-1234yf Couplers and R-134a Tank Refill Adapter

Hybrid Readv Dual Gas



AR2788/2788S Recovery **Machine Filter**

CPSARXF5



 Required to Clean the Refrigerant Before Putting Back into the Vehicle Design for Use on the AR2788S Filter Removes Moisture and Contaminants Before the Refrigerant is Returned to the

CDS

Recovery Machines

▼ Mastercool:

Automatic R134a Recovery, Recycle and Recharge Machine SKU **300784**

MSC69788-A

- Certified for Compliance With SAE J2788
- Large Display: 4.8"
- Vacuum Pump: 6 CFM
- Bottle Heater: Standard Equipment • Includes Upgradeable
- Refrigerant Capacity Database
- 1-Year Warranty



Fully Automatic R134a Recovery, **Recycle and Recharge Station** SKU 300780

MSC69789

- Automatic, Programmable With Manual Modes
- Compressor: Hermetically Sealed, 12 cc
- Vacuum Pump: 6 CFM, 100 Liter/Min. Capacity
- Bottle Temperature Sensor: Integrated
- Includes Upgradeable Refrigerant Capacity Database
- 1-Year Warranty







Keep an Extra Filter Set On Hand!

Replacement High/Low Filter Set SKU **389222**

MSC69788FLTPK • Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789-H Recovery, Recycle, and Recharge All-in-One Units



Offers Good Through December 31, 2016 **While Supplies Last**

Infrared Thermometer VALUE: \$34.80



With Purchase of a: R134a Recovery, Recycle and Recharge Machine SKU **300780** | Part# MSC69789 or SKU **300784** | Part# MSC69788-A

Shipping Not Included. Manufacturer's Coupon Must Be Completed for Bonus

Leasing Terms Available!†

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Vacuum Pump Kits



A/C Service Set With Air **Vacuum Pump - R134a** SKU **850564** 68991

- Complete Kit for Diagnosing and Charging R134a A/C Systems
- Includes Air Vacuum Pump With 1/2" Acme R134a and R12 Connectors, Brass Manifold Gauge Set With 60" Hoses and Snap Style Couplers, Brass Can Tap Valve and Large Diameter Dual Scale Thermometer



A/C Starter Kit - R134a SKU **695127** 68987

Kit Includes:

- OEM 1.8 CFM, 100 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability.
- Ensures Moisture Removal and Reduces Evacuation Time
- OEM Professional Quality Extruded Aluminum Manifold With Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEM R134a Can Tap Connects to Any Acme Threaded R134a Can



3 Piece High Performance A/C Kit

SKU **626121** 68989

Kit Includes:

- OEM 6 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reduces
- OEM Professional Quality Extruded Aluminum Manifold With Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy To Read Spring Dampened Gauges to Reduce Flutter
- OEM 3 in 1 Can Tap Fits 1 Lbs. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports



68988

Kit Includes:

- OEM 4 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensures Moisture Removal and Reduces **Evacuation Time**
- OEM Professional Quality Extruded Aluminum Manifold With Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEM 3 in 1 Can Tap Fits 1 Lbs. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL -
- OEM AC Refrigerant Leak Detector is Sensitive to 0.1 Oz./ Year and Responds to All Halogenated Refrigerants

Vacuum Pumps

Vacuum Pump Oil OMMTOOLS (8 Oz.)

SKU **363429**

24399 · Improves the Life of the Pump

- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- · Compatible for Use in Pumps Made by Most Manufacturers

OEM TOOLS

1.8 CFM Single Stage **Vacuum Pump**

SKU **466312** 24500

- 1/4 HP, 110V Motor
- 100 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME



A/C Flush OEM TOOLS

A/C System Flush Kit

SKU **466308** 24515

- Use With MSC91049 A/C Flush Solvents
- · Includes Canister, Hose, Blow Gun, Rubber Tip and Cylinder Cap



A/C Flush Solvent

- Non-Toxic, Quick Evaporating A/C Flush
- Effectively Removes Debris and Sludge from A/C Components
- Solvent-Based, Evaporates Quickly, Leaves No Residue
- Professional Use Only • Flush Any A/C System

A/C Flush Solvent 1 Gallon

SKU 695653 | MSC91049-128

A/C Flush 6 Pack 32 oz. Bottles SKU 695652 | MSC91049-32-6



OEM TOOLS

Mastercool ∟

6 CFM 2 Stage Vacuum Pump

SKU **301619** MSC900662V110





STORE

STOCK



Can Taps

Refrigerant and Oil Charge Can Tap SKU **466313**

24523

- Fits 1 Lbs. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip With Positive Lock
- Includes: 1/2" ACME Male and 1/4" FL Male Ports With Safety Valve



SKU **466316** 24525

R134a DIY

• Will Service Most R134a Systems

Refrigerant Recharge Kit

• Includes High Pressure Hose and Quick Disconnect Coupler

Valve Tools OEM TOOLS

No Gas Loss A/C Valve Core Remover/Installer

SKU **466321** 24529

- Remove and Install Standard R134a Valve Cores Without the Loss of Refrigerant
- Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports



Thermometers

Non-Contact Infrared Thermometer

SKU **951642** 25245

- STORE STOCK • Temp Range: 35° to +365°C, -31° to +689°F
- Distance to Spot Ratio of 8:1
- · Laser Pointer



OEM TOOLS

-58 to 300° F Digital **Pocket Thermometer**

SKU **447147** 24351

• Accurate Readings from -58 to 300° F (±2°) and from -50 to 150° C (±1°)

- Digital Display Will Rotate 180° and Moves Up and Down for Easy Viewing
- Comes With 1.5V Battery

Digital Refrigerant Scale (240 Lbs. Capacity)

Digital Scales

SKU **752521**

- 24560 • High-Visibility .75" x 2.5" LCD Backlit Display
- (3) Units of Measure: kg/Oz./Lbs.
- Automatic Shut-Off After 10 Minutes, Backlight Will Shut-off After 3 Minutes
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product in or Out of the Protective Case



A/C Recovery Machine Accessories



Refrigerant Canister Filter[™] 1/2 In. Acme

SKU **544562 5499**

AIR72900 • Use Inline Between the Virgin Refrigerant Tank and

the Tank Fill Hose

 Helps Stop Debris From Entering Your Refrigerant Supply Protects Your Recovery Machine From Tank Debris

ROBINAIR.

Spin-On Filter-Drier SKU **414883** ROB34724

- Fits Current Models: ROB34288, ROB34788 ROB34988, ROB34700Z Genuine Robinair
- Spin-On Filter With the Proper Serial Number to Input into Your Machine to Get it Up and Running Again • High Quality Filter

Protects Your

Investment

· Easy to Install





SKU **522875** R0B34430 • For Older 17700A, 34450, 34700 (1997), AC375, AC375A

AC375C, and 34134Z

Robinair Recovery

Machines

A/C Recovery Machine

SKU **752703 7099** ROB13172

Maintenance

- (1) 16 Ounce Bottle of Our Premium High Vacuum Pump Oil
- 34700-2K, 34800, 34800-2K, 34900 Series

ROBINAIR

Machine Filter

- Contains: One (1) Quick Change Filter-Drier to Be Used on Both R-12 and R-134a Stations and One
- For Models Using 34724 Filter/ Drier - 17700A, 17700-2K, 34700,

AR2788/2788S Recovery

SKU **186483** CPSARXF5

- Required to Clean the Refrigerant Before Putting Back into the Vehicle
- Design for Use on the AR2788S • Filter Removes Moisture and Contaminants Before the





and 34988 A/C RRR Machines



Tube Assortment

Master Orifice Tube Assortment

SKU **851868** 24564 Covers Most Vehicles That

Require Air Conditioning

Orifice Tubes • Includes: GM Black T-Top, Jeep Green-White, Ford Black, Ford Blue, GM White, Ford and Mazda Black, Ford Red, Chrysler Purple T-Top, Volvo Yellow, Ford Brown, GM Yellow, Ford Green and Chrysler Orange



A/C Refrigerant Recovery and Recycling RT Station Filter Kit for RTI and Mahle

RTI3608213300

• Includes All Needed Items to Perform Basic Maintenance on Your RTI and Mahle Recovery Machine. RTI Filters Need to Be Replaced Every 150 Lbs. of Use in Order to Properly Remove Acids and Moisture That Can Damage Compressors and Contaminate Oil in the Vehicle. DO NOT Accept Look-Alike or Knock-Off Filters. You Should Change the Filter-Drier When Notified by Machine to Ensure Adequate Moisture and Contaminant Removal as Well as Prevent Lockout at 150 Lbs. of Use.

Fits Recycler Model #: ACS 620 and RHS980



All-in-One Units

MSC69788FLTPK · Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789-H

Recharge-Recover-Recycle



▼ Mastercool:

Capacities Database 2016

• Works With Robinair 34788, 34788-H,

• Includes Charge Amounts and Component Oil Capacities for Vehicle Model Years 1995-2016



A/C Service Tools

OEM TOOLS A/C Condenser Fin Comb Straightener/Cleaner SKU **466317**

24526

• Clean and Straighten Condenser and Evaporator Coils Compact Design for Confined Spaces Includes: (6) Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch





AIR CONDITIONING

A/C Hose and Line Repair

Line Splice Straight Repair Kit

- Effective, Durable Leak Repair With No Line Removal
- 5 Minute Install With a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2600 PSI



SKU	Part #	Size	Price		
SAE					
504140	AIR76003	5/16" Line	\$29.99		
504138	AIR76002	3/8" Line	\$29.99		
504136	AIR76001	1/2" Line	\$29.99		
504143	AIR76011	5/8" Line	\$39.99		
504145	AIR76012	3/4" Line	\$39.99		
METRIC					
504132	AIR77008	8 mm Line	\$29.99		
504155	AIR77010	10 mm Line	\$29.99		
504156	AIR77012	12 mm Line	\$29.99		
504133	AIR77015	15 mm Line	\$39.99		
504117	AIR77016	16 mm Line	\$39.99		

Smart Splice Straight Connectors

- When a Metal-to-Rubber A/C Line is Damaged, You Often Must Replace the Complete OE Line. If the Line is Not in Stock Locally, You Inconvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™.
- Leak-Proof Line Splice™ Technology On the Metal Side of the Connection
- Superior Hose Crimp Technology On the Rubber Side
- Works for Heater and Coolant Lines Also
- Install in 5 Minutes



SKU	Part#	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99

Line Terminator Rear A/C Blockoff Kits

- OE-Approved Rear A/C Block-Off Kits. Block Damaged or Unused A/C Lines No Line R and R. Save Time and Satisfy Customers. Leaking Rear A/C Components or Lines Can Result in High Operating or Repair Costs. Many Car Owners Would Rather Avoid That Expense and Operate the Front A/C Unit Only. With Airsept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or Replacement Labor.
- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y
- Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part #	Size	Price	
504150	AIR76503	5/16" Line	\$22.99	
504149	AIR76502	3/8" Line	\$22.99	
504146	AIR76501	1/2" Line	\$22.99	
504152	AIR76504	5/8" Line	\$26.99	
504154	AIR76505	3/4" Line	\$31.99	

Heavy Duty Ratcheting Hose Cutter

24522

- Smooth Action and High Quality Blade
- Provide Quick, Clean and Accurate Cuts • Cuts Rubber Hose and PVC up to 1-1/2" OD
- Ratcheting Action Makes it Faster and Easier to Use
- Than Other Cutters • Wide Hooked Jaws Hold Tubing Securely



OEM TOOLS



A/C Hose and Line Repair

Hydra-Krimp A/C Hose Crimping Tool

SKII 290027 MSC71500


- Repair A/C Hoses On or Off the Vehicle
- Includes a Complete Set of Dies Covering Hose Sizes #6, #8, #10, #12 and Reduced Barrier #6, #8, #10 and #12
- Makes Crimping Barbed and Beaded Fittings as Easy as 1 2 3!
- Dies Snap Quickly Into the Press Fixture (no Pins or Screws Required)
- Patented, Lightweight, Portable
- Ideal for Shop and Field Applications

✓ Mastercool ∷



24554

SKU **752517**



R134a Extra Long Coupler

• Used on BMW E60 (2003-2009 5 series)

· Allows for A/C Service With No Radiator Removal

and Some Volvo Models

• Male Low-Side R134a to Female 1/2" ACME

· Attaches to Virgin Tank and Low-Side Service




- Change Your Old R12 Manifold Set to R134a
- With This Set of Manual Couplers
- All Metal Construction for Extra Durability
- Includes Adapter for Use With R12 Hoses
- 6 Ball Coupler for Secure Grip

Conversion Coupler Set R134A to HFO-1234YF

SKU **752527** 24561









Mechanic's 500 Lumen

Rechargeable







A/C Service Tools

Orifice Tube Remover Set SKU **752530**

UV Pen Light

Pen Style Ultra-Violet Light

• Convenient Pocket Clip

 Maximum Continuous Runtime is 4.5 Hours

Lightweight, Aluminum Casing

SKU **695128**

24610

24562

Leak Detection Lights

USB

UV Light

SKU **626122**

EXPE93-E02

• 0.8 Lumens

USB Cord

Rechargeable

With Glasses

• Runtime: 12 Hours

• To Use, Simply Turn into Orifice Tube for Grip

• 1W Bulb That Casts a Beam Up to 5 Meters

• Uses (2) CR123A or (1) 18650 Li-lon Batteries

• UV400 High-Impact Resistant Safety Glasses

• 3 Light Modes: 100%, 50% and 25%

• Includes Auger for Removing Broken Orifice

TRACER PRODUCTS

GreatLite



TRACER PRODUCTS
A Division of Spectronics Carnestin

DECEMBER

Leak Detection

1 Oz. Bottle Fluoro-Lite® Universal/POE A/C Dye (6 Pack)

TRATP38400601 **5199**

Complete A/C and

Fluid Leak

Detection

TRATP8621

Starter Kit SKU **291378**

• 50 Watt 6 LED Lamp

• Pinpoints A/C, Oil Systems and

Electronic Leak Detector

With 3 Sensitivity and

5 Detection Levels

SKU 290030 19999

• Detects All Refrigerants


Meets and Exceeds

(CFC's, HCFC's, HFC's)

EZ-Ject[™] Dye Injector With

(3) 1 Oz. Bottles of Dye






Includes 4 Applications for Standard Sized Systems



A/C Refrigerant **Leak Detector** SKU **466307**



SKU **291396**

TRATP97700108

• Treats Up to 64 Vehicles

- Sensitive to 0.1 Oz /Yr.
- Single Color LED Display With 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach to Almost Any Space

BigEZ™ 8 Oz. Universal Dve Cartridge

• Fits Most Caulking Gun Injectors Including TRATP9790

Includes Spare Sensor Tip

🛂 Mastercool:ಿ





• The Ultra Bright UV Light Is Built into the End of the Probe, Allowing Easy Access Into Tight Areas



OEM TOOLS

IntellaSense II Refrigerant Leak Detector

SKU **695639** MSC55900

• Detects: Combustible Gases, Hydrogen, Refrigerants (all CFC's, HCFC's and HFC's)

• Includes Leak Test Vial and Replacement Filters in a Blow Molded Box Meets and Exceeds J2791 and J2913





AIRSEPT.

OEM TOOLS

Recycle Guard R12 Adapter

Kit, 1/4" Flare

AIR72138

SKU **504086 2099**

A/C Recycle Guard Accessories AIRSEPT.

Dual Automatic Recycle Guard for R134a With (2) 36"

SKU **504091 43999**




• Traps Metal Shavings, Desiccant Particles and Other Harmful Debris

Maintains Refrigerant Flow

A/C Couplers


R134a High and 24396














Leasing Terms Available!†

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Manifold Gauges



R134a Brass Manifold **Gauges Set** SKU**752520** 24563

- High Quality Brass Body With Sight Glass
- Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" 3,000 PSI Burst, 600
- Working Pressure Hoses • Snap Style Quick Couplers

OEM TOOLS



R134a Manifold **Gauge Set** With Sight Glass SKU **466319**

24527

- Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 72" Hoses With Manual Couplers

OEM TOOLS **Dual Unit With Extra Long Hoses**



R134a/R12/R22 **Dual Manifold Gauge** Set

SKU **512961** 27229

- For Use With R134a, R12 and R22 • 3,000 PSI Burst and 600
- PSI Max • SAE J2196/ R134a
- Extra Long High and Low Hoses: 72"; Freon Hose: 96"
- Manual Couplers Included

OEM TOOLS



R1234YF Manifold Gauge Set

SKU **752518** 24559

- 3" Easy-to-Read Gauge's With Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers

✓ Mastercool *



R134a Aluminum **Manifold Kit** With Dye Injector

SKU **290023** MSC89660UV

• Includes R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



✓ Mastercool:

R134a Aluminum **Manifold Kit** With Dye Injector

SKU **290022** MSC89661UV

• Includes R134a Aluminum Manifold, 60" Hoses, Manual Couplers and 10 Application Mini Dye Injector

Manifold Gauge Repair

Replacement Gauge Low Side for A/C Manifold

SKU **481709** 24531



- This is a Low Compound Gauge for OEMTOOLS and Other Brands of A/C Manifold Sets Used to Service A/C Systems On Cars
- Reads 0-120 PSI and 0-30" Hg
- 1/8" NPTF Male Threads

Replacement Gauge **High Side for A/C Manifold**

SKU **481705** 24530



- This Replacement High Side Gauge Fits OEMTOOLS and Other Brands of A/C Manifolds Used to Service A/C Systems on Cars • 1/8 In. NPTF Male Threads
- Reads 0-500 PSI



1/4" Hose Set 72" SKU **752515**

• 72" 1/4" SAE 3 Hose Set Color Coded: Red, Yellow



R134a Hose Set 72" SKU **752516**

• 72" R134a 3 Hose Set Color Coded: Red, Yellow and Blue



OEM TOOLS

Injectors



Injector SKU **466322**

- 24532 • Add Up to 2 Oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant
- 1/2" ACME Fittings to Fit Most R134a Systems
- Use With TRATP38400601 Bottle Fluoro-Lite® Universal



SKU **466320** 24528

- Injects Dye or Oil into R12 or R134a Systems
- Refillable, Capacity: 2 Oz.
- Includes R134a Quick Coupler
- Use With TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dve

AutoZone will lift the current belts you stock and replace them with quality DAYCO belts at a discounted price.

Contact Your AutoZone Commercial Sales Manager for Details

HVLS Fans

Purchase an HVLS fan from EnergyLogic today to start saving on energy costs all year long!

				HVLS FANS					
ĺ	MODEL	BLADE DIAMETER	# BLADES	AVAILABLE BLADE LENGTHS	CFM	INDUSTRY SPACING	SKU	PART NO.	PRICE
	AVD 370	12 ft.	6	6 to 12 ft.	54,000 CFM	48 ft.	012679	ENLEL06000875	\$3399.99
	AVD D3	12 ft.	3	10 to 24 ft.	84,000 CFM	60 ft.	012669	ENLEL06000948	\$4399.99
	AVD 550	18 ft.	6	8 to 18 ft.	181,000 CFM	95 ft.	012701	ENLEL06000887	\$5899.99
	AVD 780	24 ft.	6	20 to 24 ft.	346,000 CFM	115 ft.	338826	ENLEL06000891	\$6649.99
•			•						

Includes fan, mounting hardware, Cat 5 cable, digital touchscreen controller and 50K hour warranty.



Tubing Benders

Blue Bullet Tubing Bender SKU **015350** BENBB1

- Lea Operated Control Lever at Front Keeps Hands Free
- Two Separate End Finishing Units at Rear for All Necessary Flaring and Expanding
- · Degree Plate Located Up Front for Easy Viewing • Comes Complete With Quick Release Bending and End Finishing Dies
- Includes High-Speed Clampless Swager and Internal Expander
- 3" Bending Capacity (Dies Optional)

Lift Gate Service SKU **262533** RANLIFTGATE 13500





Card System Complete With Rotation Dial / Computer CD SKU **298074**

BENCS-1

• Over 3,500 Cards on One CD

- 10,000 Bending Applications
- Includes: Rotation Dial for Standard and "Mirror Image" Bending



AIR CONDITIONING

RECOVERY/RECYCLE/ RECHARGE MACHINES









ROB34988NI \$4899.99



ROB34788NI ROB34788NI-H \$3799.99 \$3899.99





ROBAC1234-6 \$6399.99

AC1234-6 1234YF A/C Service

- Fully automatic operation program for service, walk away and return when complete.
- 95% recovery efficiency.
- Programmable vacuum operation helps get to the necessary vacuum level in any condition quickly.
- System leak test to identify gross leaks in a system.
- Charge accuracy within +/- ½ oz.
- Automatic oil drain shows how much oil was removed from the system during service.
- Automatic air purge removes the potential of air accumulating in the internal tank.
- · Integrated refrigerant identifier (meets SAE J2927).
- · Liquid refrigerant flushing function can flush A/C systems or individual components using liquid refrigerant instead of harsh chemicals.
- · Automatic internal tank refill. No stopping to fill the internal tank during service, or before service.
- 1/4 Color VGA display. Large easy to read graphical display.
- On-board printer capable of printing vehicle service report slips to present to customers.

34288 34788NI-H 34988NI 34788NI **Features** X X Fully-Automatic Function: Program to recover, vacuum, leak test and charge without X Automatic Dye Inject: Gives the user the ability to use the machine to inject UV dye Χ into a vehicle's A/C system. Automatic Oil Drain: A display reminds you to empty the graduated container to show X X X X the amount of oil to replace. X* X Oil Inject: Automatically inject oil back into the vehicle's A/C systems. Refrigerant and Oil Database: A/C system capacities for North American market Optional Optional Optional vehicles (Optional - not included with the machine). A/C System Flush: Flushes a vehicle's A/C system with refrigerant, eliminating any X residual oil or other liquid (Flushing adapters not included). X X Save and Print Before and After Service Data: Allows the user to store before and X after service information by vehicle and print this information to provide to a customer Χ Visual and Audible Alarm: Notifies the user when service is complete, or if a problem Χ Χ Vacuum Leak Test: Monitors level after evacuation, informs of possible leak. X X X Automatic Air Purge: Eliminates system-damaging air without monitoring gauges or Χ Χ Χ Automatic Refrigerant Refill: Maintains a user-selectable amount of refrigerant in an X internal vessel and signals when it's time to change supply tank, no monitoring required. Vacuum Feature: Defaults to 15 mins, programmable up to 99 mins. "Remaining time" Χ Χ X is displayed. Display: Multilingual. X Refrigerant Charging: Select a charge mode from high or low side, or use both sides. Х Χ X Refrigerant Management System: Displays refrigerant use and monitors remaining Χ X X X filter life. Prompts appear when 1/3 of filter life remains. Electric Vehicle: Capable of servicing high voltage electric compressor A/C systems. X Printer Optional Optional Optional Refrigerant Identifier Optional

encore

OC

Check out the Encore

registration

TPMS

sensor

process

Prices Subject to Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

* 34988NI has (2) oil bottles for injection, giving the technician the option to choose between two on-board oils to service the vehicle • Large full color display (34988 has monochrome display) • 34988NI meets SAE J2788 requirements, consistently meets 98.5% recovery performance vs 95% on the 34988

Diagnostic

Fastest code-to-fix® with a lifetime warranty

New Bravo 2.0 software is faster and more responsive

The OTC Encore features enhanced diagnostic coverage and a lifetime hardware warranty. Warranty never expires if subscription is kept current. The mobile, Android-based system is easy to use, intuitive and fast.

No tool helps you fix faster than OTC Encore

- · Includes on-tool database of 30 million confirmed fixes
- First OTC tool with Bosch coverage database for European vehicles, including Mercedes-Benz, BMW and Volvo
- AutoID most CAN vehicles in less than 5 seconds
- Read and clear codes in seconds
- Access top reported code fixes in seconds
- Extended-hours tech service days, nights and Saturdays. Call 888-789-2602.

30 Years of Unmatched OE Coverage

Encore alerts technicians to on-tool or web-based repair information including Identifix Direct-Hit™. Full scan functionality, including OEM Domestic, Asian and European, bi-directional controls and enhanced data perform a Google search right within a diagnostic session.

SKU 463113 3893

Encore, OBD II cable, USB cable, power adapter and hard carrying case.

3210 CodeConnect with ABS and Airbag

New and improved software with 4 multifunction buttons for added functionality.

- Expanded European ABS DTC coverage • 26 Million+ CodeConnect Top Reported Fixes
- Oil light and battery resets
- Stores five vehicle's scan data
- View vehicle fuel mileage using MAF data

· USB update cable and batteries included





13,000 confirmed **HD** diagnostic fixes

New ESI[repair] subscription service with 13,000 trouble code fixes.

Free trial for current tool owners. Confirmed fixes based on module, code and truck configuration.

Visit boschdiagnostics.com/pro to learn more.

3824-08R

ESI [Truck] HD Diagnostics

UNMATCHED COVERAGE AND REPAIR INFORMATION AT THE TRUCK

The most complete diagnostic coverage for multibrand heavy-duty trucks and engines, performing special tests and p arameter reset capabi

NEW REPAIR INFORMATION SUBSCRIPTION SERVICE

ESI[repair] subscription service for ESI[truck] includes 13,000 experienced based fixes. ALSO: The tool includes fixes specific to trouble codes and symptoms with repair information that can be viewed while still in diagnostic mode.

TRUCK COVERAGE

Trucks: Freightliner, International, Kenworth, Mack, Volvo, Peterbilt, Sterling, Westernstar, MD Trucks (Freightliner Sprinter Van, Isuzu, GM and Ford). Trailer ABS Controllers; Allison and Eaton Transmissions

ENGINE COVERAGE

Heavy duty engines - Caterpillar, Cummins, Detroit Diesel-MBE, Deutz, Mack, MTU, Navistar, PACCAR, Perkins and Volvo. Medium and light duty engine software included.

SKU 851263

3824

WINDOWS 7 TABLET SCAN TOOL

Includes VCI, 6 pin and 9 pin cables

Price **\$9995.99**

3824BSC

SCAN KIT

Use with your shop PC Includes Bosch diagnostic software, VCI, 6 and 9 pin cables.

Price \$7450.00





Leasing Terms Available!†

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

OTC

and saving time.

Engine Service



SKU **432093**

Ford Spark Plug Remover Kit, Triton 3V

- · Unique design helps prevent breakage by locking the plug porcelain core to the plug hex allowing it to turn as one complete unit.
- Will also pull plug porcelain
- core if plug hex only is removed.

 Detailed Instructions to maximize

Works on:

- Ford 4.6L 3V V8 engines used in 2005–2008 Mustang, 2006-2008 Explorer.
- Ford 5.4L 3V V8 engines used in 2004–2008
- F-Series, 2005–2008 Expedition, 2005–2008 Lincoln Navigator. • Ford 6.8L 3V V10 engines used in 2005-2008 F-Series 250-350-450.





Belt Holding Tool

- · Keeps belt from falling off of a pulley during belt installation.
- · Universal design to fit most pulley styles and sizes. Super strong magnet to hold the belt firmly on the pulley.
- Multiple holders can be used for belt applications that fit
- around many pulleys.
- · Durable plastic housing with magnet for steel/iron pulley



OTC Hub Grappler™

minimize service time.

SKU **112535** 6530

Ball Joint Intermediate Service Kit

• This 20+ adapter kit covers many Truck/Van/SUV applications and some car applications.

The Hub Grappler Kit is the complete solution for servicing wheel

hubs and bearings on the vehicle without removing the steering components or knuckle. This eliminates unnecessary alignments

• The new Hub Grappler Puller is specifically designed to apply

maximum force with minimal effort from an impact gun to also

applications and can be quickly located on the puller bar without

or the use of a shop press, cutting service time dramatically.

The new jaws are designed and sized to properly fit hub

- With the majority of Cars and Truck/Van/SUV applications having press-in ball joints and universal joints, this kit is designed to service many of those applications.
- This kit is a combination of 7249, 7918, and 7996 kits, and includes 20+ adapters, C-Frame, and Application Diagrams all provided in a case.



• The new 3/4" custom drive screw coupled with the special equalizer

washer provides smooth operation while the proprietary heat treating extends its life 5-10 times longer than similar designs.

6 new adapters increases application coverage up to 2009 model

The Hub Grappler Application Guide is the most comprehensive

first tool used in the kit, it provides quick reference to the other

tools in the kit required to do the job, eliminating guesswork

year. Also includes tie rod/ball joint tool and 2 Ford axle installers.

hub and bearing service guide on the market. Developed to be the



CrimPro™ 4-in-1 **Angled Wire Tool**

· Compact 7-inch design.

- · Gripping nose.
- Crimper, 12-20 AWG insulated & non-insulated wire.
- Stripper strips 12-20 AWG wire.
- · Cutter ability to make cuts both above and below pivot.





9-Way Slide Hammer Puller Set

- Pulls flange-type rear axles and most front-wheel drive hubs.
- · Internal and external jaws provide a variety of
- Two- and three-way cross blocks and cone provide the perfect jaw configuration for most jobs.
- Set also includes a grip wrench adapter and a dent puller attachment for sheet metal or other unique pulling requirements.
- Designed for use with other OTC 5/8"-18 thread
- slide hammer attachments.
- · Packaged in blow-molded case.



SKU **491272**

Bearing Splitter Combo Set

This combo pack contains four of OTC's most popular bearing splitters, plus a pulley pulling attachment. A rugged organizer case is included, enabling you to keep the tools together for instant use.



Master TORX® Socket Set

52-piece, professional socket set in a blow-molded case. Hundreds of applications from front to rear on cars and trucks:

- Seat belt bolts
- Interior and exterior trim screws - Tail lamp lenses & assemblies
- Engine assemblies - Bumpers
 - Headlight bezels - Brake rotor bolts
- Door strikers & latches
- -Truck box liners
- Styles available: TORX, TORX PLUS, tamper-resistant TORX and external TORX.
- Made from superior S2 steel to meet or exceed torque specifications.



SKU **291472**

6980 **OTC Brake Drum & Rotor Puller**

- · Handles large components such as brake drums, rotors, drive gears, flywheels, and pulleys.
- · One person can easily set the tool in place and use for tough pulls even where there is little access to insert the jaws.
- Spread to 12-3/4" and 5" of reach.
- · 7-tons of force, yet weighs less than 10 pounds.
- · Can be used with air tools to reduce time and fatigue.



