# AUTOMOTIVE LIFTS

#### **2 Post Lifts**

#### **CL** Challenger Lifts

Challenger E10 10,000 Lbs. 2 Post Lift

SKU 435061 2.79999 CHLLE10

• 3-Stage Front Arms and 2-Stage Rear Arms for Asymmetric or Symmetric Lifting in the Same Service Bay, Uni-Body Design Vehicles, Vehicles with Designated Outside Lift Points, Wider Vehicles, Low Profile Vehicles and Both Short and Long Wheelbases

- Double Telescoping Screw Pads with Rubber Foot Pads
- Rubber Door Guards Protect Vehicle From Door Damage
- 11' 11-7/8" Standard Height Fits in Service Bay with 12' Ceiling Height

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



# 10,000 Lbs. 2 Post Lift

SKU **499657 2,799**99 FOR110

- Low Profile 3-5/8" Min. Adapter Height Spot-Rite™ 3 Stage Front Arms for Symmetric and Asymmetric Lifting
- Overall Height: 143-3/8"
- Overall Floor Width: 137
- Maximum Lifting Height: 76"
- Inside Column Width: 115" • Drive-Thru Clearance: 105"
- Minimum Ceiling Height: 144"

(Truck

. Adapters

Included)

Price Does Not Include Vehicles, Installation or Ontional Equipment as Shown



FORMARD

#### SKU186433 2 DAN1375647 Asymmetric

**Brigadier D-10 ACX** 

• Lifting Capacity: 10,000 Lbs./4,546 Kg • Overall Height: 145" / 3,683 mm

• Overall Width (Outside of Base Plates): 143-1/2'

• Width Between Columns: 112-3/4"

• Rise: 69" / 1,753 mm

- Maximum Lifting Height (Pad and 6" Adapter): 79" / 2.007 mm
- Drive-Thru Clearance: 100-1/2" • Motor: 220 VAC 60Hz. 1Ph

Challenger SA10

**2 Post Vehicle Lift** 

• Can Be Configured in Either the

• 3 Stage Front Arms Provide

Double Telescoping Screw Pads to Minimize the Need

Greater Overall Arm Sweep

Symmetric or Asymmetric Position

Asymmetrical Column Orientation

10.000 Lbs.

SKU **847098** 

for Adapters

Symmetrical Column Orientation

CHLSA10



**CL** Challenger Lifts

Dannmar<sup>\*</sup>

#### 10,000 Lbs. Dual Width **Clearfloor 2 Post Lift, Screw Pad**

• Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configuration

• Double Telescoping Screw Pads Offer Increased Versatility

• Height Overall: 145'

Symmetric SKU **296968** BENXPR-10S

Inside Columns

**Asymmetric** SKU **297001** BENXPR-10AS

105.5" - 118.5"

• Inside Columns: 104" - 112"

Symmetric Low-Pro Arms SKU **296983** BENXPR-10S-LP

• Inside Columns: 105.5" - 118.5"

**Asymmetric** Low-Pro Arms SKU **297003** BENXPR-10ASLP

• Inside Columns: 104" - 112"

BendPak

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



Five Years (60 Months) Warranty on the lift structure

Two Years (24 Months) Warranty on the hydraulic cylinder(s) and power unit One Year (12 Months) Warranty on operating components One Year (12 Months) Labor Warranty on site or at factory

on ground-freight charges related to warranty performance

One Year (12 Months) Free-Shipping\*

Free-shipping applies to direct shipping points within the 48 continental United States. Rural area shipping surcharge may apply for remote addresses. See BendPak.com for specific terms of warranty.

**CL** Cha*ll*enger Lifts

**Versymmetric**<sup>®</sup>

: BendPak

10.000 Lbs. F10 2 Post Lift

SKU **818779** FORF10N100MBL **2,59999** SKU **818779** 


- Low Profile/Oversized Pads to Raise Most Vehicles • 3 Stage Front Arms for Symmetric and Asymmetric Lifting
- Includes (4) 3.5" and 5" Adapter Extenders
- Warranty: 60 Days Labor, 18 Months Parts, 5 Years Structural

SKU **210371** 

ROTSP010

3-Stage Front Arms Allow ou to Choose Symmetric or

FORMARD



SKU **534581** ROTSPOA10

4,14999

Asymmetrical • Surface Mounted, Frame Contact Lift

• Features Electric Hydraulic Operation and Genuine Symmetrical Design for Overhead Design for Clear Floor Lift

• Factory Rotated Columns Allow Doors of Vehicle to Be Fully Opened While Properly Positioned on Lift

• Arm Restraints on All Arms



#### Challenger CL12, 12,000 Lbs. Challenger Lifts 2 Post Symmetric Lift

SKU **750127** CHLCL12

 Lifts Heavy Duty PU's to Small Sedans • 3 Stage Front and 3 Stage Rear **Arms Provide Greater Extension** and Retraction

• Rise Height: 84 3/4" (2153mm)

• Ceiling Height Required: 13' 9"



LOWER

PRICE

FORMARD



 2-Stage Telescoping Arms Provide Excellent Reach to Accommodate Vehicle Lifting Points

 13' 10" or 14' 7" Adjustable Column Height

• Heavy-Duty Telescoping Screw Pads



## 10.000 Lbs. 2 Post Lift

SKU **298485** CHLCL10V3



- Column Height: 11' 8"
- Adjustable Width Overall: 11 6-1/2" / 11 11
- Floor to Overhead Switch: 134.5"
- Ceiling Height
- Required: 11' 11' • Drive-Thru Clearance: 100" / 104-1/2"

Price Does Not Include Vehicles. Installation or Optional Equipment as Shown



# 12,000 Lbs. F12N300 2 Post Lift

FORF12N300BL **4,29** • 2 Stage Arms Reach: 35" to 54"

Accommodates Trucks and Many Cars

• Low Profile 4-3/4" Adapters

• Includes Four 3.5" and 5" Adapter Extenders

• Warranty: 60 Days Labor, 18 Months Parts, 5 Years Structural

of 11'- 10", 12'-10", and 14'-10" are Available

**Height Configurations** 

Price Does Not Include Installation of Optional Equipment as Shown

SKU **818755** 

FORI12N300BL



12,000 Lb I12N300 2-Post Lift



Front and Rear Arms

BendPak

# 15,000 Lbs. 2 Post Lift

SKU **499669 7,69999** FORDP015

18,000 Lbs. 2 Post Lift SKU OUTSIDE BUY/EPO

Includes Truck Adapter Extensions Low Profile Arms

• Overall Height: 14'7'

• Overall Width: 12' 4" • Rise: 88-1/2"





BendPak

NEW

Free Delivery!

12.000 Lbs. 2 Post Lift **Clearfloor, Triple-Telescope Arms** SKU **296957** BENXPR-12CL 3, 19

• Drop-End Arms Provide a Lower Pad Height

 Triple-Telescoping Front and Rear Arms

• Height Overall: 170" Inside Columns: 120'

(Truck Adapters Included)



BENXPR-15CL • Taller Column Height Provides Greate Overhead Clearance

• Versatile Drop-In Contact Pads with Stackable 8 Piece Truck And Van Adapters Frame Cradle Pads Come Standard

• Two-Stage Telescoping Front and

- Rear Arms Height Overall: 170"
- Inside Columns: 120" • Includes Frame Cradle Pads
- Plus Truck and Van Adapter Set



# 18,000 Lbs. 2 Post Lift, **Clearfloor, Standard Arms**

SKU **296884** BENXPR-18CL Taller Column Height Provides Great

Overhead Clearance • Versatile Drop-In Contact Pads with Stackable 8 Piece Truck and Van Adapters

• Frame Cradle Pads Come Standard • Two-Stage Telescoping Front and Rear Arms

• Height Overall: 170" Inside Columns: 120" • Includes Frame Cradle Pads

Plus Truck and Van Adapter Set



Free Delivery!

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.†

# Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

# Tool & Equipment Quarterly

#### **2 Post Floor Plate Lifts**

**Admiral D-2-9X** 

SKU **186430 2,69999** DAN1375646 SKU **186430** 

- Perfect for Shops and Garages
- with Height Restrictions • Truck and Van Adapter
- Set Included • Height Overall: 113"



#### Dual-Width, 9,000 Lbs., 2 Post Lift, Floor Plate

SKU **296950**BENXPR-9DS **2,89** 

- Adjustable Width Design Configures for Wide or Narrow Installation
- Direct-Drive Lifting System Eliminates Chains and Pulleys
- Large, 20" x 19" Steel Base Plates

(Truck Adapters Included)

FORMARD

**Low Ceilings** 

Are No Problem!

- Height Overall: 145"
- Inside Columns: 105" 118"



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

#### Dual-Width, 9,000 Lb. 2 Post Lift, Floor Plate, Short Lift

SKU **296813**BENXPR-9S

- Shorter Column for
- Low-Ceiling Installations • Adjustable Width Design Configures for Wide or Narrow Installation
- Large, 20" x 19" Steel Base Plates
- Height Overall: 113" • Inside Columns: 105"-118"

(Truck Adapters Included)



BendPak.

Low-Profile Arms. Dual-Width, 9,000 Lbs. 2 Post Lift, Floor Plate, Short Lift

SKU **296927 2,999**99 BENXPR-9S-LP

• Shorter Column for Low-Ceiling Installations • Adjustable Width Design Configures for Wide or Narrow Installation

• Telescoping Low-Pro™ Arms Accommodate

Lowered Sports Cars • Large, 20" x 19" Steel Base Plates





Adapters Included)

9.000 Lbs. 2 Post Lift

SKU **499660** FORBP9

- Minimum Ceiling Height: 113" Overall Width: 138-1/2" (3,518 mm)
- Overall Height: 111-1/4" (2.826 mm)

 Minimum Adapter Height: 3-1/2"

Included



**CL** Challenger Lifts Challenger CLFP9 9,000 Lbs. Floor Plate 2 Post Lift

BendPak

SKU **851779 3,39999** CHLCLFP9

- 3 Stage Front and Rear Arms Provide Excellent Reach to Lift a Variety of Vehicles
- Drive-Thru Clearance: 98-3/16"
- Ceiling Height Required: 121-7/8"
- Double Telescoping Screw Pads Adjust to Multiple Heights Minimizing the Need for Adapters



#### BendPak 12.000 Lbs. Floorplate, Direct-Drive 2 Post Lift SKU **297199**

BENXPR-12FDL Open-Top Eliminates Overhead Obstruction

- Versatile Drop-In Contact Pads with Stackable 8-Piece Truck and Van Adapters
- Frame Cradle Pads Come Standard
- Triple-Telescoping, Low-Profile Arms
- Height Overall: 144" • Inside Columns: 118



## QuickCycle™: Rise Time 27 Seconds!

BendPak

BendPak

#### **CL10 Versymmetric 10,000 Lbs. 2 Post Dual Pendant** Controls QuickCycle™ Lift

SKU **851780** CHL10V3DPCQC

- Featuring Dual Pendant Control System Operate Lift From Either Column
- Versymmetric 3 Stage Front and 3 Stage Rear Arms
- Safely Lift Everything From Small Sedans to Trucks and SUVs • Comes Standard with a Full Set of Adapters
- and Adjustable Foot Pads



#### **Express Solution CL10-XP9** 9,000 Lbs. QuickCycle™ 2 Post Pad Lift

SKU **851783** 

CHLCL10XP9QC

- 2-1/4" Platform Height
- Open Front and Rear for Complete Vehicle Access · Come Standard with a Full Set of Rubber

Omega Wheel Arm™

SKU 573207 8999

and is Handy with Tire

Mechanics to Put On or Take Off Tires

Avoid Bending Over to Put Down or Pick Up

Fits Most Lift Arms

3" - 5" Wide

• Set Includes (2)

(2) Magnetic

Tool Travs While Supplies Last

Wheel Arms and

2 Drip Trays

**Caster Wheel Set** 

SKU 898905 28 999

SKU **301768** 

BEN5700301

BEN5210997

• For Use on HD-9

Series Lift Only

· Holds the Tire at Lift Arm Height

OMG92100

Rotations and

Brake Jobs · Easy and Safe for

a Tire

Spotting Blocks



**Don't Let the Tire Make You Tired!** 

2 Round



### 2 Post Lift Accessories

#### Rubber 2 Post Lift Pad/ Slip Over/ Round - 1 Each

SKU **343396 2499** BEN5715017



#### **Square Rubber** Arm Pads (1 Each)

SKU **898880 2499** BEN5715365 **24each** 

- Works with Any BendPak 2 Post Lift
- 5-5/8" Square • 1-1/16" Thick













### I10 2 Post Carriage **Door Bumper Kit** FORTPB10-D1 5999

• Use with Forward FORI10



FORMARD

#### **Round Rubber Lift Pad** Assembly Drop-In (1 Each)


SKU **343397 5999** BEN5215507

- Works with Any BendPak 2 Post Lift
- 1 Lift Pad
- 5" Diameter for **Enhanced Stability**
- Easy Drop-In Design



#### **I10 Rubber Adapter** Pad Kit

SKU 568440 9999





SKU **568450** FORT100285

- Included Rubber Pad Eliminates
- Metal to Metal Contact • Adapters Have Ears to Cradle Frames



FORMARD



# FORMARD

**Rolling Oil Drain** SKU **898714 379**99 BENDP-30



#### FOR994105 • Use with Forward FORI10



• Use with Forward FORI10



Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.





Free Delivery!

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

6999

Leasing Terms Available.

BendPak

# AUTOMOTIVE LIFTS

#### **4 Post Lifts** BendPak 14,000 Lbs. 4 Post Lift Dannmar<u>\*</u> SKU **898152** Major D-12™ 12,000 Lbs. 4 Post Lift BENHDS14 SKU 343410 3 • Overall Width: 130" DAN1375681 • Overall Length: 241' • Single Hydraulic Cylinder Mounted Underneath Runway Max. Rise: 70" • Internal "Anti-Sway" Slider Blocks in Each Column • Motor: 220 VAC/1 Ph • Features Heavy Duty 1/2" Aircraft Cable • Oversized Self-Lubricating Cable Rollers • Rugged 1-3/8" Roller Axles • Multi-Position Safety Locks in Each Column • Ramps Feature Non-Skid Surface Column • Push-Button Safety ReleaseRunways Adjust for Rolling Jacks Sold Separately Different Tread Widths 4 Post 6,000 Lbs. Rolling RJ-7 7,000 Lbs. Capacity **Bridge Jack DRJ-6 Rolling Bridge Jack** SKU 212556 1.3 1 99 SKU 343411 99999 BENRJ-7 (Optional Equipmen (Optional Equipment) **CL** Challenger Lifts FORMARD 14,000 Lbs. **Challenger 4P14** 18,000 Lbs. 4 Post **4 Post Lift** 14,000 Lbs. 4 Post Lift **General Service Lift** SKU **568426** SKU **696483** SKU **851781** CHL4P14EFX SKU **851781** รหม **อง6483** FORCR14N100 FORCR18 Louvered Approach • Max. Wheelbase: 194 • Heavy Duty Hydraulic Cylinder • Accommodates 182.5" Ramps for Positive Vehicle Traction • Durable Cable and • Single Point Latch Release Wheelbase Vehicles Sheave System • High Performance Cable and Adjustable Runways to • ETL Certified to ANSI/ • 78-3/4" Rise Sheave System Accommodate a Variety • ETL Certified – Model Shown is CR14N100 ALI ALCTV: 2011 • 18 Lock Positions of Tread Widths • Column Height: 90-1/2" Minimum Bay 18,000 Lbs. Size:12' x 24' **Long Wheelbase** 4 Post Lift SKU 568427 8 Price Does Not Include Vehicles, Installation or Optional Equipment as Shown FORCR18LW • Max. Wheelbase: 230' Rolling Jacks Sold Separately 7,000 Lbs. Rolling Jack 7,500 Lbs. Rolling Jack 9,000 Lbs. Rolling Jack SKU 568446 2 99999 SKU 264847 2.05499 FORRRJ70G FORRJ901000 **Storage Lifts** Ba BendPak FORMARD FORMARD 9.000 Lbs. 9,000 Lbs. Free Standing 9.000 Lbs. 8.000 Lbs. 7,000 Lbs. 4 Post or Surface Mounted 4 Post **4 Post Lift 4 Post Lift EFP8 Home Storage Home Storage / Commander D-7** SKU**499672 3** FORFFP9 SKU**898142 2,949**99 BENHD-9 **Lift - Standard Height Light-Duty Service Lift** 4 Post Lift SKU **186464** SKU **264504** CHLQ4P09H **3,49** SKU **383185 3,199**99 CHLQ4P07 SKU **818781** DAN1375643 Includes: Steel Approach Ramps, Jack Tray, Wheel Caster Overall Width: 116-3/4" / FORFFP8P000M

- Rise Height to Top of Runway: 73-1/2" • Outside to Outside Columns: 112"
- Overall Length (with Ramps Attached): 209"
- Inside Columns: 95"
- Height of Columns: 84-1/2"
- Width of Runways: 20" Height of Runways: 7"
- Width Between Runways: 38"
- Length of Runways: 164"



**Caster Set** 

Rolling Jacks Sold Separately SKU **264473** CHLQ4P09CS





- Overall Length: 200" / 5,080 mm
- Column Height: 88" / 2,235 mm
- Max. Lifting Height: 74-1/2"/ 1 892 mm





BENRJ-45

MET MILH MOUKS RJ-45 4,500 Lbs. **Capacity Rolling Bridge Jack** SKU **898534** 



Rolling Jacks Sold Separately

Kit and Drip Trays

Internal Lock

• ETL Certified

System

• Single Point Lock Release

WORKS WELL WITH

4.500 Lbs. **Rolling Jack** SKU **568432 99999** FORRRJ45G



- Perfect for Home Use
- Detachable Ramps Included
- Casters, Jack Tray and Drip Trays
- Included • Wired to Plug Into 115V Receptacle



WELL WITH

**Hand Pump Rolling Jack** 

3,500 Lbs. RJ35BK

SKU **818764 69999** 

• 1HP 110 Volt Plug-In or 220V Power

• Rise Height Underneath Runway: 63"

• Overall Length (with Ramps): 195 1/2"

• Outside to Outside Columns: 100"

(without Ramps) 165"

• Width of Runways: 20"

• Height of Runway: 5 3/4"

• Length of Runways: 150" • Detachable Aluminum Approach Ramp Length: 36" • 13 Lock Positions

• Width Between Runways: 38"

• Height of Columns: 79-1/2"

• Inside Columns: 92"

4,500 Lbs. Hand/Hydraulic **Operated Rolling Jack** SKU 383186 50099 CHLQRJ03H

WILWITH





• Spring-Loaded Safety Locks on Each Column

Polyethylene Internal Slide Blocks

• Single Safety Lock Release Handle

• Self-Lubricating UHMW

• 7,000 Lbs. Capacity Free

• Detachable Drive-Up Ramps

Standing Design



Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.†



# Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

# Tool & Equipment Quarterly

#### **Lift Accessories**

Air/Electric **Workstation for** 2 and 4 Post Lift

SKU **751635** DAN1980999

• Add 20 Amp Outlets, Air Functionality and Tool/Line Holders by Attaching This Workstation to Your 2 Post Lift



#### Air/Electric Workstation

SKU **898684** BENWSA-100

• Adds Air and Electric Capabilities to Any BendPak Lift Simple, Safe and Extremely Easy-to-Use

• (4) 110V GFI Outlets, Oiler, Air Supply, Pressure Gauge, Storage Hooks for Hose and Tools, Regulator/Filter, Air Inlet • Fits 2 or 4 Post Lifts

You Will Need to Know BendPak Lift Model # When Ordering

#### Air/Electric Workstation for 4 Post Lifts

SKU **263294** CHL10310

**349**99

- Convenient Power Source for Extension Lights and Other Tools
- Air Supply Will Always Be at Arms Reach for Facilities Using Pneumatic Tools Such as Impact Wrenches



SKU **568448** FOR991359

**369**99 • Use with Forward FORI10

 Air/Electric Workstation with Air Regulator and Oiler

Does Not Include Hose and Air Gur



Dannmar\*

PD BendPak

Price Does Not Include Installation or Ontional Equipment as Shown

QUICKJACK

#### **Mid-Rise Lifts**

#### Cadet-6000XL

SKU **555446** 

DAN1375652

• For Servicing Light-Duty Cars and Trucks • Portable Motor Cart Serves as Tow Handle

 Adjustable Arm Assemblies Safety Bar with Multiple Lock Positions



Lift Gate Service SKU 262534 DANLIFTGATE 1000



**Dannmar** 

#### **CL** Challenger Lifts 6,000 Lbs. **Portable Mid Rise Lift**

SKU **264835** CHLQMR6

• Rise Height 53 1/4' Includes Both 3'

BendPak



#### BendPak 6,000 Lbs. Surface Mount Mid-Rise Pad Lift

SKU **079537** 2,44999 BENMDS-6K


• For Servicing Passenger Cars, SUVs and Light-Trucks

• Lifting Height (Less Lift Blocks ): 44"

• Comes with Four Rubber Contact Blocks Providing Fast Vehicle Set-Up

#### 6,000 Lbs. Flush Mount **Mid-Rise Pad Lift**

BENMDS-6KF **2,349**99



NEW LOWER

• Lifting Height (Less Lift Blocks ): 44" ( 4.25" for Sub Floor)

• Includes Four Rubber Contact Blocks Providing Fast Vehicle Set-Up

# 6,000 Lbs. Mid-Rise Lift SKU **499655** FOR6000MRL **1,9999**

• Width: 41" • Rise: 52"

• Multiple Locking Positions Truck Adapters Included

Lift Gate Service SKU 626137 FORLIFTGATE 9500

Price Does Not Include Vehicles, Installation of Optional Equipment as



6,000 Lbs. Portable Mid-Rise Lift

SKU **210386 2** BENMD-6XP • Portable, Easy to

Move From Bay-to-Bay Adjustable Arms

 Lifting Capacity: 6,000 Lbs Lift Gate Service SKU 262533 RANLIFTGATE 13500

(Truck Adapters Included)



BendPak

Price Does Not Include Installation of Optional Equipment as Shown

#### MaxJax

SKU **186434** DAN1375659 **1,99** 

• Perfect for Low Clearance Ceilings

and Home Garages • Built-In Wheels That Allow You to Store it

Out of the Way When Not in Use

• Max. Lift Height (with 3" Adapter): 52"

Lift Gate Service SKU 262534 DANLIFTGATE 10000



10.000 Lbs.

#### **Low-Rise Lifts**

#### 6,000 Lbs. **Low-Rise Pad Lift**

SKU 210383 1,73999 BENLR-60

• Max. Height: 26"

• Overall Width: 70"

• Overall Length: 82" Lift Gate Service SKU 262533 RANLIFTGATE 13500



P3 BendPak



#### 7.000 Lbs. **Low-Rise Pad Lift** SKU **568436**

FORTL07

ce Does Not Include Installation or

• Wired to Plug Into 115V Receptacle

• Max. Rise: 24-3/4"

Lift Gate Service SKU 626137 FORLIFTGATE 9500

**Low-Rise Pad Lift** SKU 479989

BENLR-5T

• Max. Height: 23" - 32"

• Lowered Height: 4"

I ift Blocks Included

## **QuickJack**™

#### 5,000 Lbs. QuickJack™ Car **Jack Support System**

SKU **850896** 

RANBL5000SLXA (110V AC) 1,339

• Complete Package Includes; (2) Ea. Jack Frame Assemblies, (2) Ea. 150" Hydraulic Hoses, (2) Ea. 14" Aux. Hoses, (2) Ea. Ouick-Mount Handles, (4) Ea. 1.5" X 3" X 4" Rubber Lifting Blocks, (4) Ea. 3" X 3" X 4" Rubber Lifting Blocks, (1) Mini Hydraulic Power Unit with Pendant Control.

Price Does Not Include Vehicles, Installation or Optional Equipment as

#### 3,500 Lbs. QuickJack™ SKU **850894**

RANBL3500SLXA (110V AC)

7.000 Lbs. OuickJack™

RANBL7000SLXA (110V AC) **1,48999** QuickJack™ SUV and Light Truck Adapters

SKU **862288** | RAN5150561 Value: \$219.99



#### 12V DC Option Available

QuickJack™ SUV and **Light Truck Adapters** 

SKU **862288** RAN5150561

• Set of 12 Pieces

• Fits BL-5000 and BL-7000 Series

• Complete Kit Includes: (4) Low-Profile Round Polyurethane Contact Pads (4) Sliding Receivers Accommodate the Round Polyurethane Contact Pads(4) 3\* Stackable Adapters



#### SPECIFICATIONS: **BL-3500SLX** BL-5000SLX **BL-7000SLX** Weight Capacity / Pair 3,500 Lbs. / 1588 kg. 5,000 Lbs. / 2268 kg 7,000 Lbs. / 3175 kg. 60 Lbs. / 27 kg. 76 Lbs. / 34 kg. 91 Lbs. / 41 kg. Individual Frame Weight: Platform Lifting Height (Frame Only) 16.5" / 419 mm 17.7" / 450 mm. 17.2" / 437 mm Platform Lifting Height (W/Blocks) 22.5" / 572 mm. 20" / 508 mm. 21.2" / 538 mm. Minimum Collapsed Height 3" / 76 mm. 3" / 76 mm. 3.5" / 89 mm. Rubber Block Position Min 26.7" / 678 mm. 31.5" / 800 mm. 31.5" / 800 mm. Rubber Block Position Max 50.5" / 1283 mm. 60" / 1524 mm. 60" / 1524 mm. 10.5" / 267 mm. 12.5" / 318 mm. 72.5" / 1841 mm 72.5" / 1841 mm. 62" / 1575 mm. Frame Length Lifting Time 10 seconds 15-30 seconds 15-30 seconds

#### **Motorcycle Lifts**

Motorcycle Jack

FORBJ10 Use with Forward FOR100MCL



#### FORMARD 1.000 Lbs. **Air Operated Motorcycle Lift** SKU 499659 TOR1000MCL 1,04999

 Includes Wheel Vise and Two 12 Extensions, Making it Great for Motorcycles, ATVs, Lawn

Mowers, Golf Carts. Etc. • Rise: 33", Length 93", Width 24", Width with ATV Adapters 48"

Lift Gate Service

SKU 626137 FORLIFTGATE 9500

#### 1,000 Lbs. Droptail **Motorcycle Lift** SKU **568439** FOR1000MCLDT

• FORBJ10 Included

• Rise 33" Length 93", Width 24" Lift Gate Service

FORLIFTGATE 9500

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



FORMARD

#### **Motorcycle Lift** SKU **626120**

RANRML-1500XL Lifting Capacity: 1,500 Lbs., 682 kg Power Supply:

Air/Hydraulic Main Platform Length: 89" / 2.286 mm

 Main Platform Length with Front Extension: 102" / 2,591 mm

 Main Platform Width: 30"/762 mm Lift Gate Service




Ranger

# AUTOMOTIVE LIFTS

# Distributors.

Tuxedo Distributors, LLC, is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price. With our 15 satellite warehouses strategically located across the US, we offer an unparalled competitive advantage:

Call to place order! 817.558.9337 877.558.9337 Toll Free



TLT240SC-R 2,09999 sau 426404

TLT240SB-R

1,99999 9,000lbs CAPACITY

500 426403

- 9,000 b: lifting capacity
   Overall Height 151" (TLT2408C)
   Overall Width: Symm 134", Asymm 140" (TLT2408C)
   Overall Height 113" (TLT2408B)
   Overall Width: 133" (TLT2408B)

- Rubber Door Guards

- Dual Point Lock Release
   Heavy-Duty Arm Restrant System
   Double Telescoping Screw Pads
   Adjustable Column Width (TLT240SC)
   Standard or Rotated Asymmetric Colum (TLT240SC)



2,79999



1,84999 TP9KAC 9,000lbs CAPACITY

SKU 426138 TP9KF 1,84999

- SKU 426106 9,000 th. litting car
- Overall Height: 142" (TP9KAC)
   Overall Width: 141" (TP9KAC)
   Overall Height: 111-1/2" (TP9KF)
- -Overall Width: 141" (TP9KF) Chain Driven
- Dual cylinders with low friction chain rollers
   Low profile arms
- 1-1/2" and 5" stackable
- drop-in height adapters
- Automatic safety cut-off bar (TP9KAC) Mounting Hardware included Powder-Coated Finish



#### TLT210-XT-B

#### 10,000lbs CAPACITY SKU 426407

- 10,000 b, Ming capacity
   Overall Height: 140\*
   Overall Width: Symm 137\*, Asymm 138\*
   Heavy-Duty Arm Restraint System
   Adjustable Column Height
   Adjustable Column Width
   Outer Management

- Stackable Foot Pad Extensions two 6" and two 3"
   Stage Front Arms
   Rubber Door Guards

- Single Point Lock Release
   Standard or Rototed Asymmetric Arm Configuration
   Double Telescoping Screw Pads offering 6.5'
   adjustment for complete vehicle coverage



3,99999

#### TP12KC-DE 12,000lbs CAPACITY SKU 426331

- . 12,000 lb. lifting capacity
- Overall Height: 165'
   Overall Width: 151-1/8'

- Direct Push Drive Cylinders
   Extra Long (45") carriage
   Padded overhead cut-off bar
   Single Point Presumatic Lock Release
   2-1/2" and 5" Stackable Drop in Adapters
- Mounting Hardware include
   Powder-coated finish

FP8K-DS 8,000lbs CAPACITY SKU 426414

Overall Height 96-1/4"
 Overall Weight 103-1/2"

Aircraft quality cables

+ Single Point Lock Release

· 8,000 lb. capacity



STORAGE LIFT

2,39999




Arm Configuration



#### TP11KC-DX 11.000lbs CAPACITY scu 426140

- 11,000 lb. lifting capaci
   Direct Drive Cylinders
- Overall Height: 145"
   Overall Width: 145-1/2"
- 3 Stage Front Arms, Low Profile Arms
- · Symmetric Columns
- Single Point Lock Release
- Rubber Door Guards
- Mounting Hardware Included
   Spin Up Pads with 2" and 4" stackable drop in Truck Adapters





2,59999



Price Does Not Include Installation or Optional Equipment as Shown

#### SERVICE LIFT.

#### FP14K-C 14,000lbs CAPACITY Service Lift SKU 426438

- . 14,000 lb. lifting capacity
- Overall Height: 68-7/8"
   Overall Width: 138-3/4" Overall Length: 250-1/2"
- Closed Front
  - Single point pneumatic safety release

4,74999


- 20" wide non-skid, diamond plate runways
- Mounting Hardware included
   Powder-Coated Finish

Also sold as an Alignment Lift

Price Does Not Include

# BRIDGE JACK

RAJ-8K-L





# WB-1030

99999

- Max Wheel Diameter: 35"
- Rim Width: 1.5" 20" Rim Diameter: 10" - 24"
- Wheel Weight Capacity: 143 lbs Self-calibrating
- Optimization program
- Three centering cones · Speed nut and caliper standard

WB-953

High Performance Wheel Balancer

Max Wheel Diam

· Rim Diameter: 10" - 24"

Optimization program





 Three centering cones
 Hood, hammer, speed nut, and caliper come standard Wheel Weight Capacity: 150 bs
 Optional motorcycle adapter
 Self-calibrating: Self-diagnosis is available







# 18" Wide non-skid, diamond plate runways Casters, Jack Tray, and Approach Ramps included WHEEL SERVICE

Extra-large slider blocks for added stability
 10 Lock Positions

# TC-530

Semi-Automatic 1,39999
TireChanger sku 426751

Internal Clamping Capacity, 12" - 23"
 External Clamping Capacity, 10" - 20"

 Max Wheel Diameter
 Wheel Width: 3" - 12" Swing arm design
 Bead seating inflation

**Boad Breaker** 





Semi-Automatic 1,59999 Tire Changer sou 426755 TC-950-WPA

High Performance Tire Changer with Press Arm SKU 426757 Internal Clamping Capacity: 15" - 26"

External Clamping Capacity: 13"-24"
 Max Wheel Diameter: 47"
 Wheel Width: 3" - 15"

 Swing arm design
 Bead seating inflation jets are integrated in the clamping jaws.
Twin clamping cylinders provide more power to hold the most difficult rims.

Conveniently located and powerful bead breaker

 Left side press arm (WPA) No scratching, machine never contacts rim (WPA)











# Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

# Tool & Equipment Quarterly



#### PORTABLE LIFT

MaxJax™ SKU 186434 DAN1375659 1,99999

• Lifting Capacity: 6,000 lbs

- Overall Height: 89"
- Fully Adjustable Lift Arms
- Easy Set-Up and Use





#### 2-POST LIFTS

#### D-9/X

SKU **186430** DAN1375646

- Lift Capacity 9,000 lbs
- Floorplate Style
- Overall Height: 113"
- Rise: 74"



#### **D-10/AC**

SKU **186431** 

DAN1375648

- Lifting Capacity: 10,000 lbs
- Overall Height: 145"
- Rise: 69"
- Overall Width: 130-1/2"
- ASYMMETRIC WIDE

**D-10/ACX** 

SKU **186433** DAN 1375647 **2** 


- Overall Width: 143-1/2" ASYMMETRIC WIDE

D-10/CX

SKU **186432** DAN1375649

• Overall Width: 145"

• SYMMETRIC WIDE



**Dannmar**<sup>4</sup>

Dannmar

#### ALIGNMENT LIFT

#### **D-12A COMBO**

SKU **079778** DAN1381815 6,49999

- Includes the D 12A 12,000 Lbs. 4 Post Alignment Lift along with 2, DRJ-6 Rolling Jacks and Turnplates plus the Matching Airline Kit
- Width: 103" • Length: 248"
- DAN1381815 \$4,399.99 Alignment Lift DAN1375901 \$999.99 Rolling Jack \$999.99 DAN1375901 DAN17057064 Airline Kit \$219.99 TOTALS SAVINGS



**DRJ-6** (Qty 2) SKU **343411** DAN1375901



**AIRLINE KIT** SKU **752035** DAN17057064

#### **SCISSOR LIFT**

SX-6/XL

SKU **555446 1,749 99** DAN1375652 • Lifting Capacity: 6,000 lbs

- Max Rise with 6" Adapter: 49.375" • Max Rise with 3" Adapter:
- 46.5"
- Shipping Weight: 792





#### **4-POST LIFTS**

D-12

SKU 343410 3,79999 • Lifting Capacity: 12,000 lbs

- Overall Width: 130"
- Overall Length: 248"
- Max Rise: 66"



**20-GAL OIL DRAIN** 

• Includes Regulator and Gauge

SKU **343408** 

• 20-Gal Capacity

• 15" Drainage Funnel

DAN122835

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

**Dannmar** 

Dannmar<sup>\*</sup>

## **D-7**

SKU 186464 2,44999

• Lifting Capacity: 7,000 lbs

- Visible Locking System
- Overall Length: 203-1/2

D-7/X

SKU **186427** 

• Extended version of D-7

• Overall Length: 227-1/2'

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



**LIFT PAD ASSY ROUND** 

• Works with Dannmar 2-Post Lift

**59**99

• Thick Rubber Construction

• Easy Drop-In Design

**TURNPLATES** 

SKU **079518** 

DAN17107036

• 5" Diameter

SKU **751634** DAN135501

• 14" x 13.5" x 2"

• Smooth Bearings • Sturdy Construction

#### SHOP EQUIPMENT

#### **8-GAL OIL DRAIN** 999

SKU**186458** DAN122829

• 8-Gal Capacity

SKU **186457** 

DAN105430

• 2 Ton Capacity

• Extra Tall & Stable

• Min Height: 68.7"

• Max Height: 76.7"

- Adjustable Height: 48-67 • Wide Drain Pipe for
- Draining Oil Quickly • Large Funnel Mouth to Catch Oil & Reduce Spillage



**190**99

#### TRANSMISSION JACK



- Swivel Casters
- Rigorous Safety Overload System
- Descent for Safe Lowering



#### **ROLLING WORK SEAT** SKU **752040**

- Capacity: 205 lbs
- Depth: 14-1/2"
- Overall Height: 14'



#### SKU **186451**

DANIUS4SZ

- Min 34" Max 71" • Heavy-Duty Steel
- Controlled Pneumatic



#### **50' HOSE REEL** SKU **343407**

- 50' of 3/8 of Rubber Hose
- Working Pressure: 250psi • Max CFM: 25
- 4 Way Non-Snag Rollers



## LIFT ACCESSORIES

FRAME CRADLE PAD SKU **289999** 

- DAN119527
- For 2-Post Lifts • Sturdy Steel Construction
- Tactile Rubber Mat



#### **RND SLIP OVER PAD** SKU **752032** DAN17108252

- Resistant to Gouging
- Abrasion Resistant
- Tear Resistant
- Sold Individually



- Works with Any Llft • 4 110v GFI Outlets
- Oiler, Air Supply, PSI Gauge, Storage Hooks for Hose and Tools, Air Inlet



# Sold Individually

# **DRIP TRAYS**

DAN101001

• Set of 3

• Lightweight Pans Intended for Oil & Water-Based Fluids



**Dannmar**® EQUIPMENT

#### WHEEL SERVICE

#### **T-100 TIRE CHANGER**

SKU **547117** DAN1381202

- Max Wheel Diameter: 50" • Machine Weight: 507 lbs
- Rim Width: 3-15" • Inside Clamp: 15-25' • Outside Clamp: 12-22'
  - Shown with OPTIONAL Power Assist Arm

## **Dannmar B-100 WHEEL BALANCER**

- SKU **547121** DAN1381201
- Max Wheel Diameter: 44" • Rim Width: 1.5-20'
- Rim Diameter: 1-28
- RPM: 140

