HAND TOOLS



Fits 16 Sizes

in 2 Tools

OEM TOOLS

Specialty Ratcheting Wrenches

8" Ratcheting Adjustable Wrench SKU **255655** 7499 22658

- Patented 8" Self-Ratcheting Function Allows for Fast Reversing
- Spring-Loaded Ratcheting Mechanism Releases Tension on One of the Jaws
- High Torque Exceeds ASME Breaking Test Standards
- Easy On/Off Switch Allows Wrench to Be Used with Self-Ratcheting Function or as Standard Wrench
- Ideal for Limited Space and Hard to Reach Areas
- Matte Chrome Finish Resists Rust

Flare Nut Ratcheting Wrench Sets



SKU 432074 22060

REG. \$99.99 • 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16

Metric

 $(\mathbf{0})(\mathbf{0})$

- SKU 432076 **999** REG. \$99.99 22061
- 10 x 12 mm, 13 x 14 mm, 15 x 17 mm

2 x 8 Ratcheting Wrench Set

• Small: 8 mm x 5/16 ln., 10 mm x 3/8 ln., 12

• Large: 14 mm x 9/16 ln., 16 mm x 5/8 ln., 17

mm x 7/16 ln. and 13 mm x 1/2 ln.

mm x 11/16 ln. and 19 mm x 3/4 ln.

Hard Chrome[™] Finish Has Satin Sheen,

Won't Show Prints, and is Easy to Clean

7099

0

SKU 802209

• 72+ Teeth

Patented Design

SAE & Metric Sizes

16 Sizes in 2 Tools

22062

RATCHETING SYSTEM AND FLEXHEAD Tilts Up to 180 Degrees at Any Interval to Allow for Access Into Tight Spaces

Offer Good Through March 31, 2017 - While Supplies Last

Specialty Wrenches

Wrench SKU 452624 22659 • Excellent for Objects

- of Various Sizes Designed for Tight Spaces When Ordinary Wrenches Can't Fit
- Double-Action Allows Use in Either Direction
- · Chrome Plated to Resist Rust
- Strong I-Beam Handle Construction

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

90° Swedish Pipe Wrench

- SKU 297681 7199 KNP8310015
- Set Includes: 5 1/2" and 7 1/4"
- Jaws with Offset Induction Hardened Teeth Bite in Opposite Directions for a Tight Grip
- Ideal Tool for Tie Rods and Alignments
- I-Beam Handle Design for Strength



12 Piece Flexible Crowfoot Wrench Set

- Made with Chrome Vanadium Steel for Strength and Durability
- Flexible Head Folds Up to 200 Degrees
- Traditional Flare Nut Wrench and Crowfoot Function
- Ideal for All Hydraulic Fuel, Oil Brake and More



6 Point Set Includes SAE

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8",

[SAE]

25519

[Metric] SKU 900809 **49**99

• 6 Point Set Includes Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18

and 19 mm

25518



NIPEX

11/16", 13/16", 7/8" and 15/16"









Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.



Dead B

Profes • One Piece, Ho

- Safety Red
- Maximum Dea • Textured, Non-



Blow Hammers Ssional Grade Q Hot Cast Polyurethane Construction ead Blow Non-Bounce Action		Dead Blow Sledge Hammers					MADE IN	
n-Slip, Comfort Contoured Handle	SKU	Part #	Retail Name	Weight	Face Diameter	Head Length	Overall Length	Price
Parad Plane	420347	TCH26BP	Ball Peen - 26	26 Oz.	1″	4.1875″	12.75″	39 ⁹⁹
Dead Blow Ball Peen	420349	TCH36BP	Ball Peen - 36	36 Oz.	1.25″	4.5″	13″	44 ⁹⁹
	420351	TCH47BP	Ball Peen - 47	47 Oz.	1.75″	4.8125"	13.625″	49 ⁹⁹
	420352	TCH50BP	Ball Peen - 50	50 Oz.	1.75″	4.8125"	16.5″	59 ⁹⁹
	420353	TCH7	Soft Face Sledge - 7	5.5 Lbs.	2.75″	7″	20″	59 ⁹⁹
	420354	TCH14	Soft Face Sledge - 14	12 Lbs.	3.25″	8″	36"	129 ⁹⁹
	420343	TCH1	Soft Face Hammer - 1	21 Oz.	1.75″	3.75″	11.25″	19 ⁹⁹
	420344	TCH2	Soft Face Hammer - 2	26 Oz.	2″	4.125″	12.75″	24 ⁹⁹
	420345	TCH3	Soft Face Hammer - 3	45 Oz.	2.25″	4.625"	14.375″	29 ⁹⁹
	420346	TCH4	Soft Face Hammer - 4	53 Oz.	2.75″	5.375"	15.25″	44 ⁹⁹

Duralast

7099

Breaker Bars

Drive Bits

Compact Bit

Includes: Phillips,

, 2, 3; Slotted 3/16, 1/4,

10 Piece External Torx Socket Set

099

• Set Includes: 1/4" Drive: E4, E5, E6, E7

• 3/8" Drive: E8, E10, E11, E12, E14 and E16

9 Piece Hex Bit Set (Metric)

7 Piece Hex Bit Set (Metric)

4899

5/16: T15, T20, T25 and

T30 wth Magnetic

Driver Set

SKU 447158

Extension

SKU 347214

SKU 127903

SKU 127883

17.19 mm

22981

• Set Includes: (1/4" Dr.)

5, 6, 7, 8, 10mm

2, 2.5, 3, 4mm (3/8" Dr.)

• Set Includes: (3/8" Dr.) 6, 8,

10 mm, (1/2" Dr.) 12, 14,

Made with S2 Steel Bits

• Knurling Position is

22983

22974

25945






1/2" Drive 24" Breaker Bar


Stubby Star **Drive Sets**

SKU **914046**

72-121

• 3/4" Overall Length Designed for Limited Access Applications





Sizes: T7-T50



in EVA Foam Tray

SKU **802206 ЛО**99 23992

• 1/4" Bit Holder • 1/4" Hex Drive Tamper-Proof

Star Bits: T7, T8, T9, T10, T15, T20, T25, T27 and T30



- S2 Steel Bits with Chrome Vanadium Socket • 1/2" Drive/Tamper-Proof: M14, M16 and M18
- S2 Steel Bits with Chrome Vanadium Socket

44 Piece Master Torx and Hex Bit Set

SKU 311698 46⁹⁹ 25950

- Hex: 2, 2.5, 3, 4, 5, 6, 7, 8, 10; 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"
 - Star: T10, T15, T20, T25, T27, T30,
- T40, T45, T47, T50, T55 and T60
 Phillips: #1, #2 and #3
 Slotted: 3/16", 1/4" and 5/16"
 Bits: T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H and T30H

35 Piece Master Torx Bit Set

- SKU **466622** 25951 • Star: T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50,
- T55 and T60 • Tamper-Proof Star: T7, T8, T9, T15, T20, T25, T30, T40, T45, T50 and T55
- Female Star: E4, E5, E6, E7, E8, E10, E12, E14, E16 and E18



.............

7.1 1 (000000 1.1

- Optimized for Best Finger GrippingPosition (Go Ahead and Put On Serious Torque, it Won't Slip)

- Silver with Cross Hatch Marking Indicates Metric Sizes
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head (Makes Fastener Engagement Quick and Smooth)

7 Piece Hex Bit Set (SAE) **59**⁹⁹

SKU 127904 22982

• Set Includes: (3/8" Dr.) 5/16", 3/8", (1/2" Dr.) 7/16", 1/2", 9/16", 5/8", 3/4"



- Made with S2 Steel Bits
- Knurling Position is Optimized for Best Finger Gripping Position (Go Ahead and Put Serious Torque On, it Won't Slip)
- Blue with Straight Knurling Indicates SAE Sizes


2799

 Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head (Makes Fastener Engagement Quick and Smooth)

12 Piece Hex Bit Set (SAE)

SKU 127905 22984

- Set Includes: (1/4" Dr.) 1/16", 5/64", 3/32", 7/64", 1/8" (3/8" Dr.) 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
- Knurling Position is Optimized for Best Finger Gripping Position
- Go Ahead and Put On Serious Torque, it Won't Slip
- Blue with straight knurling indicates SAE sizes



T25, T27 and T30

and

- 3/8" Drive Star: T40, T45, T47, T50, T55 and T60
- 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm
- 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"
- 3/8" Drive Phillips: #1, #2 and #3
- 3/8" Drive Slotted: 3/16", 1/4" and 5/16"







Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.











Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

103