

# SERVICE TOOLS

## Harmonic Balancer

### Harmonic Balancer Puller Retrofit Kit for GM

SKU 695100  
33627296

**14<sup>99</sup>**

- Use with OEM 33627019, 27019 and 25053 Harmonic Balancer Pullers and Many Other Popular Balancer Pullers
- The 3 Bolts Fit Through the Slotted Holes in the Balancer and Screw Into the Threads of the Balancer on GM 3300 and 3800 V6 Engines
- Shoulders on the Bolts Prevent Damage to the Crank Sensor That Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft and Threads



### Harmonic Balancer/Steering Wheel Puller

SKU 532440  
25053

**17<sup>99</sup>**

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



### Harmonic Balancer Puller

SKU 695619  
33627019

**20<sup>99</sup>**

- Set Includes: Yoke, Pressure Screw, and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Comes in a Sturdy Blow Mold Storage Case
- Yoke Features 4 Slots
- Heat-Treated for Strength and Durability



### 19 mm Harmonic Balancer Socket for Honda

SKU 011632  
LIS77080

**29<sup>99</sup>**

- More Than 3X Standard Socket Mass
- For Use with 19 mm Applications
- Made with Heat-Treated Alloy Steel



## Alternator

### Alternator Decoupler Pulley Tool Kit

SKU 300124  
27261

**24<sup>99</sup>**

- Set Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off the Vehicle
- Comes in a Blow Mold Case



### Alternator Decoupler Tool Set

SKU 255865  
LIS57650

**34<sup>99</sup>**

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Comes in a Blow Mold Case



### Harmonic Balancer Puller Kit

SKU 818738  
25090

**49<sup>99</sup>**

Unique Jaw and Returning Springs for Easy Positioning of the Puller

- Includes: Puller Body, 3 Jaw Puller, (3) Jaw Retaining Pins, (3) Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- Used on Many GM, Mitsubishi and Chrysler Engines



### Long Reach Harmonic Balancer Pulley Installer

SKU 544785  
24442

**54<sup>99</sup>** REG. \$59.99

SAVE \$5

- Install Crank Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16x2.0 - GM; M14x1.5 - Dodge, Chrysler, Jeep; M12x1.75 - Dodge, Chrysler, Jeep; M11x1.5 - Ford; Nut / Bearing Assembly

Offer Good Through June 30, 2017 - While Supplies Last



### Harmonic Balancer Remover

SKU 596957  
GGT180

**149<sup>99</sup>**

- Time Saving Harmonic Balancer Puller
- Clip-in Compact Design (No Bolts Required)
- Suitable for: GM, 5.3L, 5.7LS1, 6.0LS2, 6.2LS3, 7.0L
- Also fits: Chrysler/Dodge/Jeep 3.5L & 3.6L V6s and 4.7L, 5.7L, & 6.1L V8s
- Radiator Removal Not Required

G & G Technics



## Specialty Pullers

### Steering Wheel Puller Leg Kit

SKU 793567  
33627312

**10<sup>99</sup>**

- Steel Construction for Durability
- Includes (2) J Hook Puller Legs and Spacer for Expanded Coverage
- Use with OEM 27017, 33627019, 27182 and Other Popular Pullers



### Steering Pivot Pin Remover

SKU 265106  
25135

**14<sup>99</sup>**

- Works on 1969 to Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



### Timing Gear and Pulley Set

SKU 695623  
33627009

**16<sup>99</sup>**

- Services Crankshaft Pulleys and Timing Gears on Gasoline and Diesel Powered Engines



### Power Steering Pulley Puller/Installer Kit

SKU 141495  
25298

**32<sup>99</sup>**

STORE STOCK

- Fits Pulleys with Hub Diameters Measuring 1-1/8", 1-1/4", 1-5/16" and 1-3/8"



### Steering Wheel and Lock Plate Puller Kit


SKU 900821  
27182

**39<sup>99</sup>** REG. \$49.99

SAVE \$10

- Use to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel

Offer Good Through June 30, 2017 - While Supplies Last



### VW®/Audi® Diesel Injector Puller Kit

SKU 548566  
27282

**59<sup>99</sup>**

- Remove Diesel Injectors from 1996 to Current VW and Audi Vehicles
- Applications: VW, Audi TDI Engine



### Alternator Decoupler Pulley Service Kit

SKU 695085  
33627275

**64<sup>99</sup>**

- Allows Alternator Shaft to Be Held While the Pulley Retainer is Removed
- Includes a Special Set of Spine and Star Socket Bits for Removal of Bosch Type Alternator Free-Wheel Drive Pulleys



## Slide Hammer Pullers

### 9 Way Slide Hammer Puller Set

SKU 900825  
27191

**99<sup>99</sup>**

- Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two- and Three-Way Cross Blocks
- Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8" - 18 Thread Slide Hammer Attachments




### Blind Hole Puller Set

SKU 695118  
33627128

**160<sup>99</sup>**

- Pull Blind Hole Bearings, Bushings and Sleeves with Inside Diameters 3/8" - 1-3/8"



## Pullers

### 2 Jaw 5 Ton Gear Puller

SKU 141513  
25914

**29<sup>99</sup>**

STORE STOCK

- Reversible
- Maximum Reach: 3-1/4"
- Maximum Spread: 6"



### 2/3 Jaw 5 Ton Gear Puller

SKU 231202  
25919

**39<sup>99</sup>**

STORE STOCK

- Reversible
- Maximum Reach: 5-1/2"
- Maximum Spread: 7"



### 2/3 Jaw 2 Ton Gear Puller

SKU 070134  
25901

**34<sup>99</sup>**

STORE STOCK

- Maximum Reach: 3-1/2"
- Maximum Spread: 4-3/4"
- Center Forcing Screw: 3/8" - 24" x 4-7/8"



### Bearing and Pulley Puller Set

SKU 900824  
27190

**89<sup>99</sup>**

- Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More

Makes Up to Eighteen Different Pullers!



## Power Steering

### Universal Air Bleed Adapter

SKU 751699  
MITMVA660

**24<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Rubber, Cone-Shaped Design
- Seals Pump Necks Ranging from 5/8" Up to 1-5/8" (16 to 41 mm) Internal Diameter
- Works with a Hand Vacuum Pump



### Air Bleed Adapter for Ford

SKU 751704  
MITMVA662

**29<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Seals Ford Power Steering Pump Necks Having an Internal Diameter of 1-1/4" or 2" (32 or 50 mm)
- Works with a Hand Vacuum Pump



### 90 Degree Air Bleed Adapter

SKU 751710  
MITMVA665

**24<sup>99</sup>**



### Air Bleed Adapter for GM

SKU 751698  
MITMVA661

**29<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Designed for Sealing GM Power Steering Pumps with a Two-Tab Cap Design
- Works with a Hand Vacuum Pump



### Power Steering Bleeder Kit

SKU 434716  
27311

**29<sup>99</sup>**

- Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump
- Includes Blow Mold Case



### Power Steering Vacuum Pump

SKU 463254  
THX212

**159<sup>99</sup>**

- Bleeds Trapped Air from Power Steering System
- Tapered Adapter Allows Use on Most Makes and Models







Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*

### Measuring Tools

**Feeler Gauge**  
 SKU 001927  
 25025 **6<sup>99</sup>**

**STORE STOCK**  
 • 26 Blades with Laser Etched In/mm



**OEM TOOLS**

**6" Digital Caliper**  
 SKU 013642  
 24680 **12<sup>99</sup>**

**STORE STOCK**  
 • Easy-to-Read LED Display



• 0-6 In. Range (0-150 mm)  
 • Zeroing Feature

**OEM TOOLS**

**X-Tread® Digital Tire Gauge**

SKU 186495  
 FOW74225500 **22<sup>99</sup>**

• For Tire Tread Thickness Measurement  
 • Reads in Inch, Metric and Fractions



**Fowler**

**Magnetic Angle Finder**

SKU 042343  
 CEN6494A **22<sup>99</sup>**

• Magnetic Base  
 • 1/2 Degree Graduations



**Central TOOLS, Inc.**  
QUALITY AND INNOVATION SINCE 1968

**Disc Brake Rotor Micrometer**

SKU 607071  
 25367 **49<sup>99</sup>**

**STORE STOCK**  
 • .001" Accuracy, .0005" Reading  
 • Large LCD Display with SAE or Metric Reading  
 • Manual Power Off/On



**OEM TOOLS**

**Dial Indicator Set**

SKU 186500  
 FOW72522101 **69<sup>99</sup>**

• Includes 1" Indicator, Magnetic Base, Plus Rods, Swivel Clamp and Case  
 • 2-1/4" Dial, .001" Increments



**Fowler**

**RotoCal® with Twin Conical Anvils**

SKU 186492  
 FOW74150004 **74<sup>99</sup>**

• Range 0 to 5.5"  
 • Reads in Inch, Metric and Fractions  
 • 3.5" Jaw Depth for Large Rotors



**Fowler**

**Mini MAG Protractor**

SKU 186501  
 FOW744224501 **79<sup>99</sup>**

• Embedded Magnets with 35 Lbs. Pull  
 • Uses Standard 9V Battery  
 • 360 Degree Measuring Range  
 • Accuracy ±0.2 Degrees




**Fowler**

**Rotor/Drum Measuring Kit**

SKU 186504  
 CEN3K301 **79<sup>99</sup>**

• Attaches to Any Caliper on the Lower Jaws  
 • Outward Facing Anvils to Inspect Drums  
 • Inward Pointing Anvils to Measure Rotors  
 • 8" to 13" Range  
 • 0 to 6" Digital Caliper Included



**Central TOOLS, Inc.**  
QUALITY AND INNOVATION SINCE 1968

**Disc Brake/Ball Joint Gauge**

SKU 186496  
 FOW72520757 **99<sup>99</sup>**

• Checks Ball Joint Wear and Disc Rotor Run-Out  
 • Checks Gear Backlash and Valve Guide Wear  
 • 0 to 1" Travel and .001" Graduations



**Fowler**

**Straight Edge 24" x 1/4"**

SKU 404660  
 CEN6429 **119<sup>99</sup>**

• Measure Head, Block and Flywheel Straightness  
 • Precision Ground to ±.001"



**Central TOOLS, Inc.**  
QUALITY AND INNOVATION SINCE 1968

**3 Piece Micrometer Set**

SKU 186503  
 CEN3MI13 **139<sup>99</sup>**

• 0 to 3" Range  
 • 3m101: 0 - 1";  
 • 3m102: 1 to 2";  
 • 3m103: 2 to 3"  
 • Set Includes Calibration Tools



**Central TOOLS, Inc.**  
QUALITY AND INNOVATION SINCE 1968

### Torque Adaptors

**3/8" Drive Digital Torque Adapter**

SKU 362559  
 25684 **44<sup>99</sup>** REG. \$49.99

• Range 27 - 135 Nm (238.9-1,194.8 In./Lbs.)

**Turn Any Ratchet or Breaker Bar Into a Digital Torque Wrench!**

Offer Good Through June 30, 2017 - While Supplies Last



**SAVE \$5**

**1/2" Drive Digital Torque Adapter**

SKU 900805  
 25682 **59<sup>99</sup>**

• Range 40 - 200 Nm (29.5-147.5 Ft./Lbs.)  
 • Buzzes When Target Torque is Reached



**OEM TOOLS**

### Torque Wrenches

**3/8" Drive Torque Wrench 25-250 In./Lbs. Range**

SKU 133657  
 25685 **39<sup>99</sup>** REG. 49.99

• 45 Tooth Round Head Ratchet  
 • Audible Click When Desired Torque is Reached  
 • Both Clockwise and Counterclockwise Operation

Offer Good Through June 30, 2017 While Supplies Last



**SAVE \$10**

**3/8" Drive Torque Wrench 10-100 Ft./Lbs. Range**

SKU 133658  
 25686 **49<sup>99</sup>**


• 45 Tooth Round Head Ratchet  
 • Audible Click When Desired Torque is Reached  
 • Both Clockwise and Counterclockwise Operation



**3/4" Drive Professional Micrometer Torque Wrench, 80-400 Ft./Lbs. Range**

SKU 850046  
 33627309 **349<sup>99</sup>**

• Range: 86-400 Ft./Lbs.  
 • Torques in Both Directions  
 • Positive Lock with Spring-Loaded Pull Down Lock Ring  
 • Torques in Both Directions



Great for 2004-2008 Ford F150 Brake Rotor and Hub Assembly Replacement

**1/2" Drive Professional Micrometer Adjustable Torque Wrench**

SKU 133659  
 25687 **69<sup>99</sup>** REG. 79.99

• Heavy Duty 24 Tooth Pear Shaped Ratchet Head  
 • Audible Click When Desired Torque is Reached  
 • Both Clockwise and Counterclockwise Operation



**SAVE \$10**

Offer Good Through June 30, 2017 - While Supplies Last

**3/4" Drive Professional Micrometer Torque Wrench 100-600 Ft./Lbs. Range**

SKU 217376  
 25688 **349<sup>99</sup>**

• Right Hand Direction

**Micrometer Click Style**



### Torque Multipliers

**3/4" Drive Torque Multiplier**

SKU 191056  
 25683 **249<sup>99</sup>** REG. 299.99

• Converts Low Torque (Max. 650 Ft./Lbs.) to High Torque (2,200 Ft./Lbs. / 3,000 Nm) With Planetary Gear Set for Heavy Duty Tightening and Loosening  
 • Input Drive: 3/4", Output Drive 1"  
 • Comes with a 3/4" Drive 2 Way Quick Release Ratchet

Offer Good Through June 30, 2017 While Supplies Last



**SAVE \$50**

### Torque Screwdriver

**1/4" Drive Torque Screwdriver**

SKU 695088  
 33627172 **79<sup>99</sup>**

• Range: 10 - 50 In./Lbs.  
 • Great for Low Torque Applications  
 • Easy-to-Read Window Scale



**OEM TOOLS**

25-250 Ft./Lbs. Range

### Sensor Sockets

**Oil Pressure Switch Socket**

SKU 141490  
 25254 **11<sup>99</sup>**

**STORE STOCK**  
 • Fits Most 1" and 1-1/16" Switches  
 • Accepts Oil Pressure Sending Units Up to 2-5/8" Long



**OEM TOOLS**

**3/8" Drive Oxygen Sensor Socket**

SKU 047738  
 25001 **12<sup>99</sup>**

**STORE STOCK**  
 • For Use with 3/8" Drive Ratchet or 1" Wrench  
 • Removes and Installs Oxygen Sensors on All Domestic and Imported Computerized Engine Controlled Vehicles  
 • Cutaway Slot Provided in the Side for Sensor Wire Clearance  
 • Durable Alloy Steel Construction



**OEM TOOLS**

**Water Sensor Wrench Fits Aftermarket Sensors**

SKU 459101  
 LIS34910 **16<sup>99</sup>**

• Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 - 2011 6.6L Duramax Diesel Engines



**Lisle**

**Water Sensor Wrench**

SKU 459099  
 LIS34900 **16<sup>99</sup>**

• Removes and Installs the Water Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines



**Lisle**

**Oxygen Sensor Socket Set**

SKU 695125  
 33627110 **25<sup>99</sup>**

• Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors  
 • 3/8" and 1/2" Drive, 22 mm / 7/8"



**OEM TOOLS**

**Oxygen Sensor Wrench**

SKU 947305  
 33625246 **29<sup>99</sup>**

**STORE STOCK**  
 • Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines  
 • 7/8" / 22 mm Used in SUVs and Light Trucks



**OEM TOOLS**

**IPR Socket**

SKU 080593  
 LIS68210 **29<sup>99</sup>**

• Used to Remove and Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and Other Diesel Engines  
 • Designed to Bottom Out on the Hex So it Does Not Put Torque on the Connector in Case it Can Be Reused



**Lisle**

**7 Piece Sensor Socket Set**

SKU 900823  
 27189 **59<sup>99</sup>**

• For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



**OEM TOOLS**



# SERVICE TOOLS

## Exhaust Tools

### Exhaust Manifold Spreader Set

SKU 504028  
25253TWO **22<sup>99</sup>**

- Used for Reinstalling the Manifold on Small-Block Chevrolets
- Simple Way to Expand Warped Manifold to Align Bolt Holes
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalignment




OEM TOOLS

### Tailpipe Cutter

SKU 695599  
33627045 **50<sup>99</sup>**

- Use to Cut Tailpipe
- Range 3/4" to 3-1/4" (19 - 83 mm)

OEM TOOLS



### Pipe Stretcher Kit

SKU 080137  
LIS17350 **274<sup>99</sup>**

- Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
- Use with Impact Wrench to Quickly Stretch Pipes



### 1-1/2" x 2-7/16" Tailpipe Expander

SKU 695615  
33627027 **25<sup>99</sup>**

### 2-1/8" x 3-7/16" Tailpipe Expander

SKU 695614  
33627028 **35<sup>99</sup>**

- Expands Tail Pipes So Mufflers and Tail Pipes Can Be Fitted to the Exhaust System

OEM TOOLS



## Thread Repair



### 2 Piece External Thread Repair Set 5/32" - 1-1/2"

SKU 343361  
NES1000\* **199<sup>99</sup>**

- Includes the NES1A and NES2
- Restores Inch or Metric, Right or Left Handed Fastener Threads

\*NES Set Comes with Extra Blades



### External Thread Repair 5/32" - 1/2"

SKU 343360  
NES6040 **39<sup>99</sup>**

- Restores Inch or Metric, Right or Left Handed Fastener Threads



### External Thread Repair 5/32" - 11/16"

SKU 343365  
NES1A **74<sup>99</sup>**

- Also Repairs Damaged Threads on Pipes Up to 7/16"



### External Thread Repair 11/16" - 1-1/2"

SKU 343366  
NES2 **104<sup>99</sup>**

- Restores Inch or Metric, Right or Left Handed Fastener Threads



### Internal Thread Repair

5/16" - 7/16"  
SKU 343367  
NES21 **84<sup>99</sup>**

1/2" - 5/8"  
SKU 343369  
NES22 **84<sup>99</sup>**



Scan the QR Code for More Info on NES Thread Repair Products

## Thread Chasers

### Spark Plug Hole Thread Chaser

SKU 070109  
25124 **6<sup>99</sup>**

STORE STOCK

- Double End for 14 mm and 18 mm
- For Use with 13/16" Deep Sockets
- Cleans Spark Plug Threads of Dirt and Carbon Build-Up



### Limited Access Spark Plug Chaser

SKU 607068  
25155 **12<sup>99</sup>**

STORE STOCK

- Narrow Profile and Long Length Allows Access to Spark Plug Holes in Confined Spaces
- Use with a 3/8" Ratchet or Extension
- Size: M14 x 1.25



### Oxygen Sensor Thread Chaser

SKU 607067  
25255 **13<sup>99</sup>**

STORE STOCK

- Use with 3/8" Hex Socket or 3/8" Square Drive
- Size: M18 x 1.5



## Tubing

### Mini Tubing Cutter

SKU 532507  
25058 **8<sup>99</sup>**

STORE STOCK

- Capacity: 1/8" to 7/8"
- Cutter is Capable of Turning on a 1-7/8" Radius
- Lightweight for Easy Handling



### Tubing Cutter

SKU 141489  
25299 **7<sup>99</sup>**

STORE STOCK

- Cuts Tubes Capacity: 1/8" to 1-1/8"
- Die Cast Frame with Reamer
- Alloy Steel Cutting Wheel
- Large, Easy Grip Knob with 1/8" to 1-1/8" Two Facing Flare Groove Rollers



### Multi-Purpose Tubing Bender

SKU 390889  
25179 **14<sup>99</sup>**

STORE STOCK

- Works on 1/4", 5/16" and 3/8" (4, 6, and 8 mm) O.D. Copper, Aluminum and Stainless Steel Tubing
- Used to Make Left, Right and Offset Bends Up to 90 Degrees



### Double Flaring Tool

SKU 864647  
25358 **21<sup>99</sup>**

STORE STOCK

- Includes Five Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2" (4.8 mm Through 12.7 mm)



### In-Line Flaring Tool Kit

SKU 238197  
24364 **24<sup>99</sup>**

STORE STOCK

- Use on Thin Walled Steel and Copper Tubing
- Low Profile Design Allows for Use On or Off the Vehicle
- 3/16" and 4.75 mm Tubing
- Double Clamp and Hex Screw Keeps Tubing Locked Tightly in Position



Create a Perfect Flare Every Time!

### Double Flaring Tool

SKU 695622  
33627015 **30<sup>99</sup>**

- Produces Single and Double Flares in Soft Steel



### Bubble Flaring Tool Kit

SKU 592261  
27214 **39<sup>99</sup>**

NEW

- Designed for Metric Soft Steel Brake Lines Where an "ISO" Or Bubble Style Flare is Required
- Flaring Bar and All the Adapters Needed For ISO Bubble Flaring
- Includes Four Dies 4.75, 6, 8, and 10 mm



## Fuel

### Fuel Pump Module Spanner Wrench

SKU 110278  
25156 **19<sup>99</sup>** REG. \$24.99

- Removes and Installs the Fuel Pump Retaining Ring

SAVE \$5



Offer Good Through June 30, 2017 While Supplies Last

### Fuel Tank Lock Ring Tool

SKU 751721  
24398 **59<sup>99</sup>**

- For 2004 - Newer Ford F150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango; 2004-Newer Chevy 1/2 Ton and 3/4 Ton Trucks
- Works with 1/2" Drive Ratchet or Breaker Bar



## Spark Plug Installation

### Heavy Duty Spark Plug Boot Pliers

SKU 390900  
25542 **9<sup>99</sup>**

STORE STOCK

- Designed to Remove Hard-to-Reach Spark Plug Boots
- Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
- Vinyl Coated Grips for Comfort
- Do Not Use When the Engine is Running



### 3/8" Drive 9/16" Spark Plug Socket

SKU 265110  
25259 **22<sup>99</sup>**

- 10" Long with Thin Wall Design to Reach Into the Cylinder Head
- Fits 2004-Newer Ford F-150 Pick-Up Trucks with 5.4L 3-Valve Triton V-8 Engines
- Chamfered Ends
- Chrome Plated to Resist Rust



## SCHRADE



- Assisted Open, Finger Hole
- 2.5" 4034 Stainless Steel Blade
- 3.4" Black Aluminum Handle

SKU 452993  
SCHSA3DB **47<sup>99</sup>**

\* Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific areas.

## M&P by Smith & Wesson

### M.A.G.I.C. KNIFE

- Assisted Open, 40% Serrated
- 3.4" 4034 Stainless Steel Blade
- 4.3" Aluminum Handle

SKU 452998  
SWMP6S **63<sup>99</sup>**

\* Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific areas.

DID YOU KNOW?

AutoZone® has instrument clusters available.

Contact Your AutoZone Commercial Sales Manager for Details