Contact Us:



TOOLS EQUIDINATE QUESTERY

April, May and June 2017

ARCTIC COMMANDER **RECOVERY / RECYCLE / RECHARGE MACHINES**

Mastercool introduces its new ARCTIC COMMANDER line of RRR machines. Equipped with the latest technology, all models come standard with an 8" GUI Command Center. Navigate through all functions, features and instructions with ease. Wi-Fi 🛜 capabilities allow for real time, interactive communication and troubleshooting.



COMMANDER1000 Semi-Automatic R134a R/R/R Machine

SKU **471051** MSC1000

- 8" Command Center
- Wi-Fi Capable • On-Board Instruction Manual and Refrigerant Database
- · Built in Tank Heater
- 3 CFM Vacuum Pump
- R134a
- Vacuum Leak Test



COMMANDER2000 Fully Automatic R134a R/R/R Machine

SKU **471040** MSC2000

- 8" Command Center
- Wi-Fi Capable
- On-Board Instruction Manual and Refrigerant Database
- Built in Tank Heater • 6 CFM Vacuum Pump
- R134a
- Wi-Fi Capable • Vacuum Leak Test
- Includes Dust Cover



COMMANDER3000 R134a and Hybrid R/R/R Machine

SKU **471054** MSC3000

- 8" Command Center
- Wi-Fi Capable On-Board Instruction Manual and Refrigerant Database
- · Built in Tank Heater • 6 CFM Vacuum Pump
- R134a & Hybrid
- Vacuum Leak Test



COMMANDER4000 R1234yf and Hybrid R/R/R Machine

SKU **471061** MSC4000

- 8" Command Center
- Wi-Fi Capable On-Board Instruction
- Manual and Refrigerant Database
- · Built in Tank Heater
- 6 CFM Vacuum Pump • Built in Refrigerant
- Identifier
- R1234yf & Hybrid Vacuum Leak Test



BP BendPak

Tire Service Combo

T-100 Tire Changer and **B-100** Wheel Balancer Combo

SKU **818788** DAN1381801

- Includes: DAN1381201 Dannmar T-100 Tire Changer and DAN1381202 Dannmar B-100 Wheel Balancer
- This Dannmar Combo is Best Suited for Gas Stations, Small Garages and Auto Salvage Yards. With the T-100 B-100 Combo, You Get Great Value and More Bang for Your Buck
- T-100 Outside Clamp: 12" 22"
- B-100 Rim Diameter: 1" 28"
- B-100 Includes Data Acquisition Wand and Quick Nut



Lift Gate Service SKU **262534** Danliftgate **100**00

BendPak



	DAN1381801	\$2,799.99
N1381202	Dannmar T-100 Tire Changer	1,599.99
N1381201	Dannmar B-100 Balancer	\$1,449.99
	Total	\$3,049.98
	Savings	\$249.99

SEE DETAILS, PAGE 36 >>>

Lifts

XPR-10AS Dual-Width, 10,000 Lbs. Capacity, Two-Post Lift, **Asymmetric, Screw Pad**

SKU **297001**BENXPR-10AS **3,19999** SKU **297001**

- Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configuration Electric / Hydraulic Power System
- Double-Telescoping Screw Pads
- Offer Increased Versatility • Padded Overhead Safety Shut-off Bar
- Exclusive Tru-Metric Arm Design For More Versatile Arm Positioning
- Height Overall: 145"
- Inside Columns: 104" 112"
- Drop-End Arms Provide a Lower Pad Height
- Dual Hydraulic Direct-Drive Cylinders
- Oversized 53" Tall Carriage for Superior Strength and Durability
- Electric / Hydraulic Power System

B9 BendPak

Aligner Combo

geoliner® 550 Aligner Combo with 9,000 Lbs. Lift

SKU OUTSIDE BUY/EPO ALIGNCOMB08

- This Combo Package Puts You in the Alignment Business with High Quality Hofmann and Bendpak Products at a Great Low Price
- The HD-9AE Four Post Alignment Lift Provides 9,000 Lbs. of Lifting Capacity to Accommodate a Variety of Light Duty Trucks and Automobiles, and the Hofmann geoliner 550 Combines Advanced Technology and Affordability to Take Your Alignment Business to the Next Level
- This Kit Includes 2 RJ-45 Rolling Jacks and an Airline Kit
- Hofmann Aligner Includes Set-up and Training

	\$18,299.99	
BENHD-9AE 9,000 Lbs. Alignment Lift		\$4,049.99
HOFEEWA717B 550 Aligner System		\$12,159.99
BENRJ-45	4,500 Lbs. Rolling Bridge Jack	\$1,194.99
BENRJ-45 4,500 Lbs. Rolling Bridge Ja		\$1,194.99
BEN5174009	Airline Kit Hd-9 Hd-14	\$249.99
	TOTALS	\$18,849.95
1	SAVINGS	\$549.96

Lift Gate Service SKU 290017 HOFLIFTGATE 9500 Available via Outside Buy/EPO,



SEE DETAILS, PAGE 49 >>>

10,000 Lbs. Capacity Two Post Lift - Symmetric Clearfloor

SKU **296968** BENXPR-10S

- Expandable Top Beam Accommodates Wide or Narrow Drive Thru Configuration
- Double Telescoping Screw Pads Offer Increased Versatility
- Padded Overhead Safety Shut-off Bar
- Telescoping Arm Design for More Versatile Arm Positioning
- Overall Height: 145"
- Inside Columns: 105.5" 118.5" • Drop End Arms Provide a Lower Pad Height
- Dual Hydraulic Direct Drive Cylinders
- Oversized 53" Tall Carriage for Superior Strength and Durability
- Electric / Hydraulic Power System



SEE DETAILS, PAGE 42 >>>

Power Tools

12V Max CXT™ Li-Ion 2 Piece Combo Kit (2.0Ah)

SKU **592273** MAKCT230R

• Kit Includes 1/4" Hex Driver-Drill,

- 1/4" Impact Driver and (2) 12V Max CXT™ Batteries • 1/4" Hex Driver-Drill with 2 Speeds (0-450 & 0-1,700 RPM) and Up to
- 250 In./Lbs. of Max Torque • Impact Driver with Variable Speed (0-2,600 RPM & 0-3,500 IPM) Up to 970 In./Lbs. of Max Torque

Offer Good Through June 30, 2017 While Supplies Last

SEE DETAILS, PAGE 14 >>>



Shop Cooling

20" Orbital **Drum Fan** SKU **592210**

OEM TOOLS

24882 • Pivoting Ring Surround Allows Fan to Rotate Vertically and Horizontally

- Includes Brackets for Wall Mounting Matte Black Metal Shroud
- 3 Aluminum Blades Produce 5100 CFM • 3 Speed, 1.35 Amp Motor
- 6' UL Listed Power Cord • 120V/60Hz





OEM TOOLS

24" Rolling Tilt Fan SKU **592212** 24880

• 6' UL Listed



Evaporative Cooler SKU **592238** 24886



- Cools Up to 750 Square Feet for Up to 4 Hours
- 1/5 HP 3-Speed Variable Motor
- Heavy Duty Casters
- High Performance, Long-Life Cooling Pads • Auto Fill Valve with Hose Connection
- Tool Tray Top with Cup Holders · Air Swing Delivery for Wide Throw
- · Submersible Pump with Low Water Cut Off
- Dimensions (in): 37x24x15 / Weight: 45 Lbs. / Water Capacity: 10.3 Gallons

SEE DETAILS, PAGE 21>>>

WE'RE HERE TO HELP

BUSINESS CAN TAKE ADVANTAGE OF IRS S-179 TAX CREDITS ON EQUIPMENT PURCHASES.

CONTACT YOUR CPA FOR DETAILS.

What is the S-179 Tax Credit?

Section 179 of the IRS tax code allows businesses to deduct the full purchase price of qualifying equipment and/or software purchased or financed during the tax year. That means that if you buy (or lease) a piece of qualifying equipment, you can deduct the FULL PURCHASE PRICE from your gross income. It's an incentive created by the U.S. government to encourage businesses to buy equipment and invest in themselves. (Retrieved from http://www.section179.org/section_179_deduction.html)

PURCHASING PROGRAMS



Ask Us About Our Tool and Equipment Purchase Programs



Leases are Handled by Three Companies

Lease Corporation of America Financing you can trust.sm



UniSource Capital

Never give up...Never Surrender!

- **Customer Must:**
 - Select Equipment
 - Complete Credit Application
 - Receive Approval From Leasing Company
- **Once the Transaction is Approved**
 - PO Issued
 - Tool Ordered



30-60-90

- AutoZone® Credit Account in **Existence for 6 Months**
- Updated Credit Application with Agreement Section **Completed and Signed**
- No NSF Checks
- **No Credit Holds 6 Months**
- Credit Worthiness
- Minimum Equipment Cost • \$1K (Tax Must Be Included)
- 25% Minimum Down Payment
- ✓ 52 Week Sales Amount \$15K



- 3 Years in Business (Credit Bureau Reporting)
- ✓ Updated Credit Application with Agreement Section **Completed and Signed**
- ✓ No NSF Checks for 1 Year
- ✓ 1 Year Satisfactory Payment History with AutoZone®
- Credit Worthiness
- Minimum Equipment Cost by Term
 - 6 Months \$3K
 - 9 Months \$6K
 - 12 Months \$8K or greater
- **✓** 25% Minimum Down Payment
- ✓ Financial Statement
- ✓ 52 Week Sales Amount \$25K

Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods.

CUSTOMER SERVICE

Our Customer Service Associates Have Over 100 Years of Combined Experience in the Tool and Equipment Industry.

You can be sure they are ready to answer your questions and give you the support you need to manage your business and keep your customers satisfied.





We want your purchasing experience to be the best and to ensure you are satisfied. As our customer, you can expect fast, personalized and professional service.

For All of Your Tool, Equipment and Shop Supply Needs, Call 1-877-AZTOOL1 (1-877-298-6651) or Email Us at AZTOOL@AZTOOL1.com. (Hablamos Español)

Call Center Hours: Monday - Friday 7:00 a.m. to 5:00 p.m. CT

Guiding You to the Right Products at the Right Prior

"What is the Right **Tire Changer for My Shop?"**

Call 1-877-AZTool1

"I'm Looking for a Specific Item That's Not in This Flyer."

Call 1-877-AZTool1

"Can You Track Down My Order?"

Call 1-877-AZTool1

"I'm Interested in **Leasing Some Equipment."**

Call 1-877-AZTool1

"I Need My 4 Post Lift Repaired."

Call 1-877-AZTool1

Call 1-877-AZTool1

Tool & Equity

Tool & Equipment Quarterly

AutoZone Tool & Equipment Offers the Best Brands in the Business.



Shop This Flyer or Call: 1-877-AZTool1 1-877-298-6651 (Hablamos Español)









Autelus
















































QUICKJACK"

RED KAP

SHOP IRON

Symtech

THERMAL ARC

THERMAL DYNAMICS

THEXTON

<u>TORIN</u>

TUXEDO









CHAMPION



INN@VA





LAUNCH

<u>M7</u>

MAHLE

Tnakita

Mastercool.































MICROFLEX

MIDTRONICS

MIGHTY LIFT!



TOOLS AND EQUIPMENT IN THIS ISSUE:

Pressure Washers	19
Recovery Machines 28-29, Rivet Tools	-24
Rivet Tools	96
Safety	
Scan Tools	101
Screwdrivers	
Service Carts	
Shop Heaters. Shop Presses. Shop Supplies	
Shop Presses. Shop Supplies	
Shop Supplies	
Smoke Machines Soldering Kits Spark Plug Thread Repair Spring Compressors	
Soldering Kits Spark Plug Thread Repair Spring Compressors	
Spark Plug Thread Repair Spring Compressors	
Spring Compressors	
Stools	99
Surface Prep Tools and Accessories	
Thermometers. Thread Repair	Пþ
Thermometers. Thread Repair	
Thread Repair	
Timing Lights. Tire Changers	
Tire Service	-99
Tire Service	./ረ
Tool Sets	, 5J
Tool Storage. 8-13, 1 Torque Wrenches. 7PMS. 55, Transmission Jacks. 55, Tube Benders and Tools. Uniforms 1 UV Leak Detection Vacuums Vacuum Pumps 29-30, 1 Vises. Welding, Cutting Wheel Balancers 20, 36, 39, 48, Wheel Weights Wire Strippers and Crimpers 1	100 100
Torque Wrenches TPMS	
TPMS. Transmission Jacks	
Transmission Jacks	
Tube Benders and Tools. Uniforms UV Leak Detection Vacuums Vacuum Pumps Vises Welding, Cutting Wheel Balancers Wheel Weights Wire Strippers and Crimpers	
Uniforms	
UV Leak Detection Vacuums Vacuum Pumps Vises Welding, Cutting Wheel Balancers Wheel Weights Wire Strippers and Crimpers	
Vacuums Vacuum Pumps Vises Welding, Cutting Wheel Balancers Wheel Weights Wire Strippers and Crimpers	
Vacuum Pumps	
Vises	
Welding, Cutting20, 36, 39, 48, Wheel Balancers20, 36, 39, 48, Wheel Weights1	
Wheel Weightsli Wire Strippers and Crimpersli	26
Wheel Weightsli Wire Strippers and Crimpersli	, 53
Wire Strippers and Crimpers1	.41
Wrenches 64, 92, 97, 104, 106, 1	100
,, 5=, 5., 15., 150, 1	109

BRANDS IN THIS ISSUE:

Airsept......29, 31, 33, 102 Generac................23-24

AllData		Good
Ammco	. 60	Grea
Arrow Pneumatics	77	Grea
Associated	. 89	Grip-
ATEQ	. 40	Hard
Atlas		HECA
Autel20, 40, 62, 6	8-70	Hein-
BADA		Hess
Bartec		Hofm
Baseline38		Inge
Bendpak20, 26, 42-45, 4	9-50	Inno
Blackhawk 5		John
Branick		Knipe
Smart-0		KToo
BRM		Kubo
Cal-Van	.102	Laun
CanDo		Linco
CEMB		Lisle.
Central Tools		M7
Challenger	., s. 5 50	Mahl
Champion		Maki
Chicago Pneumatic	76	Mars
Cleanmaster	25	Mast
Coast		Mech
Coats20, 36, 31		Med
Cool Space		Micro
CPS		Midt
Crushproof Tubing Company		Migh
Dannmar	n-51	Milto
Deka		Mi-T-
DeWALT16-1		Mity
Dickies		Mont
Ditch Pig		Natio
Dorman		NES .
Drew Technologies		Nore
Duralast		OEM
56, 63, 79-80, 103-104, 107-108	11/1	40-4
EIKO		86-8
ES		Ome
Energy Logic		OTC .
Ernst Mfg		Pant
Firepower		Parts
Fix-A-Thred		Perfo
Forward42-45		Perfo
ruiwaiu42-48	J, JU	LALL

AllData	83		81
Ammco	60		
Arrow Pneumatics	77	GreatNeck	18, 107-109, 115
Associated	89	Grip-On	13
ATEO	40		inery26
•	52		
	20, 40, 62, 68-70		54-55
	41		21
	40		. 20, 36-37, 39, 49-51, 60
	38, 39		76, 78-79, 81
	20, 26, 42-45, 49-50	-	
	54-55		
	94		106, 109
	65		59
	61-62, 92		24
	66, 93, 99, 102	Launch	73
	20, 69, 72		
	53		41, 62-65, 72, 92-102, 113
		M7	78
Challenger		Mahle	28-29, 67, 70
Champion	23, 27	Makita	
	:76	Marson	101
	85-86		
	20, 36, 38-39		112
			112
	28-30		89
	Company24		116
	36, 42-45, 48, 50-51		80-81
	91		23, 77
	16-17, 19	Mitago	62, 65, 71, 96
		Montorumo	۵۲, ۵۵, ۲۱, ۵۵
	110		8
_	116		stributors117
	27		98-99
•	72		20
			8-13, 18, 21, 25-27, 29-33,
	103-104, 107-108, 114		61-67, 69-72, 74-81, 84,
	119		05-109, 111, 114-116
		Omega	
Energy Logic			
Ernst Mfg	13	Panther Vision.	118
Firepower	26	Parts Brush Div.	25
Fix-A-Thred	99	Performance Te	ch
Forward	42-45, 50	Performance To	ol72
			s61
	97		22
	95-96		
220 100		. 5.1.5 . 50001	

Power Probe
Pro-Cut61
Puma77
QSP
Ranger 20, 36-39, 45, 55-56, 60, 81
Rapidair81
Realtree
Redline
Robinair29, 34
Rotary42, 50
SAS Safety111, 113
Schrade98
Schumacher90
Shark
Shop Iron27
Slip-N-Grip114
Smith & Wesson
Steck 13, 63, 95, 101 Streamlight 85
Sure Shot
Sylvania
Symtech
The Main Resource
Thermal Dynamics
Thexton
Torin
Tracer Products32
Trusty-Cook Inc
Tuxedo
UEI72
Vaper82
Water Works25

Powerbuilt101

NEW ARRIVALS

Air Compressors

HOMPRESSORS

All Compressors Include:

- Bonus Start-Up Kit
- · Full Two Year Warranty
- · Nationwide Service Network
- ASME Tank and Safety Valves
- High-Flow Belt Guard



AUTEL

5HP 60 Gallon Single Phase 230V Compressor

SKU **592262**

• 15.3 CFM at 100 PSI, 165 PSI Max Pressure

Lift Gate Service

SKU **295540** OEMLIFTGATE 8000

- Thermally Protected Motor
- · High Flow Belt Guard
- Aluminum Head and Coolers for Better Heat Dissipation
- No Magnetic Starter Required

5HP 80 Gallon Single Phase 230V Compressor SKU **592257**

- 26100
- 18 CFM at 100 PSI, 175 PSI Max Pressure
- Heavy Duty, Low RPM Cast Iron Pump
- Magnetic Starter Mounted and Wired
- High Flow Belt Guard



13HP 30 Gallon Honda **Gas Powered Compressor** SKU **592266** 26105

• 23 CFM at 100 PSI, 175 PSI Max Pressure • Heavy Duty, Low RPM Cast Iron Pump

M7

- Magnetic Starter Mounted and Wired
- · Electric and Recoil Start
- · High Flow Belt Guard

AIR COMPRESSORS 75

Diagnostic

Intake Inflatable OFM TOOLS **Block Off Bladder** for Use with All **Smoke Machines**

SKU **598274** 24536

• Can Be Used with Any Brand of Smoke Machine or Diagnostic Leak Detector

• Conforms to Any Shape Intake / Exhaust: Square, Round, Oval or Rectangular

• Can Be Used with Any Brand of Smoke Machine or Diagnostic Leak Detector

• Works with Most Automobiles and Light, Medium, and Heavy-Duty Trucks

Heavy Duty MaxiSYS®

Diagnostic Tablet SKU **596888**

AULMS908CV • Performs Enhanced System Diagnostics on More Than 60

Commercial Vehicles • 9.7" LED Capacitive Touch Screen Android-Based Tablet

- · MaxiFlash Elite, Bluetooth-Enabled VCI/ J2534 Device
- WiFi and Bluetooth-Enabled Tablet
- Read and Clear Codes, View and Graph Live Data • Perform Tool-Guided Maintenance Services
- Diagnoses Manufacturer-Specific Systems Including Allison Transmissions, Bendix ABS Brake Systems, and Detroit Diesel Engines

DIAGNOSTIC 68-73

• One-Year Software Updates

Air Tools

1/2" Drive **Impact Wrench**

SKU **592249** KNGNC-4232Q

- Mighty Small, Mighty Powerful Air Impact Wrench
- 700 Ft./Lbs. Max Reverse Torque • 85 dBA Noise Level Bests
- OSHA Standards Ultra Lightweight at Less Than 3 Pounds
- Twin Hammer Mechanism



3/4" Drive Composite **Impact Wrench**

Ready To Ship
IN STOCK

OEM TOOLS

SKU **592352** KNGNC-6255Q





- Reverse Torque • 85 dBA Noise Level Bests
- OSHA Standards • Ultra-Light 4.2 Pounds
- Twin Hammer Mechanism

Thakita

Power Tools

Cut-Off Tool

DWTDWMT70784 **5999** • Ergonomically Designed Cushion Grip

- for Improved Comfort and Tool Control
- Touch Control Trigger Allows User to Apply Needed Amount of Power
- Aluminum Body Design
- Safety Throttle Lever
- Rear Air Exhaust



3/8" Driver-Drill 12V Max Li-Ion **DEWALT**

(Tool Only) SKU **592328**

MAKFD02ZW

• Delivers 200 In./Lbs. of Max Torque

- Variable 2-Speed Design (0-350 and 0-1,300 RPM)
- Weighs Only 2.2 Lbs. with Battery (Not Included)
- Ergonomic Shape



18V LXT® Li-Ion makita **Sub-Compact Brushless 1/2**" **Driver-Drill (Tool Only)**

SKU **592347** MAKXFD11ZB

• Compact and Ergonomic Design at Only

- 6-3/8" Long • Ergonomically Designed Handle with Rubberized Soft Grip
- Mechanical Variable 2-Speed Transmission (0-500 and 0-1,700 RPM)
- Weighs Only 2.8 Lbs. with Battery (Not Included)
- Tool Only



18V LXT® Li-Ion Compact 2 Piece Combo Kit SKU **592293**

MAKXT272R

• Variable Speed Impact Driver (0-2,900 RPM and 0-3,500 IPM) Delivers 1,460 In./Lbs. of Torque

• Impact Driver is Only 5-3/8" Long, Weighing 3.9 Lbs. with Battery

• Variable Speed Impact Wrench (0-2,100 RPM and 0-3,200 IPM)





POWER TOOLS 14-18

OEM TOOLS

Service Tools



G & G Technics

Harmonic Balancer Remover SKU **596957 GGT180**

- Time Saving Harmonic Balancer Puller
- Clip-in Compact Design (No Bolts Required) • Suitable for: GM, 5.3L, 5.7LS1, 6.0LS2, 6.2LS3, 7.0L
- Also Fits: Chrysler/Dodge/Jeep 3.5L & 3.6L V6s and 4.7L, 5.7L, and 6.1L V8s
- Radiator Removal Not Required

O=M TOOLS



Bubble Flaring Tool Kit SKU **592261 30**99 27214

- Designed for Metric Soft Steel Brake Lines Where an "ISO" or Bubble Style Flare is Required
- Flaring Bar and All the Adapters Needed For ISO
- Includes Four Dies 4.75, 6, 8, and 10 mm

Engine Service Tools

Ford Cam Phaser Noise Kit 4.6/5.4 3V with Tuning

24209

- Includes Performance Tuning Optimized for This Kit to Produce Max Horsepower and Torque
- This Kit Also Includes Tuning Options for Airflow, TPMS, Top Speed Limit, Speed of Calibration, Rev Limiter, Shift Firmness, Shift Point, Cooling Fan On/Off Temp
- · Note: Not All Features are Available in All Applications the Year, Make, and Model of the Vehicle Will Determine the Feature Set for That Application.
- Cam Phaser is NOT INCLUDED



ENGINE SERVICE TOOLS 92-93 SERVICE TOOLS 96-98

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

Shop Cooling and Air Fans

20" Orbital Drum Fan SKU **592210**

24882 • Pivoting Ring Surround Allows Fan to Rotate

- Vertically and Horizontally
- Includes Brackets for Wall Mounting
- Matte Black Metal Shroud
- 3 Aluminum Blades Produce 5100 CFM
- 3 Speed, 1.35 Amp Motor
- 6' ULListed
- Power Cord
- 120V/60Hz



OEM TOOLS 24" Rolling Tilt Fan

SKU **592212** 24880

- 4" Front Wheels for Easy Mobility
- 3 Black Aluminum Blades Produce 8600 CFM
- 3 Speed Motor
- 6' UL Listed Power Cord
- 120V/60Hz



30" Internal Orbit

Wall Mount Fan SKU **592385** 24884

- Easily Assembled and Wall-Mounted
- · Oscillates 180 Degrees, Spreading Airflow throughout Workspace
- (3) Aluminum Blades and High Efficiency Motor Produce 9,500 CFM
- 3 Speed (2.4 A) Motor Allows Operator to Control Airflow Volume
- 6' UL Listed Power Cord

OEM TOOLS'

OEM TOOLS

30" Oscillating **Pedestal Fan** SKU **592248**

- 24885 • Complete Metal Structure
- with Large Base • Oscillates 180 Degrees
- 3 Aluminum Blades Produce 9500 CFM
- 3 Speed, 2.4
- Amp Motor • 6' UL Listed
- Power Cord • 120V/60Hz



OEM TOOLS

SHOP COOLING 21-22

Chassis/Suspension

Hydraulic Ball Joint Separator

SKU **596905**

- GGT850 • Quick, Easy Ball Joint Separation
- 8 Ton Hydraulic Ram
- Jaw Opening Capacity: 56mm (2.25")
- Jaw Width: 22mm (0.86")
- No More Hammering Suspension Arms





Magnetic Nut Cups, 2 Pack

SKU **592211**

No More Crawling Around on the Ground Looking for a Fallen Fastener or Nut

Shop Supplies

- Magnetic Cups Hold Nuts, Bolts, Parts and Screws Securely Until You Need Them
- · Strong Magnets Attach the Cups Securely to Flat
- Matching Magnetic Cups Come in a Pair and Are Shipped in a Handsome Display Box



The Torch - 10 Oz. Copper Lowballs, **Boxed Set of 4**

SKU **527867**

REG. \$69.99

- Includes (4) 10 Oz. Copper Colored Lowballs • The Perfect Size for Your Morning Coffee or Evening Toddy
- This Lowball Fits Easily in Your Hand
- Comes with Replaceable Shatter-Proof Lid Made with Durable Kitchen-Grade 18/8 Stainless
- Finished in a Copper Colored Coating No Sweat Design Keeps Fingers Dry and Comfortable
- Double-wall Vacuum Insulation Keeps Drinks Cold or Hot to the Last Sip
- Keeps Ice 2x Longer than Plastic Tumblers
- Comes in a Decorative Storage Box Ready to Gift



OEM TOOLS

Offer Good Through June 30, 2017 While Supplies Last



SHOP SUPPLIES 114-119

CHASSIS-SUSPENSION 94-95 Hot Water Pressure Washers

HSE 1500 PSI 2.0 GPM

MTMHSE15020MM **2,79999**

- Features a Top-Fired Heat Exchanger and Totally Enclosed, Fan-Cooled Electric Motor
- Pump Features a High Pressure Detergent Injector • Temperature Rise: 150°F (66°C); Max Outlet
- Temperature: 200°F • Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock-Off and Adjustable Pressure Insulated Dual Lance
- 35-Foot Power Cord
- CSA Certified US and Canada





HSP 3500 PSI 3.3 GPM SKU **597220** MTMHSP35043MH +

• Burner Utilizes a Patented Electro Magnetic Firing (EMF) System, Eliminating the Need for a 12V

- Pump Features a Low Pressure Detergent Injector
- Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
- Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock-Off and Adjustable Pressure Insulated Dual Lance
- · CSA Certified US and Canada



JohnDow Industries

FOR DETAILS SEE PAGE 23

Lighting

Multi-Use Rechargeable Diagnostic Work Light

SKU **591153** 24609


- 3 Different Light Modes White, Yellow (Smoke Detection), UV/Black (Leak Die Detection)
- 400 Lumens of Super Bright Light Lasts Over 5 Hours Using White Light
- 4400 mAh Li-Ion Battery








OEM TOOLS



3 Lights in 1



Rechargeable



and 360 Degree Rotation Capacity: (5) Tire and Wheel Assemblies or (8) Tires (265 Lbs.)

TIRE SERVICE 36-41

nciuded) Allow Effortiess iviovement

Tire Service

• Designed to Transport Car, Light Truck and SUV Tires and Wheels

• Efficiently Transport Tires from

Storage Areas to Service Bays

• May be Used for Display Purposes

• (4) Heavy-Duty 3" Casters (One Locking

10999

Tire Taxi

SKU **597221** DOWJDITT1



3 Pack

3 Pack of LED **Lighted Safety Glasses**

SKU **592265** 26017PK3

- High-Impact Polycarbonate Lenses • Soft Thermoplastic Rubber Arm Ends Provide Added Comfort • 100% UV Protection
- ANSI Z87.1 Standards
- Hi-Visibility Green for Easy Finding
- · Batteries Included



LIGHTING 84-87

- Holds Charge for a Longer Runtime with

CREE LED Pen Light SKU **592184** 32835 (Black)

- Comes with (2) AAA Panasonic® Batteries and Tactical Clip • 3 Modes: Low (50 Lumens),
- High (150 Lumens) and Strobe • Battery Runtime: 6 Hours (Low), 3 Hours (High) • 80 Meter Beam Distance
- Anodized Aluminum Body is Impact and Water Resistant

• Dimensions: 5.7" (L) x 0.6" (D)



(Green) SKU **592186**

(Blue)

• Weight: 1.6 Oz.



32837



Impact and Water Resistant

Rechargeable Pen Light with Focus SKU **592181** 32830 (Black)

• Rotating Focus System and Magnetic Base • 2 Modes: Low (50 Lumens) and High (100 Lumens) Battery • Battery Runtime: 5 Hours (Low), 2.5 Hours (High)

 Anodized Aluminum Body is Impact Resistant to · Charging Indicator Lights: Charging (Red) and Fully Charged (Green)

- 80 Meter Beam Distance · Weight: 3.2 Oz.
- Dimensions: 5.875" x 0.75"

(Blue)









QUARTERLY SPECIALS















OEM TOOLS SEE DETAILS, PAGE 107 >>>

Offer Good Through June 30, 2017 - While Supplies Last





6





Offers Good April 1 - June 30, 2017



OEM TOOLS SEE DETAILS, PAGE 72 >>>

Multi-Function Power/ Ground Meter

SKU **300126** 24366

7999 REG. \$149.99

- Quickly Diagnose Circuits and Test Components
- Apply Battery Voltage or Ground with a Simple Thumb Rocker Switch
- Performs Standard Multimeter Functions: Volt, Continuity and Polarity
- Includes: Meter, 20' Extension Lead, Probe Extension, Battery Clips, Cigarette Lighter Adapter, **Auxiliary Ground Lead**

MEASURE SPARK KV, **INJECTOR FREQUENCY AND PULSE**



Offer Good Through June 30, 2017 - While Supplies Last







Offer Good Through June 30, 2017 - While Supplies Last











Offer Good Through June 30, 2017 - While Supplies Last



- Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging
- Prevents Damage to the Rear Heat Shield
- Use with OEMTOOLS® 27309 3/4* Drive Torque Wrench and OEMTOOLS® 22398 18 mm Socket

Offer Good Through June 30, 2017 - While Supplies Last



24356

Professional 3-in-1 Butane Micro Torch Kit SKU **420339**

TOOLS SEE DETAILS, PAGE 27 >>>

3499 REG. \$39.99

• 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip • Easy to Set on Table Top with the Base After Operation

Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base

 Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair • Power Range: 30w - 125w

A SECOND Offer Good Through June 30, 2017 - While Supplies Last

55

TOOL STORAGE

Classic Series Service Carts

Professional 37" **6** Drawer **Service Cart**

Professional Service Carts Feature Injection Molded Corner Bumpers to Protect Vehicles

and Other **Objects in Your Shop**

Lift Gate Service



These 6 Drawer Tool Service Carts Feature:



Locking Top and



Raise and Release **Drawer Latches**



Locking Casters



OEM TOOLS

100 Lbs. Capacity **Drawer Slides**

- Full Extension 100 Lbs. Capacity Slides
- Gas Strut Lids for Easy Opening
- Drawer Liners Included
- Dimensions: 37.4" x 20" x 40.5" (W x D x H)
- Storage Capacity: 9660 Cubic Inches
- 22 Gauge Steel



SKU **420342** 24968 Red



SKU **420340** 24966 Black



SKU **420331** 24969 Green



SKU OUTSIDE BUY/EPO 24630 **Orange**



SKU **420341** 24967 **Blue**

SAVE UP TO \$1999 WHEN YOU PURCHASE CON

VALUE: Welded Steel Construction, Stiffeners, Reinforced Stress Points, Heavy Duty Casters and Drawer Slides All with the Most Competitive Pricing in the Market

PRIDE OF OWNERSHIP: The High Quality Powder Coat Finish, Attention to Detail and Smooth Rolling Drawers Give You Tool Storage You Can Brag **About to Your Friends and Co-Workers**

SECURITY: Tubular Locks and Heavy Duty Locking Mechanism Keep Your Tools Secure

ORGANIZATION: Pick the Combination and Drawer Design to Fit You. A Properly Organized Box Helps You Work Faster and Keep Up with Your Tools.

OEM TOOLS'



\$799.99
\$499.99
\$499.99
\$999.98
\$199.99

36" Crossover™ **Tool Storage Combo**

Total

Upper Chest

- Designed for Organizational Ease and Tool Visibility
- 36" Crossover Top Chest and 6-Drawer Roller Cabinet Toolbox Combo
- Dimensions: 36" x 18-3/8" x 62-1/2" (W x D x H) Cubic Inches: 25,508 • Scratch-Resistant Powder Paint and Textured Aluminum Trim
- Interchangeable Drawers with Premium Drawer Liners, Air Tool Holders and 100 Lbs. Ball Bearing Drawer Slides





Red SKU **547958**

\$799.99

\$499.99 \$499.99

\$999.98





Lift Gate Service

- Weather Stripping Creates a Tight Seal Against Dust and Moisture, Great For Road Service
- Gas Spring Raises Lid When Unlatched for Easy Tool Access
- Tool Inventory at a Glance
- 36" x 17-3/8" x 21-1/2" $(W \times D \times H)$






SKU **547124** MTZAG-XL4500R

Green

SKU **547126**





(3) 32-1/2" x 15-3/4" x 2-1/4", (1) 32-1/2" x 15-3/4" x 8"



SKU **547123** MTZRR3606TCPR

MTZRR3606TCLG





Upper Chest

Total

Lower Cabinet







\$999.98 Savings 36" Tool Storage Combo - Black

\$499.99

\$499.99

SKU **850534** 24573

- Designed for Organizational Ease and Tool Visibility
- 36" Crossover Top Chest and 6 Drawer Roller Cabinet Tool Box Combo
- Dimensions: 36" x 18-3/8" x 62-1/2" (W x D x H)
- Cubic Inches: 25,508
- Interchangeable Drawers with Premium Drawer Liners, Air Tool Holders and 100 Lbs. Ball Bearing Drawer Slides





SKU **850533** 24571

- 16 Gauge Steel Construction, Welded Seams, No Spot Welding • 36" x 18" x 21" (W x D x H) with Pegs, Slots, and Holes for Organizing All Your Tools
- Weather Stripping Creates a Tight Seal Against Dust and Moisture



- 36" x 18-3/8" x 40-3/4" (W x D x H) (w/ Casters) • Cubic Inches: 12,388
- Drawers (4) 2.5", (1) 5.5", (1) 8.5"
- Embossed Stainless Steel Work Surface



Free Delivery!

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

[†]Leasing Terms Available.

SAVE \$19999 WHEN YOU PURCHASE COMBO

OEM TOOLS

72" 26 Drawer Chest and Cabinet Combo

- Raise and Release Drawer Latches
- Gas Struts for Easy Opening
- Drawer Liners Included
- 20 Gauge Steel Shell
- 22 Gauge Steel Drawers
- Dimensions: 72" x 20" x 63" (W x D x H)

24629/24587/24626	\$1,699.99
10 DRAWER TOP CHEST:	\$699.99
16 DRAWER CABINET:	\$1,199.99
TOTAL:	\$1,899.98
SAVINGS:	\$199.99



Lift Gate Service SKU 295540 OEMLIFTGATE 8000



Features:







PU Casters **Capacity Slides**



C4 Sandblasted **Aluminum Trimmed Drawer Pulls**



SKU OUTSIDE BUY/EPO 24629 Blue



SKU OUTSIDE BUY/EPO 24587 **Red**



SKU OUTSIDE BUY/EPO 24626 Gun Metal Gray

72" 10 Drawer Top Chest

• Dimensions: 72" x 19.7" x 22.4" (W x D x H)



SKU OUTSIDE BUY/EPO 24627 Blue

24585 Red



SKU OUTSIDE BUY/EPO 24624 Gun Metal Gray

SKU OUTSIDE BUY/EPO



Available via Outside Buy/EPO,

Lift Gate Service SKU 295540 OEMLIFTGATE 8000

72" 16 Drawer Cabinet

Dimensions: 72.6" x 20" x 40" (W x D x H)



SKU OUTSIDE BUY/EPO 24628 Blue

SKU OUTSIDE BUY/EPO

24586 Red



SKU OUTSIDE BUY/EPO 24625 Gun Metal Gray



SAVE \$1999 WHEN YOU PURCHASE COMBO

Features:

- Raise and Release Drawer Latches to Secure Drawers
- EVA Drawer Liners Included

das otrats for Easy Opening			
24593	\$699.99		
4 DRAWER TOP CHEST:	\$399.99		
6 DRAWER CABINET:	\$499.99		
TOTAL:	\$899.98		
CV/INICC:	¢100.00		

Lift Gate Service

Available via Outside Buy/EPO,

Flat Key Locking System





6 DRAWER TOP CHEST:

10 DRAWER CABINET:

Black/Green

Lift Gate Service

SKU **295540** OEMLIFTGATE **80**00

41" 16 Drawer Chest

and Cabinet Combo

D99

• Dimensions: 41" x 18.1" x 61"

REG. \$999.99

SKU OUTSIDE BUY/EPO

TOTAL:

SAVINGS:

24596

4 Large Sturdy 5" x 2" Mag Casters 2 Locking

\$899.99

\$499.99

\$599.99

\$1,099.98

\$199.99

Available via Outside Buy/EPO



Molded Side Handles

OEM TOOLS



REG. \$799.99 Dimensions: 36.7" x 18.1" x 61"

SKU **295540** OEMLIFTGATE **80**00

Offer Good Through June 30, 2017 - While Supplies Last



36" 6 Drawer Cabinet Black/Green

SKU OUTSIDE BUY/EPO 24592

• Dimensions: $36.7" \times 18.1" \times 39.8" (W \times D \times H)$

Lift Gate Service SKU 295540 OEMLIFTGATE 8000





41" 6 Drawer Top Chest Black/Green SKU OUTSIDE BUY/EPO

Offer Good Through June 30, 2017 - While Supplies Last

24594 • Dimensions:

41" x 18.1" x 21.2" (W x D x H)

41" 10 Drawer Cabinet Black/Green

SKU OUTSIDE BUY/EPO 24595

Dimensions:

41" x 18.1" x 39" (W x D x H)

Lift Gate Service SKU **295540**OEMLIFTGATE **80**00




TOOL STORAGE

Classic Series Tool Storage

Features:



Locking System



Capacity Slides







2 Locking

46" 10 Drawer **Cabinet and Upper Cabinet -**Stainless Steel SKU OUTSIDE BUY/EPO 24617 **799**99

- Drawer Liners Included • Dimensions:
- 46" x 18" x 71.5" $(W \times D \times H)$
- Stainless Steel



Features:

8 Drawer Top Chest

Savings

24584

 $(W \times D \times H)$

11 Drawer Roller Cabinet

\$399.99

\$599.99

41" 19 Drawer Chest and

20099

• Dimensions: 41.5" x 18" x 62.5"

Cabinet Combo - Black

SKU OUTSIDE BUY/EPO

- Raise and Release Drawer Latches to Secure Drawers
- Gas Struts for Easy Opening
- Drawer Liners Included
- 22 Gauge Steel Shell





41" 8 Drawer Top Chest - Black SKU OUTSIDE BUY/EPO

Dimensions: 41.5" x 18

41" 11 Drawer Roller

599⁹⁹

x 22.4" (W x D x H)

Cabinet - Black SKU OUTSIDE BUY/EPO

24582





46" 10 Drawer Cabinet - Stainless Steel SKU OUTSIDE BUY/EPO 24614

• Dimensions: 46" x 18" x 35.5" (W x D x H)



Lift Gate Service SKU **295540** OEMLIFTGATE **80**00

\$1,299,99 7 Drawer Top Chest \$549.99 11 Drawer Roller Cabinet \$899.99 Total \$1,449.98



• Dimensions:



56" 7 Drawer Top Chest - Black

SKU OUTSIDE BUY/EPO 24579

Dimensions: 55.4" x 19.8" x 22.4" (W x D x H)



56" 11 Drawer Roller Cabinet - Black

SKU OUTSIDE BUY/EPO 24580

Dimensions: 56" x 20" x 41.3" (W x D x H)



OEM TOOLS

Elite Series Tool Storage

72" 11 Drawer Cabinet. with 3 Door Upper Cabinet - Stainless Steel

SKU OUTSIDE BUY/EPO | 24615 04999 REG. \$1,099.99



Add Maximum Storage Space to Your Garage or Work Station. This Stainless **Tool Box System Looks Modern** and Clean. Helps You Stay Organized and Expands Your Work Space.

Available via Outside Buy/EPO,

Lift Gate Service SKU **295540** OEMLIFTGATE **80**00

Features: • Dimensions: 72" x 18" x 71.5"


• Upper Cabinet is 12" x 18" (H x D)

- Drawer Liners Included
- Pegboard is 18" Tall PVC Coated MDF Top

Free Delivery!

Stainless Steel











Offer Good Through June 30, 2017 - While Supplies Last





72" Elite 17 Drawer Roller **Cabinet - Black** SKU OUTSIDE BUY/EPO | 24577

72" Hutch - Black

SKU OUTSIDE BUY/EPO | 24578

• Dimensions: 72" x 30" x 44.2" (W x D x H)

• Dimensions: 72" x 30" x 26.3" (W x D x H)









Specifications Subject to Change Without Notice or Liability.

Customers Responsible for Off-Loading Equipment Upon Arrival.

System with Tubular

Locks

Bearing Slides

[†]Leasing Terms Available.

Features:

Adjustable Shelf

to Secure Drawers

• 18 Gauge Steel Shell

Drawer Liners Included

• Comes in Wooden Crate on

Pallet with Casters Installed

• Welded Steel Construction

• Retractable Door in Hutch

• Pegboard Allows for Additional Storage

• Raise and Release Drawer Latches

SAVE \$199.99 ON A COMBO PURCHASE

OEM TOOLS

41" 10 Drawer **Contour Chest** and Cabinet Combo

- Patented Raise and Release
- Drawer Latches to Secure Drawers
- EVA Drawer Liners Included
- Gas Struts on Lids for Easy Opening
- Double Drawer Slides on Larger Drawers
 Dimensions: 41" x 18" x 60.4" (W x D x H)

\$899.99
\$499.99
\$599.99
\$1,099.98
\$199.99

Lift Gate Service SKU **295540** OEMLIFTGATE **80**00

Offer Good Through June 30, 2017 - While Supplies Last





Locking Top and



Full Extension 4 Sturdy 5" x 1.5' Tire Style Casters 100 Lbs. Capacity Slides for Easy Access with Wheel Locks



One Stainless Steel Handle on Cabinet



Race Blue with White Stripes SKU OUTSIDE BUY/EPO



Orange with White Stripes SKU OUTSIDE BUY/EPO 24620



Green and Matte Black SKU OUTSIDE BUY/EPO 24623

41" 4 Drawer Contour Top Chest

• Dimensions: 41" x 18" x 19.4" $(W \times D \times H)$



Race Blue with White Stripes SKU OUTSIDE BUY/EPO



SKU OUTSIDE BUY/EPO 24618 **Green and Matte Black**

SKU OUTSIDE BUY/EPO 24621



Outside Buy/EPO

Lift Gate Service

41" 6 Drawer **Contour Cabinet**

 Dimensions: 41" x 18" x 41" $(W \times D \times H)$



Race Blue with White Stripes SKU OUTSIDE BUY/EPO 24589







Lift Gate Service SKU **295540**OEMLIFTGATE **80**00

Trade Series Tool Storage

Features:

- **OEM** TOOLS
- Gas Springs for Easy Opening
- Drawer Liners Included
- Dual Gloss and Hammer Tone Powder Coat Finish Resist Rust
- 22 Gauge Steel Shell
- Dimensions: 26.5" x 18.3" x 52.4 " (W x D x H)



Flat Key Locking

26" 6 Drawer Top

SKU OUTSIDE BUY/EPO

Chest - Blue

26" 6 Drawer **Cabinet - Blue** SKU OUTSIDE BUY/EPO

• Dimensions: 26.5" x 18.3" x 37.9"

24598

Lift Gate Service SKU **295540** OEMLIFTGATE **80**00





(4) 5" x 2" Casters

29" Portable Tear Down Trays

Service Trays

OEM TOOLS

- Adjustable Table Height: 33-1/2" to 49-1/4"
- Total Weight Capacity: 55 Lbs.
- EVA Foam Work Surface Liners
- 29.1" x 20.1" Work Surface • Rubber Bumper Corners





Features:







Divider Tray with

Offer Good Through June 30, 2017 **While Supplies Last**

SAVE \$99.99 ON COMBO OFFER!

24599	\$399.99
6 DRAWER TOP CHEST:	\$199.99
6 DRAWER CABINET:	\$299.99
TOTAL:	\$499.98
SAVINGS:	\$99.99

26" 12 Drawer Chest and **Cabinet Combo - Blue** SKU OUTSIDE BUY/EPO

24599

Available via ordering instructions.

Offer Good Through June 30, 2017 - While Supplies Last

999 REG. \$479.99

SAVE \$199.99 ON COMBO OFFER!

24613	\$599.99
8 DRAWER TOP CHEST:	\$349.99
5 DRAWER CABINET:	\$449.99
TOTAL:	\$799.98
SAVINGS:	\$199.99

41" 13 Drawer Chest and Cabinet Combo - Blue SKU OUTSIDE BUY/EPO

REG. \$699.99 • Dimensions: 41.4" x 16" x 56.6" (W x D x H)



Offer Good Through June 30, 2017 - While Supplies Last

Chest - Blue SKU OUTSIDE BUY/EPO

41" 8 Drawer Top

• Dimensions: 40.5" x 12" x 18.7" (W x D x H)

41" 5 Drawer Cabinet - Blue SKU OUTSIDE BUY/EPO **AAQ**99

• Dimensions: 41.4" x 16" x 37.9" (W x D x H)



Available via Outside Buy/EPO, Il 1-877-298-6651

SKU 295540 OEMLIFTGATE 8000

TOOL STORAGE

SAVE BIG ON TECHNICIAN SETS



Tool Set Savings: Bonus Tool Cart:

\$349.99 TOTAL SAVINGS:



167 Piece **Mechanic's Set**

Includes:

- 1/4", 3/8" and 1/2" Drive Tools • Hand Tools
- Battery Service Tools
- Oil Change Tools And More

Offer Good Through While Supplies Last

5 Drawer Service Cart VALUE: \$349.99

BONUS

With Purchase of: 167 Piece **Mechanic's Set** SKU **533204** | Part# 24974





///// SAVE \$649

\$299.99 Bonus Tool Cart: TOTAL SAVINGS:

OEM TOOLS



160 Piece **Lube Tech Starter Set**

SKU **227302** | Part# 24965

- Battery and Tire Service Tools
- Battery Service Tools
- Specialty Oil Filter Wrenches to Service Late Model Cars and Trucks

Offer Good Through June 30, 2017 While Supplies Last

BONUS **4 Drawer Service Cart** VALUE: \$299.99

160 Piece **Lube Tech Starter Set** SKU **227302** | Part# 2496



/////SAVE \$849⁹⁹

Tool Set Savings: Bonus Tool Cart:

<u>\$349.99</u>

TOOLS Professional Quality Tools



312 Piece **Technician's** Set

SKU **533203** | Part# 24975

- Includes:
 1/4", 3/8" and 1/2" Drive Tools
- Hand Tools • Battery Service Tools
- Oil Change Tools
- And More

Offer Good Through June 30, 2017 While Supplies Last

REG. \$1,899.99

BONUS

5 Drawer

Service Cart

VALUE: \$349.99

With Purchase of:

312 Piece

Technician's Set

SKU **533203** | Part# 24975

This set includes 312 of the most



////SAVE \$94999

Tool Set Savings: Bonus Tool Cart: TOTAL SAVINGS:

\$600.00 <u>\$349.99</u> \$949.99



350 Piece **Apprentice Starter Set**

SKU **227300 | Part# 24964**

- Includes:
 1/4", 3/8" and 1/2" Drive Tools
- Air Tools • Hand Tools
- Brake Service Tools • Battery Service Tools
- Oil Change Tools
- Tire Tools
- And More

BONUS **5** Drawer **Service Cart**

REG. \$2,499.99

VALUE: \$349.99 With Purchase of:

350 Piece Apprentice Starter Set SKU **227300** | Part# 24964

Offer Good Through June 30, 2017 - While Supplies Last





Tool & Equipment QUARTERLY

Service Carts

Hi-Impact Structural Polypropylene Service Carts (500 Lbs. Capacity)

Standard Service Cart

SKU **751723** 24957

· Cart Dimensions 33-5/8" x 17-5/16" x 40-3/8" (H x W x L)

Large Service Cart


SKU **751722** 24958

• Cart Dimensions: 33-2/3" x 25-3/4" x 46-7/8" (H x W x L) Stands Up to Rugged Use

- (2) Large 3" Deep Trays Keep Load Secure While Transporting
- Easy Assembly
- Heavy Duty Polypropylene is Easy to Clean, Resistant to Rust, Denting and Chipping
- Maximum Weight Carrying Capacity of 500 Lbs. (250 Lbs. per Shelf)

• Smooth Rolling, Non-Marring 5" Casters









Cup and supplies not included.





2 Fixed and 2 Swivel

Professional Service Cart 5 Drawer and 1 Tray

SKU **298231** 24570 **Green** REG. \$299.99

- Unique Raise and Release Drawer Latches to Prevent Drawers from Drifting Open
- Durable Powder Coated Finish
- Each Drawer Loading Capacity of
- Total Load Capacity of 500 Lbs.

• Dimensions: 49" L x 18" D x 37" H (with Tray Extended)



Professional Service Cart 5 Drawer and 1 Tray Features:





Raise and Release

Professional Service Cart

5 Drawer and 1 Tray SKU **512950** 24963 Black

34099

See Details Above



2 Tray **Service Cart**

SKU **432099** 24959

999 REG. \$119.99

- 4" Swivel Casters: (2) Locking and (2) Standard
- Dimensions: 30"x 16" x 35.3" (W x D x H)



Service Cart with Locking Lid and Drawer


SKU **512948**

24961

- Easy to Maneuver with (4) Swivel Casters
- Stays Securely in Place with (2) Locking Casters
- Total Load Capacity: 350 Lbs. Drawer Load Capacity: 75 Lbs.
- Full Length Aluminum Drawer Handles
- Chrome Tube Legs
- Durable Powder Coated Finish
- Ball Bearing Slides • Dimensions: 30" (H) x 18" (D) x 30" (L)









Professional Service Cart 4 Drawer and 1 Tray

SKU **512949** 24962

- Aluminum Trimmed Drawer Pulls with Raise and Release
- Durable Powder Coated Finish
- Easy to Maneuver with (4) Swivel Casters: (2) Standard and (2) Locking
- 75 Lbs. Ball Bearing Slide
- Total Load Capacity of 500 Lbs.
- Dimensions: 49" L x 18" D x 36" H (with Tray Extended)



Socket Boss - 3 Rail Socket Tray





Bearing Slides

Blue

SKU **255120**

ERN8451





Casters: (2) Standard

and (2) Licking





Drawer Latches



Socket Organizers

Socket Boss - 2 Rail Socket Tray (3/8" Drive)

SKU **255123** ERN8453

• Holds (30) Sockets • Twist-Lock Clips Keep Sockets Secured



Dura-Pro Twist-Lock Cart Mount Socket System (3/8" Drive)

SKU **255131** ERN8466

• Holds (30) Sockets and (4) Ratchets or Extensions • Just a Simple 1/8th Turn and Your Tools are Secured









Red

SKU **255105**

ERN8450

6099

(1/4", 3/8", 1/2" Drive)

• Holds (45) Sockets in Three Drive Sizes

• Push Button Release to Remove Any Rail

• 1/4", 3/8" and 1/2" Drive

 Makes Your Tools Easy to Find • Holds (126) Wrenches, Screwdrivers, Sockets, Ratchets



Work Stand

Pro Step Adjustable Work Stand

SKU **222856** STK20350

- Height Adjustable from 6-1/2" to 22-1/2"
- Capacity: 500 Lbs.
- 32" x 16"
- Foam Bumpers Protect Vehicle Finish
- Spring-Loaded Retractable Wheels -You Can Push it with Your Foot Stays Put When a Load is Present
- Extra-Wide 23" Base Rails for Stability
- Heavy Duty (Weight: 45 Lbs.) Construction



Trays and Racks

and Extensions

Plier/Wrench Rack

- Will Hold Up to (13) Tools • (2) Different Size Slots to
- Accommodate All Sizes of Tools • 11" (W) x 7" (H) x 2" (D)

Parts, Fasteners and Tools

• Heavy Duty Stainless Steel

SKU **965835**

25119



Red

SKU **255888**

LIS40490



• Strong and Durable to Collect Small Ideal for Holding Small

VI TOOLS 10" Magnetic **Nut Tray** SKU **434570**


Black

SKU **255882**

LIS40460

GRI67435 • Teflon® Coated Steel





Resists Scratches



Parts and Tools

POWER TOOLS







12V Max Li-Ion 3/8" Driver-Drill SKU **592328 (Tool** MAKFDO2ZW **Only)** Value: \$79.99

12V Li-Ion Battery SKU **555438** MAKBL1014 Value: \$49.99

12V Li-Ion 3 Piece Combo Kit 12V Li-Ion 3 Piece Combo Kit

12V Li-Ion 4 Piece Combo Kit

BUY ANY ONE OF THE TOOLS BELOW

12V Li-Ion 3 Piece Combo Kit SKU **555406** MAKLCT319W

• 3/8" Impact Wrench: 83 Ft./Lbs of Torque

- 1/4" Hex Shank Impact Driver: 800 In./Lbs of Torque
- Both Tools Have Built-In LED Lights To Illuminate the Work Area

12V Li-Ion 3 Piece Combo Kit SKU **555405** MAKLCT309W

- 3/8" Drill Driver: (0-350 and 0-1,300 RPM)
- 3/8" Impact Wrench: 1,000 In./Lbs. of Max Torque (0-2,300 RPM and 0-3,000 IPM)

12V Li-Ion 4 Piece Combo Kit

• Impact Wrench: 83 Ft./Lbs. of Torque

• Driver Drill: 200 In./Lbs. of Torque

Tool Only, Does Not Include Battery

• Flashlight Runs Up to 9 Hours on a Single Charge (2) 12V Max

• 2 - 12V Li-lon


Batteries for

Battery Charger

and Tool Case

Long Life

Li-Ion Batteries · Battery Charger





and a Battery Charger Hex Shank Impact Driver: 800 In./Lbs. of Torque are Included



GET ITEM BELOW 18V LXT® Li-Ion Sub-Compact Brushless 1/2" **Driver-Drill** SKU **592347 (Tool Only)** MAKXFD11ZB **Value: \$129.99**

Impact Wrench Kit 18V LXT® Li-Ion 2 Piece Combo Kit

18V LXT® Li-Ion **2 Piece Combo Kit** SKU **592332**

- MAKXT270 Delivers 740 Ft./Lbs. of Max Torque and 1,180 Ft./Lbs. of Breakaway Torque
- 3-Speed Switch (0-900/ 0-1,000/ 0-1,800 RPM & 0-1,800/ 0-2,000/ 0-2,200 IPM)

18V Hi Torque Impact Wrench Kit Makita SKU **850509** MAKXWT08M

- 1,180 Ft./Lbs. of Breakaway Torque
- 740 Ft./Lbs. of Fastening Torque
- 3 Speed Selections
- Dual LED Lights
- Includes BI 1840 Battery

NEW



Makita

Features Extreme Protection Technology (XPT™) to Provide Increased Dust and Water Resistance in Harsh Conditions

Offer Good Through June 30, 2017 - While Supplies Last

12V Max CXT™ Li-Ion 2.0Ah Battery NEW SKU **592260** MAKBL1021B

12V Max CXT™ Li-Ion 2 Piece Combo Kit (2.0Ah) sku 592273 | MAKCT230R

12V Max CXT™ Li-Ion 2 Piece Combo Kit (2.0Ah)

SKU **592273** MAKCT230R

SKU **555408**

MAKLCT401W

• Kit Includes 1/4" Hex Driver-Drill, 1/4" Impact Driver and (2) 12V Max

CXT™ Batteries • 1/4" Hex Driver-Drill with 2 Speeds (0-450 & 0-1,700 RPM) and Up to 250 In./Lbs. of Max Torque

Impact Driver with Variable Speed (0-2,600 RPM & 0-3,500 IPM) Up to 970 In./Lbs. of Max Torque



Offer Good Through June 30, 2017

Taakita

ood Through June 30, 2017 While Supplies Last

Impact Drivers

12V Li-Ion 1/4" Hex Shank **Impact Driver Kit** SKU **555430**

MAKDT01W

- 800 In./Lbs. of Torque and 0-2,400 RPM for a Variety of Applications
- Built-In LED Light Illuminates the Work Area
- Lightweight: 2.0 Lbs.
- (2) 12V Li-Ion Batteries • Includes Charger and Case

12V Impact Driver Kit SKU **010106**

- Delivers 970 In./Lbs. of Torque
- 0-2600 RPM and 0-3500 IPM
- Built-In LED Light
- Lightweight at Only 2.3 Lbs.



Makita

18V LXT® Li-Ion Cordless

LED Flashlight (Tool-Only) SKU **849458** MAKDML802 /alue: \$5 18V LXT® 3/8" Impact Wrench Kit sku 434595 | MAKXWT06RB

18V Li-Ion 2.0 Ah

18V LXT® Li-Ion Compact

2 Piece Combo Kit sku 592293 | MAKXT272R

Rapid Optimum

18V LXT® Li-Ion 1/2"

Impact Wrench with 18V Li-Ion 3.0 Ah Battery sku 434676 | MAKXWT05K

18V LXT® Li-Ion Sub-

Compact Brushless

18V Auto Combo Kit SKU 818600 | MAKXT311R

18V Li-Ion Radio SKU 696480 (Tool MAKXRMO2W Only)

18V LXT® Li-Ion Cordless Combo Kit

SKU **696478** | MAKLXT320

Impact Driver (Tool-Only)

SKU 592340 NEW MAKXDT15ZB NEW Value: \$129.99

Charger

SKU **555439**

MAKDC18R

Battery

SKU **849432**

MAKBL1820B

18V LXT® 3/8" Impact Wrench Kit SKU **434595** MAKXWT06RB

- Makita-Built 4-Pole Motor Delivers 155 Ft./Lbs. of Max Torque
- Variable Speed (0-2,100 RPM & 0-3,200 IPM) · Compact and Ergonomic Design at Only
- Rubberized Soft Grip Handle Built-in LED with Afterglow

2 Piece Combo Kit

- Comes with 18V Li-lon Rapid Optimum
- Charger and 3.0 Ah Battery

18V LXT® Li-Ion Compact



makita

SKU **592293** MAKXT272R

- Variable Speed Impact Driver (0-2,900 RPM & 0-3,500 IPM) Delivers 1,460 In./Lbs. of Torque
- 3.9 Lbs. with Battery Variable Speed Impact Wrench (0-2,100 RPM & 0-3,200 IPM) Delivers 155 Ft./Lbs.
- Offer Good Through June 30, 2017 While Supplies Last



Impact Driver is Only 5-3/8" Long, Weighing



Makita

Makita

with 18V Li-Ion 3.OAh Battery SKU **434676** MAKXWT05K



18V LXT® Li-Ion 1/2" Impact Wrench

- Makita-Built 4-Pole Motor Delivers 170 Ft./Lbs. of Max Torque (0-2,100 RPM & 0-3,200 IPM)
- Compact and Ergonomic Design at Only 6.5" Long and Weighing Only 3.8 Lbs. with Battery Built-in LED Light with Afterglow Illuminates
- the Work Area • Equipped with Star Protection Computer







- 1/2" Driver with 480 Lbs. of Torque BML185 Flashlight • (2) BL1820 2.0 Ah Li-Ion Batteries
- 18V LXT Li-Ion Cordless Flashlight • Tote Bag

SKU **818600** MAKXT311R

Offer Good Through June 30, 2017 - While Supplies Last

18V LXT® Li-Ion Cordless Combo Kit SKU **696478** MAKLXT320

• 3/8" Impact Wrench Provides 155 Ft./Lbs. of Max Torque



- Lumens and Rotates Left to Right • (2) 18V LXT Li-lon 3.0 Ah Batteries That Reach Full Charge in 30 Minutes Rapid Optimum Charger Optimize
- Battery Life by Actively Controlling
 Current, Voltage, and Temperature

 Tool Bag







18V Impact Driver Kit SKU **803113**

MAKXDT042

Variable Speed (0-2, 300 RPM & 0-3,200 IPM) for a

- Wide Range of Fastening Applications
- Equipped with Star Protection Computer Controls™
- Rapid Optimum Charger Communicates with the Battery's
- Rapid Optimum Charger Has a Built-in Fan to Cool the Battery



18V Compact Li-Ion 1/2" **Cordless Impact Driver Kit** SKU **818601**

- MAKXDT11R • Delivers 1,460 In./Lbs. of Maximum Torque
- Variable Speed (0-2,900 RPM and 0-3,500 IPM)
- Includes: XDT04RW 1/4" Hex Shank Impact Driver, (2) BL1820 18V 2.0 Ah Li-Ion Batteries, DC18RA Rapid Charger



Makita

Impact Wrenches

12V Li-Ion 3/8" Impact Wrench Kit SKU **555429**

- 83 Ft./Lbs. of Torque and 0-2,300 RPM
- (2) 12V Li-Ion Batteries

MAKWT01W

- Includes Charger and Case
- 60-Minute Battery Charger



18V Li-Ion 1/2" HD Impact Wrench Kit SKU **555415** MAKXWT04

18V LXT® Li-Ion Cordless High Torque

- 325 Ft./Lbs of Torque
- Variable Speed for Ease of Use • Built-In LED
- Includes 2- 18V 3.0Ah Li-Ion for Continuous Operation • Rapid Charger • Tool Case

1/2" Impact Wrench Kit SKU **849459** MAKXWT04MB

- Delivers 325 Lbs. of Torque
- 1/2" Square Drive • 1,600 RPM and 2,200 IPM
- Includes BL1840B Battery









Tool & Equipment Quarterly

12V Combo Kits

12V Combo Kit

SKU **677405** MAKLCT209W

- 3/8" Driver Drill
- Impact Driver • (2) 12V Max
- **Ratteries**
- Battery Charger and Case



12V Li-Ion **Cordless Combo Kit** SKU **847089** MAKCT226

- 3/8" Driver Drill with 210 Lbs. of Max Torque
- 1/4" Impact Driver with 970 Lbs. of Max Torque
- Includes (2) 12V Slide Batteries
- Built-In



800 In./Lbs. of Max Torque

• Variable Speed Impact Driver: (0-2,400 RPM and 0-3,000 IPM) Provides • Flashlight Runs Up to 9 Hours

• 2 Speed 3/8" Driver-Drill: (0-350 and 0-1,300 RPM) Delivers 200 In./Lbs.

- on a Single Charge • (2) Makita 12V max Li-lon Batteries
- Battery Charger and Case

12V Cordless Combo Kit

SKU **434634** MAKCT226RX

SKU **555423**

MAKLCT314W

of Max Torque

- 3/8" Driver-Drill with 2 Speeds (0-450 and 0-1,700 RPM)
 Delivers Up to 250 In./Lbs. of Max Torque
- Impact Driver with Variable Speed (0-2,600 RPM and 0-3,500 IPM) Up to 970 In./Lbs. of Max Torque

12V Li-Ion 3 Piece Combo Kit

- Ergonomically Designed Handles with Rubberized Soft Grips
- 12V max CXT™ Slide Battery Design



18V Combo Kit

18V Compact Combo Kit SKU **434602**

- MAKCT225R • 1/2" Driver-Drill (0-600 & 0-1,900 RPM) Delivers
- 480 In./Lbs. of Max Torque • Impact Driver with Variable Speed (0-2,900 RPM
- & 0-3,500 IPM) Delivers 1,460 In./Lbs. of Max Torque Star Protection Computer Controls™ Protect Against Overloading, Over-Discharging and Over-Heating
- 18V Compact 2.0 Ah Battery MAKBL1820B Provides Up to 50% More Run Time Than MAKBL1815



• Includes - (2) 18V MAKBL1820B 2.0 Ah Batteries, Rapid Charger, and Tool Bag

Drills

12V Li-Ion 3/8" **Driver Drill Kit** SKU **555431** MAKFD02W

- 3/8" Driver Drill with Keyless Chuck
- 200 In./Lbs. of Torque
- 0 350 and 0 1,300 RPM
- Built-In LED Light Illuminates the Work Area
- Includes: (2) 12V Li-Ion Batteries, Charger and Case

18V 1/2" Hammer **Drill Driver** SKU **803111** MAKXPH012

• 18V LXT Li-lon Hammer Driver Drill

- 480 In./Lbs. of Torque
- Includes: Battery, Charger and Case



Thakita

12V 3/8" Driver Drill Kit SKU **010110**

MAKFD05R1

• Delivers Up to 250 In./Lbs. of Torque

- 2 Speeds: 0-450 and 0-1700 RPMs

 Adjustable Clutch • Built-In LED Lights

18V Compact Li-Ion Cordless 1/2" Driver-Drill Kit, (2.0 Ah) SKU **818602** 16499 MAKXFD10R

• Variable Speeds 0 - 400 and 0 – 1500 RPM

- 480 In./Lbs. Torque
- Kit Includes: XFD10
- 18V 1/2" Li-Ion Driver Drill, (2) BL1820B 18V Li-lon 2.0 Ah Batteries and DC18RC Charger



Thakita

Grinders

4-1/2" 7.5 Amp Grinder - Corded SKU **555432**


MAK9557PB

- 4-1/2" Grinder with 10,000 RPM for Fast Material Removal
- Powerful 7.5 Amp Motor for Heavy Duty Applications



18V LXT® Li-Ion Brushless 4-1/2" Paddle ut-Off/Angle Grinder (

SKU **297320** MAKXAG06Z



- Brushless Motor Eliminates Carbon Brushes
- Electronically Controlled to Optimize Battery Energy Use for Up to 50% Longer Run Time

18V LXT® Li-Ion Brushless 4-1/2" Paddle Switch Cut-Off/Angle Grinder Kit SKU **297327** MAKXAG06MB

- Automatic Speed Change™ Technology Adjusts Speed and Torque During Operation for Optimum Performance • Electronic RPM Controller Turns Motor Off if Rotation Speed Suddenly Slows
- Brushless Motor Eliminates Carbon Brushes
- Electronically Controlled to Optimize Battery Energy Use for Up to 50% Longer Run Time
- Includes (2) 18V BL1840B Batteries, (1) 18V Rapid Optimum Charger, Tool Case, and Grinding Wheels & Wheel Guards



Thakita

Reciprocating Saw

9 Amp Reciprocating Saw HD - Corded SKU **262515**

- MAKJR3050T • Long 1-1/8" Stroke for Faster Cutting
- Internal Dust Blower System Clears Debris from the Line of Cut for Better Visibility and Accuracy
- All Ball and Needle Bearing Construction for Longer Tool Life
- Soft Grip for Increased Comfort and Control

7" Polisher

SKU **592264** MAK9227C



- Powerful 10 AMP Motor Delivers 0-3,000 RPN
- Variable Speed Control Dial
- Constant Speed Control Maintains Constant Speed Under Load
- Soft Start Feature for Smooth Start-Ups
- · Easily Converts to • 3-Prong Plug to Prevent Static Electricity Accumulation a Sander

7" Polisher Kit SKU **592241** MAK9237C

- Variable Speed Dial and Trigger
- · Constant Speed Control Maintains Constant Speed Under Load
- Soft Start for Smooth Start-up • Rubberized Loop Handle and Gear Housing
- Wire Mesh Intake Covers to Prevent Wool Fibers From Entering
- Includes Tool Bag and (2) Bonnets



With Purchase of: **7" Polisher** SKU **592264** | MAK9227C NEW

7" Variable Kit sku **592241** | MAK92370

Offer Good Through June 30, 2017

Inakita

Batteries/Chargers

18V Li-Ion 2.0 Ah Batterv SKU **555436**

- MAKBL1820 • 18V Li-Ion 2.0 Ah Battery Provides 50% More Runtime Than a
- Charges in 25 Minutes
- 1.5 Ah Battery
- Powers All 80+ Makita 18V Li-Ion

18V Li-Ion 3.0 Ah Battery SKU **262507**

MAKBL1830

18V Li-Ion

SKU **849464**

MAKBL1840B

4.0 Ah Battery

• Compatible with All Makita 18V LXT® and 18V Compact Cordless Tools

18V Li-Ion 4.0 Ah Battery SKU **555437**

MAKBL1840

- 18V Li-Ion 4.0 Ah Battery Provides 30% More Runtime Than a 3.0 Ah Battery
- · Charges in 35 Minutes

SKU **849454**

MAKBL1850B

Than BL1830

• 65% More Runtime

• Charges in 45 Minutes

• Powers All 80+ Makita 18V Li-Ion Tool Models

18V 5.0 Ah Battery

LED Battery Charge Level Indicator

18V Li-Ion 2.0 **Ah Battery**

SKU **849432**

- MAKRI 1820B • 50% More Runtime Than BL1815
- Charges in 25 Minutes **12V Li-Ion Battery**

SKU **555438** MAKBL1014

- 12V Li-Ion Battery Powers All Makita 12V Li-lon Tool Models
- Charges in Only 20 Minutes



18V Dual Port Charger SKU **751667** MAKDC18RD 18V Charger

• Charges in 40 Minutes

• 35% More Runtime Than BL1830

- Built-In USB Port for Charging Portable Electronic Devices

Tool Only, Does Not Include Battery or Charger



18V 4.0 Ah Battery and Rapid Charger Kit

MAKBL1840DC1 • Full Charge in 40 Minutes

SKU **847086**

- Shock-Absorbing Inner Liner to
- Protect Battery • Powers in Extreme Temperatures



18V LXT® Li-Ion Cordless 12 LED Flashlight (Tool Only)

- MAKDML801
- 240 Lumens Head Rotates 7 Directions
- 2 Modes Full Brightness and Half Brightness •
- Up to 40 Hours of Illumination at Half Brightness

18V LXT® Li-Ion LED Lantern/ Flashlight (Tool Only)

- 3 LED Modes: 360° Lantern, 180° Lantern or Flashlight
- Metal Hang Hook Swivels 360° and Folds Away for Added Convenience • Rubberized Soft Grip Provides

Increased Comfort on the Job



18V Shop Light

- MAKDML805 • 18 Volt Li-Ion Cordless/ 115 VAC Corded LED Flood Light
- 2 Mode Operation Delivers Up to 750 Lumens
- LED Light Effectively Your Work Area without the Heat of Halogen Bulbs Tool Only, Does Not Include Battery or Charg

Tripod Light Stand SKU **010104**



Thakita

MAKGM00001381



- Control Panel for Easy Operation
- Up to 32 Hours of Continuous Operation Using 18V LXT Battery MAKBL1850B
- Includes A/C Adapter (Battery and Charger Not Included)



Tool Only, Does Not Include Battery or Charger

Flashlight (Tool Only) SKU **849458** MAKDML802 200 Lumens

- 12 Position Pivoting Flashlight Head • Metal Hanging Hook
- Up to 13 Hours of Continuous







18V LXT® Li-Ion Bluetooth® Job Site Speaker (Tool Only)



· Protective Bumpers are Engineered for Increased Durability

18V Shop Radio (Tool Only) • Bluetooth® Compatible





SKU **849456**

- Metal Hang Hook Swivels 360°



- Compact and Ergonomic Design at

Tool Only, Does Not Include Battery or Charge.



Compatible with

iPod® and MP3

Radios

Players Rubberized Soft Grip Handle for Comfort

Digital Display

SKU **751668**

MAKXRM04B



• Contains a USB Port and an Auxiliary Port

 Runs Up to 20 Hours with an 18V LXT® Li-Ion 5.0 Ah Battery

Tool Only, Does Not Include Battery or Charge

POWER TOOLS

DEWALT

BONUS TOOL OFFERS VIA MAIL-IN REBATE • OFFERS VALID APRIL 1, 2017 THROUGH JUNE 30, 2017 All Mail-In Rebate Requests Must Be Postmarked No Later Than JULY 15, 2017 • While Supplies Last for Rebate Form, Go to WWW.DEWALT.COM/FAQS.ASPX and Type "AUTOZONE" in the Search Field

20V MAX* Drill Driver Kit

SKU **297318** DWTDCD771C2

• Compact, Lightweight Design Fits Into Tight Areas

- High Performance Motor for a Wide Range
- High Speed Transmission Delivers 2-Speeds (0-450 & 1,500 RPM)
- 1/2" Single Sleeve Ratcheting Chuck
- Provides Tight Bit Gripping Strength
- Ergonomic Handle Delivers Comfort and Control



20V MAX* Li-Ion **Compact Drill/Driver Kit**

SKU **559042** DWTDCD780C2

• Compact, Lightweight


- Design
- High Speed Transmission Delivers 2 Speeds (0-600 and 0-2,000 RPM)
- Ergonomic Handle



20V Oscillating **Multi Tool**

SKU **695142**

- DWTDCS355D1
- Brushless Motor · Quick Change Accessory
- System Variable Speed Trigger



DEWALT

VIA MAIL-IN REBATE

20V MAX* LED Area Work Light (Tool Only) SKU **695139**

- DWTDCL050 • 3 Bright LED bulbs
- 2 Brightness Settings
- Pivoting Head

SKU **695139**

DWTDCL050

Pivoting Head

SKU **559058**

DWTDCF883B

3 Bright LED bulbs

20V MAX* Li-Ion

3/8" Impact Wrench

• Over Molded Lens Cover

20V MAX* LED Area

Work Light (Tool Only)

• 2 Brightness Settings • Over Molded



DEWALT

DEWALT

20v.

DEWALT

20 V MAX

Tool Only, Does Not Include Battery or Charger

GET ITEM BELOW VIA MAIL-IN REBATE

VIA MAIL-IN REBATE[†]

Lens Cover

20V MAX* Li-Ion **Grease Gun**

SKU **559072** DWTDCGG571M1

• Motor Delivers 10,000 Max PSI

• High-Volume Pump Pushes Up to 5.0 Oz./Min. High-Flow Applications



20V MAX* Li-Ion 3/8" **Impact Wrench Kit**

SKU **559059** DWTDCF883M2

Compact (5.70" Front to Back),

Lightweight (3.4 Lbs.) Design

XR™ Li-Ion Batteries



20V MAX* Li-Ion 1/2" **Impact Wrench Kit** SKU **559056**

DWTDCF880HM2

- Compact (5.70" Front to Back), Lightweight (3.4 Lbs.) Design • 3 LED Lights with 20 Second
- Delay After Trigger Release
- Hog Ring Anvil



20V MAX* XR Brushless High Torque 1/2" Impact Wrench Kit with Detent Pin

SKU **850035** DWTDCF899P1

• 1200 Ft./Lbs. of Breakaway Torque

• Max Torque: 700 Ft./Lbs.

• Includes: (1) DCF889 - 20V MAX* XR Brushless High Torque 1/2" Impact Wrench with Detent Pin Anvil -Tool (1) DCB205 - 5.0 Ah Battery (1) Multi Voltage Charger



20V MAX* Li-Ion 1/2" High Torque Impact Wrench Kit with Detent Pin Anvil

DWTDCF889M2 35999

- 400 Ft./Lbs. of Maximum Torque to Perform a Wide Range of Heavy-Duty Fastening Applications
- Variable Speed Trigger with Electric Brake Provides Contro

20V MAX* Band Saw Kit





20V MAX* Li-Ion 1/2" High Torque **Impact Wrench Kit**

SKU **559064**

DWTDCF889HM2 36

- 400 Ft./Lbs. of Maximum Torque • Variable Speed Trigger with Electric Brake
- Hog Ring Anvil

20 V MAX

SKU **850478** DWTDCS371P1

- 2-1/2" Cut Capacity Cuts Up to 2" SCH 40 Pipe
- LED Work Light with 20 Second Delay
- Blade Tracking Adjustment Increases Blade Life
- Dual Bearing Blade Guide Rollers Provide Increased Durability



20V MAX* Li-Ion **Compact Drill / Driver** (Tool Only)

SKU **559041** DWTDCD780B

SKU **695139**

DWTDCL050

 Pivoting Head • Over Molded Lens Cover

• 3 Bright LED bulbs

· 2 Brightness Settings

- Chuck Size: 1/2" No Load Speed
- 0-600/0-2000 RPM

20V MAX* LED Area

Work Light (Tool Only)

Includes: DCD780 1/2" Drill Driver Belt hook

20V Grease Gun

SKU **559071**

DWTDCGG571B • Powerful Motor Delivers

9,000 Max PSI • High-Volume Pump Pushes

Saw Kit (5.0 Ah)

• 4 Position Blade Clamp

• 1-1/8" Stroke Length

SKU **695143**

20v MAX

SKU **850655**

DWTDCK283D2

DWTDCS387P1

up to 5.0 Oz/Min.

• Air-Bleeder Valve Assists in Pump Priming After Cartridge Changes

20V MAX* Compact Reciprocating



20V MAX* Brushless Drill/Impact Kit (2.0 Ah) 20v MAX*

• 1/4" Impact

Driver is Compact

20V MAX* Li-Ion Compact Drill Driver/ Impact Driver Combo Kit (1.5 Ah) SKU **559076** DWTDCK280C2 **269**99

• 1/2" Drill-Driver Features 2 Speed Transmission (0-600/0-2.000 RPM)

1/4" Impact Driver Features 3 LED Lights with 20 Second Delay After Trigger Release

SKU **559068**

DWTDCG412P2

• 7,000 RPM Motor

Quick-Change™

Wheel Release



20V MAX* Li-Ion Premium 3 Speed Drill Driver Kit (4.0 Ah) SKU **559047** DWTDCD980M2 **29** SKU **559047**

3 Speed All-Metal Transmission Heavy Duty 1/2" Metal Ratcheting Chuck with



20V MAX* XR Li-Ion 1/2" **Brushless Compact Drill/Driver Kit** SKU **297311**

DWTDCD791D2

High-Speed Transmission,2 Speed Variations

Carbide Inserts

- Comfort Grip Adds Balance and Control
- LED Spotlight with 20 Minute Shutoff 3 Mode LED

20V MAX* Li-Ion Reciprocating Saw Kit SKU **559103**

DWTDCS380P1 Includes (1) DCS380 Reciprocating Saw and (1) DCB 20V MAX* XR™ Premium Li-Ion Battery (5.0 Ah)





• 100 CFM Max Air Flow

 3-Speed Variable Switch • Adjustable Blowing Power

• Lightweight and Compact Design

12V MAX** 1/4" Screwdriver Kit SKU **559050**

DWTDCF610S2 • Compact, Lightweight Design Fits Into Tight Areas

Brushless Motor Delivers Up to 57%

• 1/2" Drill/Driver Fits Into Tight Areas

More Runtime Over Brushed

XR Li-Ion Batteries Provide 33%

More Capacity Over Standard



SKU **559074** DWTDCK211S2

- DCD710 12V MAX** 3/8" Drill/Driver Features 2 Speed Transmission (0-400 and 0-1,500)
- DCF815 12V MAX** 1/4" Impact Driver Features (3) LED Lights



12V MAX** 3/8" Impact Wrench Kit 12v MAX SKU **559053** DWTDCF813S2

> • 3/8" Hog Ring Anvil • 1150 In./Lbs. of Torque

• (3) LED Lights • Compact, Lightweight Design

Reciprocating Combo Kit SKU **559075**

DWTDCK212S2 • Includes (1) DCD710 12V MAX** 3/8" Drill/Driver and (1) DCS310 12V MAX* Pivot Reciprocating Saw

• Plus (2) 12V MAX** Li-Ion Batteries, Fast Charger, Belt Hook, (1) 4" 6TPI Wood Cutting Blade, (1) 4" 18TPI Metal Cutting Blade and Kit Bag





VIA MAIL-IN REBATE¹ 12V MAX** LED Work DEWALT

Light (Tool Only) SKU **559080** DWTDCL510

• Bright LED Output - 130 Lumens • Kick Stand - Hands Free Use in Multiple Placements

 Head Rotates 360° and Pivots



† For Rebate Form, Go to WWW.DEWALT.COM/FAQS.ASPX and Type "AUTOZONE" in the Search Field.



Tool & Equipment Quarterly

DEWALT

ONE OF THE TOOLS BELO

1/2" Air Impact Wrench

SKU **297315**

DWTDWMT70774

- Maximum Torque of 600 Ft./Lbs. Helps to Break Free Fasteners
- 7300 RPM for High Power Fastening / 1000 BPM
- Twin Hammer Mechanism and Adjustable Power Regulator

1.6 HP 15 Gallon Horizontal


• Bottom Handle Exhaust

Oil-Free Wheeled Air Compressor SKU **297329** DWTD55167

- 200 PSI Max Pressure Allows for Longer Air Tool Run Time
- 4.8 SCFM at 90 PSI Allows for Quick Compressor Recovery Time
- 78 dBA (Tested Per ISO3744) Operational Noise Level for a Quieter Work Environment
- Oil-Free, Maintenance-Free Pump for Convenient Use

1/2" Heavy Duty Air Impact Wrench

SKU **297314** DWTDWMT70773L



- Maximum Torque of 600 Ft./Lbs. Helps to Break Free Fasteners
- 7500 RPM Free Speed at 90 PSI for High Power Fastening
- Twin Hammer Mechanism and Adjustable Power Regulator
- One Hand Operation Forward/Reverse Switch
- Shock Resistant Housing Bumpers

3/8" Drive Air Rachet Kit SKU **297365**

DWTDWMT70776

- Maximum Torque of 65 Ft./Lbs. Helps to Break Free Fasteners
- 160 RPM for High Power Fastening
- Aluminum Body Design with a Closed Head
- Touch Control Trigger

1.6 HP 15 Gallon Vertical Oil-Free **Wheeled Air Compressor**

SKU **297335** DWTD55168

- 200 PSI Max Tank Storage Pressure Allows for Longer Air Tool Run Times • 5.0 SCFM at 90 PSI Allows for Quick Compressor Recovery Times
- 78 dBA (Tested Per ISO3744) Operational Noise Level for a Quieter
- Oil-Free, Maintenance-Free Pump for Convenient Use
- High Pressure Motor Allows the Compressor to Be Run with an Extension Cord

GET ITEM BELOW VIA MAIL-IN REBATE

Cut-Off Tool SKU **596951**

DWTDWMT70784

- Ergonomically Designed Cushion Grip for Improved Comfort and Tool Control
- Touch Control Trigger Allows User To
- Apply Needed Amount Of Power Aluminum Body Design
- Safety Throttle Lever
- Rear Air Exhaust



DEWALT



Polishers

Speed Polisher

• Electronic Control Maintains

Specified Speed Under Load

• 12.0 Amp

SKU **559123**

DWTDWP849

SKU **559124**

With Soft Start

7" / 9" Variable **DEWALT**

20V MAX* High Torque Impact, Grease Gun and LED Combo Kit

- DWTDCK397HM2 59999 Impact Kit
- Grease Gun Delivers 10,000 Maximum PSI • Flow Rate of Up to 5.0 Fluid Ounces Per Minute
- High Pressure Helps to Unclog Seized Grease Fittings
- Brushless Impact Provides Up to

18V 1/2" Cordless

Compact Drill

Driver Kit

SKU **559022**

DWTDC720KA

• Compact Size

Design (4.8 Lbs.)

• Dual Speed Range

1/2" 18V Cordless

XRP™ Impact

• Frameless Motor with

Replaceable Brushes

• 1,740 In./Lbs. of Torque

• 0-2.400 RPM / 0-2,700

1/2" (13 mm) 18V Cordless

Impact Wre

SKU **559110** DWTDW059K-2 **36999**

• 300 Ft./Lbs. of Maximum Torque

• 1,650 RPM / 2,600 IPM for Faster

• Compact, Lightweight Design

• Quick 40 Minute Charge Time

DWTDCB127

SKU **559034** | DWTDCB200

Batteries and Chargers

12V MAX** Li-Ion Battery Pack

• No Memory and Virtually No Self-Discharge

Application Speed

Application Speed

1 pack SKU 559033

2 packs SKU 850656

IPM for Faster

XRP

Wrench Kit


SKU **559024**

DWTDC820KA

Lightweight

• Includes 3 LED Spotlight





18V Cordless Tools

20V MAX* 1/2" High **Torque**

DWTDCF899HP2

- 20V High Torque Impact Kit
- 1200 Ft./Lbs. of Break Away Torque
- 700 Ft./Lbs. of Max Torque
- 1/2" Anvil with Hog Ring
- Brushless Motor · LED Light for Visibility
- Compact Design

XRP



18V Cordless

SKU **559070**

DWTDCGG570K

Grease Gun Kit

• Powerful Motor Delivers 9,000

Max PSI to Power Through

High-Volume Pump Pushes

Clogged Grease Fittings

Up to 5.0 Oz/Min.

Air Bleeder Valve

Assists in Pump

Cordless XRP™

Drill / Driver Kit

Priming After

Cartridge

Changes

SKU **559044**

DWTDCD940KX

Transmission

Heavy-Duty 1/2

Ratcheting

• LED Worklight

Chuck

XRP

Comfort Grip Provides

Maximum Comfort

• 3 Speed All-Metal

1/2"

\$129.99 VALUE!

20V MAX* DEWALT

(Tool Only) SKU **559055**

- Compact Design Fits Into Tight Areas
- 3 LED
- One-Handed Loading
- 20V Max
- Battery Not Included

DEWALT

XRP

XRP

DEWALT

20V MAX* Li-Ion **Cordless 3 Tool Combo Kit**

DWTDCK398HM2 **51999** SKU **818599**

- 1/2" High Torque Impact Wrench
- Compact 3/8" Impact Wrench
- (2) Li-Ion High Capacity Batteries
- Fast Charger Kit Bag



GET ITEM BELOW VIA MAIL-IN REBATE[†] \$109.99 VALUE!

DEWALT

DEWALT

108 Piece Mechanics **Tool Set**

SKU **297252**

DWTDWMT73801 • 3/8 Drive Ratchet with 23

- Corresponding Sockets • 1/4 Drive Ratchet with 24
- Corresponding Sockets • Two Ratchet
- Extensions Reducing Adapter
- Multi-Grip Bit Driver

• LCD Display Allows User to Adjust

Element Down and Prevents Burn-Up

• Built-In Hang Ring Adds a Convenient

Temperature within 50-Degree Increments

• Built-In Overload Protection Shuts the Heating

Professional

Heat Gun Kit

Storage Feature

the Cord from

the Housing

Stability and

SKU **559118**

DWTDW756

SKU **559120**

Motor

Housing

• 3/4 HP Induction

Rugged Cast Iron

Base and Motor

• Built-In Innovative

Kickstand Support

Provides Greater

Prevents Tip Over

6" Bench Grinder

8" Bench Grinder

• Powerful 5/8 HP Induction Motor

• Industrial Cast Iron Base and Motor Housing

4099

DEWALT

18 vou

Cord Protector Keeps

Tearing Away from

SKU **297372**

DWTD26960K



DWTDWP849X



20V MAX* Li-Ion **LED Work Light**

(Tool Only) SKU **559079**

DWTDCL040 Bright LED Output -110 Lumens

20V MAX* Jobsite **LED Spotlight (Tool Only)** SKU **012639** DWTDCL043

DEWALT

20<u>v.</u>

- 3 Bright LEDs, 1 Red
- for Night Vision
- 2 Brightness Settings • Max Output of 1,000 Lumens
- Drop Tested Up to 2 Meters
- 90 Degree Pivoting Head • Beam is Visible at Up to 1,525'
- Tool Only Does Not Include Battery or Charge

LED Work Light (Tool Only) SKU **695140** DWTDCL061 • 1500 Lumen LED Work Light

- Compatible with 18V or 20V Battery
- AC Outlet for
- Additional Power
- Adjustable



DEWALT

Light Head

Radio

12V Bluetooth® **Speaker** (Tool Only) SKU **695141**

DWTDCR006

Vacuum

Bluetooth Capable Job Site Radio



• 12V/20V Dewalt MAX Battery Pack Powered



18V / 20V MAX* Cordless

Wet-Dry Vacuum SKU **559106** DWTDCV580

· Also Available: DCV581H 18V/20V MAX* HEPA Cordless/ Corded Wet-Dry Vacuum



DEWALT

20 V MA

GET ITEM BELOW VIA MAIL-IN REBATE[†]

Impact Wrench

DWTDCF880B

- Lights



Corded Tools

4-1/2" Small Angle Grinder with One-Touch™ Guard SKU **559122**

- DWTDWE4011 • 7.0 Amp AC/DC, 12 000 RPM Motor
- One-Touch Guard





- 7.0 Amp AC/DC, 11,000 RPM Motor • 2-Position Side Handle
- 4-1/2" One-Touch™ (T27) Guard Quick-Change™ Wheel Release Allows






Versatility Variable Speed Trigger

18V XRP™ Battery Pack SKU **559029** DWTDC9096

• Powers Current DEWALT Line of 18V Tools Allowing Users to Run Multiple Tools Off of the Same Battery Pack High Capacity

7.2V-18V NiCad/ NiMH/Li-Ion **Fast Charger** SKU **559031** DWTDC9310

· Diagnostics with LED Indicator Communicates Battery Charge Status: Charged, Charging, Power Line Problem, Replace Pack and Battery Too Hot or Too Cold



XRP Battery DWTDCB127-2 1 Hour or Less **20V MAX*Battery Packs** No Memory and Virtually No Self-Discharge • Compatible with Current Line of DEWALT20V MAX* Tools

20V MAX* Li-Ion Compact Battery Pack (1.5 Ah)

SKU **559035** | DWTDCB201 20V MAX* Li-Ion Battery Pack (3.0 Ah)

12V MAX**/

SKU **559032**

DWTDCB115

Charges the

Battery in

Li-Ion Batteries

20V MAX* Li-Ion

Battery Charger

Charges Current DEWALT 12V MAX**/20V MAX*

12 V MAX

20V MAX* Premium XR™ (5.0 Ah) Li-Ion Battery Pack SKU **559037** | DWTDCB205

20V MAX* (5.0 Ah) Battery 2 Pack SKU **850488** | DWTDCB205-2 ...



20 V MAX

SKU **559036** | DWTDCB204.

20V MAX* Premium XR™ Li-Ion Battery Pack

*With respect to 20V MAX, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

**With respect to 12V MAX, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.

POWER TOOLS



20V MAX* Heavy Duty



20V MAX* Heavy Duty 1/2" Drive Li-Ion Impact Wrench SKU **818594** 24481

FEATURES

- Speed: 0-2,200 RPM and 0-2,900 IPM
- Nut Busting Torque: 300 Ft./Lbs.
- Tightening Torque: 260 Ft./Lbs.



- Battery: 4.0 Ah Li-Ion
- · Weight: 8 Lbs.
- 4 Battery Light Indicators: 100% (4), 75% (3), 50% (2) and 25% (1)



Rechargeable Li-Ion 20V MAX* 4.0 Ah Battery

SKU **824772** 27314A

20V Battery Charging Station

SKU **824773**

27314B • Charges Both 2.0 Ah and

4.0 Ah Batteries



- Charge Time: 2 Hours
- · Includes Li-Ion Battery with Charging Station

20V MAX* Heavy Duty 1/2" Drive Rechargeable **Li-Ion Drill**

SKU **818593** 24482

FEATURES

- Chuck Size: 1/2"
- 2 Speed Gear Box: 0-600 RPM and
- 4 Battery Light Indicators: 100% (4) 75% (3), 50% (2) and 25% (1)
- Electric Brake
- Clutch: 21 + 1 Torque Clutch Setting
- LED Work Light
- Charge Time: 1 Hour
- Includes Li-Ion Battery with **Charging Station**



*With respect to 20V MAX, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18



20V MAX* Li-Ion 1/2" **Brushless Drill**

SKU **592256** 24484

- Chuck Size: 1/2" Keyless Jacob's Chuck
- Variable Speed: 0-600 RPM and 0-2,000 RPM
- Max. Torque: 310 In./Lbs.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Battery: 2.0 Ah Li-lon
- Charge Time: 1 Hour • Weight: 7.63 Lbs.
- Includes: 20V MAX* Li-Ion 1/2" Brushless Drill, Rechargeable 2.0Ah Li-Ion Slide Battery and Charging Station



20V MAX* Li-Ion 1/2" **Brushless Hammer Drill**

SKU **593469** 24485

- Chuck Size: 1/2" Keyless Jacob's Chuck
- Variable Speed: 0-600 RPM and 0-2,000 RPM
- Max. Torque: 310 In./Lbs.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Battery: 2.0 Ah Li-Ion
- Charge Time: 1 Hour
- Weight: 7.65 Lbs.
- Includes: 20V MAX* Li-Ion 1/2" Brushless Hammer Drill, Rechargeable 2.0Ah Li-Ion Slide Battery and Charging Station



20V MAX* Li-Ion Brushless 1/2" Impact Wrench

SKU **592251** 24486

- Anvil: 1/2" Square Drive
- Variable Speed: 0-2,600 RPM; 0-3,000 IPM
- Nut Busting Torque: 300 Ft./Lbs.
- Tightening Torque: 260 Ft./Lbs. • Battery: 4.0 Ah Li-lon
- Charge Time: 2 Hours
- Weight: 9.28 Lbs.
- Includes: 20V MAX* Li-Ion Brushless 1/2" Drive Impact Wrench, Rechargeable 4.0Ah Li-Ion Slide Battery and Charging Station



20V MAX* Li-Ion **Brushless 1/4". Impact Driver** SKU **592213**

NEW

24487 • Drive: 1/4" Quick Release


- Variable Speed: 0-3,000 RPM; 0-3,000 IPM
- Nut Busting Torque: 300 Ft./Lbs.
- Tightening Torque: 260 Ft./Lbs.
- Battery: 2.0 Ah Li-lon
- Charge Time: 1 Hour
- Weight: 7.17 Lbs.
- Includes: 20V MAX* Li-Ion Brushless 1/4" Drive Impact Driver, Rechargeable 2.0 Ah Li-Ion Slide Battery and Charging Station

Rechargeable Screwdriver

4V Li-Ion Rechargeable Screwdriver

SKU **339037** 33624667







*With respect to 20V MAX, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

24491

- Variable Speed: 0-3,000 RPM
- Length of Stroke: 1"
- Max. Cutting Capacity (Wood with 12" Blade): 3-1/8
- Max. Cutting Capacity (Pipe): 3/4
- Overall Length: 14-1/4" • Battery: 2.0Ah Li-lon
- Charge Time: 1 Hour
- Weight: 7.29 Lbs.
- Includes: 20V MAX* Li-Ion Reciprocating Saw, (1) High-Quality, Multi-Purpose Bi-Metal Reciprocating Saw Blade, Rechargeable 2.0 Ah Li-Ion Slide Battery and Charging Station



- Spindle Lock: Yes
- Battery: 4.0 Ah Li-lon
- Charge Time: 2 Hours • Weight: 7.97 Lbs.

• Includes: 20V MAX* Li-Ion Cordless Angle Grinder, (1) Grinding Disc, (1) Assist Handle, Rechargeable 4.0 Ah Li-Ion Battery and Charging Station

Corded Power Tools

7" Variable Speed Polisher SKU **592258**

- 24496 No-Load Speed: 1,000 -
- 3.000 RPM • Power: 11 Amp
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- Power Cord Length: 6 Ft. · Weight: 8 Lbs.

• Includes:

- " Variable Speed Polisher, (1) Terry Bonnet. (1) Wool Bonnet,
- (1) Sanding Paper, (1) Sanding Pad,

- (1) Foam Piece and 6 Ft. Power Cord

NEW



- Power: 15 Amp No-Load Speed: 3,700 RPM
- Disc Diameter: 14" • Disc Thickness: 1"
- Clamping Vise: Yes
- Arbor: 1" • Max. Cutting Depth: 4.72" Round Pipe
- Power Cord Length: 6 Ft. • Weight: 33 Lbs.
- Includes: 14" Chop Saw, 8 mm Hex Wrench, Cutting Blade and 6 Ft. Power Cord



GreatNeck



Dual Temp Heat Gun SKU **592200**

- Powerful 1500 Watts Heating Power 3 Position Trigger Switch for On/O:
- and Temperature Setting
- Temperature: 482° F to 842° F (250° C to 450° C) • Built-in Aluminum Stand
- 10 Piece Set Includes: Dual Temp Heat Gun, Nozzle Deflectors, 3 Interchangeable Scraper Blades, Scraper Handle, Scraper and Blow Mold Case



DID YOU KNOWP

AutoZone® carries bulk packs of mini bulbs and headlight lamps

Contact Your AutoZone Commercial Sales Manager for Details

Bench Grinder

Heavy Duty 6" Bench Grinder with Lamp SKU **412598**

- 80058 • Solid, Heavy Duty Construction for Shaping and Sharpening Hardened Steel
- 6" Wheels with Tool Rests • Tool Rests Adjust to 45° or 90° Position • Includes: Coarse and Fine
- 6" Grinder Wheels, Goose Neck Lamp, Adjustable Eye Guards and Spark Breakers

Bench Grinder Stand SKU **818596**

• Works with Most Bench Grinders

• Base: 18-7/8" x 19-3/4" • Convenient 12-1/2" x 13-3/8"

Tool Tray



Great Neck

*With respect to 20V MAX, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

POWER TOOL ACCESSORIES

DEWALT

Screwdriver Sets

37 Piece Screwdriving Set

SKU **849592 DWTDW2163**

- Includes Slotted Bits and Bit Tips
- 10 of the Most-Needed No. 2 Phillips Bit Tips

45 Piece Screwdriving Set

• Power Bits, Square Recess Bits and a Double Ended Bit

Most Common Screwdriver

• Precise Fitment on No.

• Double-Ended 1" Bits

• Titanium Torsion Bits

• Includes Tough Case


- Compact Magnetic
- Drive Guide • Includes Tough Case

SKU **850468**

DWTDW2166

Accessories

2 Phillips Bits



mmin.

(ITTERNAL)

Longer Life **80 Piece Screwdriving Set**

40 Piece Impact Ready®

Screwdriving Set

FlexTorq™ Allows Bits to

SKU **850480**

Flex Up to

15 Degrees

• 10X Magnetic

Screw Lock

Minimizes Drops

and Reduces Wobbling

System

 Reduces Breakage for

DWTDWA2T40IR

SKU **850469 DWTDW2587**

- 17 Black Oxide Drill Bits • Industrial Screwdriving and
- Fastening Bits
- Magnetic Bit
- Includes Tough Case



Drill Bit Sets

14 Piece Pilot Point Industrial Cobalt Drill Bit Set

SKU **297460** DWTDWA1240

- Designed for Maximum Speed and Life
- · Pilot Point and Split Tip Design
- No Bit Walking Means More User Control
- For Use on Hard Metals



21 Piece Pilot Point Titanium Drill Bit Set SKU **297498**

DWTDW1361

- Titanium-Coating Lasts Up to Six Times Longer Than Standard Bits
- Suitable for Drilling Through Metal, Wood and Laminates
- No Spin Shanks
- Tapered Web Provides Greater Durability to Reduce Breaking



DEWALT

29 Piece Pilot Point Drill Bit Set

SKU **596975 DWTDW1969**

- No-Spin Shank Eliminates Bit Spinning in the Chuck
- Gold Ferrous Oxide Coating
- Tapered Web Provides Greater Durability to Reduce Breaking
- Size Markings Located Above the Shank to Prevent Wearing Away
- Pilot Point Tips Start on Contact for Clean, Accurate Holes



NEW

29 Piece Pilot Point Cobalt Drill Bit Index Set

SKU **297485 DWTDW1269**

9" 18 TPI Saw Blade - 5 Pack

MAK723069-A-5 **1999**

• 0.035" Blade Thickness

• For Cutting in Metal 1/8"-3/16" Thick

• Pack of 5

• Lasts 10X Longer Than HCS Blades

- Suitable for Drilling in Stainless Steel, Abrasive Metal, and Hard to Drill Alloys • Pilot-Point Tip Starts on Contact
- for Clean, Accurate Holes and Reduces Lock-Up on Breakthrough
- Industrial-Strength Cobalt with Gold Ferrous Oxide Finish for Optimum Life and Durability
- Size Markings are Located Above the Shank to Prevent Wearing Away



Makita

DEWALT

KNOW?

AutoZone® carries over 30 part numbers of Power Sport Batteries. These fit motorcycles, ATVs/UTVs, snowmobiles and personal watercraft.

Contact Your AutoZone Commercial Sales Manager for Details

Grinding Wheels

Depressed Center Hubless Grinding Wheels 4-1/2" x 1/4" x 7/8" (10 Pack)

SKU **459136** SHA12661

- Fits 4-1/2" Angle Grinder
- Great for Auto Body Work as Well as All Types of Metal Fabrication and Steel Finishing/Removal
- Max. RPM: 11,900



SHARK

SHARK

DEWALT



Depressed Center T27 Hub Grinding Wheels 4-1/2" x 1/4" x 7/8" - 5/8" - 11NC (10 Pack)

SKU **459155** SHA12662

• Fits 4-1/2" Angle Grinder with

- 5/8" 11NC Arbor • Great for Auto Body Work as Well as All Types of Metal Fabrication and Steel Finishing/Removal
- Max. RPM: 11,900



14" x 1/8 x 1" Cut-Off Wheel (5 Pack)

SKU **459158** SHA12663

- · Use on Stationary Chop Saws
- Max. RPM: 4,400



SKU **850482** DWTDW4514B5

- Heavy Duty Cutting and Grinding of Ferrous Metals
- High Grain Concentration for Aggressive Grinding Action and Smoother Running Wheels
- 3 Full Sheets of Fiberglass for Durability and Safety
- Proprietary Aluminum Oxide Grain Combination

4-1/2" x 0.045" x 7/8" **Metal Cutting Wheel -**(2 Pack of 5)

SKU **850030** DWTDW8424B5

Heavy Duty Cutting and Grinding

- of Ferrous Metals • Thin .045" Wheel Design for Fast Burr Free Cutting
- Premium Resin Bonds Inspected Before Use
- Proprietary Aluminum Oxide Grain Combination

Reciprocating Saw Blades

4" 14 TPI Saw Blade - 5 Pack

SKU **847084** MAK723062-A-5

- Lasts 10X Longer Than **HCS Blades** • 0.035" Blade Thickness
- For Cutting in Metal Under 1/8"



- SKU **850474** DWTDW4856 • Contains 6 Blades
- (4) Metal-Cutting Blades • (2) Wood-Cutting Blades

Metal and Wood Cutting

- Raker Tooth Design • 6 Degree Hook Angle

Recip Blade Set

• (3) 6" Wood-Cutting Blades

• (2) 6" Metal-Cutting Blades

• (3) 8" Metal-Cutting Blades

• (3) 9" Wood-Cutting Blades

• (1) 9" Demolition Blade

SKU **850475**

DWTDW4892

DEWALT

Thakita

The Control of the Co

NAME OF TAXABLE

Recip Blade Set

SKU **850473 DWTDW4857** Contains 5 Blades

DEWALT

70 Piece Impact

SKU **847085**

MAKT-01725

Driver/Drills

UltraLok™ 1/4"

and Nut Drivers

Resist Corrosion

Compatible with

Quick-Change

Hex Shanks

Drill-Driver Bit Set

• Compatible with 1/4" Impact

Drivers and 3/8" or 1/2"

Magnetic 3" Bit Holder

Black Oxide Coating to

Connector Systems

Nut Driver Set

SKU **298210**

22990

7 Piece Bolt Extractor

• SAE Sizes: 3/16", 1/4", 3/8", 7/16", 1/2"

• Metric Sizes: 8 mm, 10 mm

• Chrome Moly Steel Construction

• Reverse Spiral Flutes for Maximum Gripping Power

• Use with Impact Driver, Drill and Driver Handle




6" 14 TPI Saw Blade - 5 Pack

Makita

- MAK723066-A-5 • Lasts 10X Longer Than HCS Blades
- 0.035" Blade Thickness
- For Cutting in Metal 1/8"-3/16" Thick
- Pack of 5

Buch **Metal and Wood Cutting** DEWALT

- (3) Metal-Cutting Blades
- (2) Wood-Cutting Blades



8 Piece 2X **Recip Blade Set** SKU **850471**

DWTDWA4101

- (3) 6" 6 TPI Recip Blades • (3) 6" Premium Cutting Blades
- (1) 9" 10 TPI Recip Blade
- (1) 8" Premium Cutting Blade
- (1) Tough Case



DEWALT

Drill Set

Thakita 38 Piece Impact Drill

and Driver Set SKU **847083** MAKT-01373

- (4) Black Oxide Drill Bits 1/16", 3/32", 1/8" and 1/4" • (3) 3-1/2" Extra Length Drill Bits • (6) 2" Power Bits: 2-P2, 4411144 2-P3, R15 and R20
- (21) 1" Bit Tips: Slotted, Phillips, Robertson and Torx • (1) 1/4" to 1/4" Hex to Square Adapter

⊙≣M TOOLS **Spiral Step Drill Set**

SKU **099189** 24372 • Titanium Coated Finish • 28 Hole Sizes in 3 Bits

• Injection Molded Case

- Bit One: 13 Sizes from 1/8" to 1/2" • Bit Two: 6 Sizes from 3/16" to 1/2"
- Bit Three: 9 Sizes from 1/4" to 3/4"



Recip Blade Set SKU **850477**

DWTDW4890

- (5) 6 TPI Wood-Cutting Blades • (5) 14 TPI Metal-Cutting Blades
- (5) 18 TPI Metal-Cutting Blades

Makita

⊙=M TOOLS

• Includes Tough Case



Hole Saw Set

Bi-Metal Hole Saw Set SKU **547011**

24378

6 Piece

- Slotted Saw Allows for Easier Plug Removal Durable Enamel Finish Protects Against
- Bi-Metal Construction for Increased Wear Resistance
- Sizes Included: 7/8", 1", 1-1/8", 1-1/4" and 1-1/2" (22 mm, 25 mm, 29 mm, 32 mm and 38 mm) • Set Comes in a

Blow Mold Case



Wheel

Bench Grindina

6" Bench Grinding Wheel

SKU 112398 SHA2017

- 6" x 3/4" Wheel with 1' Arbor Hole with Reducing Bushings 1/2"-5/8"-3/4"
- 46 Grit



SHARK



HEAVY DUTY



HD Scan Tools

Full Color Heavy Duty Truck Code Scanner with Caterpillar Coverage and OBDII

SKU **344832** CDOHDCODEII

- Includes CAT Power Equipment, CAT Construction and CAT Industrial, International, Hino, Isuzu and Hybrid HD Trucks Plus OBDII Vehicles
- Access Engine, Transmission and Brakes
- Read/Clear Codes
- View/Graph Live Data

Extensive Class 4-8 HD, Medium and **Light Duty Truck and Caterpillar Coverage**

HD Pro II

SKU **597204** CDOHDPROII

- Read and Clear Codes, View Live Data Stream, Read System ID and Info, Activation Tests and More
- Extensive HD Coverage Including Class 4-8 Trucks and Industrial Equipment Powerful Special Functions: OEM-level Regenerations, Cylinder Cutout, Injector Programming, DPF Activation, Regeneration and Reset, Reset Parameters, DPF/NOX Reset, SCR/DEF Coverage, Service Resets and More
- Diesel Hybrid Access
- 8" TFT Touch Screen Color Display



Heavy Duty MaxiSYS® Diagnostic Tablet SKU 596888 AULMS908CV 4,69499

- Performs Enhanced System Diagnostics on More Than 60 Commercial Vehicles • 9.7" LED Capacitive Touch Screen, Android-Based Tablet
- MaxiFlash Elite, Bluetooth-Enabled VCI/J2534 Device
- WiFi and Bluetooth Enabled Tablet
- Read and Clear Codes, View and Graph Live Data
- Perform Tool-Guided Maintenance Services
- Diagnoses Manufacturer-Specific Systems Including Allison Transmissions, Bendix ABS Brake Systems, and Detroit Diesel Engines
- One-Year Software Updates





- JPRO® Professional Diagnostic Software
- (Annual Subscription)
- Next Step™ Service Information
- DLA+ 2.0 Adapter
- Type-2 Vehicle Cables (6-Pin, 9-Pin)
- Type-B OBDII Cables (Ford, GM, Sprinter, Mack and Volvo)

Connects Heavy Duty Vehicles to a PC via USB Port for Diagnostics, Reprogramming or Parameter Adjustment





NOREGON.

JPRO® Professional Diagnostic Software and Adapter Kit

SKU OUTSIDE BUY/EPO NRS232125

JPRO® Professional Diagnostic Toolbox + Next Step™ SKU OUTSIDE BUY/EPO NRS263025-NS

- JPRO® Professional Diagnostic Software (Annual Subscription)
- Next Step™ Service Information
- Panasonic Toughbook CF-53
- DLA+ 2.0 Adapter
- Type 2 Vehicle Cables (6-Pin & 9-Pin)
- Type-B OBDII Cables (Ford, GM, Sprinter,
- USB Cable

JPRO® Professional **Diagnostic Toolbox** SKU OUTSIDE BUY/EPO NRS263025

3,74999





CL Challenger Lifts

HD Lifts

HDS-35X 35.000 Lb. Capacity **Extended Length 4 Post Truck Lift** SKU OUTSIDE BUY/EPO

BENHDS35X

- Extra-Wide Runways
- Spring-Loaded Safety Locks • Supersized 12" Diameter Cable Sheaves
- Durable Powder Coat Finish • Max Rise: 60" (1,524 mm)
- Column Height: 93" (2,362 mm)
- Overall Width: 154" (3,912 mm)
- Overall Length:
- 357" (9,068 mm)



Ranger.

BendPak

44050 50,000 Lb. 4 Post Lift with 32" **Wide Runways**

SKU OUTSIDE BUY/EPO CHL44050

- Overall Length: 36'
- Overall Width: 17' 1-1/4" • Overall Height: 92"
- Maximum Wheelbase: 310"
- Rise Height: 73"

44050X 50,000 Lb. **4 Post Lift XL Extended Length** with 32" Wide Runways SKU OUTSIDE BUY/EPO

CHL44050X

- Overall Length: 46'
- Overall Height: 92"
- Overall Width: 17' 1-1/4" Maximum Wheelbase: 430" Rise Height: 73"

HOFMANN 3

• Rise Height: 73"

SKU OUTSIDE BUY/EPO

Overall Width: 17' 1-1/4"

CHL44050E

• Overall Length: 41'

• Overall Height: 92"

Price Does Not Include

44050E 50,000 Lb. 4 Post Lift

Extended with 32" Wide Runways



HD Wheel Balancers

Super-Duty Truck Wheel Balancer with Drive-Check™

SKU **255750** RANRB24T



- Maximum Tire Diameter 50", Max Tire Weight
- 400 pounds, Max. Wheel Diameter 30", Wheel Width Capacity 2"- 20"
- Includes: Centering Cones Included 5 Standard Cones / 1 Dual Tapered Cone, Wheel Calipers • Voltage 208-240V 50/60HZ 1Ph.





geodyna™ 980L Truck **Wheel Balancer**

SKU OUTSIDE BUY/EPO HOFEEWB710BW

Motor: 1 HP, 115VAC

- Pneumatic Wheel Lift Aids in Proper Wheel Mounting and Eliminates Need to Manually Lift Heavy Tires
- Onerator Can Recalibrate the Balancer in Two Easy Steps, Ensuring Accuracy and Saving Costly Service Calls
- Semi-Automatic Parameter Entry Maximum Wheel Assembly
- Maximum Wheel Assembly Diameter: 30"
- Weight: 500 Lbs. Includes **Automotive Cones**

Maximum Wheel

Lift Gate Service SKU **290017** HOFLIFTGATE **95**00

Ranger



6450-3D HD Balancer

SKU OUTSIDE BUY/EPO AMM64503DKT1P

- Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations Like Having Two Machines in One
- Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds off a Typical 22.5" Spin
- Maximum Tire Diameter: 52'
- Maximum Tire Weight: 500 Lbs.
- Designed for Front Line, High Volume Balancing, it is the Perfect Machine for Delivery Vehicles and Tractor Trailers



Lift Gate Service SKU 262529 AMMLIFTGATE 5500



HD Tire Changers

Super-Duty Truck Tire Changer SKU **544552** RANR26FLT

- Portable Control Unit • Self-Centering Hydraulic
- Clamping Chuck Spreader Jaws
- Max Rim Diameter: 14" 26" • Max Tire Diameter: 63"
- Max Tire Width: 31-1/2

Lift Gate Service SKU 262533 RANLIFTGATE 13500



CHD-6330 HD Tire Changer

SKU OUTSIDE BUY/EPO AMM8006330

• Motor: 2 HP • Maximum Tire Diameter: 63'

• Rim Diameter: 13" - 27" • Four-Jaw Chuck Allows for Fast and Easy Clamping of Virtually All Rim Styles • Features Portable Control Station

• Solid, Single Piece Frame for Added Capacity and Dependability



SKU 262529 AMMLIFTGATE 5500



We carry water pump and timing component kits.

Contact Your AutoZone® Commercial Sales Manager for Details


SHOP COOLING AND AIR FANS

Barrel Fans

20" Orbital Drum Fan SKU **592210** 24882

- Pivoting Ring Surround Allows Fan to Rotate Vertically and Horizontally
- Matte Black Metal Shroud
- 3 Aluminum Blades Produce 5100 CFM
- 3 Speed, 1.35 Amp Motor
- 6' UL Listed Power Cord
- 120V/60Hz

Wall • Includes Brackets for Mountable Wall Mounting



NEW

24" Tilt Barrel Fan SKU **688216**

- 24" Tilting Barrel Fan
- 180° Tilt
- 2 Speed High-Efficiency Motor
- 3 Aluminum Fan Blades
- 9 230 CFM • 6' UL Listed Cord



OEM TOOLS

36" Tilt Barrel Fan SKU 688217 24875

- 36" Tilting Barrel Fan
- 2 Speed High-Efficiency Motor
- 3 Aluminum Fan Blades
- 11,280 CFM • 6' UL Listed Cord



Wall Fans

24" Oscillating Wall Mount Fan SKU **592383** 24883

- Complete Metal Structure • Easy to Assemble and
- Mount to Wall • Oscillates 180 Degrees
- 3 Aluminum Blades Produce 6500 CFM
- 3 Speed, 2.0 Amp Motor • 6' UL Listed Power Cord
- 120V/60Hz



NEW

42" Belt Driven Barrel Fan SKU **688203** 24876

- Versatile 42" Barrel Fan
- 2 Speed Belt Driven Motor
- 15.800 CFM
- 6' UL Listed Cord



42" Direct Drive Barrel Fan SKU **344969**

- 42" Barrel Fan
- 2 Speed, Direct Drive Motor
- 3 Blades
- CFM: 12,700



30" Internal Orbit Wall **Mount Fan**

SKU **592385** 24884

- Complete Metal Structure
- Easy to Assemble and
- Mount to Wall • Oscillates 180 Degrees
- 3 Aluminum Blades
- Produce 9500 CFM
- 3 Speed, 2.4 Amp Motor
- 6' UL Listed Power Cord • 120V/60Hz



Floor Fans

NEW 18" Floor Fan

- SKU **592201** 24881 Complete Metal Structure with
- Rotary Switch on Fan Guard • V-Shaped Base with Pivoting Arms
- Allows the Fan to be Tilted • Rear Handle for Easy Transportation
- 3 Black Aluminum Blades Produce 4500 CFM
- 3 Speed, 1.05 Amp Motor
- 5' UL Listed Power Cord

• 120V/60Hz





20" Floor Fan

SKU **688200** 24870

- 20" High Velocity Floor Fan
- **Energy Efficient** 3 Speed Motor
- 3 Aluminum Fan Blades
- 4.650 CFM
- Listed Cord



Rolling Tilt Fans

24" Rolling Tilt Fan SKU **592212** 24880

- 4" Front Wheels for Easy Mobility
- 3 Black Aluminum Blades Produce 8600 CFM
- 3 Speed Motor
- 6' UL Listed Power Cord
- 120V/60Hz



NEW

Pedestal Fans

20" Internal **Orbit Fan** SKU **688199**

- 24872
- 20" Orbital Fan • 3 Speed
- High-Efficiency Motor
- 3 Aluminum Fan Blades
- 4,200 CFM • 6' UL Listed Cord



20" Oscillating **Pedestal Fan** SKU **688197**

- 24871 • 20" Pedestal Fan
- Oscillating, 3 Speed Motor
- 5 Aluminum Blades
- 4,200 CFM • 6' UL Listed Cord



30" Oscillating **Pedestal Fan** SKU **592248**

24885 • Complete Metal

- Structure with Large Base Oscillates
- 180 Degrees
- 3 Aluminum Blades Produce 9500 CFM
- 3 Speed, 2.4 Amp Motor • 6' UL Listed Power Cord
- 120V/60Hz



Pedestal Fan

- 24873 • 30" Pedestal Fan • 3 Speed High
- 6' UL Listed Cord

• 7,250 CFM



OEM TOOLS

- SKU **688201**
- Efficient Motor



Blower Fans

OEM TOOLS **Portable** Mechanic's Fan - 300 CFM SKU **850064**

- 24877 • For Indoor or Outdoor Use
- 4 Position Feet
- Great for Use in Shops Offices, Homes and Other Locations
- 3-Speed Switch
- (2) 11 Amp Grounded Receptacles with Over Current Protection



- SKU **850066**
- 24878 • For Indoor or Outdoor Use
- 4 Position Feet Great for Use in Shops Offices, Homes and
- Other Locations • 3 Speed Switch • (2) 11 Amp Grounded Receptacles with

Evaporative Coolers

2500 CFM 3 Speed **Evaporative Cooler** SKU **592238**

- 24886 • Cools Up to 750 Square Feet
- 1/4 HP 3-Speed Variable Motor with Automatic Shutoff • Large Casters for Mobility
- Heat is Carried Away by the Evaporation of Water • Dimensions: 37" x 24" x 15" Weight: 45 Lbs; Water Capacity:



10.3 Gallons



OEM TOOLS

4500 CFM **3 Speed Evaporative Cooler**

SKU **592259** 24887

- Cools Up to 1,600 Square Feet • 1/3 HP 3-Speed Variable Motor
- with Automatic Shutoff Large Casters for Mobility • Heat is Carried Away by

NEW

the Evaporation of Water • Dimensions: 45" x 28" x 17" Weight: 63 Lbs; Water Capacity:



OEM TOOLS

DID YOU KNOW?

STP oil is now available at AutoZone®. STP is a worldwide name that customers know and trust. Buy your STP oil and filters at your local AutoZone store.

Contact Your AutoZone Commercial Sales Manager for Pricing

2200 CFM 3 Speed **Evaporative Cooler** SKU **849598**

- HESMC37A
- Cools Up to 750 Square Feet • 3 Speed Variable Motor with Energy Efficient Electronic Timer
- Delivers the Most Cooling CFM for Your Money - \$0.03/Hour • USB Port Provides Ability to Charge Phones

and Accessories

• Dimensions: 37" x 17" x 25"; Water Capacity: 10.3 Gallons Weight: 43 Lbs.

While Supplies Last



HESSAIRE

5300 CFM 3 Speed Evaporative Cooler SKU **849597** HESMC61A

- Half the Price of Comparable Coolers • Cools Up to 1600 Square Feet
- Patented Wing Prop with 3 Panels of High-Density Rigid Media Throws Cooler Air Farther • 3-Speed Variable Motor with Energy
- Efficient Electronic Timer • Large Casters for Mobility • Delivers the Most Cooling CFM for Your Money - \$0.03/Hour

• Heat is Carried Away By the

- Evaporation of Water • USB Charging Port Provides Ability
- to Charge Phones & Accessories • Dimensions: 45" x 17" x 28"; Weight: 63 Lbs.; Water Capacity: 14.6 Gallons


While Supplies Last





8500 CFM 2 Speed **Evaporative Cooler** SKU **019241** HESMFC18000 1,1

- Cools Up to 2,100 Square Feet
- Uses the Natural Process of Water Evaporation to Reduce Temperatures by Up to 20 Degrees Rugged Polypropylene Housing with UV Protection
- Easy Fill Tank Holds 32.8 Gallons of Water, Enough for 3-4 Hours of Operation • Portable Design with 4 Extra
- Strength Caster Wheels · Less than Half the Price of





HESSAIRE

While Supplies Last

SHOP COOLING AND AIR FANS



PORTACOOL™ EVAPORATIVE COOLERS

AutoZone [®] SKU	Descriptions	Cooling (s.f.)	CFM	Velocity (mph)	Price
850515	Jetstream 270	5,625	22,500	26	\$3,699
850517	Jetstream 260	3,125	12,500	25	\$2,699
850516	Jetstream 250	2,125	8,500	24	\$2,199
850514	Jetstream 240	1,125	4,500	29	\$1,499
850513	Cyclone 3000	700	3,000	27	\$799
850053	Cyclone 2000	500	2,000	30	\$599
850512	Cyclone 1000	300	1,000	17	\$399



PORTACOOL.

COOLSPACE.

COOLSPACE.

WHEN COMFORT COUNTST

Evaporative Coolers

18" Evaporative Cooler (Variable Speed)

- Reduces Temperature By Up to 33 Degrees • 33% More Cooling Surface Than Standard 6" Media
- Garden Hose Connection
- Housing Constructed of Roto-Molded Corrosion Free Polyethylene
- Fan Motor High Efficiency, Totally Enclosed 1/2 HP
- Direct Drive: 110 Volt / 1 Ph. / High 2.9 Amps / Low 1.45 Amps
- Cooling Coverage Area Approx. 1,200 Sq. Ft.

Direct Drive Portable SKU **850492**

CLSCS5-16-VD

• Water Reservoir - Internal 16 Gallon Capacity

Tall Base

SKU **850050** CLSCS5-16VDTB **1,399**99

Water Reservoir – Internal 52 Gallon Capacity

Lift Gate Service SKU **543687**_ CLSLIFTGATE 7500



SKU **110321** • Protect Pads from Hard

Water and Scale




SKU **110322** CLSCS-T102

Prevents Hard Water and Algae

COOLSPACE... 12" Evaporative Cooler

(Variable Speed) SKU **005816** CLSCSW-12-VD

• Reduces Temperature By Up to 20 Degrees



4" Thick, High Efficiency Corrugated Media

• Tough, UV Resistant, Durable Molded Polyethylene Housing

• 110 Volt / 1 Ph. / 0.8 Amp • Water Reservoir - Internal 10 Gallon Capacity

• Cooling Coverage - Approx. 700 Sq. Ft.

36" Evaporative Cooler (Variable Speed) SKU **850051** CLSCS6-36-VD

- Reduces Temperature By Up to 33 Degrees • 33% More Cooling Surface Than Standard
- Garden Hose Connection or Portable Supply Tank
- Housing Constructed of Roto-Molded Corrosion Free Polyethylene
- Fan Motor High Efficiency, Totally
- Enclosed 1/2 HP
- Direct Drive: 110 Volt / 1 Ph. /
- High 6.3 Amps / Low 1.8 Amps
- Water Reservoir Internal 46 Gallon Capacity Cooling Coverage Area – Approx. 3,600 Sq. Ft.

36" Cooler Cover SKU **005901**

CLSCSCOVER366

• Made of Durable, 100% Polyester Fabric with Polyurethane Backing • Water Repellent Finish Allows Maximum Defense from the Elements

Fitted Design for 36" Cooler

COOLSPACE... **36" Evaporative Cooler**

(Single Speed) SKU **850052**

CLSCS6-36-1D

• Reduces Temperature By Up to 33 Degrees

• 33% More Cooling Surface Than Standard 6" Media

• Garden Hose Connection or Portable Supply Tank

• Housing – Constructed of Roto-Molded

Corrosion Free Polyethylene

• Fan Motor – High Efficiency, Totally Enclosed 1/2 HP • Direct Drive: 110 Volt / 1 Ph. / 6.0 Amps

• Water Reservoir - Internal 46 Gallon Capacity

• Cooling Coverage Area - Approx. 2,900 Sq. Ft.

COOLSPACE... **48**" Evaporative Cooler (2 Speed)

CLSCS5-48-2B **3,599**99

• Reduces Temperature By Up to 33 Degrees • 33% More Cooling Surface Than Standard

• Garden Hose Connection or Portable Supply Tank

• Housing - Constructed of Roto-Molded Corrosion Free Polyethylene

• Fan Motor - High Efficiency,

Totally Enclosed 1 HP • Direct Drive: 110 Volt / 1 Ph. /

High 9.6 Amps / Low 5.8 Amps • Water Reservoir - Internal 64 Gallon Capacity

• Cooling Coverage Area - Approx. 4,700 Sq. Ft.

48" Cooler Cover SKU **005890** CLSCS-COVER48

• Made of Durable, 100% Polyester Fabric with Polyurethane Backing

• Water Repellent Finish Allows Maximum Defense from the Elements

Fitted Design for 48" Cooler

COOLSPACE...





"Big" HVLS Fans from EnergyLogic redistribute warm air to lower your heating bill.

COOLSPACE...

	MODEL	BLADE DIAMETER	# BLADES	AVAILABLE BLADE LENGTHS	CFM	INDUSTRY SPACING	SKU	PART NO.	PRICE
1	AVD 370	12 ft.	6	6 to 12 ft.	54,000 CFM	48 ft.	012679	ENLEL06000875	\$3,399.99
	AVD D3	12 ft.	3	10 to 24 ft.	84,000 CFM	60 ft.	012669	ENLEL06000948	\$4,399.99
	AVD 550	18 ft.	6	8 to 18 ft.	181,000 CFM	95 ft.	012701	ENLEL06000887	\$5,899.99
1	AVD 780	24 ft.	6	20 to 24 ft.	346,000 CFM	115 ft.	338826	ENLEL06000891	\$6,649.99

Includes fan, mounting hardware, Cat 5 cable, digital touchscreen controller and 50K hour warranty.



SHOP EQUIPMENT

Inverter Generators

iX800 Watt Gas Powered Inverter SKU **568401** GENIX800

- 850 Watt Peak and 800 Watt Running Power Provides Reliable Power to Run Household Appliances, Camping Equipment and More
- 1.5 Gallon Fuel Tank Runs the Generator Continuously for Approximately 3-1/2 Hours
- 38 cc Engine Runs on Gasoline to Provide Dependable Power • Two 5-15R Outlets Provide Consistent Output with Less Than 3% Total Harmonic Distortion
- Automatic Shut-Off When Oil Levels are Low to Help Prevent Engine Damage



GENERAC



CARB Compliant

iX2000 Watt Gas **Powered Inverter**

SKU **568396** GENIX2000

- 2.200 Watt Peak and 2,000 Watt **Running Power**
- Clean Power for Consistent Output with Less Than 3% Total Harmonic Distortion is Ideal for Sensitive Electronic Devices Such as Computers and DVD Players
- Digital Inverter Module Converts DC to AC

GENERAC



• Outlets: (1) 120V 20A 5-20R Duplex Outlet; (1) 120/240V 20A L14-20R

• Low Oil Level Shutdown Automatically Safeguards Engine

Not Available for Sale in California

GP3250 Portable Generator

SKU **973238** GENGP3250

• Rated Watts: 3,250

Twist-Lock Outlet

• Gas Tank: 3.5 Gallons

• Runtime at 1/2 Load: 9.7 Hours

Not Available for Sale in California

2000 Watt Stackable Inverter Generator SKU **020739**

CHM73536I

• Run/Start Watts 1700/2000

CARB Models Available

- Clean Power (<3% THD) Clean Electricity for Powering Sensitive Electronics
- Operates at 53 dBA from 23 Feet
- Runs Up to 9.5 Hours on a Full Tank of Gas
- Parallel Capability Connect with Another Inverter for Increased Power
- Space Saving Stackable Design with Carrying Handles



GENERAC

CARB Compliant

Gas Powered Generators

3500 Watt Portable Generator SKU **020730**

- CHM46596 • Run/Start Watts 3500/4000
- RV Ready Equipped with a Standard 30A RV Outlet
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 12 Hours on a Full Tank of Gas
- Durable Steel Frame
- 49 State EPA Compliant

6500 Watt Portable Generator SKU **020745**

- CHM100109 • Run/Start Watts 6500/8125
- Volt Guard Protects Your Appliances from Power Surges
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals
- Runs Up to 11 Hours on a Full Tank of Gas
- GFCI Protected Outlets with Covers
- 120/240V Operation

CHAMPION




CARB Compliant



CARB Compliant





• OHVI Engine is Designed for Extended Runtimes for Use at Jobsites or for an Emergency Backup Power Source

Circuit Breaker Protected Outlets for Added Safety



GENERAC



Not Available for Sale in California

GENERAC

Gas Powered Electric Start Generators

GP6500E Gas Powered Portable Electric Start Generator SKU **568402**

- Generac's 389 cc OHV Engine
- · Low Oil Shutdown Automatically
- Not Available for Sale in California

GENGP6500E with Splash Lubrication Provides a Long Engine Life

- Safeguards Engine from Damage
- Hour Meter Tracks Maintenance Intervals

GENERAC



7500 Watt Portable Electric Start Generator

SKU **020758** CHM100219

- Run/Start Watts 7500/9375
- Touch Start Battery Included for Push Button Electric Start
- 25' Power Cord Included Volt Guard Protects Your
- Appliances from Power Surges
- Runs Up to 8 Hours on a Full Tank of Gas
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals





GENERAC

Portable Electric Start Generator SKU **568404** GENGP7500E

GP7500E Watt Gas Powered

• Ergonomic Fold-Down Locking Handle to Make Transport and Storage Easy

- Covered Circuit Breaker Protected Outlets Provide Added Protection from the Environment and Rugged Working Conditions
- Electric Start with Recoil Backup Battery Included



Not Available for Sale in California

XG7000E Portable **Electric Start Generator** SKU **432330** GENXG7000E

- Rated Watts: 7,000
- Runtime at 1/2 Load: 12 Hours • Outlets: (2) 120V 20A GFCI 5-20R Duplex Outlets; (1) 120/240V 30A L14-30R
- Twist-Lock Outlet · Gas Tank: 9 Gallons
- Low Oil Level Shutdown
- Automatically Safeguards Engine PowerBar[™] Easily Monitors Power Being Consumed and Available

XG10000E Gas Powered Portable Electric

Conveniently Located on an Illuminated Control Panel

Not Available for Sale in California

Start Generator

SKU **568407**

GENXG10000E

GENERAC

Not Available for Sale in California



XG8000E Portable Electric **Start Generator** SKU **462986**

GENXG8000E

- Rated Watts: 8,000
- Runtime at 1/2 Load: 10 Hours
- Outlets: (1) 120/240V 30A L14-30R Twist-Lock Outlet; (2) 120V 20A GFCI 5-20R Duplex
- Includes: First Oil and Maintenance Kit
- Gas Tank: 9 Gallons
- Low Oil Level Shutdown Automatically Safeguards Engine
- PowerBar™ Easily Monitors Power Being Consumed and Available

Not Available for Sale in California



9200 Watt Portable Electric **Start Generator**

SKU **020759** CHM100110

- Run/Start Watts 9200/11500 • 459cc - CARB Compliant for Use in All 50 States Touch Start - Push-Button Electric
- Start and Battery Maintenance Smart Charger Equipped with a Standard
- 50A RV Outlet Volt Guard Protects Your Appliances
- from Power Surges
- Runs Up to 10 Hours on a Full Tank of Gas
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals

CARB Models Available




• 16 Gallon Fuel Tank Runs the Generator for Up to 10 Hours at Half Load

• 992 cc Engine Runs on Gasoline to Provide Dependable Power

• Circuit Breaker Helps Protect the Generator and Connected Appliances

Not Available for Sale in California



CARB Compliant

Propane Powered Generators

• User Friendly Controls (Including the Start/Stop, Fuel Shut-Off and Choke) are

• Track How Much Power You are Using and How Much Power You Have to Spare

• Covered Outlets Provide Added Protection from the Environment and Can Stand

3800 Watt **Dual Fuel Electric**

Start Generator

SKU **020777** CHM76533

Up to Rugged Working Conditions

- Run/Start Watts 3800/4750 (Gasoline) • Runs on Gas or Propane Straight Out of the Box • Touch Start - Battery Included for Push-Button
- Equipped with a Standard 30A RV Outlet Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 9 Hours on a Full Tank of Gas or 10.5 Hours on a 20 Lb. Propane Tank

CARB Compliant

Electric Start



7500 Watt Dual **Fuel Electric Start Generator**

SKU **020752** CHM100165

Run/Start Watts 7500/9375 (Gasoline)

- Runs on Gas or Propane Straight Out of the Box • Touch Start - Battery Included for Push-Button Electric Start
- 20 Lb. Propane Tank Intelli-Gauge to Monitor

• Runs Up to 8 Hours on

a Full Tank of Gas or 5.5 Hours on a Power Output and Maintenance Intervals CARB Compliant

• Volt Guard Protects Your Appliances from Power Surges



GENERAC

HSE 1500 PSI 2.0 GPM SKU **597218**



 Pump Features a High Pressure Detergent Injector • Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F

• Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance

• 35 Foot Power Cord • CSA Certified - US and Canada



Hot Water Pressure Washers

HSP 3500 PSI 3.3 GPM SKU **597220** MTMHSP35043MH

- Burner Utilizes a Patented Electro Magnetic Firing (EMF) System, Eliminating the Need for a 12V Battery
- Pump Features a Low Pressure Detergent Injector • Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
- Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure
- Insulated Dual Lance CSA Certified - US and Canada



SHOP EQUIPMENT

Pressure Washers

2,500 PSI **Residential CARB Compliant Pressure Washer**

SKU **005721**

- GEN6921 Powerful Generac Horizontal Shaft OHV Engines Feature Low Oil Shutdown, Engine Oil is Included
- Easy Access Axial Cam Pump Means No More Kneeling on the Ground to Make Hose Connections
- Ergonomic Generic Spray Guns with Soft Grip and Easy-to-Pull Trigger Reduces Fatigue
- 25' PVC Hose

CARB Compliant



- Powerful Generac OHV Horizontal-Shaft Engine Features Low Oil Shutdown
- Professional Grade Triplex Pump with Ceramic-Coated Pistons Designed for Longer Life
- Pressure Control Valve Provides Complete Control of Water Pressure for All Applications
- 5/16" x 35' Hose

These Units are Not for Sale in California, Call for Pricing or CARB Compliant Models



GENERAC

2,800 PSI **Residential CARB Compliant Pressure Washer**

SKU **005718** GEN6922

- Powerful Generac Horizontal Shaft OHV Engines Feature Low Oil Shutdown, Engine Oil is Included
- Easy Access Axial Cam Pump Means No More Kneeling on the Ground to Make Hose Connections
- Ergonomic Generic Spray Guns with Soft Grip and Easy to Pull Trigger Reduces Fatigue
- 25' PVC Hose

CARB Compliant



3.100 PSI **Residential CARB Compliant Pressure Washer** SKU **005720** GEN6923

- · Powerful Generac Horizontal Shaft OHV Engines Feature Low Oil Shutdown, Engine Oil is Included
- Easy Access Axial Cam Pump Means No More Kneeling on the Ground to Connect Hoses
- Ergonomic Generac Spray Guns with Soft
- Grip and Easy-to-Pull Trigger Reduces Fatigue
- 30' PVC Hose

CARB Compliant

3.800 PSI

Commercial Pressure Washer SKU **570262** GEN6564

- Pro-Grade Triplex Pump Up to 4X Longer Life Than Axial Cam Pumps
- Powerful 302 cc Generac OHV Engine Delivers Maximum Cleaning Performance and Reliability
- Low Oil Shutdown Sensor Safeguards the Engine
- 3/8" x 35' Steel Reinforced Rubber Hose

These Units are Not for Sale in California, Call for Pricing on CARB Compliant Models



4.200 PSI **Commercial Pressure Washer** SKU **570263**

GEN6565 • Powerful 420 cc Generac Horizontal

- Shaft Engine with Low Oil Shutdown • Professional Grade Triplex Pump with Ceramic Coated Pistons, Designed for Long Life
- Pressure Control Valve Provides Complete Control of Water Pressure
- 3/8" x 50' Steel Reinforced Rubber Hose

These Units are Not for Sale in California, Call for Pricing on CARB Compliant Models



GENERAC

Vacuums

Kubota® 5 Gallon **Wet/Dry Vacuum** SKU OUTSIDE BUY/EPO

KUB54101 • This Stainless Steel Vacuum Comes Complete

- with All Accessories Needed to Get Your Next Household Job Done
- Swiveling Casters Provide Ease of Movement in Any Direction
- Includes Accessories: 5 Et Flexible Hose, 3 Extension Wands, Crevice Nozzle, Sofa / Seat Brush, Floor Brush with Switch, Wet Sponge Filter, Non-Woven

Reusable Dry Filter, Dust Bag

C Kubata

SKU OUTSIDE BUY/EPO

- Vacuum is Perfect for the Garage, House or Office • Lock-On Hose System
- 7 Ft. Flexible Hose, 2 Extensions Wands Crevice Nozzle, Sofa / Seat Brush, Floor Brush with Switch, Wet Sponge Filter, Dry Cartridge Filter, Dust Bag



• Includes Accessories:



○ Kubola

Available via Outside Buy/EPO, Call 1-877-298-6651

Kubota® 14.5 Gallon **Leaf Blower Wet Vacuum**



Includes Accessories: 5 Ft. Extra Large Hose, 2 Extra Wide Extension Tubes, Accessory Adaptor, Wet Floor Brush, Hepa Filter. Crevice Tool and Blower Tube

HEATS UP TO

3,500 Sq. Ft.

5.000 Sa. Ft

350,000 8,500 Sq. Ft.



(E) Kubolo

Kubota® 12 Gallon Wet/Dry Vacuum SKU OUTSIDE BUY/EPO

KUB54103

• This Large 12 Gallon Stainless Steel Push Vacuum Will Ensure All Your Large Jobs Get Done on Time Stainless Steel Tank

Includes Accessories:

7 Ft. Flexible Hose, Meta Extension Tube, Floor Brush with Switch Crevice Nozzle, Dry Cartridge Filter and Wet Sponge



Vacuum Filter Bags SKU OUTSIDE BUY/EPO KUB54100

Vacuums

*Includes Waste Oil Furnace and 250 Gallon Tank,

Swing-Away Burner with Built-in Air Compressor, Low-fuel Cut Off, Draft Gauge, Fuel Gauge

• Multi-Fit Disposable Filter Bag is Designed for Use with 4-12 Gallon Wet/Drv



WASTE OIL HEATERS / energylogic...

LOWEST PRICES OF THE YEAR ON THE **PURCHASE OF A COMPLETE SYSTEM**

Call today for sizing help!

PART NO.

ENLEL01140101

ENLEL01200101

COMPLETE SYSTEMS* 250 GALLON TANK **FURNACE BTUs HEATS UP TO** SKU PART NO. PRICE EL-140 140,000 3,500 Sq. Ft. 850048 ENL01140103 \$5,999.99 200,000 5,000 Sq. Ft 850047 ENL01200104 \$6.899.99 EL-200 EL-350 | 350.000 | 8.500 Sa. Ft. 850049 ENL01350104 \$8,999,99



1 gallon of used oil is equal to 1 hour of free heat.



Onboard Air Compressor You don't need to hook up

shop air to our furnaces.



Burn



More Fuels Uses the widest range of

oils, including synthetics.



FURNACES ONLY

BTUs

140,000

200.000

FURNACE

EL-140

EL-200

EL-350

with F250 Adapter

· Designed for Connecting

a Single Hose to

Vehicles with Dual

Exhaust Systems

SKU **977549**

ACSYA250

SKU **977550**

ACSYA300

Get Warmer

double the heat rise.

3" Y-Assembly Kit with F300 Adapter

Crushproof 2.5" Y-Assembly Kit



Faster Our hotter flame produces



SKU

012654

012653

012656

Delivery Delivered free to all 48 continental United States.

Drain Valve and Class A Flue Kit. Also available with 130 and 200 gallon tank. **PRICE** \$5,349.99 \$6.164.99 ENLEL01350101 \$8,214.99 Class A Flue Kit

xhaust Hoses



2.5" x 11

SKU **977557**

ACSFLT250

3.5" x 11'

SKU **977589**

ACSFLT350

Crushproof Flarelock Hoses Made Exclusively for Cars and Small Trucks

- of Two or More Links at a Time 3" x 11'
 - SKU **977559** ACSFLT300

• End is Flared to Permit Connection

4" x 11'

19999 SKU **977590** ACSFLT400

Crushproof Door Port



 Aluminum Port Allows Hose to Be Vented Through the Door

for 4" Hose (Aluminum) SKU **977554**



Crushproof Door Port

ACSADF40



Crushproof 2.5" Service Station Kit

Includes:

- (1) Each 6' x 2-1/2" Hose
- (1) Each 2-1/2" Rubber "Y" Connector • (2) Each - Straight Tailpipe Adapter,

SKU **977548** ACSDSS30



G CRUSH PROOF TUBING COMPANY

Crushproof Door Port for 2-1/2" Hose (Rubber) SKU **977551** ACSDF25

 Rubber Garage Door Port Adapter • Designed for 2-1/2" ID

Hose Adapters • Designed for Easy Adapting

Crushproof Bell

to All Sorts of Tailpipes Connects with Ball and Snap

2-1/2" Adapter SKU **977544** ACSRA250



3" Adapter SKU **977545** ACSRA300



SKU **977547** ACSDSS25

• (2) Each - 4' x 2-1/2" Hoses

• (1) Each - Splice Connector **3" Service Station Kit**

Crushproof Straight Tailpipe Adapters with Hook and Chain

• Designed for Easy Adapting to All Sorts of Tailpipes

2.5" Straight Tailpipe Adapter with Hook and Chain....SKU 977591 ACSF250....

3" Straight Tailpipe Adapter with Hook and Chain......SKU 977539 ACSF300..... 3.5" Straight Tailpipe Adapter with Hook and Chain....SKU 977540 ACSF350

4" Straight Tailpipe Adapter with Hook and Chain......SKU 977541 ACSF400. 3" x 6" Oval Tailpipe Adapter ..SKU **977542** ACSF475..

3.5" x 8.5" Oval Tailpipe AdapterSKU **977543** ACSF575..



Tool & Equipment QUARTERLY

Parts Washers

OEMTOOLS® Parts Washers are a New Generation of Water-Based Parts Washers Providing All the Cleaning Power of Solvent While Using Cleaning Solutions That are Safe and Biodegradable.

Bench Top Gallon Parts Washer SKU **300128**

24800

• Water-Based Parts Washer with

325 Gallon per Hour Electric Pump • Steel Work Basin is

18"(L) x 13.5"(W) x 9"(H)

Replacement Washer Pump SKU **462484** 24800-12

• Fits OEMTOOLS® 24800 and OEMTOOLS® 24801 Water-Based Parts Washer



Mobile Parts Washer SKU **546660** 24804

- Solution Capacity (Gallons): Min. 2 - Max. 4
- Use with Water Works[™] Heavy-Duty
- Degreaser Concentrate • Not for Petroleum Based Solvents
- Weight: 11 Lbs.
- Dimensions: 26"(L) x 18" (W) x 9.5"(H)

Lid has Positive Seal



OEM TOOLS

and Latches for Mobility



- Water-Based Parts Washer with 325 Gallon per Hour Electric Pump
- Steel Work Basin is 31"(L) x 21"(W)
- Lid Includes Fusible Link for Fire Safety

Replacement Washer Pump SKU **462484** 24800-12

• Fits OEMTOOLS® 24800 and OEMTOOLS® 24801 Water-Based Parts Washer



40 Gallon Parts Washer SKU **300118** 24803

- Use with Non-Flammable, Water-Based Degreaser or Cleaning Agent
- Fully Flexible Nozzle and Fusible Link Which Automatically Closes the Lid in Case of Fire
- Dimensions: 44.75"(L) x 20.5"(W) x 35"(H)

Replacement Washer Pump SKU **462476** 24803-31

• Fits OEMTOOLS® 24803 Water-Based Parts Washer

EcoMaster Heated

Aqueous Portable

Brake Washer

• Heavy Duty Air Pump

• Heavy Duty Drum Dolly with Two

Locking Casters and Two Regular

• Prefilter Screen and Asbestos Sock

Filter Designed to Ensure Clean

• Heater: 1,000W - Thermostatically

• Sink Dimensions: 24"(L) x 20"(W)

Controlled to Hold at 115° F

EcoMaster Aqueous

EcoMaster Heated

Aqueous Parts Washer

• Heater Thermostatically Controlled

Portable Parts Washer

SKU **479988**

F0U61840-02

Casters

Solution

SKU **479987**

F0U61444-02

SKU **479983** F0U61330-02

• Capacity: 45 Gallons

Preset to 110° F



Atlasta™ Parts **Cleaning Brush**

SKU **342339** PBC50003

A Tough Brush That Will Last and Last

Length: 9.75" (25 cm)



Oriflo Flow-Through Parts Brush

SKU **342336** PRC50001

• Long Lasting, Stiff Trialoy® Polyester Filament Can Be Used with Either Petroleum or Water-Based Cleaning Solutions



LINCOLN

CLEANMASTER

Flow-Through **Brush with Hose** SKU **459114**

• Oriflo Flow-Through Parts Washer Brush and High Quality Hose to Connect to Your Parts Washer

PBC50001H



FOUNTAIN

FOUNTAIN

Parts Brush

Division

Air Operated Sprayer SKU **222507** LIN5983

• 1/4" NPT (F) Inlet

• Max. Operating Pressure: 150 PSI

• Can Be Used with Solvents or Detergent Solutions

16 Gallon Solvent Parts Washer SKU **479979**

F0U62125-01

• Removable Screen Filter for Pump Protection

- Flow Through Brush with Adjustable Fluid Control
- Galvanized Drawn Sink Means No Leaks

• Inside Sink Dimensions: 31"(L) x 21"(W) x 9"(D)

30 Gallon CleanMaster Solvent Parts Washer

SKU **479981** F0U54821-01



Includes Drum

CLEANMASTER

12 Gallon CleanMaster LOW-Profile Solvent Brake **Parts Washer** SKU **479982**

F0U57429-01 • Flow-Through Brush System for

- Efficient Cleaning • Durable, Baked-On Powder Coated Epoxy Finish
- Easy-Roll Swivel Casters (2 Locking)



Molded Cart for EcoMaster

• Filter System Prolongs Fluid Life

Heated Aqueous Parts Washer SKU **479985**

F0U61332 • 500 Lbs. Capacity







WATER WORKS

5 Gallons (1) 5 Gallon Container SKU **227558**

Heavy Duty Degreaser

Concentrate

WWSHD-5G Designed to Effectively Replace

Hazardous Solvent in Water-Based **Parts Washers** · Concentrated to Be Powerful and

to Save You Money Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician



Storm Ultra Sprav **Wash Solution**

5 Gallons (1) 5 Gallon Container SKU **227559** WWSSU-5G

- Professional Wash Solution for Heated Spray Cabinet/Jet Cabinet Style Parts Washing Equipment Super Concentrated for
- Quickly Blasts Away Grease, Oil, Carbon and Grime

Cost Effectiveness





Vises

OEM TOOLS 4-1/2" Light Duty Bench Vise with

Swivel Base SKU **751645**


24216 Machined Replaceable

- Steel Jaws
- · Machined Anvil. Permanent Pipe Jaws
- Full 360° Swivel Base
- Clamping Strength: 100 Lbs.



4" Heavy Duty Bench Vise with Swivel Base 4999 REG. \$69.99 SKU **751643**

- Machined Replaceable Steel Jaws • Machined Anvil, Permanent
- Pine Jaws • Full 360° Swivel Base
- Clamping Strength: 200 Lbs





- Machined Replaceable Steel Jaws
- Machined Anvil, Permanent Pipe Jaws
- Full 360° Swivel Base
- Clamping Strength: 300 Lbs



M TOOLS

 $H_{0}[a] = 1$

SHARK

Drill Presses

Drill Press SKU **462480** 24825

• 1/2" Chuck Capacity

5 Speed Bench

- 1/3 HP, 120V, 2.3 Amp • 2" Stroke
- 620 3,100 RPM
- 8" Swing • 1/2" Max. Drilling Capacity
- Threaded Depth Lock; Screwdriver Handle • 6-5/8" x 6-9/16" Table

• 7" (W) x 16-15/16" (D) x 22-1/2" (H) Overall

• 11-5/8" x 7-1/3" Base

16 Speed

15" Heavy Duty Floor

SKU **462481** 24826

Drill Press

• 5/8" Chuck Capacity

- 1 HP, 110VAC, 12 Amp • 3-11/64" Stroke
- 240 3,200 RPM • 15" Swing
- 3/4" Max. Drilling Capacity • Threaded Depth Lock;
- Screwdriver Handle
- 12" x 12" Table
- 17-15/16" x 10-5/8" Base
- 15" (W) x 25-1/3" (D) x 63-1/3" (H) Overall



Abrasive Blasting

Glass Bead Coarse Media, 25 Lbs. SKU **010136**

SHA13077 • Ideal for Many Uses

• Prevents Surface Rust • Paint and Body Applications

• For Use with OEM 24815 Abrasive Blast Cabinet

Glass Bead Medium Grit Media, 25 Lbs. SKU **010139** SHA13078

Abrasive Blast Cabinet (Bench Top) SKU **300119**

- Easily Remove Paint, Rust and Óxidation
- · Fits on Bench or Cabinet
- Dimensions: 19.3"(H) x 19.3"(W) • Cubic Inches: 28.6"

24815





SHOP EQUIPMENT

Welding/Cutting

MST 140i Welder

SKU 688017

THE1444-0870

• Includes: Firepower MST 140i Power Supply, Firepower 140 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/ Gauge and Hose, Electrode Holder and Ground Clamp,

Drive Roll and Contact Tips, 15-20 Amps Adapter. Shoulder Strap and Multi-Language Instructional CD



<u>Firepower</u>

*TIG welding requires purchase of THEW4013802 Accessory Kit

MST 180i Welder

SKU 688020 THE1444-0871

• Includes: Firepower MST 180i Power Supply, Firepower 180 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and Contact

Tips, Standard 230V Plug, Shoulder Strap and Multi-Language Instructional CD



THE1-4200 Includes: CUTMASTER 42 Power Supply. All New SL40 Torch, Safety Gloves and Glasses, Instructional Plasma Cutting

DVD Consumables Set Heavy Duty Carrying Case and Power Plug Adapters



MST 140i Welder, MST 180i Welder or Plasma Cutter CUTMASTER 42

SKU **688017** | Part# THE1444-0870 or SKU **688020** | Part# THE1444-0871 or

IHERMAL DYNAMICS

TIG® Torch and **Accessories** SKU **295859**

THEW4013802 (Required for TIG Welding)

- TIG Torch, 17V, 13', 8 Pin and Accessory Kit with 1/16", 3/32", 1/8" Thoriated
- Tungstens; 1/16" 3/32", 1/8" Collets; 1/16", 3/32", 1/8" Collet Bodies
- No. 5, 6, 7 AluminaNozzle; Short Back Cap; Long Back Cap

*TIG welding requires purchase of THEW4013802 Accessory Kit

250 Series OxyFuel Medium Duty Acetylene Outfit

SKU **573205** THE0384-2571

- Cutting Torch and Handle are Ready for Multiple Gas Options: Oxy-Acetylene, Propane, Butane, Natural and LP Gases, & Propane
- Welds Up to 1/2" Steel
- High Capacity: Cut 1/8" (3.2 mm) to 5" (127 mm)
- Simple to Use High Contrast Gauges
- Ergonomic Color Coded Knobs (Acetylene and Oxygen)
- Includes Handle, Cutting Attachment, Gauges, Welding Nozzle, Cutting Tip, Eye Protection and Striker



<u>Firepower</u> **FP-95 Flux Cored Welding System** SKU **237664**

- THE1444-0322 • Portable FP-95 MIG/Flux-Cored Wire Welder
- · Operates from Standard Household Outlet and Delivers 90 Amps
- Includes Tweco® Gun, Return Cable and Clamp, and .035" Spool of Flux-Cored Wire
- Easy to Use Key Setup Chart
- Gas Solenoid Not Included

MST 220i Welder

SKU **687990**

THE1444-0872

Includes: Firepower MST 200i Power Supply, Firepower 220 Amp MIG Gun, Firepower

Argon/CO² Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, 230V-115V Adapter Plug and Cable, Drive Roll and Contact Tips and CD with Multi-Language Operating Instructions • Up to \$500 in Free Goods Available Visit

www.firepoweronline.com/promotions for Details



<u>Firepower</u>



OEM TOOLS'

Auto Darkening Welding Helmet SKU **362974** 24357

- TIG Rated Variable Shade 9-13
- Viewing Area: 3.54" x 1.37"
- Battery Powered with Solar Assist • Includes Replacement Cover



Auto Darkening Welding Helmet with Grinding Function SKU **347233** 24358

- Variable Shade 9-13, Variable Delay Controls
- Viewing Area: 3.62" x 1.65" Battery Powered
- with Solar Assist Includes Replacement
- Z94.3, AS/NZS



MACHINERY

OEM TOOLS'

Stars and

- SKU **850068** THE1441-0087
- Shade Levels from 9 to 13 "Welding" or "Grinding" Selection
- Solar-Powered So You Don't Batteries - Ever



Firepower

Stripes Darkening Welding Helmet

- · Variable Shade Adjustable Welding
- for Process Mode
- Have to Worry About Changing



SKU **459160**

SKU **459162**

SKU **459164**

SKU **459173**

SKU **459175**

SKU **459180**

<u>Firepower</u>

<u>Firepower</u>

160 Amp **MIG Spool Gun** SKU **434724**

THE1444-0894 • Interfaces with Firepower

- MST 180i and 220i 3-in-1 Welders • Rated 20% Duty Cycle
- and 160 Amps • Includes Carrying Case



SHA12000

SHA12001

SHA12003

SHA12007

SHA12008

SHA12009

Plastic Welder SKU **255799** SHA17030 • Eco-Friendly Plastic Welder

- That is Great for Repairing Virtually Anything Made of Plastic • Capable of Ironing Plastic
- to a Smooth Finish
- LED Read Out

1699

3499 **29**99

6499 2999

2499

2499

1999

2499

Pro-Tack

- Rated to a Maximum of 65 Amps and Has 4 Power Settings
- Kit Includes: (4) Staple Styles, (2) Ironing Blades Plastic Box for Staples and Plastic Storage Case



Core-Cut Staples SHARK (100 Pack)



Flat Square SKU 255808 SHA17031 **Outside Corner/** SKU **255809** SHA17032 Sm. Wave

Outside Corner/ SKU **255820** SHA17033 **No Wave**

Inside Corner/ SKU **255839** SHA17034

Inside Corner/ SKU 255843 SHA17035

SKU **255845** SHA17036 Flat Small Wave Flat "S" Type SKU 255851 SHA17037

Heat-Shrink Tube Sets

REPAIR IT RIGHT

171 Piece Heat-Shrink Tube Set SKU **420335**

68165

- Protection and Insulation of Components and Wires Protection Against Water and Moisture
- Ingress Preventing Corrosion • Color Coordinated Sizes
- Quick and Simple to Shrink By Heat Gun

106 Piece Waterproof Heat Shrink Tube Set SKU **420334**



· Adhesive Lined Inner Wall to Seal Out Moisture • 3:1 Shrink Ratio

 Waterproof **90 Piece Waterproof**

Heat Shrink Terminal Set SKU **462482** 68166

- (30) Ring Connectors • (15) Butt Connectors
- (15) Tin Butt Connectors • (15) Female Disconnects
- (15) Male Disconnects
- Re-Sealable Plastic Case



AutoZone® can cut most kevs.

Contact Your AutoZone **Commercial Sales** Manager for Details

Welding Accessories

WIRE

MIG Solid Wire E70S6 - .023 - 2 Lbs. MIG Solid Wire E70S6 - .023 - 11 Lbs. MIG Solid Wire E70S6 - .030 - 11 Lbs. MIG Solid Wire E70S6 - .035 - 33 Lbs. Flux Core Welding Wire - .030 - 2 Lbs.

Flux Core Welding Wire - .035 - 2 Lbs.

TIPS (25 PACK) Lincoln MIG Contact .030 Tips Lincoln MIG Contact .035 Tips Miller MIG Contact .030 Tips Benzel and Tweco MIG Contact .023 Tips SKU 343399 SHA12937 Benzel and Tweco MIG Contact .030 Tips SKU 343401 SHA12938

ELECTRODES E6011 1/8" Electrode 5 Lbs. E7018 1/8" Electrode 5 Lbs. SKU **343402** SHA12874 SKU **343403** SHA12875 SKU **343404** SHA12877

SKU **988902** THE14400106 **1999** SKU **988904** THE14400186 **1999**



power

Leather SKU **972316**

250 Piece

Stud Assortment

• 250 Piece, 2" x 3/40" Size

Use with Stud Welder

Welding

SKU **271198** 68130

or Stud Gun

Coated Steel

Construction

Copper





BendPak

IHERMAL DYNAMICS

MACHINERY

Tubing Benders

Blue Bullet Tubing Bender SKU **015350** BENBB1

- Leg Operated Control Lever at Front Keeps Hands Free
- Two Separate End Finishing Units at Rear for All Necessary Flaring and Expanding Degree Plate Located Up Front for

Comes Complete with Quick Release

Bending and End Finishing Dies • Includes High-Speed Clampless Swager and Internal Expander • 3" Bending Capacity (Dies Optional)

Lift Gate Service SKU **262533** RANLIFTGATE **13500**



Leasing Terms Available.† Your **AutoZone**® Commercial Sales Ma Free Delivery!

Card System Complete with Rotation Dial / **Computer CD**

SKU **298074** BENCS-1 • Over 3,500 Cards on One CD

• 10,000 Bending Applications Includes: Rotation Dial for Standard and "Mirror Image"

3" Die Kit (Optional)



Please note that the CS-1 Card System does not ship with the Benders and must be purchased separately.



Tool & Equipment Quarterly

OLTAGE 115V / 230V



180 AMP DUAL PROCESS MIG/FLUX/ARC WELDER

SKU **554014**

- Welds 24 Gauge Up to 5/16" Mild Steel in a Single Pass
- Flux-Cored (No Gas): Tackles the Biggest Jobs
- MIG (Requires Shielding Gas): Weld Up to 5/16" Mild or
- DC Stick: Handles Up to 5/32" Stick Electrodes
- Includes: 10 Ft. MIG Torch with .030 Tip, 10 Ft. ARC Lead, 10 Ft. Work Cable with Clamp, 115 /230 V Power Adapter and Argon Flow Meter/Regulator

30 AMP PLASMA CUTTER

SKU **554022 5999**

- Rated 1/4" Clean Cut on Mild Steel with 1/2" Rough Sever
- Cuts Mild Steel, Stainless, Brass, Aluminum and Other Conductive Materials
- Includes: 10 Ft. Work Cable with Clamp and 115 / 230v Power Adapter







SKU **102314** 41290

• Extra Large Viewing Area: 3.86" X 2.17"

- Automatically Darkens in 1/30,000 of a Second
- Ultra High Performance Filters Protects Against UV and IR
- Variable Shades from DIN 9 to DIN 13
- Outside Sensitivity Adjustments Provide Clear Vision Both Prior and During Welding
- Durable, Light Weight Material is Corrosion Resistant and Flame Retardant
- Special Turnover Headband Mechanism Allows for Greater Comfort and Reduces Fatigue
- Utilizes High Performance Solar Cells W/2 Built-In 3V Lithium Batteries as Power Back-Up
- Complies with DIN, ISO, EN Safety Standards and ANSI Z87.1-2003 Standards



Soldering

Electrical Mini Torch - Butane Powered SKU **238730**

86278

- Pinpoint, Windproof Flame of 2,400 Degrees F for Precise, Effective Usage
- Contains Durable, Weather-Resistant Ignition System
- Includes Safety Lock
- Lightweight and Easy to Use
- Includes 1 Butane Cartridge

OEM TOOLS



Mechanic's Mini Torch SKU **804655**

24353

- Designed for Light Welding, Auto Repair and Heating Material in Confined Spaces
- Adjustable Flame Lights Upside Down
- Auto Ignition, Refillable • Safety Lock When Not in Use
- Butane Not Included

Professional 3-in-1 Butane Micro Torch Kit SKU **420339**

3499 REG. \$39.99

- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip
- Easy to Set on Table Top with the Base After Operation
- Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base
- Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
- Power Range: 30w 125w

Offer Good Through June 30, 2017 - While Supplies Last



Professional 3-in-1 Soldering Iron Kit

SKU **420338** 24355

3499 REG. \$39.99

- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower
- Soldering Iron Kit Includes: Soldering Iron Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/





Offer Good Through June 30, 2017 - While Supplies Last

RV Ready



3500 Watt Portable Generator

SKU **020730** CHM46596

- 196cc Champion OHV Engine
- Fuel Tank 3.8 Gallon
- RV Ready Equipped with a Standard 30A RV Outlet
- Volt Guard™ Protects Your Appliances from Power Surges
- Runs Up to 12 Hours on a Full Tank of Gas
- Durable Steel Frame
- Voltmeter Displays Power Output
- 49 State EPA Compliant








Dependable Power for Home. Recreation. or Emergencies









GASOLINE

Dual Fue



Run this generator on GASOLINE or PROPANE

7500 Watt Dual Fuel Generator with Electric Start

SKU **020752** CHM100165



- Run/Start Watts 7500/9375 (Gasoline*)
- 439cc Champion OHV Engine
- Runs on GASOLINE or PROPANE Straight Out of the Box • Gasoline Fuel Tank - 6.1 Gallon
- Touch Start Battery Included for Push-Button Electric Start
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 8 Hours on a Full Tank of Gasoline or 5.5 Hours on a 20 Lb. Propane Tank
- Intelligauge to Monitor Power Output and Maintenance Intervals • 50 State CARB Compliant









AIR CONDITIONING





Reduce Down Time... Keep an Extra Filter Set On Hand! Replacement **High/Low Filter Set**

SKU **389222** MSC69788FLTPK Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789-H Recovery, Recycle, and Recharge All-in-One Units



Mastercool introduces its new ARCTIC COMMANDER line of RRR machines. Equipped with the latest technology, all models come standard with an 8" GUI Command Center. Navigate through all functions, features and instructions with ease. Wi-Fi @ capabilities allow for real time, interactive communication and troubleshooting.

COMMANDER1000 Semi-Automatic R134a R/R/R Machine

SKU **471051** MSC1000

• R134a

• R134a

- · Wi-Fi Capable Vacuum Leak Test
- · Cylinder Heater 3 CFM Vacuum Pump
- Dust Cover

COMMANDER2000 Fully Automatic R134a R/R/R Machine

SKU **471040** MSC2000

- · Cylinder Heater
- Wi-Fi Capable
 - 6 CFM Vacuum Pump
- Vacuum Leak Test
- Dust Cover

COMMANDER3000 R134a and Hybrid **R/R/R Machine**

SKU **471054** MSC3000

- R134a and Hybrid • 6 CFM Vacuum Pump
- Wi-Fi Capable
- Dust Cover
- Vacuum Leak Test • Refrigerant Database
- Automatic Oil Injection (Standard R134a Vehicle)
- Cylinder Heater
- Hose Flushing COMMANDER4000 R1234yf and

Hybrid R/R/R Machine SKU **471061**

MSC4000 R1234yf and Hybrid

- 6 CFM Vacuum Pump Dust Cover
- Wi-Fi Capable Vacuum Leak Test
- Hose Flushing
- Refrigerant Database Built-In Identifier Cvlinder Heater

Also Available SKU **471058** MSC4000X

Same as MSC4000 but without Identifier

Recovery Machines

R134a A/C Refrigerant **Handling System**

SKU **850570** MSSACX1120H • ECO LOCK® Quick Couplers

• Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles

• High Performance Vacuum Pump to Ensure Faster Service Times

Hybrid Ready



1-877-AZTool1 (1-877-298-6651) R134a A/C Refrigerant **Handling System**

SKU **850573**

MSSACX1150

CONTACT US FOR FACTORY SETUP AND TRAINING

• 4.3" Color TFT Touchscreen • ECO LOCK® Quick Couplers

 High Performance Vacuum Pump to Ensure Faster Service Times

 Automatic Oil Injection and Measurement



MAHLE R134a A/C Refrigerant **Handling System**

SKU **850571** MSSACX1150H

All MAHLE Recovery Machines are Fully Automatic and Include a 2-Year Warranty

- Hybrid Function, Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles
- 4.3" Color TFT Touchscreen
- ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure Faster

Hybrid Ready



MAHLE

MAHLE

Filter Kit for RTI

A/C Recovery

Filter Dryer

SKU **470141**

R134a ArticPro Refrigerant Handling System SKU **850566**

MSSACX1180 Completely Recover, Recycle

Or Recharge R134a Air onditioning Systems

• Quicker Service Times • Automatic Air Purge

Fully Automatic



CDS'

R134a ArticPro **Refrigerant Handling** System SKU **850567**

MSSACX-1180H **3,89999** • Completely Recover, Recycle

Or Recharge R134A Air Conditioning Systems

Hybrid Ready

Hybrid Ready



MAHLE

R1234YF ArticPro **Refrigerant Handling** System Hybrid with Printer and Identifier 5,69999

SKU **850569** MSSACX1280

- Completely Recover, Recycle Or Recharge R1234YF Air Conditioning Systems In Conventional and Hybrid Vehicles
- Fully Automatic
- Quicker Service Times
- Automatic Air Purge

Hybrid Ready



and Mahle RTI3608213300 11999

Removes Moisture and Contaminants from Refrigerant

A/C Recovery Machine

MRHLE



Removes Acids and Moisture that can Damage Compressors

CDS

HF01234YF Recovery, Recycle and Recharge with 8 Ft. Hoses and 50 Lb. Tank

SKU **452639**

CPSFA1234 Fully Automatic Operation of

Recovery, Recycle, Evacuate air Purge and Recharge • Easy To Program Command-Based LCD Display Supports Five Languages

• 2/3HP Oil-less Compressor

• All Steel Construction With Heavy Duty Casters

• Includes 8' Hoses and 50 Lb. Storage Tank • Compliant with SAE Standards



CPSFX134A On-Board Vehicle A/C Data:

1994-2015 • 10 Ft. Charging Hoses

• 6 CFM Vacuum Pump Heater

Blanket Included • 1-2-5 Warranty

Hybrid Ready



CPSFX1234

• Patented Oil-less Compressor • 6 CFM Vacuum Pump/ 50 Micron Rated

· Patented Motor-Controlled Ball Valves AC Systems Capacity Database

Included • 1-2-5 Warranty

Hybrid Ready



Dual Gas Recovery/ Recycle/Recharge **Machine with Printer** SKU **850572**

CPSFX3030 Convertible Between

R134a and R1234vf • Built-In Refrigerant

Identifier • Vehicle Refrigerant Capacity Database

Included • Includes 2 Tanks and 2 Sets of Hoses

Hybrid Ready

• 1-2-5 Warranty



AR2788/2788S Recovery

Machine Filter SKU 186483



Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY

Portable Recovery Systems



Portable R134a **Recovery System**

SKU **290024** MSC69100

- High Performance Oil-Less Compressor
- Includes an Oil Separator and Filter Dryer to Clean Refrigerant During Recovery
- Recovers All Refrigerants, 30 Lbs. DOT Recovery Tank Included



СDS

Portable A/C Recovery **Machine**

SKU **504026** CPSTRA21

- SAEJ2810 Approved, Fastest Recovery Recycle Machine in the Industry
- Oil Separator and Filter Includes 30 Lbs.
- Tank and Manifold Set with 60" Hoses and Manual Couplers



Vacuum Pump Kits

O≣M TOOLS

A/C Service Set with Air Vacuum Pump - R134a SKU **850564**

68991

- Complete Kit for Diagnosing and Charging R134a A/C Systems
- Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve and Large Diameter Dual Scale Thermometer



OEM TOOLS

A/C Starter Kit - R134a SKU **695127** 68987

- OEMTOOLS® 1.8 CFM, 100 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability.
- Ensures Moisture Removal
- Kit Includes: OEMTOOLS® Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter

• OEMTOOLS® R134a Can Tap Connects to Any ACME Threaded R134a Can




OEM TOOLS

3 Piece High Performance A/C Kit SKU **626121**

68989

- OEMTOOLS® 6 CFM, 75 Micron Single Stage Vacuum Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reduces Evacuation Time
- Kit Includes: OEMTOOLS® Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter



OEM TOOLS

A/C Professional Set - R134a

SKU **695129** 68988

- OEMTOOLS® 4 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensures Moisture Removal and Reduces Evacuation Time
- Kit Includes: OEM Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEMTOOLS® 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports
- OEMTOOLS® AC Refrigerant Leak Detector is Sensitive to 0.1 Oz./Year and Responds to All Halogenated Refrigerants



AIRSEPT.

A/C Recycle Guard Accessories

AIRSEPT. Recycle Guard™ R12 Adapter Kit, 1/4" Flare

SKU **504086** AIR72138



A/C Recovery Machine ROBINAIR

Recycle Guard™ for Ř134a - 1/2" ACME Fittings with 36" Service Hose

SKU **504082** AIR72101

- · Protect Your Recovery Equipment from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- Works with All A/C Service Equipment



SKU **504083** AIR72102



Recycle Guard™

for 1/4" SAE Flare



Dual Automatic Recycle Guard™ for

R134a with (2) 36" Service Hoses

SKU **504091** AIR75000

- High- and Low-Side Protection from Debris, Sealant,
- Dye, Excess Lubricant and Other Contaminants • No Technician Input Required - Switches Automatically from Recover to Recharge
- Traps Metal Shavings, Desiccant Particles and
- Other Harmful Debris Maintains Refrigerant Flow

Recycling

ROB34430

Filter-Drier SKU **522875**

A/C Recovery Machine Accessories

A/C Recovery Machine **ROBINAIR Vinyl Dust Cover**

SKU **291481** ROB17492

• Medium Gray Color with

Cool-Tech Logo • Fits All 342000, 17700-2K, 34700-2K, 34134Z, 34700Z, 34711-2K, AC375,

AC375A, 17700Z, 34702Z

Vinyl Dust Cover

• Medium Gray Color with

• Fits 34900, 34800-2k, and

Cool-Tech Logo

17800b Series

SKU **752708**

R0B17490



Refrigerant **Canister Filter™** 1/2" Acme

SKU **544562** AIR72900

- Use Inline Between the Virgin Refrigerant Tank and the Tank Fill Hose · Helps Stop Debris from Entering Your
- Refrigerant Supply • Protects Your Recovery Machine from



MRSEPT.

ROB34988, ROB34700Z Genuine Robinair Spin-On

ROB34288, ROB34788,

• Fits Current Models:

Filter with the Proper Serial Number to Input for Easy Installation

Spin-On Filter-Drier

• High Quality Filter Protects

Recovery

SKU **186483**

CPSARXF5

Machine Filter

• Filter Removes Moisture and

Returned to the System

• Easy to Install

SKU **414883**

ROB34724



ROBINAIR



POBINAIR


POBINAIR

SKU **597992** ROB34412-A

• For Older 17700A, 34450, 34700

• For Use with Robinair 34788NI and 34788NI-H A/C RRR Machines

• Displays Charge Amount and Oil Capacities for Vehicle Model Years 1997-2016 Increases Technician Productivity



• Clamshell Packaging



A/C Capacities Database - 2016

SKU **331126** R0B34411-F



Component Oil Capacities for Vehicle Model Years 1997-2016

Vinyl Dust Cover for A/C Recovery Machine

SKU **751574** ROB17499

34788NI-H Models





ROBINAIR



Machine **Maintenance Kit** SKU **752703 79**99 ROB13172

A/C Recovery

• Contains: (1) Quick Change Filter-Drier to Be Used on Both R-12 and R-134a Stations and(1) 16 Ounce Bottle of

Our Premium High Vacuum Pump Oil For Models Using 34724 Filter/Drier -17700A, 17700-2K, 34700, 34700-2K, 34800, 34800-2K, 34900 Series



ROBINAIR.

MSS268069600 14 • Fits ACX1120H.1150.1150H • Removes Moisture and

Contaminants from Refrigerant • Easy Installation

SKU **470141**

· Protects Your Investment



Replacement **High/Low Filter Set** SKU **389222**

AR2788/2788S CDS

Contaminants Before the Refrigerant is

Designed for Use on the AR2788S

SC69788FLTPK 13999

• Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789-H Recharge-Recover-Recycle All-in-One Units



AIR CONDITIONING

Vacuum Pumps

OEM TOOLS

Air-Operated Vacuum Pump

SKU **544730** 24533

- **79**99
- Includes 1/2" ACME (R134a) and R12 Connectors
- Air Pressure Range: 75 180 PSI
- Air Consumption: 4.2 CFM @ 90 PSI
- Vacuum Capacity: 28.3" of Mercury @ 90 PSI



OEM TOOLS

1.8 CFM Single Stage Vacuum Pump

SKU **466312** 24500

- 1/4 HP, 110V Motor
- 100 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME -1/4" Flare
- Oil Capacity: 200 mL, Included



4 CFM Single Stage

Vacuum Pump

SKU **466305** 24501

- 1/3 HP, 110V Motor • 75 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME -1/4" Flare
- Oil Capacity: 330 mL, Included



OEM TOOLS

OEM TOOLS

6 CFM Single Stage Vacuum Pump

SKU **466306** 24502

- 1/3 HP, 110V Motor
- 75 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME
- 1/4" Flare





Vacuum Pump Oil (8 Oz.)

SKU **363429**



- 24399 • Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil
- Compatible for Use in Pumps Made by Most Manufacturers



STORE

OEM TOOLS

Premium Vacuum Pump Oil 1 Quart Bottle

SKII **517580** CPSVP0012

- Compatible with Most Pumps • Increases Life Span of the Pump
- Performance of Your Pump Depends
- on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



Stage Vacuum Pump SKU **573206**

1.5 CFM Single

- MSC90059-R • 1/6 HP
- 75 Microns

OEM TOOLS



🚺 Mastercool: 🛣

6 CFM 2 Stage **Vacuum Pump**

SKU 301619 MSC900662V110

• 1/3 HP

15 Microns



★ Mastercool *

Tube Assortment

Master Orifice Tube Assortment

SKU **851868** 24564

• Covers Most Vehicles That Require Air Conditioning Orifice Tubes



OEM TOOLS



Valve Tools

No Gas Loss A/C Valve Core Remover/Installer

SKU **466321** 24529

4499 REG. \$49.99 • Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant

 Built-In Ball Valve Retains Charge and Allows Access to A/C System

For 13 mm and 16 mm High

Offer Good Through June 30, 2017 - While Supplies Last

🚺 Mastercool:

🐼 Mastercool: 🐼

Thermometers

OEM TOOLS

-58 to 300° F Digital **Pocket Thermometer**

SKU **447147** 24351

Accurate Readings from

-58 to 300° F (±2°) and from -50 to 150° C (±1°) Digital Display Will Rotate 180° and Move Up and Down for

Easy Viewing · Comes with 1.5V Battery

Non-Contact Infrared

Thermometer SKU **951642**

25245

STORE STOCK

- Temp Range: 35° to +365°C, -31° to +689°F
- Distance to Spot
- Ratio of 8:1 • Laser Pointer



OEM TOOLS

A/C Flush

A/C System Flush Kit

SKU **466308** 24515

• Use with MSC91049

and Cylinder Cap

SKU **695646**

• Pressurized to 150 PSI

• Single Use Disposable Cans

A/C Flush Machine

MSC91051

Non-Toxic

SKU **217370**

CPSAFM100

• Air Operated

Any System

and Buses

• 8 Foot Hoses To Reach

• 2-1/2 Gallon Capacity

Tank for Use on Cars

Types of Connections

Coming Out of the

System with a Cleanable Filter

 Clear Filter Bowl Allows You to See What is

· Universal Couplers Allows

Connection to Virtually All

· Forward or Reverse Flush

Without Changing Hoses

Self-Evaporating

Total A/C Ouick Flush Kit

• Includes: 17 Oz. Pressurized A/C Flush,

Hose and Rubber Tipped Blow Gun with

A/C Flush Solvents Includes: Canister, Hose. Blow Gun, Rubber Tip

OEM TOOLS

Mastercool €



A/C Quick Flush 17 Oz. Replacement

SKU **695647** MSC91050

A/C Flush **32 Oz. Bottle**

SKU **695650** MSC91049-32







- Non-Toxic, Quick Evaporating A/C Flush · Effectively Removes Debris and Sludge from A/C Components
- Solvent-Based, Leaves No Residue
- Professional Use Only • Flush Any A/C System

A/C Flush 6 Pack **32 Oz. Bottles**

MSC91049-32-6



A/C Quick Flush 17 Oz. Replacement 6 Pack

SKU **695649** MSC91050-6

A/C Flush

SKU **695652**



✓ Mastercool.

▲ Mastercool:

1 Gallon Case of 4 SKU **695654** MSC910491284



Can Taps

Refrigerant and Oil Charge Can Tap SKU **466313**

24523

A/C

- Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip with Positive Lock • Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



Will Service Most R134a Systems

• Includes High Pressure Hose and Quick Disconnect Coupler

Digital Scales



Electronic Charging Scale (220 Lbs. Capacity)

SKU **481699** 24512

· Heavy Duty Load Cell for Years of Reliable Service

Large LCD Control Box

Accu-Charge II™/ Electronic **Charging Scale** 240 Lbs. Capacity

SKU **290029**

OPM TOOLS **Digital Refrigerant**

ະcale ເ240 Lbs. Capacity)



Measure: kg/Oz./Lbs. · Automatic Shut-Off After 10 Minutes, Backlight Will Shut-off

SKU **752521**

24560

I CD Backlit

Display

• (3) Units of

After 3 Minutes Fully Enclosed and Removable Metal Scale Platform Enables Use of Product In or Out of

the Protective Case



MSC98210A • Programmable with Alarm






Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Manifold Gauges



R134a Brass Manifold **Gauges Set**

SKU **752520** 24563

• High Quality Brass Body with

- Sight Glass • Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" 3.000 PSI Burst, 600 PSI Working Pressure Hoses
- Snap Style Quick Couplers



R134a Manifold **Gauge Set** with Sight Glass

SKU **466319** 24527

• Easy-to-Read

- Spring Dampened Gauges to Reduce Flutter
- 72" Hoses with Manual

OEM TOOLS

Dual Unit with Extra Long Hoses



R134a/R12/R22 **Dual Manifold Gauge** Set

SKU **512961** 27229

- For Use with R134a, R12 and R22
- 3,000 PSI Burst and 600 PSI Max
- SAE J2196/ R134a
- Extra Long High and Low Hoses: 72"; Freon Hose: 96"
- Manual Couplers Included

OEM TOOLS



R1234YF Manifold Gauge Set

SKU **752518** 24559

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers

R134a Aluminum

with Dye Injector

Manifold Kit

SKU **290023**

MSC89660UV

• Includes: R134a

Aluminum Manifold,

60" Hoses, Standard

Mini Dye Injector

Couplers and 10 Application







R134a Aluminum **Manifold Kit** with Dye Injector

SKU **290022** MSC89661UV

• Includes: R134a Aluminum Manifold, 60" Hoses, Manual Couplers and 10 Application Mini Dye Injector

Manifold Gauge Repair

1/4" Hose Set 72" SKU **752515**

24557

• 72". 1/4" SAE 3 Hose Set Color Coded: Red, Yellow and Blue



R134a Hose Set 72"

SKU **752516**

0099

24558 • 72" R134a 3 Hose Set Color



OEM TOOLS

1/4" Hose Set **SAE 60"**

SKU **347260** 24390

 Maximum Working/ Burst Pressure 300PSI / 3000PS

· Solid Brass Fittings • 60" Long



OEM TOOLS

OEM TOOLS

Replacement Gauge

Replacement Gauge Low Side for A/C Manifold

SKU **481709** 24531

- This is a Low Compound Gauge for OEMTOOLS® and Other Brands of A/C Manifold Sets Used to Service A/C Systems on Cars
- Reads 0-120 PSI and 0-30" Hg
- 1/8" NPTF Male Threads

96" R134a **Red Hose**

SKU **489152** MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C fittings - 96"





96" R134a **Blue Hose**

SKU **489151** MSC84961

3999 • 1/2" Acme-F and 14 mm-M Auto A/C Fittings - 96"



🚺 Mastercool: 🛣

1/4" SAE Hose Set

SKU **512962** 27230

• High Pressure Hose Length: 6 Feet.

Low Pressure Hose Length: 6 Feet Freon

 Hose Length: 8 Feet.



OFM TOOLS



 Replacement High Side Gauge Fits OEMTOOLS® and Other Brands of A/C Manifolds Used to Service A/C Systems on Cars

High Side for A/C Manifold

• 1/8" NPTF Male Threads • Reads 0-500 PSI Hose



A/C Couplers

OEM TOOLS R134a **Refrigerant Tank**

Adapter SKU **850565**

- 24554 • Male Low-Side R134a to Female 1/2" ACME
- Attaches to Virgin Tank and Low-Side Service Coupler



OEM TOOLS R134a **High Side Manual** Coupler SKU **347267**

- 24395 • All Metal Construction for
- Extra Durability • 6 Ball Coupler for
- · Includes an Adapter for Üse with R12 Hoses

Secure Grip



OEM TOOLS R134a **Low Side Manual** Coupler SKU **347266**

24394

• All Metal Construction for Extra Durability • 6 Ball Coupler for Secure Grip

• Includes an Adapter for Use with R12 Hoses



OEM TOOLS R134a High and Low Side Coupler Set SKU **362980**

3499 REG. \$39.99 24396

- Change Your Old R12 Manifold Set to R134a with This Set of Manual Couplers All Metal Construction fo
- Extra Durability Includes Adapter for Use with R12 Hoses
- 6 Ball Coupler for Secure Grip



R134a **Extra Long Coupler** SKU **752517**

24556 • Used on BMW E60 (2003-2009 5 series) and

Some Volvo Models Allows for A/C Service with No Radiator

Removal



O=M TOOLS

OEM TOOLS Conversion **Coupler Set R134A to** HFO-1234YF

SKU **752527** 24561 REG. \$69.99

- HFO-1234YF Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and
- Hoses to HFO-1234YF Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter

Offer Good Through June 30, 2017 **While Supplies Last**



A/C Service Tools



A/C Condenser Fin Comb Straightener/ Cleaner

SKU **466317** 24526

- Clean and Straighten Condenser and
- **Evaporator Coils** • Compact Design for Confined Spaces • Includes (6) Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch

OEM TOOLS



SKU **695102** 33627000

 Holds Compressor Clutch in Place When Removing Holding Bolt · Adjust Pins to Fit Holes in Clutch

OEM TOOLS



A/C Clutch

Hub Installer SKU **695625** 33627007

• For Use in Conjunction with OEM 27006, A/C Clutch Hub Plate Remover to Install Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches

A/C Clutch Hub

Removes Club Hub from

Ford ES-6 Compressors

Remover

SKU **695628**

33627005

OEM TOOLS

OEM TOOLS



33627004 • Fits Many GM and Ford Models

Tube Tool

SKU **695629**

SKU **752530**

Orifice Tubes

24562

OEM TOOLS



A/C Clutch Plate Remover Shoe Tool

SKU **695630** 33627002

33627001

33627008

A/C Clutch

Puller Jaws SKU **695624**

 Additional Jaws for Use with the OEMTOOLS® 27001 AC Pulley Puller

A/C Clutch Hub

Plate Remover SKU **695626** 33627006

• For Use with Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches

• Removes Club Hub from

the Compressor





Compressor **Turner Tool**

SKU **504135** AIR67700

- OEM-Approved Compressor Start-up Assistance • Prevent New Compressor
- Seizure at Startup
- Fits Most Hex-less Clutch

Radiator/Condenser Cleaning Wand SKU **514015**

Mowing Decks, Etc. to Clean Away Dirt and Debris Made of Zinc-Plated Steel with Adjustable Valve Assembly

OEM TOOLS







and Turn Pressure Screw to

· Simply Screw Into Clutch

Remove

OEM TOOLS

Orifice Tube Remover Set

• To Use, Simply Turn Into Orifice Tube

• Includes Auger for Removing Broken

for Grip Then Turn Out



A/C Compressor **Pulley Removal Tool** SKU **695609**

Fast and Easy

• Makes AC Compressor Pulley Removal Jobs

• Can Be Used with OEMTOOLS® 27008 Clutch Puller Jaws





• Special Tips Deliver Air or Water at a 90 Degree Angle

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

AIR CONDITIONING

Leak Detection Lights

UV Pen Light

OEM TOOLS

SKU **695128** 24610

- Pen Style Ultraviolet Light
- Lightweight, Aluminum Casing
- Convenient Pocket Clip Maximum Continuous
- Run Time is 4.5 Hours



- 3 AAA Batteries / Operates for 22 Hours Under Normal Work Conditions
- Comparable to 50 Watt Illumination
- UV Goggles Included

Compact UV Flashlight - 17 LED

SKU **300783** MSC53517-UV

- 25,000 Hour Bulb Life
- 3 AAA Batteries / Operates for 22 Hour Under Normal Work Conditions
- Comparable
- to 75 Watt Illumination • UV Goggles Included

▼ Mastercool:

UV Light with Glasses SKU **626122** EXPE93-E02

USB Rechargeable

- 1W Bulb That Casts a Beam Up to 5 Meters
- 0.8 Lumens
- 3 Light Modes: 25%, 50% and 100%
- Runtime: 12 Hours
- USB Cord



M TOOLS

GreatLite

Mechanic's 500 Lumen Rechargeable Flashlight and 450 Lumen Ultra Slim Wand with UV Inspection 3 Lights in 1!

SKU **344835** 24607

- 500 Lumen Flashlight Will Cast a 170 Meter Beam
- Ultra Slim 450 Lumen Inspection Light Casts a 30 Meter Beam
- 3 Powerful, UV LED Lights on Inspection Light Detect Leaks Quickly and Easily
- Detachable 180 Degree Swivel Hook with Magnets
- Battery Lasts 3.5 Hours at 100% and Fully Charges in 5 Hours
- 5 Light Modes
- Comes with (1) USB Charging Cord, AC Adapter, (1) 18650 Rechargeable Battery, and a 180 Degree Swivel Hook





₩ Mastercool:

3-in-1 Multi-Use Rechargeable **Diagnostic Work Light** SKU **591153**

24609

- 3 Different Light Modes White, Yellow (Smoke Detection), UV/Black (Leak Die Detection)
- Holds Charge for a Longer Runtime with 4400 mAh Li-lon Battery
- Built-in Power Bank/Source Charges Cell Phones, Tablets, and Hand Held Devices
- Includes Universal Micro USB Charger Lets You Charge Anywhere
- LCD Battery Indicator Screen Displays Charge Level
- Strong Magnets on Each End
- Runtime: White (5.5 Hrs.), Yellow (5.5 Hrs.), UV/Black (12.5 Hrs.)

- Accessory Kits Available



TRACER PRODUCTS

⋘ Mastercool:

Complete A/C and Fluid Leak **Detection Starter Kit**

SKU **291378** TRATP8621

- 50 Watt 6 LED Lamp
- Pinpoints A/C, Oil Systems and Coolant Leaks
- EZ-Ject[™] Dye Injector with (3) 1 Oz Bottles of Dve



OPTI-PRO™/EZ-Shot™ A/C Dye Injection Kit SKU **568718**

TRATP8616 Cordless, Economical, True UV Led Leak Detection Flashlight

- EZ-Shot A/C Dye Injection Gun
- 8 Oz (237 ml) BigEZ™ Universal/ Ester A/C Dye Cartridge



EZ-Shot™ A/C and Fluid **Leak Detection Kit** with TP8620 OPTI-Lite™ SKU **291402**

TRATP8626

IntellaSense II Refrigerant

 Kit Includes: Inspection Lamp, EZ-Shot A/C Dye Injection Gun, R134a Hose and Coupler with R-12 Adapter/Purge Fitting, 8 Oz. BigEZ™ Universal Dye Cartridge for All A/C Systems, 8 Oz. Spray Bottle of GLO-AWAY™ Dye Cleaner, Fluorescence-Enhancing Glasses, Underhood Labels and Plastic Carrying Case



SKU **290041** MSC53351

12 Volt / 50 Watt UV Leak

- Detector • 1 Ounce Coolant Dye, 1 Ounce Oil/ATF/Fuel Dye, Dye Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Which is compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses

• T-Handle for Ease of Pressure

• Includes Leak Testing Gauges

• 12 Service Labels

Nitrogen Leak

Test Kit

SKU **295560** MSC53010

and Hoses

Adjustment Kit

A/C Refrigerant **Leak Detector**

SKU **466307** 24510

• Detects All Types of Halogenated Refrigerants

REG. \$99.99

- Sensitive to 0.1 Oz /Yr.
- Single Color LED Display with 7 Leve
- Flexible Stainless Steel Probe to Reach to Almost Any Space
- Includes Spare Sensor Tip



SKU **290030** MSC55100

- Detects All Refrigerants (CFC's, HCFC's, HFC's) Meets and Exceeds
- **SAE J1627**



"Inspector" 2-in-1 Electronic/UV

Leak Detector

 Meets and Exceeds J2791 and J2913

Leak Detector

Detects: Combustible Gases,

• Includes Leak Test Vial and

Hydrogen, Refrigerants (all CFC's, HCFC's and HFC's)

Replacement Filters in a Blow

SKU **695639**

MSC55900

SKU **290031** MSC55200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) per Year
- Ultra Bright UV Light is Built Into the End of the Probe, Allowing Easy Access Into Tight Areas



OEM TOOLS

Identifier



Refrigerant Identifier for RĬ34a SKU **295556**

MSC69134-A · Avoid Potential Damage

 Automatically Provides Step-by-Step Indication of the Gas Sampling Process • Accuracy: Pass/Fail - 95%

from Refrigerant

Contamination

Pure R134a



Injectors

🛂 Mastercool:

In-Line Dye and Oil Injector SKU **466322**

24532

- Add Up to 2 Oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant
- 1/2" ACME Fittings to Fit Most R134a Systems • Use with TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dye



SKU **568721** TRATP9844





- Multi-Dose Cartridge Prefilled with R-1234Yf/PAG A/C Fluorescent Dye • Easily Overcomes System Pressure, Dye Can Be Injected While System is Off or Running
- EZ-Ject R-1234Yf/PAG A/C Dye Cartridge, Services Up to 14 Vehicles

• Injects Dye or Oil Into R12 or R134a Systems • Refillable, Capacity: 2 Oz. • Includes R134a Quick Coupler Use with TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dye

Hand Turn Dye Injector

R12 and R134a

SKU **466320**

- **EZ-Shot™ Universal** A/C Dye Injection Kit -



TRATP9790

TRACER PRODUCTS
A Bivision of Spectronics Community



- EZ-Shot Quickly Introduces Dye Into a Vehicle's A/C System
- BigEZ™ Cartridges Are Prefilled with Co-Solvent Free A/C Dye, Certified to Meet SAE J2297 and Calibrated For Exact Dosing
- BigEZ 8 Oz. Universal Dye Cartridge Services Up to 64 Vehicles

Leak Detection Fluid

TRACER PRODUCTS
A Bivision of Spectronics Caracatter

1 Oz. Bottle Dye-Lite® All-In-One™ Oil Dye (6 Pack)

SKU **291395** TRATP3405



TRACER PRODUCTS

1 Oz. Bottle Fluoro-Lite® Universal/POE A/C Dye (6 Pack)

TRATP38400601 **5499** SKU **291398**

Standard Sized Systems



BigEZ™ 8 Oz. Universal Dye Cartridge SKU **291396**

TRATP97700108 • • Treats Up to 64 Vehicles

- Fits Most Caulking Gun Injectors Including TRATP9790



▼ Mastercool:

Universal Concentrated Dye Cartridge - 1 Oz. (5 Pack)

SKU **505040** MSC53810-5

- 5 Pack of Dye for 53585
- Leak Detector Kit • 10 Applications per Bottle





Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

A/C Hose and Line Repair

Line Splice Straight Repair Kit

AIRSEPT.

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough
- Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2600 PSI



SKU	Part#	Size	Price
SAE			
504140	AIR76003	5/16" Line	\$29.99
504138	AIR76002	3/8" Line	\$29.99
504136	AIR76001	1/2" Line	\$29.99
504143	AIR76011	5/8" Line	\$39.99
504145	AIR76012	3/4" Line	\$39.99
METRIC			
504132	AIR77008	8 mm Line	\$29.99
504155	AIR77010	10 mm Line	\$29.99
504156	AIR77012	12 mm Line	\$29.99
504133	AIR77015	15 mm Line	\$39.99
504117	AIR77016	16 mm Line	\$39.99

Smart Splice™ Straight Connectors

- When a Metal-to-Rubber A/C Line is Damaged, You Often Must Replace the Complete OE Line. If the Line is Not in Stock Locally, You Inconvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™.
- Leak-Proof Line Splice™ Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Works for Heater and Coolant Lines Also
- Install in 5 Minutes



SKU	Part#	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99

Line Splice Straight Repair Kit Reducer

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough
- Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2 600 PSI.
- Works on Heater and Coolant lines





SKU	Part#	Size	Price
504141	AIR76004	3/8" to 5/16" Line	\$29.99
504095	AIR76005	1/2" to 5/16" Line	\$29.99
504142	AIR76006	1/2" to 3/8" Line	\$29.99

Line Terminator Rear A/C Blockoff Kits

- OE-Approved Rear A/C Block-Off Kits Block Damaged or Unused A/C Lines — No Line R and R. Save Time and Satisfy Customers. Leaking Rear A/C Components or Lines Can Result in High Operating or Repair Costs. Many Car Owners Would Rather Avoid That Expense and Operate the Front A/C Unit Only. With Airsept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or Replacement Labor.
- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part#	Size	Price
504150	AIR76503	5/16" Line	\$22.99
504149	AIR76502	3/8" Line	\$22.99
504146	AIR76501	1/2" Line	\$22.99
504152	AIR76504	5/8" Line	\$26.99
504154	AIR76505	3/4" Line	\$31.99

AIRSEPT.

Line Terminator SAE - 5 Pack

SKU **504122** AIR76526

- Quickly and Effectively Blocks A/C
- Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits





SAE/Metric - 10 Pack SKU **504124**

- AIR76530 · Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8" 1/2", 5/8" and 3/4" SAE Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kits





Line Splice Straight SAE (5 Pack)

SKU **504101** AIR76050

- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install No Special Tools • Includes One Each: 5/16", 3/8",
- 1/2", 5/8" and 3/4" Line Splice Kits





Line Splice Straight SAE/ Metric - 10 Pack

SKU **504103**

AIR76051

- Effective, Durable Leak Repair with No Line Removal OE Approved
- 5 Minute Install No Special Tools Includes One Each: 5/16", 3/8", 1/2"
- 5/8" and 3/4" SAE Line Splice Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Line Splice Kits





R134a / R12 Charging **Hose Repair Kit**

SKU **295557** MSC91334-A

• 55 Piece Assortment of Replacement Gaskets, O-rings, Depressors for Charging Hoses







Airsept Smart Splice™ **Multi-System Line Repair Tray** SKU **687973**

AIR76076

- Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4" Line Splice Straight SAE Repair Kits; 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits; 5/16", 3/8", 1/2", 5/8" Line Splice 45° SAE Repair Kits; 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE Repair Kits
- Top Tray in Master Cabinet




AIRSEPT.

Airsept Smart Splice™ Line **Terminator and Service Tee Repair Tray**

SKU **687974** AIR76077

• Everything Needed to Block Off A/C, Coolant

- and Heater Lines, or Add an A/C Service Port • SAE Sizes (OD Metal Lines): 5/16", 3/8", 1/2", 5/8", 3/4" OD Metal Lines
- Metric Sizes (OD Metal Lines): 8 mm, 10 mm, 12 mm, 15 mm, 16 mm



AIRSEPT.

Airsept Smart Splice™ Hose to **Tube, Hose to Hose Repair Tray**

SKU **687975** AIR76078

• Everything Needed to Make Hose to Line or

Hose to Hose Repairs on A/C, Coolant and

 SAE Sizes (OD Metal Lines): 5/16", 3/8",1/2", 5/8", 3/4" OD Metal Lines, SAE Sizes for # 6, # 8, # 10, #12 3/4"; A/C Reduced Barrier Hose



AIRSEPT.

Airsept Smart Splice™ Aluminum **Tube Insert Service Tray** SKU **687989**

AIR76079

 Repair Long Sections of Damaged or Leaking A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater lines. : 12" Lengths of Aluminum Tubing

for SAE and Metric Lines





Airsept 5 Piece Smart Splice™ Tool Ássortment SKU **688003**

AIR76080

▼ Mastercool:

 Includes: Deburring Tool, Tube Cutter, Caliper, Pex Crimper, Rubber Hose Crimper



Manual Style A/C Hose Crimper, Bench or Vise Mounted

SKU **290028** MSC71550

• The 71550 is Our "Manual Style" A/C Hose Crimper. The Dies Snap Quickly into Place Requiring No Pins or Screws. The Unit Can Be Easily Mounted to a Bench Using the Holding Fixture or Held Securely in a Vice. This Kit Comes with a Complete Set of Dies Covering Standard Hose Sizes #6. #8. #10 and #12.

 Includes: 71500 - 001 Yoke Assembly, 71550 - 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die Set - #6 (5/16 In.), 71500 - 8 Die Set - #8 (13/32 In.), 71500 - 10 Die Set - #10 (1/2 In.), 71500 - 12 Die Set - #12 (5/8 In.), and 71500-PB Custom Mold Box Carrying Case





Hydra-Krimp A/C Hose Crimping Tool


SKU **290027** MSC71500

- Repair A/C Hoses On or Off the Vehicle • Includes a Complete Set of Dies Covering Hose Sizes: #6, #8, #10, #12; and Reduced Barrier: #6, #8, #10 and #12
- Dies Snap Quickly Into the Press Fixture (no Pins or Screws Required) • Patented, Lightweight, Portable
- Ideal for Shop and Field Applications



OEM TOOLS **Heavy Duty** Ratcheting Hose Cutter

SKU **466311** 24522



- Ratcheting Action Makes it Faster and Easier to Use Than Other Cutters
- · Wide Hooked Jaws Hold **Tubing Securely**

AIR CONDITIONING

RECOVERY / RECYCLE / RECHARGE MACHINES









SKU **751569 3,79999**



SKU **751572** ROB34788NI-H **3,899**99



SKU **377607 4,89999 4,89999**



KU **751575** 20BAC1234-6

5₄₋₆ **6,399**99

ROB34288 2,077 ROB34788NI 3,777 ROB34	./88NI-H	977	ROB34988NI	4,077
Features	ROB34288	ROB34988NI	ROB34788NI	ROB34788NI-H
Fully-Automatic Function: Program to recover, vacuum, leak test and charge without operating panel valves.		х	х	х
Automatic Dye Inject: Gives the user the ability to use the machine to inject UV dye nto a vehicle's A/C system.		X		
Automatic Oil Drain: A display reminds you to empty the graduated container to show he amount of oil to replace.	X	X	X	Х
Dil Inject: Automatically inject oil back into the vehicle's A/C systems.		X*	X	
Refrigerant and Oil Database: A/C system capacities for North American market vehicles (Optional – not included with the machine).		Optional	Optional	Optional
A/C System Flush: Flushes a vehicle's A/C system with refrigerant, eliminating any esidual oil or other liquid (Flushing adapters not included).		X	X	X
Save and Print Before and After Service Data: Allows the user to store before and after service information by vehicle and print this information to provide to a customer.		X	X	X
/isual and Audible Alarm: Notifies the user when service is complete, or if a problem nas occurred.		X	X	X
/acuum Leak Test: Monitors level after evacuation, informs of possible leak.	X	x	x	X
Automatic Air Purge: Eliminates system-damaging air without monitoring gauges or opening valves.	X	X	X	X
Automatic Refrigerant Refill: Maintains a user-selectable amount of refrigerant in an nternal vessel and signals when it's time to change supply tank, no monitoring required.		X		
/acuum Feature: Defaults to 15 mins, programmable up to 99 mins. "Remaining time" s displayed.		X	X	X
Display: Multilingual.	x	X	x	x
Refrigerant Charging: Select a charge mode from high or low side, or use both sides.		X	X	X
Refrigerant Management System: Displays refrigerant use and monitors remaining ilter life. Prompts appear when 1/3 of filter life remains.	X	x	x	х
Electric Vehicle: Capable of servicing high voltage electric compressor A/C systems.				x
Printer		X	Optional	Optional
Refrigerant Identifier			Optional	Optional

ROBAC1234-6 1234YF A/C Service

- Fully automatic operation program for service, walk away and return when complete.
- 95% recovery efficiency.
- Programmable vacuum operation helps get to the necessary vacuum level in any condition guickly.
- System leak test to identify gross leaks in a system.
- Charge accuracy within +/- 1/2 oz.
- Automatic oil drain shows how much oil was removed from the system during service.
- Automatic air purge removes the potential of air accumulating in the internal tank.
- Integrated refrigerant identifier (meets SAE J2927).
- Liquid refrigerant flushing function can flush A/C systems or individual components using liquid refrigerant instead of harsh chemicals.
- Automatic internal tank refill. No stopping to fill the internal tank during service, or before service.
- 1/4 Color VGA display. Large easy-to-read graphical display.
- On-board printer capable of printing vehicle service report slips to present to customers.

Refractometers



OTC UREA DEF Refractometer

SKU **471112** OTC5025 9999

- Def-Unique Calibrated Scale with 32.5%
- Enables Operators to Clearly Determine if the Def in their Vehicle Consists of a 32.5% Urea / Water Solution
- 15-40% Variance on Scale
- 0.5% Line Graduations
- Complete Kit Provides Operators Everything They Need to Calibrate and Use Def Refractometer



OTC

Robinar Coolant and Battery Refractometer

SKU **471116** ROB75240 **59**⁹⁹

- Can Be Used for Measuring the Freezing Point of Either Propylene or Ethylene Glycol Based Cooling Systems
- Can Also Be Used for Checking the Strength of Electrolyte Solution Batteries
- This Precision Instrument Features High-Quality Optics with Ultra-Smooth Focusing
- Scale Range: -60° F To 32° F.



Spring Compressor



StrutTamer II Extreme with Stand

SKU **471100** OTC6637-ST

89999

- Meets the New ASME PASE Standards for Spring Compressors
- Capable of Safely Compressing the Largest Strut Springs
- New Forged Locking Jaws Include Larger Pads and Offset to Clamp Onto and Compress Springs Even Tighter Than Before
- Unique Trunnion Locking Mechanism to Eliminate Arm Movement for Stable Compression



^{* 34988}NI has (2) oil bottles for injection, giving the technician the option to choose between two on-board oils to service the vehicle • Large full color display (34988 has monochrome display) • 34988NI meets SAE J2788 requirements, consistently meets 98.5% recovery performance vs 95% on the 34988

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Engine Service

Ford Spark Plug Remover Kit, Triton 3V

SKU **087307** OTC6918

- Unique Design Helps Prevent Breakage by Locking the Plug Porcelain Core to the Plug Hex Allowing it to Turn as One Complete Unit
- Will Also Pull Plug Porcelain Core if Only Plug Hex is Removed
- Detailed Instructions to Maximize Success Rate

Works on:

- Ford 4.6L 3V V8 Engines Used in 2005–2008 Mustang, 2006–2008 Explorer
- Ford 5.4L 3V V8 Engines Used in 2004–2008
- F-Series, 2005-2008 Expedition, 2005–2008 Lincoln Navigator
- Ford 6.8L 3V V10 Engines Used in 2005–2008 F-Series 250-350-450



Belt Holding Tool

SKU **087299** OTC7424

- Keeps Belt from Falling Off of a Pulley During Belt Installation
- Universal Design to Fit Most Pulley Styles and Sizes
- Super Strong Magnet to Hold the Belt Firmly On the Pulley • Multiple Holders Can Be Used for Belt Applications that Fit
- Around Many Pulleys Durable Plastic Housing with Magnet for Steel/Iron
- Pulley Applications





Chassis Service

Ball Joint Intermediate Service Kit

SKU **087302** OTC6530

- This 20+ Adapter Kit Covers Many Truck/Van/SUV Applications and Some Car Applications
- With the Majority of Cars and Truck/Van/SUV Applications Having Press-In Ball Joints and Universal Joints, This Kit is Designed to Service Many of Those Applications
- This Kit is a Combination of 7249, 7918, and 7996 Kits, and Includes 20+ Adapters, C-Frame, and Application Diagrams All Provided in a Case



Specialty Tools

Master TORX® Socket Set SKU **087309**

52 Piece, Professional Socket Set in a Blow-Molded Case. Hundreds of Applications from Front to Rear on Cars and Trucks:

- Seat Belt Bolts
- Interior and Exterior Trim ScrewsEngine Assemblies
- Tail Lamp Lenses and Assemblies

OTC5900A

- Bumpers Headlight Bezels
- Door Strikers and Latches
- Brake Rotor Bolts - GM Front-Wheel Drive Front
- Wheel Bearings - Truck Box Liners
- Styles Available: TORX, TORX PLUS, Tamper-Resistant TORX and External TORX
- Made from Superior S2 Steel to Meet or Exceed Torque Specifications



CrimPro™ 4-in-1 **Angled Wire Tool** SKU **087314** OTC5950A

- Compact 7" Design
- Gripping Nose • Crimper, 12-20 AWG Insulated and Non-Insulated Wire
- Stripper Strips 12-20 AWG Wire
- Cutter Ability to Make Cuts Both Above and Below Pivot



CrimPro™ 4-in-1 Wire Tool

SKU **087317** 0TC5950S 2

- Compact 7" Design
- Gripping Nose
- Crimper, 12-20 AWG
- Insulated and Non-Insulated Wire • Stripper – Strips 12-20 AWG Wire
- Cutter Ability to Make Cuts



OIC





Brake and Driveline Service

9-Way Slide Hammer Puller Set SKU **087303**

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 5 Lb. Slide Hammer

OTC4579

- Two- and Three-Way Cross Blocks and Cone Provide the Perfect Jaw Configuration for Most Jobs
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment for Sheet Metal or Other Unique Pulling Requirements
- Designed for Use with Other OTC 5/8"-18 Thread Slide Hammer Attachments
- Packaged in Blow-Molded Case



Bearing Splitter Combo Set

SKU 087318 3499

This Combo Pack Contains Four of OTC's Most Popular Bearing Splitters, Plus a Pulley Pulling Attachment. A Rugged Organizer Case is Included, Enabling You to Keep the Tools Together for Instant Use.


















- from an Impact Gun to Also Minimize Service Time
- The New Jaws are Designed and Sized to Properly Fit Hub Applications and Can Be Quickly Located on the Puller Bar without the Use of Fasteners
- The New 3/4" Custom Drive Screw Coupled with the Special Equalizer Washer Provides Smooth Operation While the Proprietary Heat Treating Extends its Life 5-10 Times Longer Than Similar Designs
- 6 New Adapters Increases Application Coverage Up to 2009 Model Year. Also Includes Tie Rod/Ball Joint Tool and 2 Ford Axle Installers
- The Hub Grappler Application Guide is the Most Comprehensive Hub and Bearing Service Guide on the Market. Developed to Be the First Tool Used in the Kit, it Provides Quick Reference to the Other Tools in the Kit Required to do the Job, Eliminating Guesswork and Saving Time



- OTC6980 • Handles Large Components Such as Brake Drums, Rotors, Drive Gears, Flywheels, and Pulleys
- One Person Can Easily Set the Tool in Place and Use for Tough Pulls Even Where There is Little Access to Insert the Jaws
- Spread to 12-3/4" and 5" of Reach

SKU **087311 12999**

- 7-Tons of Force, Yet Weighs Less Than 10 Lbs.
- Can Be Used with Air Tools to Reduce Time and Fatigue



TIRE SERVICE



Complete Tire and Wheel Service

geodyna® 7100 Balancer and monty® 1270 Tire Service Combo

SKU **339014** HOFCOMBOITS

• Save with This Great General Service

Tire Service Combo • Includes monty 1270 Tire Changer with Outer Clamping Up To 20" and the geodyna 7100 Wheel Balancer with Belt-Driven One-Spin Balance, VPM Measuring System, User-Friendly 2D SAPE Data Entry and Intuitive Control Panel



Ranger® Tire

SKU **851131**

RANCOMB01

Service Package

	\$3,999.99	
HOFEEWH764AU1	monty 1270 Tire Changer	\$2,224.99
HOFEEWB761AE1	geodyna 7100 Wheel Balancer	\$2,164.99
	Total	\$4,389.98
	Savings	\$389.99

Includes: R980XR NEXTGEN™ Swing-Arm 25" Tire

• R980XR External Rim Clamping Capacity: 9" - 28"

Changer and the DST-2420 Dynamic Wheel Balancer

• DST-2420 Dynamic Wheel Balancer Dependably Ensures

an Accurate Result within Hundredths of an Ounce

HOFEEWB761AE1



Ranger.

RANR980XR

Lift Gate Service SKU 290017 HOFLIFTGATE 9500

Dannmar® T-100 Tire Changer and **B-100** Wheel Balancer Combo

SKU **818788** DAN1381801

• Includes: DAN1381201 Dannmar T-100 Tire Changer and DAN1381202 Dannmar B-100 Wheel Balancer

• This Dannmar Combo is Best Suited for Gas Stations, Small Garages and Auto Salvage Yards. With the T-100 B-100 Combo, You Get Great Value and More Bang for Your Buck.

- T-100 Outside Clamp: 12" 22"
- B-100 Rim Diameter: 1" 28"
- B-100 Includes Data Acquisition Wand and Quick Nut
- 1 Year Parts Only Warranty

Price Does Not Include Tires or Rims as Shown





1 YEAR Parts

DAN1381202

User Set-U Required

	\$2,799.99	
DAN1381202	Dannmar T-100 Tire Changer	1,599.99
DAN1381201	\$1,449.99	
	Total	\$3,049.98
	Savings	\$249.99

Coats® RC-55E and 1300 Series

Tire Service Combo SKU **597289** AMMCOMB02

- RC-55E Features an External Clamping Range from 6" to 24" (Max Tire Diameter 50"; Max Rim Width 10-1/2")
- RC-55E Drive System: 1 HP Electric Motor
- Tire Changer Allows Inflation from 0 to 60 PSI with a Built-in Pressure Limiter
- 1300 Series Wheel Balancer is Powered by Direct Drive Static-On-Screen® Display Identifies Any Excess Residual
- Static Imbalance

• Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement









AMM8560995001 RC-55E Tire Changer AMM80013002D

Lift Gate Service

BASELINE

RANDST2420 **NEXTGEN 23" Tire Changer** \$2,274.99 Total Savings \$79.99

DST-2420 Tire Balancer \$1,764.99

RANDST2420

Includes: 100 piece silver roll and 100 piece black roll

Dual Position RimGuard™ Wheel Clamps

SAVE \$79⁹⁹

Lift Gate Service SKU 262533 RANLIFTGATE 13500

BASELINE

BaseLine™ BL300 **350 Balancer Combo**

Wheel Weight Starter Kit #5150235

SKU **435488**

AMM8500300350

- Includes: BL300 Tire Changer and 350 Balancer
- 10 24" External Clamping Capacity • Bead Sealing Jets to Aid Inflation
- 350 Balancer Features Self Diagnosis and Calibration
- One Button Split and Hidden Weight Program

Lift Gate Service



	AMM8500300350	\$3,999.99
AMM85002300	BL300 Tire Changer	\$2,099.99
AMM85002350	BL350 Wheel Balancer	\$2,099.99
	Total	\$4,199.98
	Savings	\$199.99

AMM85002300

Comes with 1 Year Parts Warranty

BaseLine™ BL500 Tire Changer

SKU **435489**


AMM8500500550 • Includes: BL500 Tire Changer and

550 Balancer

- 10 24" External Clamping Capacity
- Bead Sealing Jets to Aid Inflation
- 550 Balancer Features Automatic Distance and Diameter Entry
- Direct Weight Location



Lift Gate Service SKU 262529 AMMLIFTGATE 5500





Comes with 1 Year Parts Warranty

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY

Tire Changers

Tilt Back Tire Changer / 30" Capacity NextGen™ Series

SKU **544546**

RANR76LT

- Drive System Type: Electric/Air
- Motor: 2 HP (110 220VAC, 50 60 Hz) • Air Requirement: 110 - 175 PSI (8 - 12 Bar)
- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30"
- Table Clamping System: Dual
- Pneumatic Cylinders • Bead Breaking System:
- Pneumatic Blade • Tower Design Tilt-Back

Lift Gate Service SKU 262533 RANLIFTGATE 13500





TOP SELLER

Swing Arm Tire Changer / 30" **Capacity NextGen™ Series**

SKU **312817** RANR980XR

- Drive System Type: Electric/Air
- Motor: 2 HP (110/208 240VAC, 50 60 Hz)
- Air Requirement: 140 165 PSI (10 11 Bar) • Bead Breaker Tire Width Capacity
- Demount: 1.5" 16" (38 mm 406 mm)
- Internal Rim Clamping Capacity: 10" 30" (254 mm 762 mm)
- External Rim Clamping Capacity: 9" 28" (229 mm 711 mm)
- Bead Seating System: Turbo Blast/Bead Seating

Lift Gate Service SKU **262533** RANLIFTGATE **135**00

Ranger.



// Ranger

Swing Arm Tire Changer 30" Capacity NextGen™ **Series**

SKU **544590** RANR980XRF

• 2 HP, (208 - 240V, 50 - 60 Hz,

- 1 Phase Only) • Internal Rim Clamping
- Capacity: 10" 30'

• Maximum Tire Diameter: 50"

Features True Variable Speed

Control

Lift Gate Service SKU **262533** RANLIFTGATE **135**00



Swing Arm Tire Changer / Single Tower Assist / 30" Capacity NextGen™ Series

SKU **544537**

RANR980AT

- Motor: 2 HP (110/208 240V, 50 60 Hz) • External Rim Clamping Capacity: 9" - 28"
- Internal Rim Clamping Capacity: 10" 30"
- Maximum Tire Diameter: 50"

RimGuard™ 28" Swing-Arm and Single Power Assist Tire Changer

SKU **544542**

RANR980ATF

- 2 HP (208 240V, 50 60 Hz, 1 Phase Only)
- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30" Maximum Tire Diameter: 50"



Features True Variable Speed Control

Lift Gate Service



SKU **544547**

RANR980NXTF

- 2 HP (208 240V, 50 60 Hz 1 Phase Only)
- External Clamping (Outer): 9" 28' • Maximum Tire Diameter: 50"

Features True

Variable Speed Control

Lift Gate Service SKU 262533 RANLIFTGATE 13500



Tilt Back Tire Changer / Right Tower Single Assist / 30" Capacity NextGen™ Series

SKU **544543** RANR76ATR

- External Rim Clamping Capacity: 9" 28" • Internal Rim Clamping Capacity: 10" - 30"
- Maximum Tire Diameter: 43"
- Alloy Steel Mount and Demount Head, Nylon Tool Head Also Comes Standard

Tilt-Back 28" with Assist **Tower Tire Changer**

SKU **544550**

RANR76ATRF

- 2 HP (208 240V, 50 60 Hz, 1 Phase Only) • External Rim Clamping Capacity: 9" - 28"
- Internal Rim Clamping Capacity: 10" 30"
- Maximum Tire Diameter: 43"

Features True Variable Speed Control

Lift Gate Service

HOFMANN



Swing Arm Tire Changer / Single Tower Assist / 32" Capacity NextGen™ Series

SKU **312819** RANR30XLT

- Internal Rim Clamping Capacity: 13" 33"
- External Rim Clamping Capacity: 10" 28"
- Turntable Tire Width Capacity Mount: 5" 22" • Bead Breaker Tire Width Capacity Demount:
- 3" 15" • Maximum Tire Diameter: 50'

Lift Gate Service

HOFMANN



SKU **849298**



Tire Changers

monty® 1270 Tire Changer SKU **339003** HOFEEWH764AU1

• Outside Clamping Capacity: 20"

- Mounting Arm Swings to the Side So the Machine Can Be Installed Near the Wall to Save Space
- Includes: Oiler, Water Separator, Manual Tire Inflator



90 days parts/labo

Lift Gate Service SKU **290017** HOFLIFTGATE **95**00



- Designed for High-Volume Tire Shops, Multi-Bay Repair Shops and Car Dealerships
- Outer-Wheel Diameter of 24"
- · Accommodates Tire Diameter of 50"
- Powerful Inflation

System

Lift Gate Service SKU **290017** HOFLIFTGATE **95**00



monty® 1520 20" **Capacity Tire Changer** SKU **290001**

H0FM1520110

• Overall Wheel Clamping Diameter 10" - 20"

• Two Stage Bead Breaker Range 2" - 13"

• Dual Pneumatic Clamping Cylinders Control All Four Clamping Jaws, Eliminating Damage to Wheels Due to Slippage • Powerful Tire Inflation System - Each

Moveable Jaw is Precisely Set to the

the Tire Bead

Lift Gate Service SKU **290017** HOFLIFTGATE **95**00

• 14 RPM 2 Speed Motor Allows

for Quicker Turnaround Times

Tire Shops, Multi-Bay Repair Shops and Car Dealerships

• Designed for High-Volume

• Outer Wheel Clamping

• Inner Wheel Clamping

Diameter: 10" - 24

Diameter: 12" - 26' • Maximum Tire Diameter: 50"



HOFMONTY1575B • Ideal for Shops Looking for Great Value without Sacrificing Productivity • Outer-Wheel Diameter of 24"

monty® 1575 Tire Changer

• Accommodates Tire Diameter of 39" • Powerful Inflation System

Lift Gate Service SKU **290017** HOFLIFTGATE **95**00



HOFMANN

monty® 1625 2 Speed Changer HOFMANN monty® 8100s Center **Post Tire Changer** SKU **312540** HOFEEWH748A

SKU **298106** HOFEEWH768C

> monty 8100S Center Post Tire Changer Designed for Easy Use with Minimal Training of Technicians Reducing Shop Overhead and Adding to Your Bottom Line



Lift Gate Service SKU **290017** HOFLIFTGATE **95**



monty® 1625 Tire Changer SKU **849300**

HOFMONTY1625B

• Inner-Wheel Diameter of 26"

Price Does Not Include Tires or Rims as Shown



TIRE SERVICE

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tire Changers

SKU 688225 (Electric) AMM8560994901

- External Rim Clamping Range: 6" 24"
- Maximum Rim Width: 10.5"
- Maximum Tire Diameter: 50th
- Includes Bead Sealing Jet to Aid Inflation





Coats


RC-55E Rim Clamp® Tire Changer

AMM8560995001

- Robo-Arm® Power Assist for Low-Profile and Run-Flat Tires
- External Rim Clamping Range from 6" 24"
- Maximum Rim Width 10.5"
- Maximum Tire Diameter 50'
- Electric Turntable



SKU **262529** AMMLIFTGATE **5500**



COALS

60X Rim Clamp® Tire Changer

SKU **298103**

AMM80060XEH1

- Rim Diameter: 6 - 24" External
- Patented Robo-Arm® Helper Device
- Hand Activated Bead Loosener
- Single Point Sealer

Lift Gate Service





GTS-70 Tilt-Back Tire Changer SKU **019305** AMM85610076

- External Rim Diameter: 6 24'
- Rim Width 15"
- Powered Roller Disk Multiple Uses Include: Bead Loosening, TPMS Access, Bottom Bead Removal and Top Bead Mounting
- Electric Drive System 1HP Electric Motor, 110VAC

Lift Gate Service

SKU 262529 AMMLIFTGATE 5500



70X, Electric, Hand, Premium **Accessory Kit**

SKU **979908**

AMM80070XEH3 **7,89**

- Rim Diameter: 6 24" External
- Patented Robo-Arm® Helper Device
- Hand Activated Bead Loosener
- Single Point Sealer

Grip Max® Plus Adjustable Clamps SKU **012699**

AMM85607986

• 16" - 28" External Clamping

- Updated Jaw Profile Accommodates Newer Rim Flange Profiles
- Wider Grip Contact Area and New Material Further Reduce Slip on Polished Surfaces

Lift Gate Service

ENTRY LEVEL TIRE CHANGERS

User Setup Required. Factory Authorized Service Network Available.

BL300 Tire Changer with 24" **External Clamping Capacity** SKU **510997** AMM85002300 **2,09999**

- Drive System: Electric • Rim Width: 10" Maximum
- Includes Bead Sealing Jets to Aid in Inflation
- Wheel Clamping Capacity: 10" 24" External, 12" 26" Internal

Comes with 1 Year Parts Warranty



Lift Gate Service

BASELINE

BL500 Tire Changer with 24" External Clamping and Robo-Arm®

SKU **509828** AMM85002500

- Drive System: Electric
- Rim Width: 10" Maximum
- Includes Bead Sealing Jets to Aid in Inflation
- Wheel Clamping Capacity: 10" 24" External,
- Fully Articulating Robo-Arm Helper to Aid in Mounting Stiffer Sidewall Tires

Comes with 1 Year Parts Warranty

Coats Nylon Mount/Demount

Coats Nylon Mount/Demount

Head - Tapered Hole

TMRTC20024335

Head - Tapered Hole

SKU **459189**

SKU **459174**

TMRTC450310



All Models

All Rim Clamp

Head to Work

and S436TOP

RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90

Fits All TCX Series (Earlier TCX500 Requires Upgrade

M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436

Shaft Needs to Be Turned 180 Degrees for This

Earlier Models Except 1550, 1620 and 1625

Shaft and Kit RP11-8-114-00091)

3602, 3602HP. 4260. 4560MR

4602, 5602 and 5602 HP

Lift Gate Service

Mount/Demount Heads

Red Nvion Mount **Demount Head**

SKU **459185** TMRTCR343

SKII 459183

TMRTC183061

Low Profile

SKU **557259**

TMRTC184432

Coats Nylon Mount/

Demount Head - Tapered Hole





Accuturn

Coats

Baseline

Fits On Models

TC3000 and TC3100 Series (Require Adapter) 220A, All Other Models Require 102765 Adapter

R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models,R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter

5030, 5035, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060, 7065, 7655, 7660 and 7665 BI 200 BI 300 BI 400 and BI 500

5030, 5040, 5050, 5060, 5065, 6050, 6060, Coats 6065, 7050, 7055, 7060, 7065, 7655, 7660 and 7665, BL200, BL300, BL400 and BL500

TCA34 with Serial Numbers 664 and Above

Nylon Mount/Demount Head



Fits On Models

All Tool

Coats

Giuliano

Hofmann

Hunter

Sice

Accuturn

Coats Corghi

Sice

1520, 1565, 1620, 1625EM, 3300, 3300EM, Hofmann 1270, 2300, 3000 and 3000GF John Bean EHP System IVE, IV, III, IIE Snap On 3602, 3602HP, 4260, 4560MR, Accuturn 4602, 5602 and 5602 HP Hofmann

Tool Head for Hunter SKU **557241**

Mount/Demount Head

TMRTC14120



Ranger:

SKU **459195** TMRTC14024784

Nylon Mount/Demount Head Kit with Round Hole

Kit with Round Hole



1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP John Bean EHP System IVE, IV, III, IIE All Models Snap On All Tool All Models

SKU **899502** TMRTC250309 RAN5150524

Earlier Models Except 1550, 1620 and 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436 Leasing Terms Available.

RC1. 5. 10. 15. 20. Early 5060. 9010. 9024 and APX90

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.

SKU **459187**

Delivery Included on Tire Changers and Wheel Balancers



Tool & Equipment QUARTERLY

Wheel Balancers

BaseLine 350 Wheel Balancer

SKU **818787 2,09999** AMM85002350

- Manual Data Entry
- Foot Pedal Brake for Easy Weight Placement
- Self-Diagnosis and Self-Calibration
- One Button Split and Hidden Weight Program

Comes with 1 Year Parts Warranty



BaseLine 550 Wheel Balancer

SKU **818786** AMM85002550 **2,7**

- Automatic Distance and Diameter Entry (2D)
- Direct Weight Location
- Direct Selection Ounce/Grams

Comes with 1 Year Parts Warranty



BASELINE ENTRY LEVEL WHEEL BALANCER User Setup Required. Factory Authorized Service Network Available.

geodyna® 7100 Wheel Balancer with LED Display

SKU **339018**

HOFEEWB761AE1 **2,164**99

- Combines High Accuracy with Small Footprint • Semi-Automatic Input of Rim Diameter and Offset with Gauge Arm
- Short Balancing Cycle: 4.5 Seconds
- Rim Diameter: 8" 32"

Price Does Not Include Tires or Rims as Shown

Lift Gate Service SKU 290017 HOFLIFTGATE 9500



Hofmann geodyna® 7400L **Wheel Balancing System**

SKU **850652** HOFEEWB764AL

- Video Display
- Balance Time: 6.5 Seconds
- Automatic Data Entry

• Includes: Ziplock Ring Nut, Spacer Ring, Drum, Drum Cushion and 4 Cone Set



Hofmann geodyna® 7600L

SKU **298104** HOFEEWB765AL Touchscreen and Video Display with

- 2D SAPE Data Entry • Smart Sonar for Non-Contact Rim
- Width Acquisition • EasyWeight Pinpoint Laser and Rim Lighting for Speed, Accuracy and Efficiency on

Every Balancing Job

Lift Gate Service SKU **290017** HOFLIFTGATE **9500**







Hofmann geodyna® 7600P with Laser and **Power Clamp**

SKU **327605** HOFEEWB765AP

Clamping System

Lift Gate Service

SKU **290017** HOFLIFTGATE **95**00

6,49999 Wheel Balancer Features the Power Clamp Electromechanical

• Smart Sonar for Non-Contact Rim Width Acquisition

Lift Gate Service SKU **290017** HOFLIFTGATE **9500**



HOFMANN



Digital Wheel Balancer

SKU **977528** RANDST2420

- Motor: 3/4 HP, 110V/220V, 50/60 Hz, 1 Phase
- Balancing Modes: Dynamic/Static/ 3 Alloy
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating

SKU **592250**

AMM80013002D

• 220V, 1 Phase

• Behind the Spoke Mode

• Maximum Tire Diameter: 44"

40 mm Shaft Diameter

- Max. Tire Diameter: 47" (1,194 mm) • Max. Tire Weight: 145 Lbs.
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz.

1300 2D Wheel Balancer

Auto Distance and Diameter Data Entry

• Accuracy: +/- 1 Gram/.035 Oz.





Digital Wheel Balancer

SKU **343398** RANDST-64T

- Ergonomic Control Board with Soft Touch Keys and Easy-to-Read LED Motor: 1.5 HP, 208 - 230V, 50/60 Hz,
- 1 Phase Maximum Tire Diameter: 50"
- Maximum Tire Weight: 150 Lbs.
- Cycle Time: 6 12 Seconds (Avg.)
- Depending on Wheel • Precision-Machined, Hardened-Steel 36 mm Shaft



Ranger

Lift Gate Service SKU **262533**RANLIFTGATE **13500**

DON'T FORCET THIS ACCESSORY

• Works with Ranger Wheel Balancers Listed on This Page

COats

1500A 3D Wheel Balancer AMM80015003D **6,799**99

Powered by Direct Drive

Lift Gate Service

SKU 262529 AMMLIFTGATE 5500

- Includes Premium Quick Nut
- Automatic 3-D Data Entry • Basic Adapter Kit Included
- NEW Collet Adapters





1600A 3D Wheel Balancer SKU OUTSIDE BUY/EPO

AMM80016003D

24999

• Powered by Direct Drive ProBalance Technology™

 Premium Quicknut • Stop, Lock and Index • 8 Balancing Modes

• Automatic 3-D Data Entry Basic Adapter Kit Included

Truck Cone Kit





Lift Gate Service SKU 262529 AMMLIFTGATE 5500



Lift Gate Service SKU 262529 AMMLIFTGATE 5500





NEW

Adjustable Pin Plate Set SKU 818762 AMM85610104



SKU 212844 AMM8113277C



Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival. Leasing Terms Available.


TRE SERVICE

ATEQ

ATEQ TPMS Tools and Readers

VT36 TPMS PROGRAMMING TOOL SKU **596887** ATEVT36-0000 **28999**

- Programs All Leading Aftermarket Programmable Sensors
- Reads and Activates TPMS Sensors
- Displays TPMS Sensor Data (ID, Tire Pressure, Tire Temperature, Battery Status, Frequency)





- 3 Year Free Software Updates Included
- 98% Coverage on Vehicles Equipped
- Re-Learn Procedures
- Programs and Decodes Programmable and Universal TPMS Sensors
- OBDII Programming on Applicable Asian European and Domestic Vehicles

Offer Good Through June 30, 2017 **While Supplies Last**



Diagnostic TPMS Tool SKU **544586** REG. \$1,699.99 ATEVT56

- 98% Coverage on Vehicles Equipped with TPMS
- Selects MMY via VIN Scan
- Comprehensive MMY Specific Re-Learn Procedures Programs and Decodes
- Programmable and Universal TPMS Sensors
- Built-In Training Procedures

Offer Good Through June 30, 2017 **While Supplies Last**



Tire Taxi

- ↓ JohnDow Industries
- Designed to Transport Car, Light Truck and SUV Tires and Wheels • Efficiently Transport Tires from Storage Areas to Service Bays
- May be Used for Display Purposes
- (4) Heavy-Duty 3" Casters (One Locking Caster Included) Allow Effortless Movement and 360 Degree Rotation
- Capacity: (5) Tire and Wheel Assemblies or (8) Tires (265 Lbs.)

Tire Taxi SKU **597221** DOWJDITT1

SKU **597206** DOWJDITT1EX





OEM TOOLS

Tire Inflator

Digital Tire Inflator SKU **802198**

4999 REG. \$59.99

- Easy-to-Read Backlit LCD Display
- Four Units of Measure (PSI, Bar, KPa, kgf)
- Measuring Range: 0 175 PSI (0 12 Bar) • Accuracy: +/-1.2 PSI Up to 58 PSI, +/-2.3 Between 58 PSI and 145 PSI Inclusive, +/-3.6 PSI Greater Than 145 PSI

Offer Good Through June 30, 2017 - While Supplies Last

Autel TPMS Tools

READS / WRITES SENSOR IDS

MaxiTPMS® TS501K Diagnostic and Service Tool with 8 TPMS Sensors (Sensors \$319.00 Value)

SKU **850650** AULTS501K

- Activates Sensors Using 125KHz Continuous or Modulated Wave Signals
- Programs Vehicle ECU to Learn Sensor IDs and Positions
- Capable of Programming Single Tires
- Reads/Clears Codes of TPM System
- Reset TPMS Malfunction Light • Display Replacement Part Number
- Includes 2 Rubber Stem Sensors and 6 Metal Stem Sensors
- Replaces 98% of OE Sensors on the Market

SHOWS TPMS LIVE DATA

MaxiTPMS® TS601 All-In-One . **TPMS Tool with OBDII**

SKU **376934** AULTS601P

- OBDII Reads, Records, and Plays Back Complete OBDII Vehicle Stream
- TPMS Live Data Including Tire Pressure, Signal Status, Temperature, and Battery Status
- Programs Vehicle ECU to Learn Sensor IDs and Positions

315MHz / 433MHz Universal Programmable MX-Sensors

- Built to Perform Like OE Sensors in Terms of Signal, Durability and Functionality
- Robust Clamp-In Pivoting Stem Design Allows for 0-35 Degree Angle Adjustment to Fit All Wheel Types
 • 2 SKU Sensor Solution Covers 98% of All OE Sensors

Metal Tip Sensors

SKU **080038** AULMXSENS315M

AULMXSENS433M

SKU **080039**

433MHz **2099**

315MHz **2099**

Rubber Sensors

SKU **290274** AULMXSENS315R

SKU **290286** AULMXSENS433R

315MHz

433MHz



MaxiTPMS® Pads

AUL101000017 6999

- Make MX-Sensor Programming Easy in 3 Simple Steps
- Direct Reading from Sensor for Quick Programming
- No Need for Vehicle Relearns
- Ideal for Mechanically Broken Sensors
- Automatically Creates ID Numbers Compatible with the Vehicle
- Runs from PC USB Power, No Batteries Required

AULTS501K



AUTEL

	AULISSUIK	AULISUUIF
Activate Sensors and Retrieve Data	Yes	Yes
Display Relearn Procedures	Yes	Yes
Step-by-Step Graphic Direction for OE Relearn Procedures	Yes	Yes
Autel MX Sensor Programming Capabilities	Yes	Yes
OBDII Interface to Extract TPMS Codes	Yes	Yes
Detect and Display TPMS System Faults	Yes	Yes
Read and Clear TPMS Information	Yes	Yes
Complete TPMS System Diagnostics	No	Yes
Live TPMS Data Stream	No	Yes
Adjust Tire Size Placard Values	No	Yes
Receives Both 315Mhz and 433Mhz Sensors	Yes	Yes
Includes 6 Metal Stem and 2 Rubber Stem Sensors	Yes	No
TS401 TS501/TS601 Tool Resistant LI-Polym	er Auto Power Off INCLUDED Receive	is Both Sensors

















AutoZone® can get Stoptech brand high performance brake systems.

Contact Your AutoZone Commercial Sales Manager for Details

Solutions for better vehicle servicel



TECH 400 PRO **TPMS Scan Tool** SKU760944

WRT4009RO

Easy to Operate


More OBD Relearns More Fault Code Detection

☑ Wireless Updating

☑ TIA Inside Technology

Made in the U.K.!















Tool & Equipment Quarterly

• Designed to Work on Truck Wheel

Studs Up to 22 mm (7/8") in Diameter

• Use with an Impact Wrench or Ratchet

SAVE \$9.99 When You Buy the Set

Wheel Stud Installer Set

for Cars and Trucks

Truck Wheel

SKU **339117**

24235

Stud Installer

Wheel Weights



Complete Wheel Weight Program Available!

Call 1-877-AZTool1 or go to AZTool1.com for More Styles and Information.

Steel Wheel Weights

		_		
AZ SKU NUMBER	PART NUMBER	STYLE	QUANTITY	PRICE
382853	AMM025PFEPK4	PFE, 0.25 Oz.	4 Boxes of 25	23.99
382919	AMM050PFEPK4	PFE, 0.50 Oz.	4 Boxes of 25	24.99
382920	AMM075PFEPK4	PFE, 0.75 Oz.	4 Boxes of 25	28.99
382921	AMM100PFEPK3	PFE, 1.00 Oz.	3 Boxes of 25	27.99
382922	AMM125PFEPK3	PFE, 1.25 Oz.	3 Boxes of 25	31.99
382923	AMM150PFEPK3	PFE, 1.50 Oz.	3 Boxes of 25	34.99
382924	AMM175PFEPK3	PFE, 1.75 Oz.	3 Boxes of 25	37.99
382925	AMM200PFEPK3	PFE, 2.00 Oz.	3 Boxes of 25	39.99
382926	AMM225PFEPK2	PFE, 2.25 Oz.	2 Boxes of 25	29.99
382927	AMM250PFEPK2	PFE, 2.50 Oz	2 Boxes of 25	31.99
382928	AMM275PFEPK2	PFE, 2.75 Oz.	2 Boxes of 25	32.99
382841	AMM025MCFEPK4	MCFE, 0.25 Oz.	4 Boxes of 25	30.99
382842	AMM050MCFEPK4	MCFE, 0.50 Oz.	4 Boxes of 25	34.99
382843	AMM075MCFEPK4	MCFE, 0.75 Oz.	4 Boxes of 25	38.99
382844	AMM100MCFEPK3	MCFE, 1.00 Oz.	3 Boxes of 25	33.99
382845	AMM125MCFEPK3	MCFE, 1.25 Oz.	3 Boxes of 25	38.99
382846	AMM150MCFEPK2	MCFE, 1.50 Oz.	2 Boxes of 25	30.99
383004	AMM025TFEPK4	TFE, 0.25 Oz.	4 Boxes of 25	30.99
383005	AMM050TFEPK3	TFE, 0.50 Oz.	3 Boxes of 25	27.99
383021	AMM025ALFEPK4	ALFE, 0.25 Oz.	4 Boxes of 25	30.99
383022	AMM050ALFEPK4	ALFE, 0.50 Oz.	4 Boxes of 25	34.99
383129	AMM25LHFEPK3	LHFE, 0.25 Oz.	3 Boxes of 25	25.99
383130	AMM50LHFEPK3	LHFE, 0.50 Oz.	3 Boxes of 25	27.99
383038	AMM10GFNFEPK3	FNFE, 10g	3 Boxes of 25	28.99
383039	AMM15GFNFEPK3	FNFE, 15g	3 Boxes of 25	30.99
383107	AMM10GENFEPK4	ENFE, 10g	4 Boxes of 25	34.99
383108	AMM15GENFEPK4	ENFE, 15g	4 Boxes of 25	37.99
383118	AMM10GIWFEPK4	IWFE, 10g	4 Boxes of 25	34.99















Introducing Lead Wheel Weights*

BADA's Thinline Style Un-Coated Wheel Weights are Designed for Steel Wheels on All Import and Domestic Passenger Cars, 1/2 Ton Trucks and All Mini Pickups and Vans with Standard .125" Flange

AZ SKU NUMBER	PART Number	SIZE (OUNCES)	QUANTITY	PRICE		
752047	AMM5522025PK4	0.25	4 Boxes of 50	26.99		
752041	AMM5522050PK4	0.50	4 Boxes of 50	33.99		
752042	AMM5522075PK4	0.75	4 Boxes of 50	45.99		
752043	AMM5522100PK3	1.00	3 Boxes of 50	40.99		
752044	AMM5522125PK3	1.25	3 Boxes of 50	50.99		
752045	AMM5522150PK2	1.50	2 Boxes of 50	39.99		
752046	AMM5522175PK2	1.75	2 Boxes of 50	49.99		
752048	AMM5522100200	2.00	1 Box of 50	29.99		
752051	AMM5522100225	2.25	1 Box of 50	34.99		
752053	AMM5522100250	2.50	1 Box of 50	36.99		
752065	AMM5522100275	2.75	1 Box of 50	36.99		
752066	AMM5522100300	3.00	1 Box of 50	41.99		



Applications: Import and Domestic Cars and Light-Trucks with Steel Wheels

*Due to environmental laws we are prohibited from supplying lead wheel weights to certain states. If you are ordering lead wheel weights from one of the following states your order will not be processed: California, Maine, Vermont, New York, Virginia, Washington, Minnesota, Illinois, lowa, Maryland, Rhode Island, Kentucky, Wisconsin and West Virginia. We do offer steel wheel weights as a suitable alternative to lead wheel weights. *Due to environmenta weights.

Tape-A-Weight® Steel Wheel Weight

AZ SKU NUMBER	PART Number	SIZE (OUNCES)	QUANTITY	PRICE
019312	AMM5533601025	0.25	10 Lbs. Roll	54.99
019310	AMM5533701050	0.50	10 Lbs. Roll	54.99
019304	AMM5533600300	0.25	25 Strips - 40 Segments Each	44.99
019294	AMM5533700500	0.50	24 Strips - 10 Segments Each	54.99
019301	AMM5533800700	1.00	16 Strips - 7 Segments Each	54.99



ADA

Tape-A-Weight® Roll Dispenser

SKU **019292** AMM5310025

Stand only. Weights Not Included

Steel Weight Starter Kits

Metal Floor Rack with 1,700 Steel Weight Assortment

SKU **383179** AMM5202075

• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

Weight Replenishment Kit For 5202075 Steel

SKU **383180** AMM5202080

Bench Top Rack with 1,000 Coated Steel Weight Assortment SKU **383181**

AMM5202125 • Louvered Rack Can Be Placed on Top of Any Work Bench

• Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange



SKU **382825** AMM5202130





Air Pressure: 90 PSI

• Air Consumption: 3.5 CFM

• Free Speed: 2,600 RPM

 Air Inlet Thread Size: 1/4" NP • Minimum Hose Size: 3/8"

Offer Good Through June 30, 2017 - While Supplies Last

OEM TOOLS 2 Piece **Valve Core Tool Set**

SKU **255622**

VCTSET • For Inserting or Removing Valve Cores

• Ergonomic Shaped Handles That Provide Firm Grip

• Includes 2" and 4" Tools

4 Piece,

Socket Set

SKU **965857**

9 Piece

SKU **965865**

24225

24223

OEM TOOLS

OEM TOOLS

Deep Thin Wall, SAE and

• Includes 3/4" - 13/16", 19 mm - 21 mm

and 7/8" - 15/16" Sockets and

Wheel Lock Removal

• Includes: GM Hubcap Lock Remover,

GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover,

Impact Socket Set

Large Universal Locking

Lug Nut Remover

Large Wheel

Cover Lock Remover.

Remover for

Stripped 18 mm Lug Nuts, GM "M" and "F" Body

Metric Impact Flip

Wheel **Weight Hammer Tool** SKU **217378**

SKU **339125**

24236

25690

Types of Clip-On Wheel Weights Material on Hammer

• Tool Installs, Removes, Trims and Tightens All

Head for Safe Mar-Free Installation of Specially Coated Wheel Weights Used on Alloy Wheels

OEM TOOLS

Features a Special Plastic

8 Piece Wheel OEM TOOLS Stud Alignment Guide Kit SKU **818715** 299 REG. \$34.99 24233

• Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts

• Sizes Included: 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75

June 30, 2017 **While Supplies Last**

Application: Mercedes, BMW, Audi, VW, Porsche, Fiat and Dodge

Offer Good Through

Wheel Stud **Installer**

SKU **339123**



OEM TOOLS

Axles on Both Front and Rear Wheel Drive Vehicles • Prevents Damage to Lug Nut or

New Stud

 Designed to Fit Studs Up to 14 mm or 9/16"



Nut Protector Impact

Socket Set SKU **094646**

25583

• 17 mm / 11/16" - Blue

• 19 mm / 3/4" - Yellow

• 21 mm / 13/16" - Red



3 Piece **Super Strength Wheel Nut Impact Socket Set**

SKU **347212** 24227

 Color Coded for Easy Size Identification Blue - 17 mm, Gold - 19 mm and



Red - 21 mm



Than Standard Sockets

9 Piece, Thin Wall, Wheel Protector **Impact Socket Set**

SKU **965856** 24224

8 Piece

SKU **347217**

(4) Extension

(150 Nm)

22 mm

• (4) Deep Sockets:

24228

• Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from Damage

 Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



Torque Limiting Extension

and Thin Wall Socket Set

90 Ft./Lbs. (120 Nm), 100 Ft./Lbs

(135 Nm) and 110 Ft./Lb

OEM TOOLS

999 REG. \$99.99

OEM TOOLS 16 Piece **Locking Lug Master Key Set**

SKU **626107** 24447

• Easily Removes Locking Lug Nuts on Most Aftermarket Wheels

• Thin Wall Sockets Prevent Damaging Wheels and Lugs • Double Hex-Head Design Fits

Most Lug Wrenches as Well as 7/8" Sockets

Chart Included

• Comes in a Blow Mold Case



OEM TOOLS 5 Piece Torque Limiting **Extension Set**

SKU **965858** 24220

Quick, Simple and Accurate • Helps Prevent Lug Stud/Nut Damage and Warped Rotors

• Includes 1/2" Drive Extensions: 65 Ft./Lbs., 80 Ft./Lbs., 100 Ft./Lbs., 120 Ft./Lbs. and 140 Ft./Lbs.



OEM TOOLS **5** Gallon **Bead Seater** SKU **526505**

24449 • Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires • Operates on

 Lip on Barrel Allows for Proper Angle for Correct Bead Seating

Max. 120 PSI

Standard Shop Air;





• Kit Includes a Hand Crank and (6)

Spare Tire

Most Pick-Ups, Vans and SUV-Type Vehicles

Different Zinc Plated Steel Tools to Fit

Offer Good Through June 30, 2017



10 Piece OEM TOOLS **Torque Limiting Socket** Set [1/2" Drive]

SKU **965855** 24221

Prevents Under and Over Torquing • Includes: 17 mm x 55 Ft./Lbs. 17 mm x 80 Ft./Lbs. 21 mm x 80 Ft./Lbs. 19 mm - 3/4" x 100 Ft./Lbs. 19 mm - 3/4" x 65 Ft./Lbs. 19 mm - 3/4" x 80 Ft./Lbs. 22 mm - 7/8" x 120 Ft./Lbs.







Test Tank SKU **291382** LIS19822

• Tank Features Reinforcement Ribs for Extra Support

• Will Handle Passenger Tire Sizes to Wide Oval and Light Duty Truck Tires

 Dimensions 31" (L) 12" (W)



AUTOMOTIVE LIFTS

SKU **499657**

• Overall Height: 143-3/8"

Overall Floor Width: 137

• Maximum Lifting Height: 76"

• Inside Column Width: 115"

• Drive-Thru Clearance: 105"

• Minimum Ceiling Height: 144"

(Truck Adapters

10,000 Lbs. 2 Post Lift



CL Challenger Lifts

Challenger E10 10,000 Lbs. 2 Post Lift SKU **435061**

CHLLE10

• 3-Stage Front Arms and 2-Stage Rear Arms for Asymmetric or Symmetric Lifting in the Same Service Bay, Uni-Body Design Vehicles, Vehicles with Designated Outside Lift Points, Wider Vehicles, Low Profile Vehicles and Both Short and Long Wheelbases

- Double Telescoping Screw Pads with Rubber Foot Pads
- Rubber Door Guards Protect Vehicle from Door Damage
- 11' 11-7/8" Standard Height Fits in Service Bay with 12' Ceiling Height

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Truck Adapters Included

10,000 Lbs. Dual Width **Clearfloor 2 Post Lift, Screw Pad**

• Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configuration

• Double Telescoping Screw Pads Offer Increased Versatility

• Overall Height: 145'

Symmetric SKU 296968 BENXPR-10S

Inside Columns

105.5" - 118.5" Asymmetric

SKU **297001** BENXPR-10AS

• Inside Columns: 104" - 112"

Symmetric Low-Pro Arms SKU **296983** BENXPR-10S-LP

• Inside Columns: 105-1/2"-118-1/2"

Asymmetric Low-Pro Arms SKU **297003** BENXPR-10ASLP

One Year (12 Months) Free-Shipping* on ground-freight charges related to warranty performance Free-shipping applies to direct shipping points within the 48 continental United States. Rural area shipping surcharge may apply for remote addresses. See BendPak.com for specific terms of warranty.

• Inside Columns: 104" - 112"

PD BendPak

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Included)

Five Years (60 Months) Warranty

One Year (12 Months) Warranty

Two Years (24 Months) Warranty on the hydraulic cylinder(s) and power unit

One Year (12 Months) Labor Warranty

CL Cha*ll*enger Lifts

Versymmetric®

Technology 1

(Truck Adapters

SKU **534581**

ROTSPOA10 4,08999

Asymmetrical

• Features Electric Hydraulic Operation and Genuine Symmetrical Design for Overhead Design for Clear Floor Lift

Allow Doors of Vehicle to Be Fully Opened While Properly Positioned on Lift

• Arm Restraints on All Arms



3-Stage Front

You to Choose

Symmetric or

Asymmetric

Lifting

Price Does Not Include Installation of Optional Equipment as Shown

10,000 Lbs. F10 2 Post Lift SKU **818779** FORF10N100MBL

• Low Profile/Oversized Pads to Raise Most Vehicles • 3 Stage Front Arms for Symmetric and

Asymmetric Lifting • Includes (4) 3-1/2" and 5" Adapter Extenders

• Warranty: 60 Days Labor, 18 Months Parts,

5 Years Structural

10.000 Lbs. 2 Post Lifts SKU 210371

4,08999

ROTSP010

• Surface Mounted, Frame Contact Lift Lifts!

• Factory Rotated Columns



2 Post Symmetric Lift

SKU **750127** CHLCL12

• Lifts Heavy Duty PU's to Small Sedans • 3 Stage Front and 3 Stage Rear Arms Provide Greater Extension and Retraction

• Rise Height: 84-3/4" (2153 mm)

• Ceiling Height Required:



Challenger CL12, 12,000 Lbs. Challenger Lifts



Brigadier D-10 ACX

SKU **186433** DAN1375647 Asymmetric

• Lifting Capacity: 10,000 Lbs. (4,546 Kg) • Overall Height: 145" (3,683 mm)

• Overall Width (Outside of Base Plates): 143-1/2'

• Width Between Columns: 112-3/4'

• Rise: 69" (1,753 mm)

• Maximum Lifting Height (Pad and 6" Adapter): 79" (2.007 mm) • Drive-Thru Clearance:

100-1/2" • Motor: 220 VAC 60Hz. 1Ph

(Truck Adapters Included)



SKU **847098** CHLSA10


• Can Be Configured in Either the Symmetric or Asymmetric Position

• 3 Stage Front Arms Provide Greater Overall Arm Sweep


 Double Telescoping Screw Pads to Minimize the Need for Adapters

Truck Adapters Included





Asymmetrical Column Orientation



CL Challenger Lifts

Dannmar'

Challenger E12 12,000 Lbs. Challenger Lifts 2 Post Heavy Duty Lift

SKU **344994** CHLE12

 2-Stage Telescoping Arms Provide Excellent Reach to Accommodate Vehicle Lifting Points 13' 10" or 14' 7" Adjustable

Column Height

 Heavy-Duty Telescoping Screw Pads





FORMARD

10.000 Lbs. 2 Post Lift SKU **298485**

CHLCL10V3 **Versymmetric**

3 Stage Arms



11' 6-1/2" / 11' 11' • Floor to Overhead Switch: 134-1/2"

• Ceiling Height Required: 12' • Drive-Thru Clearance: 100" / 104 -1/2

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



Truck Adapters Included

12,000 Lbs. F12N300 2 Post Lift

FORF12N300BL 4,29999

• 2 Stage Arms Reach: 35" to 54" Accommodates Trucks and Many Cars

• Low Profile 4-3/4" Adapters

• Includes Four 3-1/2" and 5" Adapter Extenders • Warranty: 60 Days Labor, 18 Months

Height Configurations of 11'- 10", 12'-10", and 14'-10" are Available

Parts, 5 Years Structural

SKU **818755**

FORI12N300BL



12,000 Lbs. I12N300 2-Post Lift

Front and **Rear Arms**

BandPak

18.000 Lbs. 2 Post Lift

SKU OUTSIDE BUY/EPO FORDP18N000BL

Includes Truck Adapter Extensions

Low Profile Arms

• Overall Height: 154-3/4" • Overall Width: 154-3/8"

• Rise: 83"





BP BendPak 12,000 Lbs. 2 Post Lift Clearfloor, Triple-Telescope Arms

SKU **296957** BENXPR-12CL • Drop-End Arms Provide a Lower Pad Height

• Triple-Telescoping Front and Rear Arms

• Height Overall: 170" • Inside Columns: 120'



15.000 Lbs. 2 Post Lift. **Clearfloor, Standard Arms** SKU **296916**

BENXPR-15CL • Taller Column Height Provides Greater Overhead Clearance

and Van Adapters Frame Cradle Pads Come Standard • Two-Stage Telescoping Front and

• Versatile Drop-In Contact Pads

with Stackable 8 Piece Truck

• Overall Height: 170" Inside Columns: 120"

Rear Arms





BENXPR-18CL Taller Column Height Provides Great Overhead Clearance

• Versatile Drop-In Contact Pads with Stackable 8 Piece Truck and Van Adapters • Frame Cradle Pads

Come Standard • Two-Stage Telescoping Front and Rear Arms

 Overall Height: 170 Inside Columns: 120



BD BendPak

Free Delivery!

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.†

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

2 Post Floor Plate Lifts

D-9/X 9,000 Lbs. **2 Post Lift**

SKU **186430** DAN1375646

Perfect for Shops and Garages with Height Restrictions



Dual-Width, 9,000 Lbs. 2 Post Lift, Floor Plate

SKU **296950**

- BENXPR-9DS • Adjustable Width Design Configures for
- Wide or Narrow Installation • Direct-Drive Lifting System Eliminates
- Chains and Pulleys • Large, 20" x 19" Steel Base Plates
- Overall Height: 145"

• Inside Columns: 105"-118"



Low Ceilings



BendPak

2 Post Lift, Floor Plate, **Short Lift** SKU **296813**

Dual-Width, 9,000 Lbs.

- BENXPR-9S Shorter Columns for
- Low-Ceiling Installations • Adjustable Width Design Configures for Wide or Narrow Installation
- Large, 20" x 19" Steel Base Plates
- Overall Height: 113"
- Inside Columns: 105"-118"

(Truck Adapters Included)



BendPak

BendPak

BendPak Low-Profile Arms. Dual-Width, 9,000 Lbs. 2 Post Lift, Floor Plate, Short Lift

SKU **296927** BENXPR-9S-LP

• Shorter Columns for Low-Ceiling Installations

• Adjustable Width Design Configures for Wide or Narrow Installation

• Telescoping Low-Pro™ Arms Accommodate Lowered Sports Cars

• Large, 20" x 19" Steel Base Plates





9.000 Lbs. 2 Post Lift

Dannmar

SKU **499660** FORBP9

• Overall Height: 111-1/4" (2,826 mm)

- Minimum Ceiling Height: 113"
- Overall Width: 138-1/2" (3,518 mm)
- Minimum Adapter Height: 3-1/2"
- Adapter Extenders Included

• ETL Certified

(Truck

Adapters



FORMADO

Challenger **CLFP9 9,000 Lbs. Floor Plate** 2 Post Lift

SKU **851779** CHLCLFP9

- 3 Stage Front and Rear Arms Provide Excellent Reach to Lift a Variety of Vehicles
- Drive-Thru Clearance: 98-3/16"
- Minimum Ceiling Height: 121-7/8"
- Double Telescoping Screw Pads Adjust to Multiple Heights Minimizing the Need for Adapters



CL Challenger Lifts

12.000 Lbs. Floorplate, Direct-Drive 2 Post Lift SKU **297199** BENXPR-12FDL

- Open-Top Eliminates Overhead Obstruction • Versatile Drop-In Contact Pads with Stackable 8-Piece
- Truck and Van Adapters
- Frame Cradle Pads Come Standard
- Triple-Telescoping, Low-Profile Arms
- Overall Height: 144"
- Inside Columns: 118'



QuickCycle™: Rise Time 27 Seconds!

BandPak

CL10 Versymmetric® 10,000 Lbs. **2 Post Dual Pendant** Controls QuickCycle™ Lift

- CHLIOV3DPCQC **5,399**99 • Featuring Dual Pendant Control System - Operate
- Lift from Either Column • Versymmetric 3 Stage Front and 3 Stage Rear Arms
- Safely Lift Everything from Small Sedans to Trucks and SUVs
- Comes Standard with a Full Set of Adapters and Adjustable Foot Pads





Express Solution CL10-XP9 9,Ö00 Lbs. QuickCycle™ 2 Post Pad Lift

SKU **851783**

CHLCL10XP9QC O

- 2-1/4" Platform Height
- Open Front and Rear for Complete Vehicle Access
- Comes Standard with a Full Set of Rubber Spotting Blocks







2 Post Lift Accessories

Rubber 2 Post Lift Pad/ Slip Over/ Round - 1 Each

SKU 343396 245

• Slip Over Rubber Lift Pad for Use with BendPak 2



Square Rubber Arm Pads - 1 Each

SKU **898880** BEN5715365









BEN5215506







I10 2 Post Carriage **Door Bumper Kit** SKU **568451**

FORTPB10-D1 • Use with Forward FORI10



Round Rubber Lift Pad Assembly


Drop-In - 1 Each SKU **343397**

- BEN5215507 • Works with Any BendPak 2 Post Lift
- 1 Lift Pad, Sold Individually
- 5" Diameter for **Enhanced Stability**
- Easy Drop-In Design



I10 Rubber Adapter Pad Kit SKU **568440**

FOR994105 • Use with Forward FORI10 Fliminates Metal to Metal







Metal to Metal Contact Adapters Designed to Cradle Frames

Omega Wheel Arm™

SKU **573207** OMG92100



- Mechanics to Put On or Take Off Tires Avoid Bending Over to Put Down or Pick Up
- a Tire Fits Most Lift Arms 3" - 5" Wide

• Set Includes (2) Wheel Arms and (2) Magnetic Tool Trays While Supplies Last





BendPak

4 Post Lift Accessories

2 Drip Trays

SKU **301768** BEN5700301

• For Use on HD-9

Series Lift Only

BENDP-30



Rolling Oil Drain SKU **898714**









Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.

AUTOMOTIVE LIFTS

4 Post Lifts BandPak 14,000 Lbs. 4 Post Lift Dannmar<u>*</u> SKU **898152** Major D-12™ 12,000 Lbs. 4 Post Lift BENHDS14 SKU **343410** • Overall Width: 130" DAN1375681 • Overall Length: 241' • Single Hydraulic Cylinder Mounted Underneath Runway Max. Rise: 70" • Internal "Anti-Sway" Slider Blocks in Each Column • Motor: 220 VAC/1 Ph • Features Heavy Duty 1/2" Aircraft Cable • Oversized Self-Lubricating Cable Rollers • Rugged 1-3/8" Roller Axles • Multi-Position Safety Locks in Each Column • Ramps Feature Non-Skid Surface Column Push-Button Safety Release Rolling Jacks Sold Separately • Runways Adjust for Different Tread Widths 4 Post 6,000 Lbs. Rolling RJ-7 7,000 Lbs. Capacity **Bridge Jack DRJ-6 Rolling Bridge Jack** SKU **212556** SKU **343411** BENRJ-7 DAN1375901 (Optional Equipment (Optional Equipment) CL Challenger Lifts 14,000 Lbs. **Challenger 4P14** 18,000 Lbs. 4 Post 4 Post Lift 14,000 Lbs. 4 Post Lift **General Service Lift** SKU **568426** SKU **696483** SKU **851781** FORCR18 FORCR14N100 CHL4P14EFX • Louvered Approach • Max. Wheelbase: 194' • Heavy Duty Hydraulic Cylinder Accommodates 182-1/2" Ramps for Positive Vehicle Traction • Durable Cable and • Single Point Latch Release Wheelbase Vehicles Sheave System High Performance Cable and Adjustable Runways to • ETL Certified to ANSI/ • 78-3/4" Rise Sheave System Accommodate a Variety ALI ALCTV: 2011 • ETL Certified • 18 Lock Positions of Tread Widths • Column Height: 90-1/2" • Minimum Bay 18,000 Lbs. Size: 12' x 24' **Long Wheelbase** 4 Post Lift SKU **568427** Price Does Not Include Vehicles, nstallation or Optional Equipment as Shown FORCR18LW • Max. Wheelbase: 230" Rolling Jacks Sold Separately 7,000 Lbs. Rolling Jack 7,500 Lbs. Rolling Jack 9,000 Lbs. Rolling Jack SKU **568445** SKU **264847** SKU **568446** FORRRJ70G CHLRJ75 FORRJ901000 (Optional Equipment (Optional Equipment) Two 7K Rolling Jacks Two 9K Rolling Jacks Two 7.5K Rolling Jacks Turing T Storage Lifts BendPak 9.000 Lbs. 9.000 Lbs. 8.000 Lbs. 7,000 Lbs. 4 Post **9,000 Lbs. Free Standing 4 Post Lift 4 Post Lift EFP8 Home Storage** Home Storage / or Surface Mounted 4 Post **Commander D-7** SKU 499672 **4 Post Lift Light-Duty Service Lift** SKU **898142** SKU 383185 3,7 **Lift - Standard Height** SKU **186464** FOREFP9 BENHD-9 SKU **818781** SKU **264504** DAN1375643 FOREFP8P000M CHI 04P09H Rise Height Underneath Runway: • Rise: 73-1/4" • Includes: Steel Approach Overall Width: 116-3/4" 68-1/8" • Overall Width: 112-3/4" • Outside to Outside Columns: 100-1/2" • Perfect for Home Use



- Inside Columns: 95' • Height of Columns: 84-1/2"
- Width of Runways: 20"
- Height of Runways: 7"
- Width Between Runways: 38"
- Length of Runways: 164"



Caster Set SKU **264473** CHLQ4P09CS

CHLQRJ04H



4,500 Lbs. Hand/Hydraulic **Operated Rolling Jack** SKU **264841**

WORKS WELL WITH



- (2,965 mm)
- Overall Length: 200" (5,080 mm)
- Column Height: 88" (2,235 mm) • Max. Lifting Height: 74-1/2"
- (1.892 mm)





Rolling Jacks Sold Separatel

RJ-45 4,500 Lbs. **Capacity Rolling Bridge Jack** SKU **898534** BENRJ-45



MET MILH MOUKS

4.500 Lbs. **Rolling Jack** SKU **568432 9999** FORRRJ45G

WORKS WELLWITH

Rolling Jacks Sold Separately



- Ramps, Jack Tray, Wheel Caster Kit and Drip Trays Single Point Lock Release
- Internal Lock System
- ETL Certified



Includes: Steel Approach Ramps,

Jack Tray, Wheel Caster Kit and

Drip Trays

• Wired to Plug Into

115V Receptacle

3,500 Lbs. RJ35BK

Hand Pump Rolling Jack

SKU **818764**

FORRJ35BK

WELLWITH WORKS WELL WITH

3,500 Lbs. Hand/Hydraulic Operated Rolling Jack

CHLQRJ03H



SKU **383186**

• Overall Length (with Ramps): 195-1/2"

(without Ramps) 165"

• Width of Runways: 20"

• Height of Runway: 5-3/4"

• Length of Runways: 150" Detachable Aluminum Approach

Price Does Not Include Vehicles, Installation or

Ramp Length: 36' • 13 Lock Positions

• Width Between Runways: 38"

• 1HP 110 Volt Plug-In or 220V Power

• Height of Columns: 79-1/2"

• Inside Columns: 92"



- Spring-Loaded Safety Locks on Each Column
- Self-Lubricating UHMW
- Polyethylene Internal Slide Blocks
- Single Safety Lock Release Handle
- 7,000 Lbs. Capacity Free
- Standing Design
- Detachable Drive-Up Ramps Included





WELL WATH

Jack Platform SKU 186438 DAN119442





Free Delivery! Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.†

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Lift Accessories

Air/Electric **Workstation for** 2 and 4 Post Lift

SKU **751635** DAN1980999

 Add 20 Amp Outlets, Air Functionality and Tool/Line Holders by Attaching This Workstation to Your 2 and 4 Post Lift



Air/Electric Workstation

SKU **898684**

- BENWSA-100 Adds Air and Electric Capabilities to Any BendPak Lift Simple
- Safe and Extremely Easy-to-Use
- (4) 110V GFI Outlets, Oiler, Air Supply, Pressure Gauge, Storage Hooks for Hose and Tools, Regulator/Filter, Air Inlet
- Fits 2 or 4 Post Lifts

Dannmar

You Will Need to Know BendPak Lift Model # When Ordering



SKU **263294** CHL10310

• Convenient Power Source for Extension Lights and Other Tools

• Air Supply Will Always Be at Arms Reach for Facilities Using Pneumatic Tools Such as Impact Wrenches



Air/Electric Workstation

SKU **568448** F0R991359

- Use with Forward FORI10
- Air/Electric Workstation with Air Regulator and Oiler

Does Not Include Hose and Air Gun



BendPak

Price Does Not Include Installation or Optional Equipment as Shown

Dannmar*

B3 BendPak

Price Does Not Include Installation or Optional Equipment as Shown

QUICKJACK

Mid-Rise Lifts

Cadet-6000XL

SKU **555446**

DAN1375652

- For Servicing Light-Duty Cars and Trucks
- Portable Motor Cart Serves as Tow Handle Adjustable Arm Assemblies
- Safety Bar with Multiple Lock Positions



Lift Gate Service SKU 262534 DANLIFTGATE 1000



CL Challenger Lifts 6.000 Lbs. **Portable Mid Rise Lift**

SKU **264835** 2,09999 CHLQMR6

- Rise Height: 53-1/4"
- Includes Both 3" and 6-7/8" Adapters

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



6,000 Lbs. Surface Mount **Mid-Rise Pad Lift**

SKU **079537** SKU **079537**BENMDS-6K **2,44999**

- For Servicing Passenger Cars, SUVs and Light-Trucks
- Lifting Height (Less Lift Blocks): 44" • Comes with Four Rubber Contact
- Blocks Providing Fast Vehicle Set-Up

6,000 Lbs. Flush Mount **Mid-Rise Pad Lift**

SKU **079653** BENMDS-6KF

- Fully Open Center Design for Servicing Passenger Cars, SUVs and Light-Trucks
- Lifting Height (Less Lift Blocks): 44" (4.25" for Sub Floor)
- Includes Four Rubber Contact Blocks Providing Fast Vehicle Set-Up

6,000 Lbs. Mid-Rise Lift SKU **499655**

FOR6000MRL

- Width: 41"
- Rise: 52" • Length: 83"
- Multiple Locking Positions • Truck Adapters Included

Lift Gate Service SKU 626137 FORLIFTGATE 9500

Price Does Not Include Vehicles, Installation of Optional Equipment as



6,000 Lbs. Portable Mid-Rise Lift

SKU **210386**

BENMD-6XP

• Portable, Easy to Move from Bay-to-Bay

Lift Gate Service SKU 262533 RANLIFTGATE 13500

• Adjustable Arms

(Truck Adapters Included)



Power Unit Plugs into 110v Outlet



MaxJax™

SKU **186434** DAN1375659

- Perfect for Low Clearance Ceilings and Home Garages
- Built-In Wheels That Allow You to Store it Out of the Way When Not in Use
- Max. Lift Height (with 3" Adapter): 52'



Low-Rise Lifts

6,000 Lbs. **Low-Rise Pad Lift**

SKU **210383**

BENLR-60

• Max. Height: 26" • Overall Width: 70"

• Overall Length: 82" Lift Gate Service SKU 262533 RANLIFTGATE 13500



- BENLR-60P • Max. Height: 26"
- Overall Width: 70-1/2"
- Overall Length: 82'



7.000 Lbs. **Low-Rise Pad Lift**

SKU **568436** FORTL07

• Wired to Plug Into 115V Receptacle • Max. Rise: 24-3/4"

> Lift Gate Service SKU 626137 FORLIFTGATE 9500

ice Does Not Include Installation or Ontional Equipment as Shown



10.000 Lbs. **Low-Rise Pad Lift**

SKU **479989** BENLR-5T

• Max. Height: 23" - 32"

• Lowered Height: 4" · Lift Blocks Included



QuickJack™

5,000 Lbs. QuickJack™ Car **Jack Support System**

SKU **850896**

RANBL5000SLXA (110V AC) • Complete Package Includes: (2) Jack Frame Assemblies, (2) 150" Hydraulic Hoses, (2) 14" Aux. Hoses, (2) Quick-Mount Handles, (4) 1.5" X 3" X 4" Rubber Lifting Blocks, (4) 3" X 3" X 4" Rubber Lifting Blocks, (1) Mini Hydraulic Power Unit with Pendant Control



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

3.500 Lbs. OuickJack™ SKU **850894** RANBL3500SLXA (110V AC)

7,000 Lbs. QuickJack™

RANBL7000SLXA (110V AC) 1,48999

12V DC Option Available

QuickJack™ SUV and **Light Truck Adapters**

SKU **862288**

- RAN5150561 · Set of 12 Pieces
- Fits BL-5000 and BL-7000 Series
- Complete Kit Includes: (4) Low-Profile Round Polyurethane Contact Pads (4) Sliding Receivers Accommodate the Round Polyurethane Contact Pads (4) 3" Stackable Adapters



SPECIFICATIONS: **BL-7000SLX BL-3500SLX** BL-5000SLX Weight Capacity / Pair 3,500 Lbs. / 1588 kg. 5,000 Lbs. / 2268 kg 7,000 Lbs. / 3175 kg. 91 Lbs. / 41 kg. 60 Lbs. / 27 kg 76 Lbs. / 34 kg. Individual Frame Weight: Platform Lifting Height (Frame Only) 16.5" / 419 mm 17.2" / 437 mm. 17.7" / 450 mm. Platform Lifting Height (W/Blocks) 20" / 508 mm. 21.2" / 538 mm. 22.5" / 572 mm. Minimum Collapsed Height 3" / 76 mm. 3" / 76 mm. 3.5" / 89 mm. 26.7" / 678 mm. 31.5" / 800 mm. Rubber Block Position Min 31.5" / 800 mm 60" / 1524 mm. Rubber Block Position Max 50.5" / 1283 mm. 60" / 1524 mm. 10.5" / 267 mm. 12.5" / 318 mm. 72.5" / 1841 mm 72.5" / 1841 mm. 62" / 1575 mm Frame Length Lifting Time 10 seconds 15-30 seconds 15-30 seconds

Motorcycle Lifts

Motorcycle Jack

FORBJ10

SKU **568452**

• Use with Forward FOR100MCL



1.000 Lbs. **Air Operated Motorcycle Lift**

SKU **499659** FOR1000MCL • Includes Wheel Vise and Two 12'

Extensions, Making it Great for Motorcycles, ATVs, Lawn Mowers Golf Carts Etc. • Rise 33", Length 93", Width 24", Width with

Lift Gate Service SKU 626137 FORLIFTGATE 9500

ATV Adapters 48"

FORMARD

1,000 Lbs. Droptail **Motorcycle Lift** SKU **568439**

• FORBJ10 Included

• Rise 33" Length 93" Width 24" Lift Gate Service

SKU **626137** FORLIFTGATE **95**00

FOR1000MCLDT

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown




FORMARO

Motorcycle Lift SKU **626120**

RANRML-1500XL • Lifting Capacity: 1,500 Lbs (682 kg)

- Power Supply: Air/Hydraulic
- Main Platform Length:
- 89" (2,286 mm) Main Platform Length with Front Extension: 102" (2,591 mm)
- Main Platform Width: 30" (762 mm) Lift Gate Service





Ranger

Tool & Equipment Quarterly

Price Does Not Include Installation or Optional Equipment as Shown

TLT240SC-R Clear Foor Model

Price Does Not Include Installation or

Price Does Not Include Installation or

Price Does Not Include Installation or Optional Equipment as Shown

TLT2405B-R Floorplate Model

April April 1

Am Configuration

Rotated Asymmetric

Arm Configuration

Distributors,

Tuxedo Distributors, LLC, is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price With our 10 satellife warehouses strategically located across the US, we offer an unparalleled competitive advantage

Call to place order! 817.558.9337 877.558.9337 Toll Free

III-SYMMETRIC ™ DESIGN

configuration with 160 degree

TWO POST LIFTS

TLT240SC-R 2,09999 SKU 426404

TLT240SB-R

9,000lbs CAPACITY 1,99999

500 426403

- Overall Height 151" (TLT240SC)
 Overall Width Symon 154", Asymon 140" (TLT240SC)
 Overall Height 113" (TLT240SB)
 Overall Width 123" (TLT240SB)
 Ructer Door Goards
 Hose County

 Hose County

 Inc. County

- Hose Guards
 Duel Point Lock Resease
 House Point Lock Resease
 Heavy-Duey Arm Restraint System
 Booter Telescoping Screw Pads
 Adjustable Column Worth (TLT240SC)
 Standard or Rotated Asymmetric Columns (TLT240SC)

LAUNCH

2,79999 TLT210-XT-B 10 0000 CAPACITY

SKU 426407

- Overall Hoight 140'
 Overall Wolth Symm 137', Asymm 136'
 Heavy-Duly Arvi Restraint System
 Adjustable Column Height
 Adjustable Column Width

- Outer Hose Guards
 Stackable Foot Pad Extensions four 6" and four 3"
- 3 Stage Front Arms Nubber Door Guards Single Point Lock Rela
- Standard or Rotated Asymmetric Arm Configuration
 Double Telescoping Science Pads

*Available in red and blue

LAUNCH TECH USA

TLT211AS-R 11.000lbs CAPACITY

SKIJ 426408

Overall Height: 143"
Overall Width: System 137 8", Asystem 138"
Heavy-Duty Arm Restraint System.

- Adjustable Column Height
 Adjustable Column Width
- Outer Hose Guards
- Stackable Foot Pad Extensions four 6" and four 3"
 Heavy-Outy Arm Restraint System.
- Rubber Door Guards Standard Asymmetric
- Double Telescoping Screw Pads

'Available in red and blue

4,24999

TP15KCX

50) 426389

- Overall Height 180'
 Overall Width, 148"
- Chandrive
 Padded Overhead shut-off bar . Dual Point Lock Release
- Large Z x3 these Plates for Stability Rubber Door Guards

- Spin-Up Pads w/ 3" and 5" Stackable Orop-in Adapters
 Heavy Duty Arm Restraints
- · Powder-Coated finish





Bridge Jacks sold seperately

FP14K-C 14,000lbs CAPACITY

- SKU 426438
- Overall Height: 66-7/6"
 Overall Width: 136-3/4"
- Overall Length: 250-1/2"
- Cable Driven
 Closed Front
- Single point pneumatic safety release
- 20" wide non-skid, diamond plate runways.
 Mounting Hardware included
- Powder-Coated Finish

Also sold as an Alignment Lift

BRIDGE JACK

Price Does Not Include Installation

RAJ-SK-L SNU 426452

1,44999

Universal Roller Body Design widual 'spring loaded' precision roller bearing and Side Guide Wheels wiladjustable Height for Lovi, Medium, and High Ja

4,74999

- Rolls on top edge of Jack Rail for smooth managerability
- Dual Height Telescoping Support Arms
- Preumatic operation wiladjustable Pressure Regulato Stackable Pad and Height Adapters 1 5/16" and 5" (1 Pair each).
- Dual Air Bogs

Price Does Not Include Installation or Optional Equipment as Shown





трэкасх 1,849⁹⁹

трэкгх 1,849⁹⁹

Overall Height: 143" (TP9KACX).
 Overall Width: 138" (TP9KACX).

· Overall Height, 112" (TPSKFX) -Overall Width: 134.5" (TPSKFX)

· Spiri Up Flads with 1-1/2" and 4" stacks drop-in height adapters - Padded over head shut off bar Powder-Coated Finish
 Rubber Door Guards

9,000lbs CAPACITY

9,000lbs CAPACITY

SKU 426138

sku 426106

+ Chan Driven

· Dual cylinders with low friction chain rollers · Low profile arms

- SKU 426140
- Direct "Full" Cylinders Overall Height: 145"
- Overall Width: 145-1/2" Standard Asymmetric
 - 4 3 Stage Front Arms, Low Profile Arms Asymmetric/ Symmetric Arm Configuration
 - Symmetric Columns
 - Single Point Lock Release
 - Rubber Door Guards
 Spin Up Pads with 2" and 4" stackable drop in Height Adapters

 - Powder Coated Finish
 Padded Overhead shut off bar



sxu 426331

- Overall Height: 165"
 Overall Width: 151-1/8"
- Direct 'Push Drive' Cylinders
 Extra Long (48') carriage
- Padded Overhead shut off bar
 Single Point Preumatic Lock Release
 2-1/2" and 5" Stackable Drop in Adapters
- Powder Coated finish



Price Does Not Include Installation Optional Equipment as Shown

TPSHFX epiate: Mo

Price Does Not Include Installation or Optional Equipment as Shown



FP8K-DX 8,000lbs CAPACITY SKI 426414

- Overall Height 86-1/4" Overall Weight 103-1/2"
- Overall Length: 207-1/8"
 Ladder lock safety syste
- Extra-large slider blocks for added stability
- 10 Lock Positions Aircraft quality cables
- Single Point Lock Release
 15" Wide non-skid, diamond plate runways.
- Poly Gasters, Jack Tray, Drip Trays, and Approach



'Also available in an 'XLT extended length and height version.

Price Does Not Include Installation or Optiona Equipment as Shown Bridge Jacks sold seperately

FP14KO-A SKU 426445

- Overall Wide: 130
- Width Between Post 116"
 Column Height 92"
- Lifting Height: 73"
 Open Front Design

IWA-60-1500-K

Mobile Muti-Bay Capable
 Non-proprietary Windows PC
 Wireless Internet Connection
 German Engineered Alignment

Advanced Alignment Measurements with Reading Specifications and Cross

SOU 592176

Software

- Extended Lengtly / Extended
- Wheel base

ALIGNMENT LIFT 6,99999

STORAGE LIFT

- Catrie Driven
 Powder-Coated finish
 20" wide non-skid, diamond
- prate runways

 Fully adjustable look stops for easy





- Nuntration Chaprams
 Integrated Help System
 Non-proprietary Windows PC
 Works with multiple style align
- Expert USA technical support
 UPS with MYR included



Tuxedo Distributors, LLC, is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price. With our 10 satellite warehouses strategically located across the US, we offer an unparalieled competitive advantage.

4,39999

Call to place order! 817.558.9337 877.558.9337 Toll Free

WHEEL SERVICE

1,34999

Semi-Automatic TireChanger SKU 426751

Price Does Not Included in the Installation or Opting Equipment as Sho Price Does Not Include Installation or Optional Equipment as Shown

Semi-Automatic 1,49999

Price Does Not Include Installation



TC-1300 3,49999

Price Does Not Include Installation or Optional Equipment as Shown



TC-980

TireChanger Sku 426758

Max Wheel Diameter: 47-1/4"
 Rom Widdl: 3" - 15"
 Rise Diameter: 15" - 26"
 Working Pressure: 8-10 bar
 Lines for

· Pressure limiter, water separator

Deluxe.


· Large fire

· Till back

Fully automatic
 Double arm

- Max Wheel Diameter: 41'
 Ren Woth: 3" 15"
 Ron Diameter: 11" 24"

- Inflation hose and air gauge
- Tilt back column leaves ample
- versatility in dismounting low profile tires



WB-953

HighPerformance WheelBalancer

SKU 426803

- Max Wheel Diamete Rim Width: 1.5" 20"
- Rim Diameter, 10" 24"
- Wheel Weight Capacity, 150 the
 Self-calibrating, Self-diagnosis
- Optimization program

1,09999

Static balancing


- Three centering cones Hood, hammer, speed nut and caliper come standard
- Optional motorcycle

Price Does Not Include Installation or Optional Equipment as Shown



SKU 426755

- Miss Wheel Diameter: 47'
 Rim Width: 37' 15"
 Porn Diameter: 15" 29"
 Working Pressure: 8-10 bar
 Swing arm design
 No scrattifring Mactives contacts are eliminating accelerated damage.
- accidental damage Conveniently located and powerful bead breaker



HighPerformance TireChanger withPress Arm SKU 426757

- Internal Clamping Capacity: 15" 26" External Clamping Capacity: 13" 26" Max Wheel Diameter: 47" Wheel Width: 3" 15"

TC-950WPA

- Swing arm design Bead seating inflation jets are

- integrated in the clamping pairs.

 Twin clamping cylinders provide more pover to hold the most difficult rims.

 Conveniently tocated and poverful bead breaker.

 Large diameter has recurriblemount shall for extra rigidity.

Left side press arm (WPA) Ideal for low profile tires (WPA) No scratching, machine never contacts run (WSW)



Price Does Not Include Installation or Optional Equipment as Shown

Additional charges for lift gate delivery may apply.

WB-CB66-VE

High Performance Large Wheel Balancer

- SKU 592163
- Keypord Data Entry
 Max Wheel Diameter: 44"
 Forn Width: 1.5" 20"
- Rim Diameter: 8" 28"
 Whi Weight Cap: 150ths
- Accuracy: 1 gram
 Three centering cones
- Hood, hammer, speed nut
 and caliper come standard:
 Multi-Mode Balancing for SUV Car & Motorcyte
- Laser and Light indicators for unbalanced wheel weight positions

 Foot Brake for accurate weight applications



WB-448

HeavyDutyTruck WheelBalancer

SKU 426811

- Max Wheel Diame · Rim Width: 1.5" - 20"
- Rem Diameter: 10" 24"
 Wheel Weight Capacity: 268 the
- Self-calibrating: Self-diagnosis
 Preumatic Wheel lift included
- Foot brake for manual stop
 Capable of balancing a full range of wheels
 Car and Truck cones come standard



FRAME MACHINES

Steel Plate / 18' 12,799'9' SKU **426651**

10,4999 Tubular / 18 500 592192

Price Does Not Include Installation or Optional Equipment as Shown

Steel Plate / 20 13,799 SKU 592195

10,9999

- Lifting Capacity: 7,700 fbs.
 Deck Length: 18 / 20
 Deck Width: 82.6*
- Deck Height: 19.7
 Pull Force Per Tower: 10 Ton
- Required Air Power: 100 120 PSI
 Designed to accommodate
- Full-frame or Uni-body type venicle
 Hydraufic Till Deck operation
 Universal Anchoring System
 Clear Floor, 360 degree
- **Pulling Capability**
- Two 10 Ton round Pull Towers whelescoping Tower-Heads

Scissor Lift Frame Rack Machine SKU 426649

FR-55

- Lifting Capacity, 5,500 lbs. . Overall Length: 173.25
- Deck Length, 123.62"
 Deck Width: 37"
- Deck Heights: 4.75" to 63"
 Tower Put Force: 10 Ton
 Tower Air Hydraulic Max Pressure: 10,000 PSI
- Console Electrical Power: 220VAC 20 Amp., 1 PH · Unique. Compact & Versatlir design
- · Scissor Lift operation with Twin
- Hydrautic Cylinders Remote 'hand held' pendant for lift



MSC-6KLP

6,000 lbs Single Column Lift

SKI 426460

- Capacity: 6,000 lbs
- Width Overall: 45-3/16" Height Overall: 102-3/8
- · Length Overall: 101-9/16"
- height! Pallet Style Operation
- Improved 'double telescoping' Screw Pads with 2-3/4" adjustable height!
- Single Point Lock Release Powder coal paint finish
- 110VAC / PN



PSB-SEMIDD26ASY-AK SKU 592189

- 26Lx14Wx93H Outside Dimension.
- Non-Spark, NEMA-RATED High Quality UL Listed lighting fotures: (Bulbs Included)
- · Hip Roof Design for Optimal Lighting 5/16' Nut & Bolt Installation
- High Quality Intake and Exhaust Filters
- · Heavy Duty 16 Gauge Panel
- . Tri-fold and Personnel Doors with Viewing Windows Powder Coated Finish (Inside and Out)
- UL Control Panel, limit systems and sciencid value included All hardware included
- Detailed Instructions
- Optional Plenum Kit Sold Seperately
 - Price Does Not Include Installation

13,999°

*20 and 25 Piece Tool Board Kit Sold Separately

'Optional Plenum Kit Shown



PSB-SDD26ASY-AK SIDE DOWNDRAFT PAINT SPRAY BOOTH SKU 592190

- Inside Dimension:
- Non-Spark, NEMA RATED High Quality Ut, Listed lighting fisheres. (Bulbs Included)
 Hip Roof Design for Optimal Lighting
- High Quality Intake and
- Exhaust Filters Heavy Duty 18 Gauge Panel
- with Viewing Windows.

 Powder Costed Finish (Inside and Out)

 Ut. Control Panel, linkt switches and
- All hardware included
 - Price Does Not Include Installation or Optional Equipment as Shown

2,99999

MOBILE COLUMN

· Improved Low Profile design with less than 4" minimum Pallet Jack style hydraulics to raise lift onto wheels

*Optional Plenum Kit Shown



20L×14W×93H Outside Dimension Fan / Motor.

9,99999

Price Does Not Include Installation or Optional Equipment as Shown

- 5/16" Nut & Bolt Installation
- Tri-fold and Personnel Doors
- Detailed Instructions
 Opponer Plenon XX Sold Seperately

Tool & Equipment Quarterly



PORTABLE LIFT

MaxJax™

SKU **186434** DAN1375659

- Lifting Capacity: 6,000-Lbs. • Great for Garages with
- Low Ceiling Height • 100% Portable





2-POST LIFTS

D-9/X

SKU **186430** DAN1375646

- Lift Capacity 9,000-Lbs.
- Floorplate Style
- Perfect for Shops and with Height Restrictions
- Rise: 74"





Truck Adapters Included

D-10/ACX

SKU 186433 DAN1375647 **2,499**99

- Lifting Capacity: 10,000-Lbs.
- Great for Passenger Cars & SUV's
- Overall Height: 145" Rise: 69"
- Overall Width: 143-1/2"
- ASYMMETRIC WIDE

D-10/AC

SKU 186431 DAN1375648 **2,499**99

- Overall Width: 130-1/2"
- ASYMMETRIC NARROW

D-10/CX

SKU 186432 DAN1375649 **2,499**99

- Great for Lifting Light Duty Trucks
- Overall Width: 145"
- SYMMETRIC WIDE



BONUS

FRAME CRADLE PAD SET \$199.96 Value



Dannmar*
EQUIPMENT

SCISSOR LIFT

SX-6

SKU **555446**

- DAN1375652 • Lifting Capacity: 6,000-Lbs.
- 100% Portable
- Perfect for Body, Repair & Tire Shops
- Safety Bar with Multiple Lock Positions

BONUS

8-GALLON OIL DRAIN \$99.99 Value



Dannmar[®] EQUIPMENT

WHEEL SERVICE

T-100 TIRE CHANGER SKU **547117** DAN1381202

- Ideal for Low Volume Shops • Entry Level and Easy to Use
- Wear-Resistant Tool Head
- Steel Jaw-Clamp Provides Solid Turn-Table Base
- High Torque Electric Turn-Table

Lift Gate Service SKU 262534 DANLIFTGATE 10000



B-100 WHEEL BALANCER

SKU **547121** DAN1381201

• Excels in Low Volume Shops

- Touch-Display Panel
- Easy and Fast Mounting Power-Saving Mode
- Includes Data Acquisition and Quick Nut Mounting



4-POST LIFTS

D-12

SKU **343410** DAN1375681

- Lifting Capacity: 12,000-Lbs. • Perfect for General Repairs
- Multi-Position Safety Locks in Each Column
- Max Rise: 66"

BONUS

AIR-ELEC WORKSTATION S219.99 Value



Dannmar* EQUIPMENT DRJ-6 ROLLING BRIDGE JACK (2 Required)

SKU 343411 99999



SKU **752035**DAN17057064 **21999**



D-7 SKU **186464 2,449**99

- Lifting Capacity: 7,000-Lbs.
- Perfect for Parking & Storing Vehicles
- Spring-Loaded Safety Locks on Each

D-7/X

SKU **186427** DAN1375644

• Extended version of D-7

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



BONUS


8-GALLON OIL DRAIN \$99.99 Value

SHOP EQUIPMENT

8-GAL OIL DRAIN

SKU**186458** DAN122829

- 8-Gal Capacity
- Adjustable Height: 48"-67"
- Wide Drain Pipe for Draining Oil Quickly
- Large Funnel mouth to Catch Oil & Reduce Spillage



TRIPOD JACK STAND




- 2 Ton Capacity
- Extra Tall & Stable
- Min Height: 68.7" • Max Height: 76.7"



50' HOSE REEL SKU **343407**

DAN116911 • 50' of 3/8 of Rubber Hose

• Working Pressure: 250psi



Dannmar[®] **20-GAL OIL DRAIN**

- SKU **343408** DAN122835
- 20-Gal Capacity • 15" Drainage Funnel • Includes Regulator and Gauge



- DAN105452 • First Stage: 1,000-lbs
- Second Stage: 500-lbs
- Heavy-Duty Steel Swivel Casters



D-12/A

ALIGNMENT LIFT

SKU **579870** DAN1375682

• Lifting Capacity: 12,000-Lbs.

• Alignment Ready • Turn Plates & Slip Plates Included

Price Does Not Include Installation or Optional



FRAME CRADLE PAD SKU **289999**

- For 2-Post Lifts
- Sturdy Steel Construction • Tactile Rubber Mat



- Resistant to Gouging
- Abrasion Resistant • Tear Resistant · Sold Individually
- **AIR-ELEC WORK STATION**



- Works with Any Lift • 4 110v GFI Outlets
- · Oiler, Air Supply, PSI Gauge, Storage Hooks for Hose and Tools, Air Inlet







Dannmar₂

- **LIFT PAD ASSY ROUND** SKU **079518** DAN17107036
- Works with Dannmar 2-Post Lift
- Thick Rubber Construction
- Easy Drop-In Design • 5" Diameter

TURNPLATES SKU **751634** DAN135501



- · Smooth Bearings
- Sturdy Construction · Sold Individually



- SKU **186439** DAN101001 • Works with Dannmar D7
- Series Lifts Set of 3
- Intended for Oil & Water-Based Fluids





ALIGNMENT COMBOS

BendPak

SAVE OVER \$500

geoliner® 550 Aligner Combo with 9,000 Lbs. Lift

SKU **OUTSIDE BUY/EPO** ALIGNCOMBO8



- The HD-9AE Four Post Alignment Lift Provides 9,000 Lbs. of Lifting Capacity to Accommodate a Variety of Light Duty Trucks and Automobiles, and the Hofmann geoliner 550 Combines Advanced Technology and Affordability to Take Your Alignment Business to the Next Level
- This Kit Includes 2 RJ-45 Rolling Jacks and an Airline Kit
- Hofmann Aligner Includes Setup and Training

	ALIGNCOMBO8	\$18,299.99
BENHD-9AE	9,000 Lbs. Alignment Lift	\$4,049.99
HOFEEWA717B	550 Aligner System	\$12,159.99
BENRJ-45	4,500 Lbs. Rolling Bridge Jack	\$1,194.99
BENRJ-45	4,500 Lbs. Rolling Bridge Jack	\$1,194.99
BEN5174009	Airline Kit Hd-9 Hd-14	\$249.99
	TOTALS	\$18,849.95
	SAVINGS	\$549.96

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering


Lift Gate Service SKU 290017 HOFLIFTGATE 9500



SAVE OVER \$900

geoliner® 550 Aligner Combo with 14,000 Lbs. Lift

SKU OUTSIDE BUY/EPO ALIGNCOMBO2



 Combo Includes: Aligner, Lift, 2 Rolling Jacks and Airline Kit

Hofmann Aligner Includes Set-Up and Training

	ALIGNCOMBO2	\$19,999.99
BENHDS14LSX	14,000 Alignment Lift	\$5,899.99
HOFEEWA717B	550 Aligner System	\$12,159.99
BENRJ-7	7,000 Lbs. Rolling Jack	\$1,319.99
BENRJ-7	7,000 Lbs. Rolling Jack	\$1,319.99
BEN5174009	Airline Kit HD-9 HD-14	\$249.99
	TOTALS	\$20,949.95
	SAVINGS	\$949.96

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering instructions.

Lift Gate Service SKU 290017 HOFLIFTGATE 9500



BENRJ-7

HOFEEWA717B

BendPak

SAVE OVER \$1,300

geoliner® 650 Aligner Combo with 14,000 Lbs. Extended Lenath Lift

SKU **OUTSIDE BUY/EPO**ALIGNCOMBO3

The Latest Imaging Technology from Hofmann® geoliner 650 Combined with BendPak's Legendary HDS14LSXE Makes for a Package That Delivers Beyond Your Expectations in Performance at a Price Much Less Than Expected. The geoliner 650 Features Set-Up to Readings in Under 2 Minutes.

- Combo Includes: Aligner, Extended Lift, 2 Rolling Jacks and Airline Kit
- Hofmann Aligner Includes Set-Up and Training

	ALIGNCOMBO3	\$28,999.99
BENHDS14LSXE 14,000 Alignment Lift Extended		\$6,499.99
HOFEEWA712AL	650 Aligner System	\$20,999.99
BENRJ-7	7,000 Lbs. Rolling Jack	\$1,319.99
BENRJ-7 7,000 Lbs. Rolling Jack		\$1,319.99
BEN5174009	Airline Kit HD-9 HD-14	\$249.99
	TOTALS	\$30,389.95
	SAVINGS	\$1,389.96

Call 1-877-298-6651 for ordering instructions.

Lift Gate Service SKU 290017 HOFLIFTGATE 9500



SAVE OVER \$900

geoliner® 670 XD Aligner Combo with 14,000 Lbs. Lift

SKU **OUTSIDE BUY/EPO**ALIGNCOMBO5

30,59999

ALIGNCOMB05

Combining the 670 XD Imaging Wheel Alignment System Along with the Forward CRA14 14,000 Lbs. 4 Post Alignment Lift Gets You Both the Latest Technology and Proven Durability. The geoliner 670 XD Aligner Provides Patented Imaging Technology Along with Accurate and Real-Time Measurements While the Forward CRA14 14,000 Lbs. Alignment Lift with Concealed Cable and Pulley System and Multi-Position Lock Works as Both an Alignment and General Service Lift.

 Includes: Aligner, Steering Wheel Holder, Ride Height Target Kit, Brake Pedal Depressor, Remote Control, Color Inkjet Printer and Two Wheel Chocks, Alignment Lift, FLR (Filter, Lubricator, Regulator), (2) 7,000 Lbs. Capacity Rolling Jacks, Carbon Steel Front Radius Plates

Hofmann® Aligner Includes Set-Up and Training

	ALIGNCOMBO5	\$30,599.99
FORCRA14COMBO	Forward Lift 14,000 Lb. 4 Post Alignment Lift	\$10,499.99
HOFEEWA715H	Geoliner 670XD	\$21,069.99
FORRRJ70G	7,000 Lbs. Rolling Jacks (Set of Two)	INCLUDED
	Airline Kit	INCLUDED
	Turn Plates	INCLUDED
	TOTALS	\$31,569,98
	SAVINGS	\$969.99

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering Lift Gate Service SKU 290017 HOFLIFTGATE 9500



SAVE OVER \$2,600

geoliner® 670 XD Aligner Combo with 12,000 Lbs. Scissor Alignment Lift

SKU OUTSIDE BUY/EPO 34,49999

 The geoliner 670 XD Imaging Wheel Alignment System is One of the Most Advanced Alignment Systems on the Market Today. Combine This with the Revolutionary QuatraTM Pantograph Lift from Bendpak and You Have the Ultimate Alignment Combo.

 Combo Includes: Aligner, Lift, 2 Rolling Jacks and Airline Kit
 Hofmann® Aligner Includes So

 Hofmann® Aligner Includes Set-up and Training

	ALIGNCOMBO4	\$34,499.99
BENXR12000A	Quatra 12,000 Lbs. Capacity, Scissors Wheel Alignment Lift	\$13,249.99
HOFEEWA715H	Geoliner 670XD	\$21,069.99
BENRJ-6	6,000 Lbs. Rolling Bridge Jack	\$1,299.99
BENRJ-6	6,000 Lbs. Rolling Bridge Jack	\$1,299.99
BEN5174009	Airline Kit HD-9 HD-14	\$249.99
	TOTALS	\$37,169.95
	SAVINGS	\$2,669.96

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering instructions. Lift Gate Service SKU 290017 HOFLIFTGATE 9500



BendPak

SAVE OVER \$1.600

Hofmann® Alignment Package Combo 650 Aligner with 12,000 Lbs. Scissor Lift

SKU **OUTSIDE BUY/EPO** HOFCOMB01

37.99999

Purchasing a Hofmann Aligner and Alignment Lift Combo Will Not Only Save You Money, it Will Provide the Assurance of Having Components That are Designed to Work Together. A Hofmann Rep Will Train You and Your Employees in the Safest, Most Profitable Way to Use Your New Equipment. Hofmann Aligners Provide the Most Advanced Alignment Systems on the Market. The Matching 12,000 Scissor Lift Maintains Constant Level Throughout the Lifting Range and Takes Up Less Space Than a Four Post.

 Includes: HOFEEWA712AL 650 Imaging System Pro32 Aligner with, AC200 Clamps HOFEELR709A 12,000 Lbs. Scissor Lift with (2) 6,000 Lbs. Rolling Jacks, Airline Kit, Turn Plates and Roll Back Kit

	TIOI COMBOT	ψ01,000.00
HOFEELR709A	Hofmann 12,000 Lbs. Scissor Alignment Lift	\$17,499.99
HOFEEWA712AL	Hofmann geoliner™ 650 Imaging Wheel Aligner	\$20,999.99
HOFEAK0289J06	Premium Turn Plates (Set of Two)	\$1,179.99
	TOTALS	\$39,679.97
	SAVINGS	\$1,679.98
	1	







Installation or Optional Equipment as Shown

instructions.

ALIGNMENT

Alignment Lifts

9,000 Lbs. 4 Post Alignment Lift

SKU **396661** BENHD-9AE

- Designed to Accommodate a Variety of Light-Duty Trucks and Automobiles
- · Features Adjustable Multi-Position Leveling, Integrated Front Radius Plates and Rear Slip Plates



Optional:

RJ-45 Rolling Bridge Jack SKU 898534 | BENRJ-45

1,19499 SKU 531175 | BEN5174009



14,000 Lbs. 4 Post **Extended Alignment Lift**

SKU **898468** BENHDS14LSXE

• Features Extended Runways to Accommodate a Wide Variety of

Vehicle Wheelbases • Integrated Industrial Strength Slip Plates and Turn Plates to Maximize Alignment Convenience

Optional: RJ-7 Rolling Bridge Jack SKU 212556 | BENRJ-7 Air Line Kit

SKU 531175 | BEN5174009



CL Challenger Lifts

CALL TO

1-877-AZTool1 (1-877-298-6651)

ORDER

14,000 Lbs. 4 Post Alignment Lift

SKU **898467** BENHDS14LSX

- Adjustable Leveling, Integrated Front Radius Plates and Rear Slip Plates Makes Them Alignment Ready
- Compatible with All Leading Alignment Instrumentation, Including 3D and Camera Wheel Alignment Systems

Optional:

-7 Rolling Bridge Jack SKU 212556 | BENRJ-7

SKU 531175 | BEN5174009



18,000 Lbs. Heavy Duty 4 Post Alignment Lift

SKU OUTSIDE BUY/EPO BENHDS-18EA

- Multi Caster Slip Plates in the Back and Turn Plates in the Front Allow for Extremely Precise, Free Floating Alignment
- Overall Width: 154" / 3912 mm
- Overall Length: 297" / 7544 mm
- Height of Columns: 93" / 2362 mm



Quatra™ 12,000 Lbs. Scissors Wheel **Alignment Lift**

SKU OUTSIDE BUY/EPO BENXR12000A

- Features a More Compact Footprint to Better Utilize Smaller Service Bays
- Accommodates a Variety of Wheelbases from Short Compacts to Extended Length Pick-Ups and Work Trucks
- Includes Recessed Front Radius Plates and Oversized Real

Ontional:

RJ-6 Rolling Bridge Jack SKU 210381 | BENRJ-6 Air Line Kit

SKU 531175 | BEN5174009



Outside Buy/EPO,

Prices Do Not Include Vehicle, Installation or Optional Equipment as Shown.

Lead Times Can Vary on Alignment Equipment. Call 1-877-AZTool1 for Questions on Specifications, Availability and Lead Times.

15,000 Lbs. 4 Post **Alignment Lift Package** SKU OUTSIDE BUY/EPO

CHLAR4015EAX

Package Includes:

- (2) 7,500 Lbs. Rolling Jacks
- Internal Airline Kit Stainless Steel
- Radius Gauges • Dual Rear Slip Plates
- 20" Runway Width
- Price Does Not Include Installation or Optional Equipment as Shown



18,000 Lbs. Heavy Duty Alignment 4 Post Package with 22" Wide Runways

SKU OUTSIDE BUY/EPO CHLAR44018AR

Package Includes:

- (2) 9,000 Lbs. Rolling Jacks • Internal Air Line Kit
- Stainless Steel Radius Gauges
- Dual Rear Slip Plates
- Heavy Duty Chain Drive and Sealed
- Roller Bearings

Price Does Not Include Installation or Optional Equipment as Shown



14,000 Lbs. 4 Post Open Front **Wheel Alignment Lift** SKU OUTSIDE BUY/EPO

ROTARO14-EL2

• Compatible with New Technology Alignment Systems • Includes: (2) Stainless Steel Radius Gauges, (2) 7,000 Lb. Capacity Rolling Jacks, 4WS Rear Slip Plates, Air Actuated Locking

Latches, Portable Work Step and Internal Air Line Kit · Level at All Locking Heights

D-12/A™ 12,000 Lbs. Alignment Lift

SKU **579870** DAN1375682

- Compatible with All Leading Alignment Instrumentation, Including 3D and Camera Wheel Alignment Systems
- Multi Caster Slip Plates in the Rear Provide Precise Free Floating Movement
- Multiple Radius Plate Locations
- Radius Plates Included

Optional:

6K Rolling Jack SKU 343411 | DAN1375901 **999**99 Airline Kit Not Include



ncludes Two Rolling Jacks

FORMARO



Dannmar

14,000 Lbs. 4 Post Alignment Lift SKU OUTSIDE BUY/EPO FORCRA14

• Max Wheelbase: 182-1/2"

• Four Wheel Alignment: 89 -1/4" to 156 -3/4"

- Durable Cable and Sheave System
- Includes: (2) 7,000 Lbs. Capacity Rolling Jacks,

18.000 Lbs. 4 Post Alignment Lift SKU OUTSIDE BUY/EPO FORCRA18

- Max. Whe • Four Wheel Alignment: 63" to 162"
- Includes (2) Rolling Jacks, (2) Radius Plates and Internal Airline Kit





HOFMAN

Prices Do Not Include Vehicle, Installation or Optional Equipment as Shown. Lead Times Can Vary on Alignment Equipment. Call 1-877-AZTool1 for Questions on Specifications, Availability and Lead Times.

12,000 Lbs. Scissor Alignment Lift SKU OUTSIDE BUY/EPO

HOFEELR709A

Overall Width: 90"

• Overall Length: 267-3/8" • Width Between Runways: 40"

• Four Wheel Alignment Wheelbase: 89" to 158" • Two Wheel Alignment Wheelbase: Up to 165"

 Service Wheelbase: 179" Runway Surface Width: 23' • Maximum Raised Height: 70" (178 cm) • Includes (2) Rolling Jacks



Premium Turn Plates (Set of Two) SKU **467503** HOFEAK0289J06

• Dimensions: 18.5" (L) x 19.7" (W) x 2" (H)

*Turn Plates





14,000 Lbs. 4 Post

Open Front Alignment Lift

 Industry Leading 90" Long Rear Slip Plates to Accommodate Shorter and Longer Vehicles

Includes: Filter/Regulator, Air Line Kit, (2) 7,000 Lbs. Rolling Jacks





Specifications Subject to Change without Notice or Liability. | Customers Responsible for Offloading Equipment Upon Arrival.

Leasing Terms Available.

Prices Do Not Include Vehicle, Installation or Optional Equipment as Shown.

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY

Alignment Systems

geoliner[®] 550 Portable Imaging Wheel Aligner

HOFEEWA717B

SKU OUTSIDE BUY/EPO

- Easy to Use Interface Guides the Technician Through the Alignment Process
- Bluetooth® Communication to Sensors for True Mobility
- OEM Instructions Guide the Technician Through the Process of Resetting the Steering Angle Sensors
- Personalized Reports Showing Readings Before and After Service
- Detailed Videos of How to Make Needed Adjustments to Complete Even the Most Complex Tasks



1-877-AZTool1 (1-877-298-6651)

Lift Gate Service SKU **290017** HOFLIFTGATE **9500**









SKU OUTSIDE BUY/EPO HOFEEWA712AL

- Set-Up to Readings in Under 2 Minutes
- High-Definition Imaging Cameras Allow for System Installation within a Smaller Shop Bay
- Patented VODI™ Graphic Display
- EZ-Link* Steering Angle Sensor Reset
- 2 Wheel Alignment Capability
- 24" Universal Wheel Clamps



CALL TO ORDER

1-877-AZTool1 (1-877-298-6651)

Lift Gate Service SKU **290017** HOFLIFTGATE 9500



geoliner® 670 XD Wheel Aligner with Multi-Level Camera Boom

SKU OUTSIDE BUY/EPO HOFEEWA715H

One of the Most Advanced Alignment Systems on the Market Today

- Patented Imaging Technology Provides Accurate and Real-Time Measurements
- Smallest and Lightest Targets We've Ever Made • Cross-Diagonal Measurements Identify Frame or Structural Damage
- AC400 Clamps with XD Targets
- Measures Right Height and Obtains
- Proper Alignment Specifications • Step-by-Step Instructions as a Guide for Completing Even the Most Complex Tasks
- Extensive OEM Specifications Allow Quick and Accurate Vehicle Selection



Lift Gate Service SKU **290017** HOFLIFTGATE







geoliner[®] 770 Diagnostic Wheel Alignment S<u>yste</u>m with AC400 Wheel Clamps and XD Targets

SKU OUTSIDE BUY/EPO HOFEEWA752B

• Ideal For High-Volume Shops That Specialize in Alignments • Compact Footprint, Designed to Fit Where You Need It

• Wireless Communication: Navigate, Monitor and Control the Unit from Anywhere in the Shop

 Includes: Steering Wheel Holder, (2) Wheel Chocks, Brake Pedal Depressor, 24" Flat Panel Monitor, Color Inkjet Printer, AC400 Wheel Clamps with XD Targets

• Wireless Cameras

• AC400 Touchless Wheel Clamps



1-877-AZTool1 (1-877-298-6651)

Lift Gate Service SKU **290017** HOFLIFTGATE 9500



Add a Rear Slip Plate and Your Choice of Turn Plates to Convert Your Regular 4 Post 12,000/25,000 Lift Into an Alignment Lift

Alignment Accessories





The Perfect Choice for Those Smaller Shops Who Want the Advantages of a 4 Post Lift But Have Limited Floor Space

QSP Wheel Stands Can Be Leveled and Used for Wheel Alignment, Transforming Your 2 Post Lift Into a 4 Post Alignment Lift

24" Alignment Wheel Stands with Turn Plates and Slip Plates (Set of 4)

SKU **463769** QSPDB-24MD

- Turn Plates and Slip Plates Built Right Into the Stands
- Four Adjustable Legs to Level the Four Stands Together
- 2,500 Lbs. Capacity Per Plate

We Offer a Full Line of QSP USA-Made Products for Price, Specifications and Availability.





SKU **463777**

QSPDB-6000 • (2) 59-1/2" x 20" Full Floating Rear

- Simple Installation on Most General Service Lifts
- Length Options: 200" to 205", 186"
- to 196" and 173" • Turn Plates Not Included



OEM TOOLS

Steering **Wheel Holder** and Pedal **Depressor Kit** SKU **802195**

24231

- Holds Steering Wheel in Position for Alignment Adjustments
- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments





Alignment Turn Plate (Pair)

SKU **751634** DAN135501

35099

- Each Turn Plate is Equipped with Roller Bearings for 'Full-Floating' Movement to Assure Easy Front -Wheel Positioning for Accurate Caster and Steering
- Sold in Sets of 2
- Dimensions: 14" x 13.5" x 2"



Steel Turn Plates with Handle (Pair)

SKU **463771** QSP25-140

- Capacity: 4,500 Lbs. per Plate • Features Dynamic Load Control
- Dimensions: 14" x 14" x 1.5"





SKU **463808** QSP25-129

94999

- Capacity: 4,500 Lbs. per Plate • Dimensions: 14" x 14" x 1.5"
- Fits Most Standard Alignment Racks

Tool & Equipment QUARTERLY





ISN/Atlas Dedicated Sales

Toll 877-866-5739

Atlas Dedicated Tech Support

Toll 800-787-8213

TWO POST LIFTS

APEX 10

10,000 LB Capacity Overhead Lift

• Adjustable Height

ATTD-APEX10

• Single Point Lock Release

• High Quality Powder Coating

• Professional Grade Arm Lock Restraint System


• Special "Double S" Bends Increases Column Strength





Apex 10 Specifications³

Capacity	10,000 LB.
Overall Height	11' 7 7/8"
Overall Height w/ Cylinder	12' 4"
Overall Width	11' 5 1/2" (Symtrc.)
Shut-Off Height	11' 2 1/4"
Maximum Lift Height	6' ½"
Rear Arm Length	35" - 58"
Front Arm Length	22" - 43 ½"
Between Columns	9' 4 1/2" (Symtrc.)
Drive Through	8' 4" (Symtrc.)
Minimum Arm Height	4 ½"





APEX 9BP

9,000 LB Capacity Baseplate Lift

ATTD-APEX9BP

- Overall Height: 9' 3 1/8"
- Overall Floor Width: 11' 6 ½" • Clearance Between Columns:
- Maximum Lift Height: 6' 2 1/5"





APEX 12

12,000 LB Capacity Overhead Lift

ATTD-APEX12

- Overall Height: 14' 9"
- Overall Floor Width: 12' 6 1/2" • Clearance Between Columns: 10' 2 $\frac{2}{3}$ "
- Maximum Lift Height: 6' 1 1%"





APEX 15

15,000 LB Capacity Overhead Lift

ATTD-APEX15

- Overall Height: 16' 6 1/2"
- Overall Floor Width: 12' 3"
- Clearance Between Columns: 8' 9 1/8"
- Maximum Lift Height: 6' 4/3"





FOUR POST LIFTS

APEX 8 8,000 LB Capacity

Hobbyist Lift

ATTD-APEX8

- Overall Height: 7' 3 1/2"
- Overall Floor Width: 8' 8 1/4"
- Runway Length: 13' 9 1/2" • Runway Width: 1' 6 ¾
- Maximum Raised Height: 6'
- Minimum Lowered Height: 4 1/2"



APEX 14

14,000 LB Capacity Commercial Grade Lift

ATTD-APEX14

- Overall Height: 7' 8 1/2"
- Overall Floor Width: 10' 11 3/3"
- Runway Length: 17' 1 1/2" • Runway Width: 1' 8 1/8"
- Maximum Raised Height: 6' 6 1/6"
- Minimum Lowered Height: 7 7/s"



SCISSOR LIFTS

LR-06P

6,000 LB Capacity ATPK-LR06

INCLUDES





PERFECT FOR

WHEEL SERVICE

Maximum Lift Height: 2' 1 1/2"

TD6MR

6,000 LB Capacity ATTD-6MR

INCLUDES SHIPPING

Price Does Not Include Vehicles, Installation or Ontional Equipment as Shown



Maximum Lift Height: 4' 5 1/2"

9,000 LB Capacity ATTD-SLP9K Maximum Lift

- Height: 6' 6" Max Overall
- Width: 6' 10 1/2"
- Overall Length: 6' 10"



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

WHEEL SERVICE

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

WB-11

Self-Calibrating Wheel Balancer

- Static And Dynamic Balancing Modes
- Rapid Optimization (OPT)
- Automatic Positioning Where To Apply Weights
- Automatic Start/Stop When Hood Is Lowered/Raised



Wheel Clamp Tire Changer With Bead Blaster

- Max Tire Diameter: 39"
- Max Wheel Width: 13"
- Inner Clamp: 11 1/8" 25 1/4" • Outer Clamp: 9 34"- 23 141

INCLUDES SHIPPING



EDGE 501

Wireless 8 Camera Alignment Machine With 4 Point Clamps ATEDGE-501-4PT

SHIPPING



PURCHASING PROGRAMS

Ask Us About Our Tool and Equipment Purchase Programs



Leases are Handled by Three Companies

LEASE CORPORATION OF AMERICA Financing you can trust.sm



UniSource Capital

Never give up...Never Surrender!

Customer Must:

- Select Equipment
- Complete Credit Application
- Receive Approval From Leasing Company
- **Once the Transaction is Approved**
 - PO Issued
 - Tool Ordered



30-60-90

- ✓ AutoZone® Credit Account in **Existence for 6 Months**
- Updated Credit Application with Agreement Section **Completed and Signed**
- No NSF Checks
- No Credit Holds 6 Months
- Credit Worthiness
- Minimum Equipment Cost • \$1K (Tax Must Be Included)
- ✓ 25% Minimum Down Payment
- ✓ 52 Week Sales Amount \$15K



EXTENDED TERMS

- ✓ 3 Years in Business (Credit Bureau Reporting)
- ✓ Updated Credit Application with Agreement Section **Completed and Signed**
- ✓ No NSF Checks for 1 Year
- 1 Year Satisfactory Payment History with AutoZone®
- Credit Worthiness
- Minimum Equipment Cost by Term
 - 6 Months \$3K
 - 9 Months \$6K
 - 12 Months \$8K or greater
- ✓ 25% Minimum Down Payment
- ✓ Financial Statement
- ✓ 52 Week Sales Amount \$25K

Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods.

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering instructions.

CEMB USA / BL systems Inc is the US based company of the italian CEMB world leader in balancing equipment since 1946. Providing a full range of high quality MADE IN ITALY garage equipment with outstanding service and unbeatable value.



SM825

commercial vehicles

Inflators on each clamp

price.



- Movable camera boom
- Alignment specs history of40+ years • Simple and user-friendly software
- . ON-SITE installation and training



SM915-ATI

. Designed for intensive use

• Clamping range 10" - 28"

Swing arm car and light truck tire changer

· Adjustable clamping range without

Digital wheel balancer for cars and light trucks. Professional wheel balancer designed for heavy duty. Automatic distance and diameter data entry with

width sonar 3D (CEMB patent) • LED to light work space inside Ergonomic design to grant better access to the wheel • Full-time accuracy with STATIC unbalance always displayed

• OPB - One Plane Balancing . Fully automatic SPOTTER laser system for best correction (no comebacks)

ER73-TD Video wheel balancer for cars and light trucks. Professional wheel balancer designed for heavy duty. Automatic distance and

diameter data entry with width sonar 3D (CEMB natent) • LED to light work space inside

- Ergonomic design to grant
- better access to the wheel Full-time accuracy with STATIC unbalance always displayed
- OPB One Plane Balancing
- Fully automatic SPOTTER laser system for best correction (no comebacks)

AVAILABLE ALSO WITH PNEUMATIC LOCKING AND RUN-OUT SONAR (ER75TD) Semi-automatic tire changer with swing arm. With SM825 you get high quality for a low · Suitable for car and light • Clamping range 13"- 26" • Dual clamping cylinders Optional press arm and bead pressing tool for low profile

TOP OF THE LINE

SM1120

Center post leverless tire changer for cars and light trucks.



• PARALLEL ARM with memory lock (patented)

> bead loosening unit (patented) Leverless mount/dismount system (patented)

Double arm/disc air operated

 Power-Out System: Doubleeffect cylinder with spike limiter (patented) Wheel lift

2-Speed rotation by pedal

Tire inflation by pedal

Portable hand spin wheel balancer for cars and light trucks. Ideal for low, mid as well high volume shops, thanks to the possibility of balancing wheels anywhere.

 Dual voltage power supply 12VDC/110VAC · Automatic distance and diameter data entry 2D

(CEMB patent)





8 sensor CCD technology aligner for cars and light trucks Four shock resistant BT2 wireless rechargeable heads (only 5.75 lbs each)

- . Long life lithium ion batteries
- · Simple and user-frindly software
- ON-SITE installation and training



JACKS AND HYDRAULICS

Biackness in the Parket State of the Parket St

Floor Jacks

3 Ton Magic Lift™ Jack with 3 Ton Jack Stands

SKU **544584** OMG25033

- Jack Maximum Height: 20-7/8"
- Jack Minimum Height: 5-1/4"
- Jack Stands Maximum Height: 17' • Jack Stands Minimum Height: 11-1/2"



The Banner 3-1/2 Ton **Fast Lift Service Jack**

SKU **344792** BHKB6350

- Min. Height: 5-1/2"
- Max. Height: 22"



3-1/2 Ton Magic Lift™ **Service Jack**

SKU **964644** OMG27035

4 Ton

Floor Jack

SKU **964624**

HEIHW93657


- Innovative Design of Magic Lift Offers a Quick Lift
- Max. Height: 23"
- Low Profile Design Allows for Easy Access to Lift Points



HEIN-WERNER AUTOMOTIVE

2-1/2 Ton SKU **847099**

OMG26028



Hybrid Floor Jacks

Aluminum/Steel Hybrid Jack

• Extra Wide Wheels for Increased Stability

• Dual Piston Speedy Lift Lightweight

Strong Jack Frame

1-1/2 Ton

SKU **847097**

Service Jack Minimum Height: 3.35" Maximum Height: 13.78" · Gross Weight: 32.88 Lbs.

OMG26017

· Combines Aluminum and Steel for a Lightweight,

• Minimum Height: 3.86" Maximum Height: 18.62"

• Gross Weight: 57.27 Lbs.



3 Ton SKU **847104**

OMG26033

 $\bullet~$ Single Piston Magic Lift $^{^{\text{TM}}}$ Lightweight

- Service Jack
- Minimum Height: 3.74" Maximum Height: 19.09" • Gross Weight: 70.48 Lbs.



2 Ton Floor Jack

SKU **964622**

HEIHW93642

• Min. Height: 4-1/2" • Max. Height: 20-1/4



SKU **847093**

• Dual Fast Action

U-Joint Assembly for Precise

Load Control

 Maximum Height: 19.88" • Gross Weight: 70 Lbs

• Minimum Height 3.13"

Pump Piston

OMG29021



Low Profile Floor Jacks

2 Ton Low Profile Service Jack

HEIN-WERNER AUTOMOTIVE

3 Ton Floor Jack

SKU **964623** HEIHW93652

• Min. Height: 5"

• Max. Height: 23-1/2"



2 Ton Low Profile Jack

SKU **964645** OMG29023

HEIN-WERNER AUTOMOTIVE

• For Low Profile Cars as Well as SUVs • Extra Long Low Side Rails to Reach Hard to Get to

Jack Points

• Low Height: Only 2.5' Max





2-1/2 Ton Low Profile Magic Lift™ Jack

SKU **847105** OMG29028

Min. Height: 5"

Max. Height: 25-3/4"

· Foam Handle Cover • U-Joint Assembly for Precise Load Control

• Minimum Height: 3.35"

• Maximum Height: 19.3"

• Gross

Weight 69.5 Lbs.



2-1/2 Ton Low Profile Service Jack SKU **847094**

OMG29027

• Dual Fast Pump Piston

• U-Joint Assembly for Precise Load Control

Minimum Height: 2.9"

• Maximum Height: 20"

· Gross Weight: 71 Lbs



2-1/2 Ton Low Profile Magic Lift™ Jack and 3 Ton Jack Stand Combo

SKU **847101**

OMG25055

• Foam Handle Cover

- Jack Minimum Height: 3.35", Maximum Height: 19.3" • Stands - Minimum Height: 11.5", Maximum Height: 17"



3 Ton Low Profile Magic Lift™ Jack

SKU **847106** OMG29031

- Foam Handle Cover
- U-Joint Assembly for Precise Load Control
- Minimum Height: 3.75" • Maximum Height: 19.75"
- Gross Weight: 75.3 Lbs.



3 Ton Low Profile Service Jack

SKU **847096** OMG29033

- Dual Fast Action Pump Piston
- U-Joint Assembly for Precise Load Control • Minimum Height: 3.54"
- Maximum Height: 19.75" • Gross Weight: 75.3 Lbs.



3-1/2 Ton Low Profile Magic Lift™ Jack

SKU **847107** OMG29038

- · Foam Handle Cover
- U-Joint Assembly for Precise Load Control
- Minimum Height: 4"
- Maximum Height: 21" Gross



Aluminum Floor Jacks

3 Ton Aluminum Jack SKU **847102 369**⁹⁹ OMG26030

• All Aluminum Structure Provides Strength and Stability • Side Frame Handles Allow for Easy Carrying

for Precise Load Control

• U-Joint Assembly

• Min. Height: 2.91" Max. Height: 20.12" • Gross Weight: 44 Lbs.



Air Hydraulic Jacks

20 Ton Air Hydraulic Bottle Jack SKU **544795** • Can Be Operated with Air or Manually • Height: 10.25" - 20' Extension Screw Adjustment: 3.25

Offer Good Through June 30, 2017 - While Supplies Last

20 Ton Air Actuated DUTTIE JACK

SKU **012650** OMG18204C



 Hydraulic Lifting: 5-1/8" Extension Screw



ITUUK JAUK SKU **544796**

24851

· Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles

• Min. Height: 8-1/2"

• Max. Height: 17-3/4" Ram Travel: 4-3/4"

• Extension Screw Adjustment: 4-1/2"



AutoZone® has availability to over 14,000 unique part numbers for replacement engines and transmissions.

Contact Your AutoZone Commercial Sales Manager for Details

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY





3 Ton Jack Stand Set SKU **222493**

BHKBH5030

• Max. Height: 17"



3 Ton Ratcheting **Jack Stand Set**

SKU **964601** HEIHW93503

- Max. Height: 19"
- Ratchet Action Height Adjustment



6 Ton Magic Lift Jack Stand Set

SKU**964648** OMG32066

• Max. Height: 24-3/8"



6 Ton Ratcheting Jack Stand Set

SKU **964621** HEIHW93506

- Max. Height: 25-3/4"
- Ratchet Action Height Adjustment



22 Ton Truck Stand - Pin Style SKU **964651 199**99

OMG32225

- Min. Height: 12-1/4"
- Max. Height: 19-7/8"
- Sturdy, Welded Steel Construction for Superior Safety and Strength
- Sold in Pairs and Used in Pairs

Under Hoist Stands

1,500 Lbs. **High Reach Jack Stand**

SKU **300796**

- BHKBH5710 • Min. Lift Height: 53-3/4"
- Max. Lift Height: 78-7/8"
- Base: 12" Diameter





CLA

Backwook Retensions

4499

- Perfect for Holding Drive Train or **Exhaust Components** in Position
- Capacity: 4000 Lbs. • Low Height: 55"
- Max Height: 87"



Ranger Ranger

2 Ton Tripod **Auxiliary Stand** SKU **818750**

OMG33020

- 1**49**99 • Heavy Gauge, Steel
- Frame Helps Prevent Distortion or Twisting Adjustable Height: 66-1/2" to 75-3/4"
- Base: 24" x 24" x 24"



Jack Accessory

Garage Floor Jack Crossbeam SKU **544803 59**99 24833

• Compatible with Any Floor Jack That Has a 1-1/8" Diameter Saddle Stud

OEM TOOLS

• Saddles Adjust from 23" to 32" on Center

• Weight Capacity at Min. - Max. Width: 3,000 Lbs. - 4,000 Lbs.



Transmission Jacks

1.100 Lbs. Telescopic **Transmission Jack**

SKU **544786** 24840

- Lift Range: 51" 70"
- Safety Tie-Down Chain



OEM TOOLS

1,100 Lbs. High Lift **Transmission Jack** with Foot Pump SKU **750006**

24844

- Lift Range: 47" 77" • Adjustable Saddle with Tilt
- Spring-Loaded Release
- Valve Controls Lowering





REACH

Ranger Ranger

1/2 Ton Capacity **Transmission Jack**

SKU **902481** RANRTJ1100

• Lifting Capacity: 1,100 Lbs.

• Lowered Height: 45"

• Raised Height: 72"



700 Lbs. **Transmission Jack**

SKU **533215** BHKBH7000

• Lifting Capacity: 700 Lbs.

• Lowered Height: 57-1/4"

• Raised Height: 76-5/8"

• Double Pivoting Adjustable Saddle That Can Expand to Almost 19" x 19"



Ranger R


1 Ton, 2 Stage **Transmission Jack**

SKU **544788** 24842



1 Ton Telescoping Transjak™

SKU **902478** RANRTJ1



• Lowered Height: 37" • Raised Height: 71"



1/2 Ton Telescoping **Transmission Jack**

SKU **964652** OMG41000C

• Lifting Capacity: 1,000 Lbs. • Lowered Height:

37-3/4" • Raised Height: 78-1/8"



1-1/2 Ton Telescoping **Transmission Jack** SKU **902484**

RANRTJ3000

• Capacity First Stage: 3,000 Lbs. Capacity Second Stage: 2,000 Lbs.

• Lowered Height: 35-1/2"

• Raised Height: 71-1/2'



1/2 Ton Air Actuated Telescopic **Transmission Jack** 1,07999

June 30, 2017 **While Supplies Last**

SKU **222744** OMG41001C

 Air Turbo Motor is Air Equipped to Raise the Load to the Desired Height Efficiently, Effortlessly and Safely • Chrome-Plated Rams

Maximize its High

• Operated By a User-Friendly Foot Pedal

• Max. Height: 78-1/8"



3/4 Ton Ouick Lift Telescopic **Transmission Jack**

SKU 338731 BHKBPM407

• Dual-Pedal Pump Design for Quick Lift Action and Fine Tuning • Chrome Plated Ram for Long Life

• Maximum Height: 82.38", Minimum Height: 42.61 Base Dimensions: 33.07" x 35.55"

• High Cycle Durability • Longer Saddle Supports • Improved Bearing Surfaces

• High/Low Temp Functionality Conforms to ASME PALD/ 2009 Safety Standards

• User Selected Dual Pump Pistons

800 Lbs. **Low Profile** Transmission Jack

SKU **544789 999** REG. \$349.99 24843 • Lift Range: 8-1/4" to 30-1/2"

 Fully Adjustable Saddle Adapts to Most Transmission Pans Swivel Saddle Adjusts **Both Directions**

Casters for Ease of Mobility Offer Good Through

June 30, 2017

While Supplies Last

• (4) Swivel



1 Ton Floor Style Transmission Jack

SKU **964631** HEIHW93718

• Max. Height: 44-3/4" Designed for Heavy Duty



Fuel Tank Adapter for Transmission Jacks SKU **222503**

DOWJDI-FTA7

• Safe and Convenient Adapter for Handling Vehicle Fuel Tanks Works with Most Transmission Jacks



The Professional Choice for Safe Fuel Tank Removal and Fuel Pump Service. **Mounts Easily on Most Transmission Jacks.**



JACKS AND HYDRAULICS

Wheel Dollies

OEM TOOLS'

Vehicle Position Jack Storage Rack

SKU **544800**

4999 REG. \$59.99

- Neatly Secure and Store Up to (4) Vehicle Car Dolly Jacks
- Dimensions: 24-7/8" (L) x 31-7/8" (W) x 9-9/16" (H) • 5" x 1" 360 Degree Swivel
- Ball Bearing Wheels for Easy Maneuvering • Weight Capacity: 300 Lbs.

Offer Good Through June 30, 2017 **While Supplies Last**

BUY TWO JACKS FOR \$219.99

Two 1.500 Lbs. **OEM** TOOLS **Vehicle Position Jacks**

SKU **298098** 24855TW0

 Hydraulic Ram Provides Stable Foot Pedal Lift in Seconds



One 1,500 Lbs. **Vehicle Position Jack** SKU **544798**

24855



Vehicle Position Jacks

with Storage Cradle

SKU **696485**



OEM TOOLS

2.000 Lb. Heavy Duty 3-in-1 Car **Dolly Set**

SKU **296929**

OMG47020

- Holds Vehicle By: Wheel, Pinch Weld or Frame
- Integrated Frame Adapters Eliminate Need for Additional Adapters
- · Locking Casters
- Self-Stacking for Convenient Storage



Truck Wheel Dolly

3/4 Ton Wheel Dolly SKU **291389**



- Assemblies from HD Trucks
- Single, Duals/Tandems and Duplex Tires and Wheels
- Lift Arms Can Be Adjusted to Handle Different Wheel Combinations



OEM TOOLS

Shop Presses

Shop Press Pin Set

sku **544794** | PART# 24813 **Value:** \$99.99

- Includes Set of (8) Press Pins, 2 to 20 Ton Capacity, with 25 mm Ram Adapter
- Suitable for Use with Hydraulic Ram Style Shop Presses Which Have a Female Ram Assembly Diameter of 25 mm and are Secured with a Bolt
- Includes Mountable Bracket
- · Works with OEMTOOLS 24811 and 24812
- · Not for Use with Bottle Jack Style



With Purchase of: 12 Ton Hydraulic Shop Press w/ Gauge SKU **544790** | Part# 24811

Or 20 Ton Air/Hydraulic Shop Press w/ Gauge

12 Ton Hydraulic Shop **Press with Gauge**

SKU **544790**

- Press Blocks Oil Filled Pressure Gauge Provides Accurate Pressure Readings
- Measurement Between Uprights: 20"
- Working Range: 0" to 36-1/8'



OEM TOOLS 20 Ton Air/Hydraulic **Shop Press with Gauge**

SKU **544793** 24812

- **499**99
- Includes Press Blocks • Oil Filled Pressure
- Gauge Provides Accurate Pressure Readings Ram Moves Side
- to Side for Versatility Measurement Between Uprights: 21-1/8"
- Working Range: 0" to 40-1/2

Offer Good Through June 30, 2017 - While Supplies Last



Shop Press

20 Ton Shop Press

SKU **300134** 24810

- Includes Press Plates
- Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys Multi-Position Bed
- for Work Height Adjustment • Max. Height: 31.5"
- Max. Width: 21.75"

Super Heavy Duty H-Frame Press Weighs Over 250 Lbs. Providing and Durability Compared to Similar Lighter **Weight Shop** Presses on the Market



Bearing Separators

Bearing Splitter, 1/4" to 15/16"

SKU **514005** 27231

• Maximum Spread: 15/16"

- Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" - 18
- Distance Between Adjusting
- Screws: 1-11/16"

Bearing Splitter, 1/2" to 4-5/8"

SKU **514006** 27232



- Between Parts and Securely Holds Tool Maximum Spread: 4-5/8"
- Minimum Spread: 1/2"
- Thread of Tapped Holes in Adapter: 5/8" 18 • Distance Between Adjusting Screws: 4-3/8"

5 Ton Bar-Type Puller/ **Bearing Separator Set**

SKU **347218** 27236

999 REG. \$99.99

- Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- Set Includes: 2" and 3" Bearing Splitters, Bar-Type Puller Head with a 9/1



While Supplies Last

Engine Lifts Duralast

2 Ton Capacity Engine Hoist

SKU **123037** 80-900T

- 8 Ton Capacity Hydraulic Jack for Faster and Easier
- Raising Action • Large Diameter Ram to Withstand Side Loads
- 4 Position Telescoping Boom is Adjustable from 1/2 Ton to 2 Ton Capacity
- Legs are Over 55" Long for Greater Stability



2 Ton Folding **Engine Crane**

SKU **902288**

RANRSC2TF

- Heavy Duty Hydraulic Folding Engine Hoist with 8 Ton Capacity Ram is Perfect for Shops That Have Limited Space But Still Need the Pure Lifting Convenience of a Crane • Front Casters Include a Safety Brake to
- Prevent Movement



Ranger Ranger

OEM TOOLS

2 Ton Folding Shop Crane SKU **544801** 24830

- Foldable Design Makes for Convenient, Easy Storage
- (6) Solid Steel Caster Wheels
- Fully Adjustable 4 Position Boom

OEM TOOLS

Engine Leveler

SKU **544802**

- Great for Use with Engine Hoist or Engine Crane • Makes Engine Handling and Positioning Easier
- Rated Capacity: 1600 Lbs.



Engine Stands

1,250 Lbs. Engine Stand

SKU **462493** 24829

- Easy-to-Move and Rotate
- Heavy Gauge Square Steel Tube Frame • Extra Wide 4 Wheel Base Provides Added Stability
- 360° Rotation
- Lock Pin Locks Engine into Position • Includes Tool Tray





OEM TOOLS

1 Ton Folding **Engine Stand** SKU **544804**

24834 Folds Upright to Conserve Valuable Floor Space

 Sturdy, Wide Base Design to Prevent Tipping Under Load • Slotted Adjustable Saddle Permits

Quick and Easy Installation • Head Swivels 360° to Easily Position Engine



1,250 Lbs. Rotating Engine Stand SKU **964646**

OMG31256 • Extra Long Handle with Rubber Grip for Easy Rotation and Maneuvering

• Head Plate Locks in 8 Positions and Rotates 360° • Heavy Duty Worm Gear Allows for

Smooth and Effortless Engine Rotation





Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

QuickJack™ 5,000 Lbs. **QuickJack™** Car Jack Support System SKU **850896** RANBL5000SLXA (110V AC)

 Complete Package Includes: (2) Jack Frame Assemblies, (2) 150"
 Hydraulic Hoses, (2) 14" Aux. Hoses, (2) Quick-Mount Handles,
 (4) 1.5" X 3" X 4" Rubber Lifting Blocks, (4) 3" X 3" X 4" Rubber Lifting Blocks, (1) Mini Hydraulic Power Unit with Pendant Control

Price Does Not Include cles, Installation or onal Equipment as Shown. 3,500 Lbs. QuickJack™

SKU **850894** RANBL3500SLXA (110V AC)

7,000 Lbs. QuickJack™

RANBL7000SLXA (110V AC) 1,48999

QuickJack™ **SUV** and **Light Truck** Adapters

SKU **862288**

- RAN5150561 • Set of 12 Pieces
- Fits BL-5000 and BL-7000 Series
- Complete Kit Includes: (4) Low-Profile Round Polyurethane Contact Pads, (4) Sliding Receivers to Accommodate the Round Polyurethane Contact Pads, (4) 3" Stackable Adapters



12V DC Option Available

SPECIFICATIONS:	BL-3500SLX	BL-5000SLX	BL-7000SLX
Weight Capacity / Pair	3,500 Lbs. / 1588 kg.	5,000 Lbs. / 2268 kg.	7,000 Lbs. / 3175 kg.
Individual Frame Weight	60 Lbs. / 27 kg.	76 Lbs. / 34 kg.	91 Lbs. / 41 kg.
Platform Lifting Height (Frame Only)	16.5" / 419 mm.	17.2" / 437 mm.	17.7" / 450 mm.
Platform Lifting Height (W/Blocks)	20" / 508 mm.	22.5" / 572 mm.	21.2" / 538 mm.
Minimum Collapsed Height	3" / 76 mm.	3" / 76 mm.	3.5" / 89 mm.
Rubber Block Position Minimum	26.7" / 678 mm.	31.5" / 800 mm.	31.5" / 800 mm.
Rubber Block Position Maximum	50.5" / 1283 mm.	60" / 1524 mm.	60" / 1524 mm.
Frame Width	10.5" / 267 mm.	11" / 278 mm.	12.5" / 318 mm.
Frame Length	62" / 1575 mm.	72.5" / 1841 mm.	72.5" / 1841 mm.
Lifting Time	10 seconds	15-30 seconds	15-30 seconds

Engine Supports

GM Engine Moving Tool

SKU **511006 THX419X**

- Fits GM Front Wheel Drive Vehicles with **Engine Torque Struts**
- Safely Holds Engine in Place
- Extra Bolt Holes Provide Fit on All Vehicles
- Includes Adapter 419A



OEM TOOLS

OEM TOOLS'

3 Point Engine Support Bar

SKU **133617** 24951

- Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- Width Expands from 34-1/2" to a Full 61"
- (2) 14" Adjustable Hook Screws • (2) 38" Braided Steel Cables
- 700 Lbs. Capacity



1,100 Lbs. Engine Support SKU **512946** 24950 REG. \$119.99

- (2) Screw Adjusters for Precise Positioning Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability
- 1,100 Lbs. Capacity

2 Hooks - 2 Chains **Twice the Adjustment Means Faster** Easier AND Safer



Body Repair Accessories

10,000 PSI Air Actuated Foot Pump

SKU **964639**

- Provides Up to 10,000 PSI with Standard Shop Air





5 Ton Flat Body Kit

SKU **964667** PPBB65139

- Ideal for Applications in Limited Spaces
- (4) Adapters for Added Height
- Chrome Plated Plunger



24820

4 Ton Porto Power Kit

Body Repair

SKU **301327**

• Long Handle Provides Low Pumping Effort

• Comes in a Blow Mold Case

4 Ton Body Repair Kit

SKU **964654** OMG50040



OEM TOOLS'



SKU **964658 199**99 PPBB65114

OEM TOOLS

10 Ton Porto Power Kit

SKU **301328** 21999 REG. \$259.99 24821

• Features a Faster (Double-Action) Hydraulic Pump Causing the Ram to Move with Both the Up and Down Strikes of the Arm



Offer Good Through June 30, 2017 - While Supplies Last

• Quick Connect Technology for Effortless Assembly

10 Ton Body Repair Kit SKU **964656**

OMG50100

- Quick Connect Technology for Effortless Assembly of Attachments to Meet Your Pushing and Pulling Needs
- Includes: Hand Pump, Hydraulic Hose, 10 Ton Ram, 4-1/8", 10", 18", and 28" Extension Tubes, Male Connector, Wedge Head, Serrated Saddle, Flat Base, Ram Toe, Plunger Toe, Rubber Head, 90° Combination Head, Spreader, Dust Cover (for Hose), Dust Cover (for Ram), Hose Coupler, Ram Coupler and Blow Mold Case

10 Ton Porto Power Kit SKU **964663** PPBB65115

• Snap-Lock Design for Quick and Easy Assembly

 Automatic Pump Overload System Protects Against Damage to Rams and

Equipment • 1/2 Ton Capacity Hydraulic Spreader Features 2" Jaws and Spreads from 5/8" to 3-3/4"

• Custom Fitted, Rugged Blow Molded Storage Case with Wheels for Easy Movement Between Jobs



JACKS AND HYDRAULICS



AutoZone® now offers the full line of Chief® Automotive Products



The industry's trusted brand for live mapping, pulling, anchoring, and specification products.





Call 877-AZTool1 to setup up a demo today!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY



Contact us at

Promo Good While Supplies Last! Available thru Outside Buy/EPO



CHROME SOCKET SETS

KTI33202 19 Piece 1/2" Drive 6 Point

- **SAE Deep Impact Socket Set** Heat-treated, chrome-moly steelLaser engraved for quick identification
- Set includes deep sockets sized from 3/8" to 1-1/2"
- Lifetime warranty on sockets



IMPACT SOCKET SETS

10 Piece 3/8" Drive Metric 6 Point

- **Deep Flex Impact Socket Set**
- Heat-treated chrome-moly steelSizes include: 10mm thru 19mm
- · Lifetime warranty on sockets

KTI35100 18-piece 1" Drive

Short Fractional Impact Socket Set

• All sockets are laser engraved

- Lifetime warranty
 Set includes 3/4" to 2": 7" and 13" extensions and replacement 0-rings and pins



185⁹⁹

KTI38202

26 Piece 1/2" Drive 6 Point

- **Metric Deep Impact Socket Set** Heat-treated, chrome-moly steelLaser engraved for quick identification
- Set includes deep sockets sized from 10mm to 36mm
- Lifetime warranty on sockets



COUNTER DISPLAY

KTI73952-54 **Grease Gun Coupler**

• 6,000 PSI

54 Pack Counter Display Grease gun couplers counter display packQuantity: 54

For use with hand grease guns only
Counter display measures: 5.5" x 4.5" x 4.25"
1 year warranty on material & workmanship

44 Piece 1/4" Drive 6 Point

SAE and Metric Standard and Deep Socket Set

Chrome vanadium alloy steel

- Heat treated
- · Lifetime warranty on sockets

Includes sizes standard length fractional sockets 3/16" to 9/16", deep fractional sockets 1/4" to 9/16", standard length metric sockets from 4mm to 15mm, deep metric sockets 6mm to 15mm. Includes 1/4" drive Pro Ratchet and 2" and 6" extensions.



KTI22047

47 Piece 3/8" Drive 6 Point **SAE and Metric Socket Set**

• 3/8" drive Pro-ratchet included

• 2" and 6" extension included

• Lifetime warranty on sockets, ratchet and extensions

Includes sizes 1/4"-7/8" (standard length fractional), 3/8"-7/8" (deep fractional), 6mm-19mm (standard length metric) and 10mm-19mm (deep metric).

47 Piece 3/8" Drive 12 Point

- **SAE and Metric Socket Set**
- 3" and 6" Extension included3/8" drive Pro-Ratchet included
- Lifetime warranty on sockets, ratchet and extensions

Includes sizes: 1/4"-7/8" (standard length fractional), 3/8"-7/8" (deep fractional), 6mm-19mm (standard length metric) and 10mm-19mm (deep metric).



BRAKE SERVICE



Brake Lathe SKU **210247** AMM904000SP

• Cut Rotors in One Pass,

- with a High-Quality Finish
- Single Speed Spindle and Feed Rates
- Requires the Purchase of an Adapter Kit of Your Choice

Negative Rake (10 Pack)

SKU **262386** SHA06210



Manufacturer's Set-Up and Training

Free Delivery!

AMMCO

Bench Kit and

Kit "B" SKU 496629 | Part# AMM900002 **VALUE: \$1,849.98**

Model 4000SP Single Pass Brake Lathe





BRAKE SERVICE



Offer Good Through June 30, 2017 **While Supplies Last**

Model 4000B Brake Lathe SKU **534380**

AMM904000B • Twin Cutter Tools and Quick

- Drum-to-Rotor Changeover
- Adjustable Spindle Speeds Allow for Quick Rough Cut/Finish Cut Settings • Infinitely Adjustable Spindle
- Feed Gear Box
- User-Friendly Ergonomics
- Supports Drums or Rotors Up to 100 Lbs. Using the 1" Arbor, or Up to 200 Lbs. Using Optional 1-7/8" Arbor

Negative Rake (10 Pack)

SKU **262386** SHA06210





Free Delivery!

Lift Gate Service SKU 262529 AMMLIFTGATE 5500

Ranger

(Shown with Optional Equipment. Accessories Not Included)

Bench Kit SKU 212739 | Part# AMM902500

> and Kit "E"

SKU 496630 | Part# AMM900006 **VALUE: \$2,499.98**

Model 4000B **Brake Lathe**





(Shown with Optional Equipment. Bench and Board Sold Separately)



Offer Good Through June 30, 2017 **While Supplies Last**

HOFMANN'

- ,0,10010

tororororo

Combination Brake Lathe RL8500 Complete Kit Includes Lathe,

SKU **901827**

RANRL8500

Adapters and Bench

Provides a FASTER, More ACCURATE, and EASIER Resurfacing Capability Than Any Other Brake Lathe in Its Class

- Infinitely Variable Speed Controller Able to Turn Rotors and Drums Faster Providing One-Cut, Micro-Finish Execution
- Maximum Rotor Diameter: 17"
- Maximum Rotor Thickness: 2-1/2"
- Brake Drum Diameter: 6"- 28"
- Maximum Load with Standard Arbor: 150 Lbs.
- Maximum Load with Truck Arbor: 250 Lbs.

Truck Adapter Kit for RL8500 Brake Lathe

SKU **899411** RAN5150161

,54999

- Super-Duty Truck Tooling Package Consists of an Upgraded 1-7/8" Arbor and a Wide Variety of Adapters
- 36 Piece Set Allows Expanded Coverage to Handle Any Vehicle Through 1 Ton Trucks

Positive Rake Bits (10 Pack)

SKU **300786** SHA408-10





Free Delivery

201 Combination Brake Lathe, **Single-Speed**

SKU **290004** HOF201TRUECUT **7,19**

• Drive Motor: 1/2 HP (1,725 RPM)

• Arbor Speeds: 185 - 195 RPM

• Arbor Diameter (Standard): 1"

• Maximum Arbor Weight (Standard): 150 Lbs. • Rotor/Flywheel/Drum Feed

Rate per Revolution: 0.0025"

• Rotor/Flywheel Diameter Range: 5" - 18"

• Rotor/Flywheel Facing Travel: 4"

• Max Rotor Thickness: 3" • Drum Diameter Range: 5" - 14"

• Drum Facing Width: 4"

• Power Requirements: 120V, 1Ph, 60HZ

• Includes Standard Adapters for Cars and Light-Trucks

Leasing Terms Available Free Delivery

Accu-Turn Positive

SKU **262383** SHA06010

HOFB206





Work Bench for 201 Brake Lathe

SKU **290008**

Tool Board for

201 Brake Lathe SKU **290006** HOFB203



Carbide Lathe Inserts

SKU	PART#	DESCRIPTION	APPLICATION	PRICE
262385	SHA0626	Negative Rake (6 Pack) • Models 3860, 4000, 4100 and 7000	Ammco	1799
262387	SHA1042	Positive Rake (2 Pack) • Model 3850	Ammco	1799
262386	SHA06210	Negative Rake (10 Pack)	Ammco	2499
262389	SHA06810	Positive Rake (10 Pack) • Model BL500 and 501	Hunter	2999
262388	SHA1046	Carbide Inserts (6 Pack)	Ammco	3499

SKU	PART#	DESCRIPTION	APPLICATION	PRICE
543384	SHA069-10	Positive Rake (10 Pack)	Pro-Cut	4999
262382	SHA40710	Carbide Inserts (10 Pack)	FMC	4999
262409	SHA80210	Carbide Inserts (10 Pack)	Kwik Way	59 99
300786	SHA408-10	Positive Rake (10 Pack)	FMC/ Ranger	59 99
262383	SHA06010	Carbide Inserts (10 Pack)	Accuturn	5499







Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY

Brake Lathes

Pro-Cut Brake Lathes Correct Rotor Distortion, Rotor Misalignment and Cure Brake Vibration

PRO-CUT

Pro-Cut 9.2DRO on Car Brake Lathe with 6 Adapter Package

SKU OUTSIDE BUY/EPO PCTPC92-6ADP

- Includes: Pro-Cut 9.2 On-Car Brake Lathe, DRO Computer Box, Speed-Lock Cutting Head, Fixed Post Trolley, 6 Adapter Package, Accessory Kit, 6 Adapter Package (50-681, 50-687, 50-688, 50-693, 50-694, 50-946)
- The 6 Adapter Package Will Fit Import and Domestic 4 Lug Applications Up Through 1/2 Ton Trucks
- On-Site Installation and Training Provided





Pro-Cut A10-6 on Car Brake Lathe with 6 Adapter Package

SKU OUTSIDE BUY/EPO PCTPCA10-6ADP

- Includes: A10 Warthog Lathe, 6 Adapter Package and Full Accessory Kit (50-681, 50-687, 50-688, 50-693, 50-694, 50-946)
- Heavy Duty PTO Drive System Provides Twice the Start Up Torque as Our Other Machines. Perfect for Fleet, Heavy Duty and High Car Demand!
- The 6 Adapter Package Will Fit Import and Domestic 4 Lug Applications Up Through 1/2 Ton Trucks
- On-Site Installation and Training Provided
- 2 Year Warranty





Silencer Bands

Small Solid Rotor Silencer Band (6")

SKU **262393** SHA96



Large Solid Rotor Silencer Band (9")

SKU **262396** SHA94



AMMCO Style Disc Silencer **Band with Lead Weights**

SKU **262392** SHA69





2-3/4" Large Truck Drum **Silencer Band**

SKU **262391** SHAA5290



Call for Individual Sizes

1-3/4" Drum Silencer Band

SKU **262390** SHA80B



AMMCO Style Large Disc Band with Lead Weights

SKU **262397**





Silencer Clamp

SKU **388821** SHA70B



Bleeders

DIY Reverse Brake and Clutch Bleeder

PH02104-B

- Removes Trapped Air
- to Fit All



V-12 Economy Professional Reverse Brake and Clutch Bleeder

SKU **289898** PH02003

- Bleed the Brakes on Any Vehicle in 10 Minutes or Less, Including ABS Save Time and
- Money on Good Parts Not Properly Bled
- One Man Operation



MaxProHD® Reverse Brake and Clutch Bleeder

SKU **289896** 🤦 PH02002

• Bleeds Brakes

or Clutches in Half the Time

 Includes a Full Set of Adapters for Vacuum, Pressure, Pulse Generation, Bench and Cross Bleeding

Methods



Brake Fluid Testers



Brake Fluid Tester SKU 191687 **99** 25267

- Calibrated for DOT 4 Fluid
- Small Size and Easy-to-Use
- Compared to Single Use Strips • Not for Use with DOT 5 Fluid

OEM TOOLS

Built-In LED Light to Ensure Tips Are in **Proper Contact with Fluid**



SKU **850067**

2999 REG. \$34.99 25269

 Easily, Quickly and Precisely Check the Water Content of 8 Types of Polyglycol-Based Brake Fluids (DOT 3, DOT 4, DOT 5.1, ACDelco DOT 3 Pennzoil, Prestone, Motorcraft and Toyota DOT 3)

Offer Good Through June 30, 2017 - While Supplies Last



Brake Strip Brake Fluid Copper Test Kit

SKU **289905** PH03006

- Everything Needed to Test Brake Fluid Know within 60 Seconds if it's Time for a Change
- Includes: (1) Tube of 100 Strips; (100) Color

OEM TOOLS





Phoenix Systems 8002-B Coolant and Brake Test Strips SKU **850029**

PH08002-B

• 100 Double Ended Test Strips That Can Be Used to Quickly and Accurately Determine When to Correct or Replace Engine Coolant and Brake Fluid

Hones and Stones

Adjustable Brake Cylinder Hone

SKU **531780** 25032

• Range: 1/2" to 2-1/4" (13 mm to 57 mm)



OEM TOOLS

OEM TOOLS

• Range: 13/16" to 2-1/4" (21 mm to

Brake Cylinder Hone 3/4" to 2-1/2"

SKU **341378**

SKU **047928**

STORE STOCK

25028



Brake Spring Tool

Brake Caliper Hanger Set 8 Piece SKU **312538**

24518

- Prevents Kinking or Premature Failure of Brake Hose
- Keeps Calipers Up and Out of the Way When Servicing Suspension Components, Brakes, Etc.
- Hi Viz Green Powder Coat So You Don't Misplace Them or Leave Them Attached to the Vehicle



OEM TOOLS

Replacement Stone Sets

SKU **046789** 2528M

STORE STOCK





Flex-Hone® Kit BC Kit D 180SC

BRMBCKD

• BC Kit D (18 mm, 20 mm, 22 mm, 25 mm, 29 mm)



BRAKE SERVICE

Brake Bleeding Tools

One Man **Brake Bleeding Kit**

SKU **070116** 25136

STORE STOCK

• Easily Diagnose Vacuum and

Pressure Related Systems from the EGR to Brake Bleeding to Cooling Systems on Today's Complex Vehicles

• Kit Contains Our Most Popular Hand Vacuum Pump with Vacuum Gauge and Accessories

Universal Fluid Dispensing Bottle OEM TOOLS

SKU **568477**

3499 REG. \$39.99

• Refill the Master Cylinder During Vacuum or Manual Hydraulic Brake or Clutch

 Mounts Securely to Master Cylinder and Clamps

• Capacity: 50 Oz.

Offer Good Through June 30, 2017 While Supplies Last

OEM TOOLS Vacuum **Brake Bleeder**

SKU **526506** 24440

· Works with Your Air Compressor to Quickly Bleed Clutches and Brakes on Most Cars and Trucks

 Includes Fill Bottle and Master Cylinder Adapter Set

OEM TOOLS

Refill Kit SKII 972280 MITMVA6832

• 40 Oz. (1.2 L) Reservoir Holds Enough Fluid for an Entire Flush On/Off Valve Controls Fluid

Flow From Reservoir • Fluid Level Control Maintains Correct Level of Fluid in the Master Cylinder

 Conveniently Adapts for Use with Standard 12 Oz. (355 MI) and 32 Oz. (946 MI) Brake Fluid Bottles

• Universal Top-Mount Design



Mityvac≟

BONUS **VALUE: \$64.99**

Brake Bleeding Kit

Offer Good Thru June 30, 2017 While Supplies Last

Brake **Bleeding Kit**

SKU **604208** MITMV6830

- Compressed Air
- Operation • 1.9 Quart Capacity
- · Swivel Air Inlet with Quick Disconnect



AUTEL

Mityvac≟ **Silverline Elite Test Kit**

SKU **988888**

MITMV8500 • Provides Either Vacuum or

Pressure with Equal Precision and Convenience Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation,

Sampling and More Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests

Mityva⊂



MITMV6840 • Large 1.2 Gallon Capacity Dispenser

- Includes 7 Master Cylinder Adapters That Connect to Most U.S., Asian, and European Cars and Light Trucks
- Pressure Gauge Indicates Dispensing Pressure

Pressure Brake

- · Utilizes Push-to-Connect, Quick-Change Adapters
- Integrated Manual Relief Valve For Safety



Code Scanner and Reader

Autel MaxiService **EBS301 Electric Brake Service Tool**

SKU **255733**

AULEBS301

- Read and Clear EPB/SBC Codes Turn Off ECU and Brake Warning
- BMW, Renault, Ford, VW, Audi, GM, Daewoo, Benz, Sprinter, Smart, Chrysler, Volvo
- One-Year Free Online Software



Red Powder Coated Aluminum Sprayer

SKU **186463** MSMB8000PL

• 16 Oz. Capacity



· Not for Use with Chlorinated Solvents



Red Powder Coated Steel Sprayer

SKU **186459** MSMA1000R

• 32 Oz. Capacity

• Not for Use with Water-Based Products





• Open and Close the Brake Pads,

- Applications: Citroen, Peugeot, Opel, Toyota, Land Rover, Jaguar,
- Updates



Complete Repair Kit for B8000PL

SKU 186467 MSMBK50



SKU **186466**

MSMP156

 Hand Removable For Model "A" Sprayers

Complete Repair Kit for **Model "A" Sprayers** SKU **186465**

MSMK10 • Includes All Parts That Can

Be Replaced

• All Chemical Resistant Seals • Used for Model A1000R and A2000 32 Oz. Sprayers



Brake Service Tools

OEM TOOLS



Brake Caliper Brush

SKU **250125** 25435

STORE STOCK • Slim Design for Cleaning Brake

Brake Hardware

M TOOLS



2 Piece Hose Pinchers

25250

SKU **191675** • A Quick, Easy Way to

Pinch-Off Vacuum Lines, Fuel Lines Etc. without Damaging the

OEM TOOLS



Brake Cylinder Retainer Remover

SKU **265111**

25268

- Use on GM X and
- Expands and Holds Special Cylinder May Be Removed

OEM TOOLS



Brake Gauge Set SKU **191672**

25266

• Color Coded Brake Gauge Identifies Thickness Levels for Brake Lining Inspection

OEM TOOLS



3/8" Pro **Impact Driver**

SKU **452628**

- Handle Design Reduces
- Risk of Hitting Hand
- 3/8" Drive and 5/16" Hex for Phillips and Flat Bits
- Includes: 8 Screwdriver Bits

Spring Brake Tool for GM

SKU **222526** LIS50600

• Releases Tension on Both Large and Small GM Single Spring Brakes During

8 Piece

Brake Tool Set SKU **900827**

🖶 REG. \$49.99

OEM TOOLS

OEM TOOLS

• Includes: Spring Compressor, Brake Spring Installer, Spring Removal Tool, Brake Retaining Spring Tool, Brake Spring Pliers, (2) Brake Adjustment Spoons and Mini Adjustment Spoon

Offer Good Through June 30, 2017 While Supplies Last

Disc Brake Tools

Speedy Pad Spreader

SKU **291417** LIS24300

 Compresses Disc Brake Pistons in Seconds Makes Brake Pad Replacement Easier



SKU **291420** LIS25750



Quick Quad Pad Spreader

SKU **080553** LIS29100 • A Quick Way to Spread Brake Pads and Compress

- Disc Brake Pistons for Pad Replacement on Single, Double and Quad Piston Calipers
- Four Pistons on Quad Piston **Applications** • Can Be Used While Caliper is on the Vehicle

or Hanging Free



Rotor Flex-Hone® 4999 each · Simultaneously Compress All • Lowers Harmonic

> Flywheels SKU **341310 4999** BRMRMFH240Z25

Vibrations

Ideal for New and

Re-Turned Rotors and

BRMRMFH120Z25 Coarse 4999 SKU **341314** BRMRMFH60Z25

Medium 4999





- Quickly Remove Rust on Lug Studs and Rotors on the Hub Assembly • Use with Drill for a Quick
- and Easy Job • Fits All Passenger Cars, Light-Trucks and SUVs

STORE STOCK

• Includes 4 Pads



Dual Piston Press

SKU **900811** 25741

• Used to Press in Dual Brakes and Single Pistons

OEM TOOLS 2 and 3 Pin Brake

SKU **013592** 24693 • Includes 2 Fully Adjustable Adapters That Fit Thousands of Vehicles

Rewind Adapter Set

· No Need for Multiple Tools • 3/8" Drive

STORE STOCK

Adapters

OEM TOOLS

18 Piece Disc Brake Caliper Set SKU **094798 5999** REG. \$74.99

• Caliper Adapters from 1-3/16" to 2-1/2", Some Specifically to Service Nissan, SAAB and Honda Models

 Caliper Rotation T with Left Hand Ford Applications



Offer Good Through June 30, 2017

62

PANT AND BODY



Hood Props

Universal Lift Support Adjuster SKU **191671**

- Securely Holds Gas-Charged Lift Supports in Hoods, Tailgates, Hatchbacks and Trunks
- Aluminum Body and Brass Threads Prevent Damage to the Lift Support Shaft



OEM TOOLS

Telescopic **Hood Support** SKU **420337**

- A Simple Turn Unlocks and Locks Support in Place
- Rubber End Caps Protect Vehicle's Finish
- 21" When Closed and Almost 48" When Fully Extended
- Compact and Easy

Colors May Vary

OEM TOOLS **Hood Prop** with Adapter

SKU **291352** LIS46170

- Includes a Support to Help Prevent Slipping
- 3 Piece Telescoping Shaft Locks in Any Position (Telescopes from 20'





Hatch Jammer Lift Gate and Hatch Holder SKU **222853 59**99 STK17200

- Holds Hatch Open and Secure for Prep. Paint, Buffing and Paintless Dent Removal
- Extends to 59"



STECK

Abrasive Media

Glass Bead Coarse Media, 25 Lbs. SKU 010136

SHA13077

- Ideal for Many Uses
- Prevents Surface Rust
- Paint and Body Applications
- For Use with OEM 24815 Abrasive Blast Cabinet



STECK

O=M TOOLS

SKU **010139** SHA13078

Pliers

Hog Ring Plier Set SKU **447162**

- Use for Upholstery Work in Most Domestic and Foreign Cars
- Includes 45° and Straight Hog Ring Pliers



OHM TOOLS

Spray Guns

Gravity Spray Gun SKU **738481** 80-373

- Spray Nozzle Tip Size: 1.4 mm
- Air Consumption: 5-10 CFM @ 30-43 PSI
- Gravity Feed Cup Capacity: 20 Oz.

HVLP Spray Gun w/Gauge SKU **738283**

80-376

- Duralast HVLP Gravity Spray Gun Features a High Volume, Low Pressure Sprayer That Reduces Overspray to Provide Smooth, Natural Looking Results
- 20 Oz. Gravity Spray Gun Has a 1.4 mm Tip and is Great for High Volume Paint Jobs





Duralast

Dent Pullers

Pull Rod Set SKU **964653**

STK20000

- Super Tough Alloy Steel is Precisely Heat-Treated for Maximum Strength
- Kit Contains: (4) Pull Rods and (2) Pick Rods, Stainless Steel Straight Edge, HS Split Point Drill Bit, Instruction Sheet



Super Dent Puller Set SKU **265148**

- 12 Lbs. Hammer, Slide Hammer Shaft, Slide Hammer Handle, Slide Hammer Adapter, Deep Hook, Short Hook, Door Edge Tool, Claw, Straight Driver, Hook and Chain, Sheet Metal Screw and Holder, Nose Piece with Screw
- . Comes in a Blow Mold Case



3 Piece HVLP Spray Gun Kit SKU **738479 999**

80-374

- Duralast 3 Piece HVLP Spray Gun Kit Includes High Volume. Low Pressure Sprayers That Reduces Overspray to Provide Smooth, Natural Looking Results
- Includes: (1) 1.4 mm HVLP Spray Gun for Lighter Materials, (1) 1.7 mm HVLP Spray Gun for Heavier Materials, (2) 1,000 ml Aluminum Gravity Paint Cups, (1) Adjustable Locking Pressure Regulator with Gauge and (1) Brush



Door Tools

Door Panel Remover

SKU **048579** 25313

STORE STOCK • For Easy Removal of Door Panel Clips without Damage

Door Hinge Adjuster SKU **447144**

25946 • Adjusts Door Hinge Position on Most Vehicles

• Two Head Adapter Works with Large and Small Latches

Offer Good Through June 30, 2017 **While Supplies Last**



O=M TOOLS

Window and Door Clip Remover/Installer SKU **191679**

25311 STORE STOCK



• Works on GM, Ford and Other Vehicles Using the Common "C" Type Clip

Door Spring Tool SKU **447118**

25336

- Quickly and Easily Remove or Install Door Hinge Springs
- Designed for GM Cars and Light-Trucks



O=M TOOLS

STECK

SKU **094657** 25923

Body Tools

Release Tool for GM

Air Bag

SKU **191678**

• Fits Most GM Cars,

• Tips are Tapered to

Make Removal Easier

Minivans and Light-Trucks

25310

- · Steel Levers Enclosed in Plastic,
- Prevents Scratches

Trim Clip Plier Set

Pins without Damaging

SKU **447152**

• Quickly Removes Plastic Anchors

Pins or Anchors

3 Piece

25947



OEM TOOLS

Remover Set SKU **900801** 25314

Fastener and Molding

• Includes (5) Tools for Easy

5 Piece

- Removal of Fasteners, Molding, Wheel Hubs • For Use on Internal and
- External Vehicle Molding and Trim Fasteners



O=M TOOLS

Panel Clip Pliers SKU **447154**

• Minimizes Risk of Damage to the Clip and Panel During Removal

25930



OFM TOOLS

5 Piece Door Panel and Trim Tool Set

SKU **989263** 25312

2 Trim Tools • Textured, Comfortable Grips with

and Hanging Hole



OEM TOOLS

Skin Zipper2™ Black SKU **010125 9 099** STK21894

- Air Hammer Driven Door Skinning Tool for the Window
- Self-Lubricating Reinforced Nylon Head • Crimps Door Skin to the Door Shell at Window Opening

Replacement Head SKU **010118**



- Air Hammer Driven Skinning Tool for
- Self-Lubricating Reinforced Nylon Head

Replacement Head SKU **010123** STK21897





- Designed to Remove Any Clip Found on Trim, Bumpers, etc.



OEM TOOLS

OEM TOOLS

7 Piece **Body Tool Set** SKU **900813** 25924

- Standard Bumping Hammer
- Pick and Finish Hammer Reversed Curve Hammer
- Shrinking Dolly
- Two Ended and Curved Dolly

Easy Pry Tool



Al Skin Zipper™ Red SKU **010133**

- For Any 1 mm Aluminum Skin and 1.5 mm Door Shell • Skins Doors in Approximately
- 15 Minutes • Self Lubricating Reinforced Nylon Head





STECK

Al Skin Zipper2™ Red SKU **010121** STK21896

- Aluminum Doors
- 2 Step Process

Seam Splitter Set SKU **265129** 25337

 Includes Straight, 30 Degree Offset and 90 Degree Angle Tough Chrome Vanadium Steel

Go Through Shafts

Shock Dampening

Grip Provides Comfort Offer Good Through June 30, 2017 **While Supplies Last**



STK21730

· Non-Marring Wedge • 1" Blade with a

Curved Clip End That Allows Easy Access and Removal of Plastic Bezels, Moldings, Trim and Panels without Scratching



OIL CHANGE

OEM TOOLS

Oil Filter Sockets

32 mm and 36 mm Double **Sided Oil Filter Socket**

SKU **020797**

25421

• 3/8" Drive

• Applications: VW TDI [2011-2016], Touareg and VR6 Motors [2009-2016]; Audi Q3 and S3 with 2.0 T Gas [2015-2016]; Q7 [2007-2010] and A6 3.0T [2014-2016]; BMW 335d, X5 35d [2009-2011] and BMW 6 and 8 Cylinder Engines [1994-2005]; Volvo Models [2007-2014); Chevy Cobalt, Impala and Malibu with 2.2 and 2.4 Liter Engines [2007-2014]; Porsche Models [2009-2016]

3 Piece Low Profile **Oil Filter Socket Set** SKU **094803**

27204



- Includes 27, 32 and 36 mm
- 3/8" Drive • Comes in a Blow Mold Case

14 Piece Drain Plug Socket Set SKU **818568** 25374

Designed for Both Foreign and Domestic Vehicles Including: BMW, Ford, Mazda, Mercedes-Benz, Nissan, Peugeot, Renault and More

• Ideal for Removal of Oil Drain Plugs from Manual Transmissions, Transfer Cases, Differential Housings and More Includes: (Hex) 9, 10, 12, 14 and 17 mm; (Square) 7, 8, 11, 13 mm, 5/16", 3/8"; (Female Square) 10 mm; (Male Triangle) 10

7 Piece Oil Filter Removal Wrench Set SKU **191682**

mm, (Tamper-Proof Triple Square) 16 mm

• 3/8" Drive

36 mm for Mercedes, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge

Offer Good Through June 30, 2017 - While Supplies Last

Low Profile Oil Drains

17 Gallon Low Profile Truck Drain

SKU **526486** LIN3665

• 6' Hose Extends from the Bottom of the Reservoir and Can Be Connected to a Pump to Evacuate Fluid from the Drain



with Hand Pump SKU **526485** LIN3667

17 Gallon Low

Profile Truck Drain

• Features a Rotary Hand Pump and a 6 Discharge Hose with a Steel

10" Master Oil Filter

LINCOLN

17 Gallon Low Profile Truck **Drain with Electric Pump**

SKU **526487** LIN3669

LINCOLN

M TOOLS

• Features a Durable 120V Electric Pump Installed Below the Front of the Reservoir

· Pump Operates with a Standard Power Outlet and Discharges Fluid Through a 6' Hose with Steel J-Hook

Oil Filter Wrenches

Professional 3 Legged Filter Wrench

SKU **231212**

Wrench Set

• Range: 2-1/2" to 4-1/2"

• Fits 3/8" Drive Ratchet and Extensions

SKU 383457 29 REG. \$39.99

• Sizes: 64 mm, 73 mm and 74 mm

• Use in Conjunction with a 22 mm

or 7/8" Socket or Wrench

Offer Good Through June 30, 2017 While Supplies Last

Part #

25408

25451

25452

25453

Oil Filter Cap Wrenches

Toyota/Lexus Oil Filter Cap

Locking Pliers SKU **850037** 25323

- Capacity: 2-1/8" to 4-1/2" (55 to 120 mm) • Length: 10" (200 mm)
- Provides Ability to Turn without Squeezing
- Removes Oil Filters in Hard-to-Reach Areas

10 Piece Cap Filter Wrench Set

SKU **900828** 27196

• (10) 3/8" Drive Cap Oil Filter Wrenches

64.5 mm, 14 Flutes

• Includes: 65/67 mm - 14 Flutes, 80 mm - 15 Flutes, 68 mm – 14 Flutes, 86 mm – 16 Flutes, 74/76 mm – 15 Flutes, 93 mm – 15 Flutes, 76 mm – 14 Flutes, 93 mm – 36 Flutes, 76 mm – 30 Flutes, 100 mm – 15 Flutes

19.99

19.99

19.99

24.99

15" Chain Wrench

SKU **452624** 22659

- Great for Stubborn Oil Filters
- Designed for Tight Spaces
- Double-action Allows Use in Either Direction
- Chrome Plated to Resist Rust
- Strong I-beam Handle Construction

9 Piece Oil Filter **Cap Wrench Set** SKU **255627**

- (3) Forged Low Profile Socket Wrenches Included: 27 mm, 32 mm and 36 mm
- (5) High Quality, Chrome Plated Aluminum Wrenches: 1 Adjustable, 63 mm to 83 mm Sizes and a Filter Wrench for Universal Applications
- All Wrenches are Designed to Work with 3/8" Square Drive Tools
- Includes Application Chart



OEM TOOLS

Adjustable Height

Screen and Wide-Mouth Extension

Large Diamete Off-Set Funnel

LINCOLN

REG. \$49.99

Accessories

Super Transmission

• Extends the Catch Area of Any Lift Drain

Drain Funnel

• Fits the Ford E 40D

Transmission

• Funnel Size: 22" x 23"

for **OEM 8** and

Replacement Funnel

18 Gallon Oil Drains

No Splatter Pads

• Insert Pad in Funnel or Pan Before Oil

• Porous Material Allows Fluid to Quickly

Change to Eliminate Oil Splatter

Pass Through Into Funnel or Pan

Drain Funnel

SKU **291376**

SKU **526493**

25896-1

LIS17892

SKU **291377**

LIS17902

• Includes: 24 mm for Cadillac; 27 and

Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall/Vectra

Oil Drains

383456

255634

255669

255675

255659

21 Gallon Oil Drain and **Vacuum Evacuator**

SKU **546658** 24862

Designed for Collection of Motor Oil, Transmission Fluid and Coolant from Under Lift-Mounted Vehicles or By Evacuation from Fluid Reservoirs or

Through Dipstick Tubes

• Funnel Diameter: 15"

• Funnel Extension Adapter: 22" • Funnel Height Adjustment: 45" - 62"

Extra Wide Funnel/Extension Oil Drain Funnel 3/8" x 400 mm 6 mm x 760 mm 7 mm x 900 mm 6 mm x 600 mm

OEM TOOLS

2006 BMW Series (E90) and All 1999 - 2005 Volvo Cars (Except 2005 40 and 50 Series)

2005 Toyota on Cartridge Style or 2006 Lexus on Cartridge Style - Fits 4 and 6 Cylinder Engines

BMW (M44 Engine), Mercedes (M102, M103 Engines), Porsche (924, 928), VW, Audi

BMW (N52, N54, N55, N63 Engines - 2006 to 2012), Volvo (All Models except 2005 40 and 50 Series)

Air Grease Gun VALUE: \$49.99

21 Gallon Oil Drain and Vacuum Evacuator SKU **546658** | Part# **24862**

21 Gallon **Waste Oil Drain**

Offers Good Through June 30, 2017 While Supplies Last

21 Gallon **Waste Oil Drain** SKU **544817**

24861 • Large Diameter

Funnel That Includes a Removable Filter Screen and Wide-Mouth Extension

 Funnel Diameter: 15"

LINCOLN

• Funnel Extension Diameter: 22'

• Funnel Height Adjustment: 45" - 62"

Shut-Off Valv

25 Gallon Used Fluid

Powerful Compressed Air

Operated Venturi Vacuum

Includes Mercedes, BMW and

VW Dipstick Tube Adapters and

(6) Evacuation Wands of Varying

• Drain Pan with Level Scale 13.8" x 12.6" x 4.3"

Flexibility Diameter and Lengt

Pressurized Self-Evacuation

Air and a Tire Chuck to

Discharge Fluids

4 Piece Oil Drain

• Oil and Transmission Funnel

• 2.8 Quart Low Profile Oil Drain

• 850 cc Square Oil Funnel

and Funnel Set

SKU **754740**

68985

Includes:

Feature Requires Only Shop

Quickly Draws Fluids from Reservoirs

SKU **543345**

LIN3639

Combo Drain/Evacuator

OEM TOOLS

18 Gallon Oil Drain with Pump SKU 383453

OEM TOOLS

25897

Drain Adjusts from • 2-1/2" Heavy

Duty Casters 18" Diameter with Strainer



Drum Drain

5 to 8 Gallon

• Capacity: 3.2 Quarts

Basin for

Bucket

SKU **568471**

87014

O=M TOOLS

8 Gallon **Oil Drain** SKU 383454

25896 **79**99

• Drain Adjusts from 48"-67

4.5 Gallon Drain

Pan (Green)

• Pan is Resistant to

• 1" Wide Diameter Spout

for Quick and Easy Pouring

REG. \$26.99

Chemicals and

SKU **255766**

Solvents

LIS17952

• 2-1/2" Heavy Duty Casters • 18" Diameter Funnel with



18 Gallon Rolling Oil Drain SKU **988882**

LIN3601

- All Steel Design Includes Reinforced Caster Supports • 14" Telescoping Bowl:
- Range of 45"- 72" • Preset Air Regulator (Up to 150 PSI) Pressurized Self-Evacuation Feature

Oil Drain Pan

Requires Only Shop Air and a Tire Chuck to Discharge Fluids

SKU **568469** 87013

Clear with Level Scale

- · Great for Transmission Fluid Changes
- Ruilt-In Level Scale Lets You See Fluid Levels Built-In Shelf for
- Draining Filters 10L Oil Jua

87018



OEM TOOLS

Safe for Automotive Oils and Fluids

Drum Drain Basin for 55 Gallon Drum

87015

SKU **568472**

Fits on Top of Standard Size

• Filter Gate to Catch Foreign Objects



OEM TOOLS

O=M TOOLS

Fluid Management **Right Angle Funnel Truck/Trailer Wheel Pan**

SKU **080574 2999** SKU **080548 1999** LIS38780

SKU **020782** LIS17232

22 Inch Square

LIS38780

• 10" Tall Translucent

Funnel with a 6-3/4" Offset • Funnel Mouth: 3.5" O.D.

• Spout: .7" O.D.

Out of the Oil **OEM** TOOLS **OEM** TOOLS

SKU **568473**

87016

SKU **291383**

• Catches Oil from Wheel

Capacity: 88 Oz.

Hubs After Removing Cap

LIS19852

15 Inch Round

LIS38750



SKU **568474** • Low Profile Oil Drain Pan


- Dimensions: 15.9"(L) x 8.5"(W) • Anti-Splash Lip Capacity: 4 Gallons • Capacity: 2.8 Quarts
- **Oil Drain Basin with Pour Spout**


• Handle Compartments Hold Hub Nuts

- Pour Spout and 2 Handles to Allow for Easy Spill-Free Work
- Fits on Top of Standard Size 5 to 8 Gallon Drum • Ribbed Drainage Channels Filter Gate to Catch Foreign Objects • Size: 13.8" Diameter









• Capacity: 21 Quarts

• Size: 26" Diameter



OEM TOOLS



Tool & Equipment QUARTERLY


Pumps OEM TOOLS

Multi-Use Fluid

Transfer Pump SKU **094647**

25713

- Small and Lightweight Intake and Discharge
- Transfer System
- Pumps Air Into Inflatables



OEM TOOLS

Fluid **Siphon Pump** SKU **568475**

- 24863 • Transfers Fluids Easily • Use to Transfer Gas, Water Oil and Other Non-Corrosive Liquids
- Hose Reaches 6 Ft. with 1/2" Diameter

LINCOLN



Battery-Operated Liquid Transfer Pump SKU **471071**

25712

- Move Liquids Safely and Easily with This Convenient Handheld Pump
- Pumps Gas, Water, Oil and Other Non-Corrosive Liquids
- Pumps Up to 6 Quarts of Liquid per Minute

OEM TOOLS

Polypropylene **Lever-Action Pump** SKU **688036**

24471 · Ideal for Diesel. Kerosene, Lubricants

OEM TOOLS

and Other Oils Not for Gasoline, Water-Based Chemicals or DFF



OEM TOOLS

LINCOLN

Polypropylene **Lever-Action Pump with Stainless Steel Rod**

SKU **688038** 24472

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- Not for Gasoline or DEF

Hand **Oil Pump**

SKU **462495**

24381 • Oil Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, Heavy and Light Oils, Diesel

- and Kerosene Built-In 1-1/2" and 2" Bung for Use on 16 to 55 Gallon Drums with Either Opening
- · Not for Gasoline

Rvton® Lever-Action Pump with Stainless Steel Rod

SKU **688037**

24473 • Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Acids Including DEF

• Not for Gasoline

OEM TOOLS

SKU **462486**

 Fluid Transfer Pump for Use with Oil-Based Fluids,

• Not for Gasoline

Polypropylene Rotary Drum Pump

SKU **688035**

 Ideal for Pumping Diesel, Oils, Kerosene, Water-Based emicals, Bases and Mild Acids

• Not for Gasoline or DEF

Offer Good Through June 30, 2017 While Supplies Last

Lever-Action Barrel Pump

SKU **970530** LIN1340

- Pumps Non-Corrosive Fluids, Not for Gasoline
- Telescoping Tube for 16 to 55 Gallon Drums
- Removable Non-Drip Spout Allows for Threaded Hose Connection

Manual Gear Lube Dispenser

SKU **174166** LIN1293

- 5 Ft Hose 13' Pump Tube
- Fits 25 50 Lbs., 5 Gallon Container
- Delivers 1 Oz. per Stroke

LINCOLN

<u>O≓M</u> TOOLS

Manual Rotary Pump with Hose for 55 Gallon Drums*

SKU **265089** LIN1385H

• Includes: 8 Ft. x 3/4" Anti-Static Hose

with Non-Sparking Aluminum Nozzle with Hanger; Seal Tight Telescoping Pick-Up Tube with Strainer for 16 - 55 Gallon Drums with 2" Bung and H.D.

Manual Rotary Pump for 55 Gallon Drums**

SKU **462977** LIN1385

*Drum Not Included **Hose and Drum Not Included

Rotary OEM TOOLS Barrel Pump

24382

Heating Oils, Motor Oils, ATF, Diesel and Kerosene

BONUS

5 Qt. Measuring Can

VALUE: \$44.99

with Purchase of:

Manual Rotary Pump

with Hose

SKU **265089** | Part# LIN1385H

Offer Good Thru June 30, 2017

Manual Rotary Fuel **LINCOLN Pump with Hose** for 55 Gallon Drums

SKU **265088** LIN1387

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline, Diesel, Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids, Hydraulic Oils and ATF

* Drum Not Included

Grease Pump Package

SKU **110259** LIN6917

 Portable 50:1, Air Operated, Double-Acting Grease Pump Ensures 1 High-Output Grease Delivery

Universal Swivel

Wipes 120 Lbs. and Keeps the Pump Primed

LINCOLN

Lube Fitting with

Control Valve and Standard Follower

Drum Sides Clean

LINCOLN

LIN1550 • Delivers Fuel at a Rate of 15 Gal/Min. (57 L/Min.)

12V Fuel Transfer Pump

• 13' (4 m), Heavy Duty, Anti-Static Hose That is Kink Resistant

• Pre-Wired with a Heavy Gauge 18 Ft. (5.4 m) Cable for Operator Convenience.

SKU **754742**

 Applications: Diesel, Kerosene or Mineral Spirits From Both Mobile and Stationary Tanks



Grease Service

OEM TOOLS **Professional Lever Action Grease Gun**

25893 • Lever Action Handle with Textured

SKU **094656**

Rubber Non-Slip Grip · Lightweight, Rust-Free Anodized Aluminum Barrel

O=M TOOLS

Grip Grease Gun SKU **094654**

25892 • 12" Heavy Duty

Professional Pistol

Nylon Hose with Coupler 5.5" Extension with 1/8" NPT Male Threads

• Working Pressure: 4,500 PSI

O=M TOOLS **Air Grease Gun**

SKU **125116**

25818 Great for Automotive, Workshop and Marine Use

• Operating Pressure: 30 - 150 PSI Delivery Pressure: 1,200 - 6,000 PSI

Air Consumption:

Extra Heavy-Duty Pistol Grip

LIN1134 • 18" Whip Hose

SKU **445385**

• Includes Rigid Pipe Jam Proof Handle

• Variable Stroke Design

• 7,500 PSI • Filler Nipple/Bleeder

Valve

7 Piece Grease Fitting Adapter Kit

SKU **978118** 25711

• Includes: Press-On 90° Lube Tool, Straight Extension, 300 mm

Extension

OEM TOOLS

Slide-On 90° Coupler, Rubber Tip Nozzle, Needle Nozzle, 360° Coupler

OEM TOOLS' **Bearing Packer**

SKU **900799** 25073

OEM TOOLS

• Works on Bearings Up to 3-1/2" O.D.

 Forces Old Grease Out and New

Grease In



PowerLuber

20V Li-Ion PowerLuber Kit SKU **751676**

LIN1884

• Delivers Grease at Up to 10,000 PSI

• Built-In Led Illuminates the Work Area

 Multi-Function LCD Display • Includes: Grease Gun, 2 Batteries, Charger and Case, 36 In. Flex Hose



12V Li-Ion PowerLuber Kit

LIN1264

5 Quart Translucent Oil Dispenser

SKU **544816** • Translucent White Material Enables the User

to See the Liquid Level

 Includes Flexible Spout **8 Ouart Dispenser**

Lid and Cap SKU **080078**

• 14" Flexible Spout with Tapered Tip

LIS19702 Spout Cap and Lid to Keep Out Contaminants • Many Large SUVs and Trucks Now Require



• Recessed Bottom Drains Fully and Guards Against Punctures

• Rolled-Edge Top Helps Prevent Spilling SKU **298486**

LING525 8 Quart SKU 298473 / 9 LING528

lisle

LINCOLN

Fluid Evacuators

Fluid **Evacuator** (1.9 Gallon)

SKU **594882** MITMV7400

Capacity Reservoir Large Base with Foot Stabilizer

(2.3 Gallon)

Operates on Compressed Air

• Large Base with Foot Stabilizer

Independent Air Shut-Off Valve

• 2.3 Gallon (8.8 Liter) Capacity Reservoir

SKU **497203** MITMV7300

Integrated 1.9



Fluid Evacuator (1.4 Gallon) SKU **544744**

24389 • 1.4 Gallon (5.6 Quarts,

5.3 Liters) Reservoir with Hand Operated Pump • 5 Ft. of Flex Hose and (2)

• Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant, Power Steering Fluid

Offer Good Through June 30, 2017 - While Supplies Last



and 24397

SKU **568479**

Fluid Evacuator OEM TOOLS (2.5 Gallon)

SKU **547010** 99_{REG.} \$119.99 24397

• 2.5 Gallon (9.5 Liters) • Extracts All Types of Lubricating Oils

Extracts Fluids Through Dipstick Tubes as Well as Other Openings

Float Assembly to



24446 Quickly Connects to OEMTOOLS® Models 24389 or 24397 Fluid Evacuators Converting Them Into One-Person Vacuum

Brake or Hydraulic Clutch Bleeders



SMART-(

PneumatiVac Fluid Evacuator

Automatic

• Includes: Reservoir Lid with Integrated Manual Pump, Pressure Gauge, and Pressure Relief Valve, 5 Ft. Fluid Dispensing Hose, MVA5800 ATF Refill



OEM TOOLS **ATF Refill and Universal Fluid Dispensing System**

• Complete System for Servicing

BMW, Honda, Nissan, VW, Porsche, Mini Cooper Audi and Mercedes Transmissions



Drain Plugs

SMART-O™ 38 Plug Starter Kit SKU **404638** BRA38

 Kit Includes: 38 Plugs with Washers; 6 Each: F1: 5 Each: R1, R6; 4 Each: F3, R9;

3 Each: R3: 1 Each: R4, R5, R11, R16, R20, R21, R22, R23, R24, S13, S18

• Does Not Include POS Materials



Transmission Refill

mityvac:_ **Transmission Refill System**

SKU **265092** MITMV6410

Adapter Kit, Fluid Dispensing Wand and Hanging Hook



mityvac:

SKU **526508** 24441

· Includes Adapters to Fit Ford,

Sealed Automatic Transmissions

COOLING SYSTEM

Cooling System Testers

OFM TOOLS

OEM TOOLS Cooling System Pressure **Test Pump**

SKU **434722**

- 27069 • Quickly and Easily Pressure Test
- Cooling Systems in Most Vehicles High Quality Pressure Pump Designed to Work with Most Cooling System Adapters
- Easy Lever Style Pressure Relief Valve



Universal Cooling System Adapter Set SKU **434723**

27067

• Designed to Fit Most Passenger Vehicles and Light-Duty Trucks

- Fits Both Radiators and Plastic Reservoirs
- Universal Design Works with Any Cooling System Pressure Pump
- Pressure Test Pump Not Included



SKU **434717** 27068

- Quickly and Easily Pressure Test Cooling Systems in Most Vehicles
- Includes 3 Expandable Adapters That Take the Place of Numerous Specialized Adapters
- Prevents Damage to Plastic Reservoir Threads That Occurs When the Wrong Forced On



OEM TOOLS Cooling **System Pressure Test Set**

SKU **391374** 27065

Reg. \$159.99

- (2) 32 mm (9.5 mm and 15 mm Depth) Radiator Adapters are Included to Fit a Variety of Radiators on the Market
- Cap Adapter for These Systems is Also Included
- System Works with Most Other Tester Systems
- Pump is Corrosion Resistant



Offer Good Through June 30, 2017 - While Supplies Last

Works with the OEMTOOLS® Adapters on Page 67

REDLINE SmartFit™ **Universal Cooling System Test Kit**

SKU **250709** RED950700

- Works on All Passenger Vehicles and
- Light-Duty Trucks • Eliminates the Need to Buy Costly Adapters for Radiators
- Made from Anodized Brass and High Quality Materials
- Made in the U.S.A



Cooling System

3 Piece Hose **Pinching Pliers Set**

SKU **013529** 24689

STORE STOCK

- Designed to Clamp Hoses Shut and Lock Them Into Place
- Clamps Fuel Injection, Brake, Vacuum and Cooling
- Designed with Smooth,
- Small: 1/8" to 5/16" Medium: 1/2" to 3/4"



System Hoses

Rounded Jaws to Prevent Hose Damage

Large: 3/4" to 2-1/2'

OEM TOOLS

- Locking Hose Pinch-Off Pliers • Features Locking Ratchet Mechanism to Hold Jaws
- Eliminates the Need to Drain the Radiator When

SKU **626113** 24432

Servicing Cooling System

 Clamp Brake Lines, Fuel Lines Coolant Hoses and Vacuum Lines Up to 1

SKU **626110** 24431

OEM TOOLS

• Clamp Cooling System Hoses Up to 1-1/4" (30 mm) in Diameter



OEM TOOLS

No-Spill Coolant Filling Funnel Kit

SKU **802197** 87009

- 5 High Quality 1 Piece Adapters No Assembly or Searching for Loose Parts
- Simply Select the Correct Adapter Attach the Funnel and Fill

• Includes Extensions and Adapters for Hard-to-Reach Surge Tan



OEM TOOLS

2.4 Gallon Plastic TOOLS **Radiator Filler**

SKU **754738** 87104

• Impervious to Oil, Gasoline

and Antifreeze • Stands Up to Extreme Weather

• Double Handles on the Back and Top Make it Easy to Pick Up and Fasy to Control



OEM TOOLS

OEM TOOLS

2 Piece Hose **Clamp Pliers**

SKU **972767** 25198

• Services Most Ring-Type or

Flat-Band Hose Clamps • Jaws Swivel to Access Hose Clamps in Any Position



Hose Clamp Pliers

SKU **607069** 25246

Self-Tightening Hose

STORE STOCK • Removes Plastic and Metal Diameters of 11/16" to 2-1/2'



5 Piece Hose Clamp Plier Set

SKU **965836** 27159

Reg. \$39.9 Services Most Ring-Type or

Flat-Band Hose Clamps Jaws Swivel to Access

Hose Clamps in Any Position Offer Good Through June 30, 2017 **While Supplies Last**



Professional Series Ethylene Glycol Antifreeze Tester

SKU **750007**

Offer Good Through June 30, 2017 - While Supplies Last

- 24507 • For Testing Hot or Cold Ethylene Glycol-Based Coolants Including Dex-Cool®
- Easy-to-Read Discs are Magnified by Convex Design of the Clear, Thermal Resistant Plastic Barrel

Cooling System Back Flush Tool

SKU **750008** 24506

• Hose Fittings: 1/2", 5/8" and 3/4"

- Connects to a Normal Garden Hose
- Made of Non-Corrosive Aluminum
- Easy-to-Use

M TOOLS 4 Piece 15" Jumbo

Pick Set SKU **094658**

2499 Reg. \$29.99

- Includes: Straight, 90°, Offset and Hook Pick • Chrome Vanadium Steel for Strength and
- Chrome Finish to Resist Rusting
- Cushion Grip Handles

Offer Good Through June 30, 2017 - While Supplies Las



2002 - 2008 GM 2.2L and 2.4L Eco Tech



OEM TOOLS

Engine in Chevrolet,

Master **Freeze Plug** Installation **Tool Kit**

SKU **965837** 27208

 Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines



Fluid Evacuator SKU **547010**

24397 • 2.5 Gallon (9.5 Liters) • Extracts All Types of

Dipstick Tubes as Wel



REG. \$119.99

OEM TOOLS

Fluid Evacuator

SKU **594882** MITMV7400

- Integrated 1.9 Gallon Capacity Reservoir
- Large Base with Foot Stabilizer



Block Tester SKU **695104**

33627145 Locate Internal Combustion Leaks Quickly and Easily

 When Fluid Turns from Blue to Yellow a Combustion Leak is Present



OEM TOOLS

STORE STOCK Use with Block

Block Tester lest Fluid

(8 Oz.) SKU **391381** 25739

Tester #33627145



<u>⊙≡M</u>TOOLS

OEM TOOLS

Disconnect Tools

Heater Hose Disconnect Tool

SKU **695607** 33627106

- Removes Heater Hoses with 5/8" and 3/4" Quick Disconnect Couplings on Ford Aerostar Vans 1986 to Current and Full Size Ford Vans 2001 to Current
- Works on Rear Heater Hose Couplings on Chrysler and Plymouth 1986



Coolant Hose Removal Tool Set

SKU **383214** CAL244TNZ

• Thicker Than Most Hose Disconnect Tools

• Low-Profile Design for Ease of Use

• 40° Offset Designed for Jobs in Tight Spaces



Calyan

Master Disconnect Set SKU **821445**

33627318

- Easily Disconnects A/C Lines, Fuel Lines and Transmission Cooler Lines Includes: Hydraulic Clutch Line Disconnect for GM
- 3/8" and 5/16" Fuel Line Retaining Clips for GM, Air Conditioning/Fuel Line Disconnects: 5/16", 3/8", 1/2", 5/8", • Scissor Disconnects: 5/16" and 3/8"; 1/2" and 3/8"
- Ford: Fuel Line, Oil Cooler Line and Clutch
- Coupler Disconnects • Comes in a Sturdy Blow Mold Case



Tool & Equipment Quarterly

Coolant Pulsator Cooling System Flush Tool

SKU **012619** HCT118550

69999

- Reduce Come-Backs Caused by Low Coolant Flow and Premature Water Pump Failure
- Patented Pulsating Design Removes Restrictive Sludge, Debris, Sand and Scale Deposits from Heater Cores, Radiators, and Engines. Returns Coolant Flow and Cabin
- Included Accessories Connect with Quick Coupler Large Rubber Cone, Whip Hose with Small Rubber Cone, 5/8" and 3/4" Hose Barb Connectors and Back Flow Preventer





Cooling System AirEvac

Airvac Coolant Refiller SKU **568478**

24444

REG. \$99.99

- Quickly Refills Cooling System and Eliminates Trapped Air
- Helps Prevent Come-Backs and the Threat of Engine Damage
- Performs Vacuum Leak Tests • Covers Most Radiator and Reservoir Types

Offer Good Through June 30, 2017 - While Supplies Last



- Uses Shop Air to Evacuate the Cooling System for Vacuum Leak Testing • Refills Cooling System without Trapping Air That Causes Overheating
- Universal Adapter Forms an Airtight Seal with Radiator and Coolant Bottle Necks
- Self-Locking Quick Disconnects for Fast Assembly



Adapters OEM TOOLS

Acura, Chevrolet, Chrysler, Geo, Honda, Isuzu, Lexus, Mazda, Mitsubishi, Suzuki and Toyota

SKU **133624** 27244R

• Fits Early Models Directly to Radiator with 32 mm Opening and a 9 mm Depth



BMW

SKU 133634 27250R

• Fits Models with Threaded

Filler Necks Up to 1987

• Diameter: 32 mm; Thread Size: 3 mm



OEM TOOLS

OEM TOOLS

BMW and Range Rover

SKU **133635** 27251R

• Fits BMWs from 1988 - 2006, Land Rover and Range Rover Models 1995 - 2005

• Diameter: 52 mm: Thread Size: 4 mm



OEM TOOLS

BMW 3 Series (2006 and Later) and 5 and 6 Series (2005 and Later)

SKU **133825** 27252R

• Diameter: 52 mm; Thread Size: 3 mm



OFM TOOLS

Cadillac, Chevrolet, Geo, GMC, Pontiac, Ford, Oldsmobile and Saturn

SKU **133621** 27118R

• Fits GM 1999 and Later That Use an O-Ring Seal

Ford, Jaguar and Mazda SKU **133631** 27247R

• Ford Contour 1998 - 2000, Jaguar XJ8 1998 - Up, Jaguar XK8 1997 - 2006, Mazda Tribute 2001 - Up

• Diameter: 52 mm; Thread Size: 3 mm

Mazda 3, Volvo S40/V50 and **Ford Radiator Adapter**

SKU **133633** 27249R

 Fits Land Rover LR-2 2008 - Up, Mazda 3 2004 - Up, Volvo S40 and V50 2004 - Up, XC60 2010 - Up, Ford Fusion and Escape 2012 - Up

• Diameter: 50 mm; Thread Size: 2.5 mm

Mercedes and Chrysler SKU **133626**

with Threaded Filler Necks (Except the M-Class 1998 - 2005) and Chrysler Crossfire 2004 - 2008



Range Rover and SAAB SKU **133611**

Ford, Jaguar, Pontiac,

27243R

• Fits Jaguar X Type 2002 - Up, SAAB 900 1994 - 1998, SAAB 9-3 and 9-5 1999 - Up, Some Saturns and Other Vehicles

• Diameter: 52 mm; Thread Size: 3 mm



33627112 • Fits Nissan, Datsun,

Mitsubishi, Mazda, Subaru and Toyota Systems

• Also Fits Honda Motorcycles with a 45 mm Cap

• Diameter: 32 mm; Depth: 16 mm

Toyota, Lexus and Scion SKU **133632**

27248R

• Fits Lexus LS 2007 - Up, Toyota Celica 2000 - Up. Spyder MR2 2000 - Up, RAV4 2009 - Up, Prius 2004 - Up, Camry 2007 - Up, Highlander 2006 - Up and Scion XB 2008 - Up



27241R

MAHLE

(Sept.)

Fluid not included

• Fits Maserati and Ferrari Models 2000 - Up, Jeeps with Male Threads 1990 - 1994, SAAB 900 1978 - 1993, SAAB 900 Drop Top 1994, SAAB 9000 1987 - 1998, Volvos with Male Threaded Necks

• Diameter: 45 mm; Thread Size: 3 mm

SKU **572537**

ATX-3 Machine

27240R

Boxster 1997 - Up, Cayenne 2006 - Up, 911 1999 - Up

Fluid not included

• Outside Diameter: 48 mm; Thread

Audi and VW

SKU **133625** 27245R

• Fits Audi A4 1996 - Up, A6 1998 - Up, A8 1997 - Up, S4 2004 - Up, TT 2000 - Up, Bentley 2006 - Up, Lamborghini 2006 - Up, Porsche Cayenne 2003 - Up, Porsche Panamera

2010 - Up, Volkswagen Passat 1998 - Up, Beetle 1998 - Up, Golf and Jetta 1999 - Up

MAHLE

Fluid not included

VW

VCX-1 Vacuum Coolant

MSS4708001900 **2,499**

• Extremely Fast Service Cycles

Simple Hook-Up and Operation

Flexible Adaptation for Most

Makes and Models

VCX-4 Vacuum

SKU **574376**

Mahle FluidPRO®

MSS4708002000 **3**

FluidPRO® PSX-3

Coolant Exchanger

Adaptation of Most Vehicles

Four Transparent, Large Capacity Cylinders; Three for New Coolant and One for Waste

Easy Coolant Salaction/Changeover for Flevible

Fast Service Cycles of 5-15 Minutes for Increased

Exchanger

SKU **573048**

SKU **133609** 27242R

• Fits Volkswagens with Female Threaded Filler Necks 1990 - 1998



MAHLE

MAHLE

Fluid not included

Fluid Handling Equipment

FluidPRO® ATX-2+Boost **Transmission** Fluid Exchanger

SKU **573105**

MSS4008000800 **5**

• Fully Automatic Operation • Precision Fluid Measurement to

Minimize Technician Input • Digital Weight Scale Technology

for Accurate Fluid Exchange • Transmission Pressure Diagnostics

VFX1 Radiator

Coolant Exchanger

SYM35010000 **2,899**99

Back Flush or Vacuum Drain-N-Fill

Air Locks are Eliminated Quickly

• Dual Mode Functionality, In-Line

• With the Vacuum Capability,

• Multi-Fluid Tank Exchange,

(2) Interchangeable New

• 15 Gallon Used Fluid Tank

• Shop Air Operation

Fluid Tanks



• Fluid Flow Direction Indicator Verifies Correct Hook-Up

• Transmission Diagnostic Pressure Gauge • Process Time: 3 to 6 Minutes Average Full Exchange

Steering/Transmission Unit MSS4158001400

• PSX-3 Mounted on Back of ATX-2 Machine

• Precision Fluid Measurement to Minimize Technician Input • Digital Weight Scale Technology for Accurate Fluid Exchange • Transmission Pressure Diagnostics

ATF1 Transmission Fluid Exchanger

SYM30110000 4,5 Cooler Line and Dipstick

per Minute External Mounted Filter for Easy Maintenance



(Spid.)

Fluid not included

Multi-Coolant System Fluid Exchanger

 3 Minute Service Time for Increased Productivity



FluidPRO® MCX-2 Multi-Coolant **System Fluid Exchanger**

SKU **574749**

• Includes System Pressure Test Feature and "Hot Car" Radiator Cap Pressure Release

• Compatible with All Coolant Types for Adaptability

• Contains Two 7.5 Gallon New Coolant Tanks and One 15 Gallon Waste Tank Providing Simple, Rapid Switching from One Coolant to Another

• 3 Minute Service Time for Increased Productivity

Brake Flush System SKU **850060**

• Three-Step Process Takes Less Than 10 Minutes

MSSBFX3

Includes Pistol Wand for Convenient and Accurate Fill

Power Steering Fluid Exchange System SKU **850063** MSSPSX3

• Multiple Power Steering Fluid Capability

 Dual Diaphragm-Type Pumps for Speedy Service Times of 5-15 Minutes Quick and Easy Changeover

Between Different Power Steering Fluid Types Allows Improved



• Services All Gear Oils Including Synthetic for Increased Compatibility

 Automatic Operation for Improved Technician Efficiency • Valved-Hose Ends to Prevent Fluid Spill and Ensure

Gauge • Process Time: 3 to 6 Minutes Average Full Exchange • Includes Dipstick Service Mode

FluidPRO® ATX-3+Boost Transmission **Fluid Exchanger**

SKU **574434** MSS4008000900

• 'Dipstick' or 'Cooler' Mode Selecto Fully Automatic Operation

FluidPRO® ATX-3+Boost/

MSS4158001900 4

PSX-3 Mounted on Back of

Fluid Flow Direction Indicator

• Transmission Diagnostic Pressure

Verifies Correct Hook-Up

PS Combo Power Steering/

Transmission Fluid Exchanger

SKU **112434**

Modes of Operation No Co-Mingling of New and Used Fluids • High Output, Controlled Drainage at 3 Gallons

Adapter Kit Included





 Contains Two 15 Gallon New Coolant Tanks and One 15 Gallon Waste Tank Providing Simple, Rapid Switching from One Coolant to Another



MSS4708003000 🚄





MRHLE

 Universal Adapter for Variety of Master Cylinders Included

• Pressure Gauge to Assist in Brake System Diagnosis





MSS4458000100







OEM TOOLS









Audi and VW SKU **133549**

• Fits Audi and VW with Male Threads on Filler Neck, Porsche



MAHLE FluidPRO® MCX-2HD



DAGNUSTUS

Autel MaxiSys®

MaxiSYS® Mini with Connector Kit

SKU **464051** AULMS905K

- Powerful Cortex-A9 Quad-Core Processor
- Internal Reliable 32GB SSD for Better Performance and Storage
- Built-In 5-Megapixel Rear Camera with Autofocus and Flashlight
- Dual-Band (2.4 GHz and 5.0 GHz) 802.11n Wi-Fi Automatically Updates Software
- Ergonomic Design Features Strong Rubber Protection and Housing
- Built-In Rechargeable Li-Ion Battery for Up to 5 Hours of Operation

MaxiSYS® Diagnostic Scan Tool System

SKU **464052** AULMS908

- Powerful Cortex-A9 Quad-Core Processor
- Internal Reliable 32GB SSD for Better Performance and Storage
- Built-In 5-Megapixel Rear Camera with Autofocus and Flashlight
- Dual-Band (2.4 GHz and 5.0 GHz) 802.11n Wi-Fi Automatically Updates Software
- Ergonomic Design Features Strong Rubber Protection and Housing
- Built-In Rechargeable Li-Ion Battery for Up to 8 Hours of Operation

MaxiSYS® Pro Diagnostic Scan Tool System

SKU **543358** AULMS908PR0

- Powerful Cortex-A9 Quad-Core Processor
- 9.7" 1,024x768 LED-backlit Glossy Multi-Touch Display with IPS
- Internal Reliable 32GB SSD for Better Performance and Storage
- Built-In 5-Megapixel Rear Camera with Autofocus and Flashlight
- Dual-Band (2.4 GHz and 5.0 GHz) 802.11n Wi-Fi Automatically
- Ergonomic Design Features Strong Rubber Protection and Housing Built-In Rechargeable Li-Ion Battery for Up to 5 Hours of Operation
- Includes J2534 Reprogramming Device



BLUETOOTH COMMUNICATION VCI



BLUETOOTH COMMUNICATION VCI UPGRADEABLE TO PRO WITH AULMF2534



BJ2534 PASS-THRU PROGRAMMING DEVICE WITH INTERNAL **BLUETOOTH VCI**

Bluetooth Connection VCI Yes Yes **Complete Connector Kit** Yes Yes 8" Screen Nο No 10" Screen Yes **Kev Programming** Yes Yes Yes OE-Level Vehicle Coverage and Diagnostic Functionality Yes Upgradeable to MaxiSys Pro with J2534 Yes, with purchase of AULMF2534 SKU 005455 \$1249.99 No Included Includes 1 Year of Free Software Yes Yes Yes, with purchase of AULMS905-1YRUP SKU 848003 Yes, with purchase of AULMS908-1YR SKU 079901 Yes, with purchase of AULMS908P-1YR SKU 079925 Additional 1 Year Total Care Package \$1199.99













Heavy Duty MaxiSYS® Diagnostic Tablet

SKU **596888** AULMS908CV

- Performs Enhanced System Diagnostics
- 9.7" LED Capacitive Touch Screen, Android-Based Tablet
- on More Than 60 Commercial Vehicles
- MaxiFlash Elite, Bluetooth Enabled VCI/J2534 Device with WiFi
 - WiFi and Bluetooth Enabled Tablet
 - Diagnoses Manufacturer-Specific Systems Including Allison Transmissions, Bendix ABS Brake Systems, and Detroit Diesel Engines
 - One-Year Software Updates



Autel TPMS Tools

READS / WRITES SENSOR IDS

MaxiTPMS® TS501K Diagnostic and Service Tool with 8 TPMS Sensors

SKU **850650** AULTS501K

SHOWS TPMS LIVE DATA

(Sensors \$319.00 Value)

MaxiTPMS® TS601 All-In-One TPMS Tool with OBDII

SKU **376934** AULTS601P





AUTEL



315MHz / 433MHz Universal Programmable MX-Sensors

• Built to Perform Like OE Sensors in Terms of Signal, Durability and Functionality

• Robust Clamp-In Pivoting Stem Design Allows for 0-35 Degree Angle Adjustment to Fit All Wheels Types

• 2 SKU Sensor Solution Covers 98% of All OE Sensors **Rubber Sensors**

Metal Tip Sensors

SKU **080039**

SKII 526852

AUL101000017

AULMXSENS433M

MaxiTPMS® Pads

• Make MX-Sensor Programming Easy in 3 Simple Steps

SKU **080038** 315MHz 2099 AULMXSENS315M

433MHz **2 1 99**

SKU 290286 AULMXSENS433R

AULMXSENS315R

SKU **290274**

315MHz

Direct Reading from Sensor for Quick Programming No Need for Vehicle Relearns

 Ideal for Mechanically Broken Sensors • Automatically Creates ID Numbers Compatible with the Vehicle

• Runs from PC USB Power, No Batteries Required



Activate Sensors and Retrieve Data	Yes	Yes	
Display Relearn Procedures	Yes	Yes	
Step-by-Step Graphic Direction for OE Relearn Procedures	Yes	Yes	
Autel MX Sensor Programming Capabilities	Yes	Yes	
OBDII Interface to Extract TPMS Codes	Yes	Yes	
Detect and Display TPMS System Faults	Yes	Yes	
Read and Clear TPMS Information	Yes	Yes	
Complete TPMS System Diagnostics	No	Yes	
Live TPMS Data Stream	No	Yes	
Adjust Tire Size Placard Values	No	Yes	
Receives Both 315Mhz and 433Mhz Sensors	Yes	Yes	
Includes 6 Metal Stem and 2 Rubber Stem Sensors	Yes	No	
T501 128x64 BW Baskit Display 17FC clair Display TFT Clair Display TFT Clair Display Grease & Water La-Polymer 137V Grease & Water But in Hexapedia	Auto Power Off Battery Life Conservation Auto Power Off BACLUDED Recoives Both Recoives Bot	hz	



VAXISYS

BUILT-IN COMPLETE TPMS FUNCTIONALITY

AULMS906TS SKU 288495

- INCLUDES SAME MS906 FEATURES PLUS: • EMBEDDED TPMS ANTENNA TRIGGERS ALL KNOWN
- SENSORS / CLONE & PROGRAM AUTEL MX-SENSO • COMPLETE TPMS SYSTEM DIAGNOSTICS
- TPMS SYSTEM STATUS SCREEN TO IDENTIFY FIXES
- DOUBLE THE BATTERY SIZE OF THE MS906 OPTIONAL ACCESSORIES - MAXISCOPE / MV105 / MV108

1,949.99

1.494.99









 $[\bigcirc]$



8 INCH







AUTEL.COM UPDATES PROVIDE THE LATEST TPMS DIAGNOSTIC COVERAGE. OE LEARNING PROCEDURES **AND THE ABILITY** TO CLONE AND PROGRAM AUTEL **MX-SENSORS**

WIRELESS BLUETOOTH OBDII CONNECTOR



AULMS906 SKU 040101

- COVERS US / ASIAN / EUROPEAN VEHICLES
- INSTANTLY RETREIVES VEHICLE INFO • OE-LEVEL VEHICLE COVERAGE & FUNCTIONS
- DETECT & DISPLAY FAULTS & TROUBLE CODES • LIVE DATA VIEW / PRINT / STORE / PLAYBACK
- DEDICATED SERVICES SECTION OIL SERVICE
- RESET, TPMS RELEARN, EPB, ABS/SRS, SAS • FULL-SCREEN WAVEFORM GRAPHING ANALYSIS

WITH TRIGGER-TYPE RECORDING MODES





Tool & Equipment Quarterly



Look for These Brands









See Page 20

AUTEL

Autel Diagnostic Tools

AutoLink® OBDII/CAN **Code Reader with Color Screen**

SKU **222492** AULAL319

4999 REG. \$59.99

- Bright Color Coded LEDs and Built-In Speaker
- Retrieves Generic, Manufacturer Specific, and
- Determines the Cause of the Malfunction
- Turns Off Malfunction Indicator Light, Clears Codes and Resets Monitors
- Displays DTC Definitions on the TFT Color Screen
- Views Freeze Frame Data
- Displays Monitor and I/M Readiness Status

Offer Good Through June 30, 2017 - While Supplies Last

Diagnoses All 1996 and Newer OBDII Compliant Vehicles

AutoLink® OBDII/EOBD

Scan Tool SKU **222488**

- AULAL419 • Features Patented 1 Click I/M Readiness Key
- Troubleshooter Code Tips Guide Technicians • Prints Data Via PC
- Bright Color Coded LEDs and Built-In Speaker
- Retrieves Generic, Manufacturer Specific, and
- Pending Codes • Determines the Cause of the Malfunction Indicator Light
- Turns Off Malfunction Indicator Light, Clears
- Codes and Resets Monitors • Displays DTC Definitions on the TFT Color Screen
- Retrieves VIN, CIN, and CVN Information
- Internet Updateable and Upgradeable

AutoLink® Enhanced OBDII Scan Tool SKU **222483**

AULAL519

- Enhanced OBDII Mode 6
- Features Patented 1 Click I/M Readiness Key
- Troubleshooter Code Tips Guide Technicians • Prints Data Via PC
- Bright Color Coded LEDs and Built-In Speaker
- Retrieves Generic, Manufacturer Specific, and Pending Codes
- Determines the Cause and Resets the Malfunction Indicator Light
- Displays DTC Definitions on the TFT Color Screen
- Retrieves VIN, CIN, and CVN Information



AutoLink® OBDII and **Electrical Test Tool**

SKU **222487** AULAL439

- AVO-Meter Reads Voltage and Resistance
- Capable of Diagnosing 12V Charging and Starting Systems
- Features Patented 1 Click I/M Readiness Key
- Prints Data Via PC
- Bright Color Coded LEDs and Built-In Speaker
- Retrieves Generic, Manufacturer Specific, and Pending Codes
- Determines the Cause and Resets the Malfunction Indicator Light
- Retrieves VIN, CIN, and CVN Information
- Internet Updateable and Upgradeable



AutoLink® Enhanced OBDII and Electrical Test Tool

SKU **222509** AULAL539

- Reads Live PCM, O2 Sensor Test, and Freeze Frame Data • Visually Graphs Data (1996 and Newer)
- AVO-Meter Reads Voltage and Resistance
- Capable of Diagnosing 12V Charging and Starting Systems
- Features Patented 1 Click I/M Readiness Key
- Prints Data Via PC
- Bright Color Coded LEDs and Built-In Speaker
- Retrieves Generic, Manufacturer Specific, and Pending Codes
- · Determines the Cause and Resets the Malfunction Indicator Light
- Retrieves VIN, CIN, and CVN Information
- Internet Updateable and Upgradeable



AutoLink® OBDII, CAN, ABS, and **SRS Scan Tool**

SKU **227784** AULAL619

- Analyzes ABS/SRS System Codes
- Reads, Stores, and Plays Back Live PCM Datastream and Sensor Data
- Visually Graphs Data
- Prints Data Via PC
- Retrieves Generic, Manufacturer Specific, and Pending Codes
- Diagnoses and Resets the Malfunction Indicator Light and ABS/SRS Warning Lights
- Retrieves VIN, CIN, and CVN Information
- TF Memory Card for Data Backup and Software Update



MaxiCheck® Pro Diagnostics Scan Tool for EPB, ABS, SRS, SAS, and TPMS

SKU **222473**

AULMAXICHECKPRO 43

- Crystal Clear TFT Color Screen
- USB Internet Updateable and Upgradeable • Opens and Closes Electronic Brake Calipers
- Reads and Clears EPB/SBC Trouble Codes
- Turns Off the ECU and Brake Warning Lights
- Diagnoses EPB/SBC Caliper Functionality • Resets the Oil Service Light, Service Mileage,
- and Service Intervals
- ABS and SRS Coverage for 50+ Vehicle Makes -




• Reads, Records and Plays Back OBDII Live Data Graphing

8.5mm MaxiVideo Inspection Camera SKU **079977**

AULMV108





- Adjustable, White LED Illuminates Inspection Area • Waterproof Head and Cable to 10'
- USB Compatible • Includes Magnet, Mirror, Hook Attachments 5.5mm MaxiVideo

Inspection Camera SKU **079943** AULMV105

• 5.5 mm (0.22") Diameter Image Head





1 Year Update for MS908 SKU **079901**

AULMS908-1YR

SKU **079925**

CanDo Battery Reset Tool

Some New Vehicles Require a Scan

Tool to Reset the Battery Life in the

Vehicle's Computer When Replacing

the Battery. Failure to Do So Can

Cause Over-Charging, Shorten the

Battery Life and/or Enable Limp-Home

Mode and Even a No-Start Situation.

• Perform Battery Resets on: BMW/Mini, VW/Audi,

Jaguar, Land Rover,

Ford and More

SKU **572412**

14099

AULMS908P-1YR

SKU **848003**

AULMS905-1YRUP

1 Year Update for MS908P

1 Year Update for MaxiSYS® Mini MS905



an Do

an Do

Scan Tools

Code Buddy PRO OBDII **Code Scanner**

SKU **802332**

- ES1903 • Reads Live Data Stream
- Later OBDII Compliant US, European and Asian Vehicles Clears Codes, Turns Off MIL and Resets Monitors

• Works on All 1996 and

 Built-In OBDII Fault Code Lookup Library



iOBDII Code Reader

• Read and Record Live Data Stream

SKU **462982**

0099

- Works for Both iPhone and Android Phones and Communicates via Bluetooth® • Read and Clear Codes
- Read Freeze Frame Data, Vehicle Information O² Sensor Testing
- Mode 6 Testing • Evaporative Emission System Leak Detection
- Customizable Dashboard
- Includes Many Features Not Available or Cost Extra on Other Bluetooth OBDII Adapters



SKU **793568**

- Used to Reset Oil Service Light, Service Mileage, Service Intervals, Vehicle Inspection, Engine Oil, Front and Rear Brake, Brake Fluid, Dust Filter and Spark Plugs on Most Major Asian, American and European Vehicles
- Includes USB Cable and OBDII Connectors · Comes in a Blow Mold Case



OEM TOOLS

an


Included



The CanDo Battery Reset Tool is Reliable, Affordable and Easy to Use.



CAT Construction and CAT Industrial, International, Hino, Isuzu and Hybrid HD Trucks Plus OBDII Vehicles



 View/Graph Live Data **Extensive Class 4-8 HD, Medium and Light Duty Truck and Caterpillar Coverage**



Contact Your AutoZone Commercial Sales Manager for Pricing

AutoZone® offers ALLDATA®

diagnostic software.

Brake. Oil and Service Light Reset + Tool

33627302

• Easy, Step-by-Step On-Screen Instructions • Automatic or Manual Reset Option





DAGNOSTICS

DLA+ 2.0 Adapter Kit

SKU OUTSIDE BUY/EPO NRS122061

- Includes: DLA+ 2.0 Adapter
- Vehicle Cables (9-Pin and 6-Pin Cables for 3 CAN Support)
- Cables for Medium-Duty Applications: Ford, GM. Sprinter
- USB Computer Cable
- Adapter Kit Carrying Case



Trailer Diagnostic Adapter with Power Cable

SKU OUTSIDE BUY/EPO NRS122511

- Required to Test, Diagnose, and Initiate Repair on a Heavy-Duty Trailer ABS
- Allows Connection Directly to Trailer Using Secondary Power Source
- Includes: Noregon Trailer Diagnostic Adapter
- 7-Pin J560 T-Connector Cable
- 15' USB Computer Cable
- Adapter Carrying Case



JPRO® Professional **Diagnostic Software** and Adapter Kit with Next Step™

SKU OUTSIDE BUY/EPO NRS232125-NS

- JPRO Professional Diagnostic Software (Annual Subscription)
- Next Step Service Information
- DLA+ 2.0 Adapter
- Type-2 Vehicle Cables (6-Pin, 9-Pin)

• Type-B OBDII Cables (Ford, GM, Sprinter, Mack and Volvo)

Connects Heavy Duty Vehicles to a PC via USB Port for Diagnostics, **Reprogramming or Parameter Adjustmen**



JPRO® Professional Diagnostic Toolbox + Next Step™

SKU OUTSIDE BUY/EPO NRS263025-NS

- JPRO Professional Diagnostic Software (Annual Subscription)
- Next Step Service Information
- Panasonic® Toughbook® CF-53 • DLA+ 2.0 Adapter
- Type-2 Vehicle Cables (6-Pin & 9-Pin)
- Type-B OBDII Cables (Ford, GM, Sprinter, Mack and Volvo)
- USB Cable



INNOVA PRO



Offer Good Through June 30, 2017 - While Supplies Last

CarScan Code Reader™ sku: 514004

CarScan Diagnostic Tool™

Carscan + OBD1

ABS/SRS + OBD2® Scan Tool sku: 504259 **159** 99

CarScan + OBD1 & SRS/ABS sku: 504457 INN31703 264 99

Features and Functions	30203	31003	31403	31603	3170
1996 - Present (OBD2 Compliant) - Domestic, Asian and European	-	•	•	•	•
CAN and 2010+ Model Diesel and Hybrid Compliance		•	•		
Patented All-in-One Display Shows 20+ Values on One Screen		•	•		
Vehicle Health Monitor LED's - Confirm Sate Emissions Test		•		•	
Emissions Readiness Advisor - Complete OBD Trip + Drive Cycles		•			
VIN# Decoder - Detailed Vehicle Identification for Quick Diagnostics		•	•		
Retrieve Manufacturer Specific, Global and Pending Codes					
Erase Button Turns Off "Check Engine" Light		•	•		
Customer Service - Mon-Sat, 6am- 6pm, PST - English/Spanish		•			
Vehicle Information - VIN # - Mode 9		•	•		
Multilingual - On Screen Definitions in English/Spanish			•		
Battery Backup for Off Vehicle Data Review		•	•		
Displays Freeze Frame Data		•	•		
OBD2 Live-Data Stream Display		•		•	•
RepairSolutions® with VIN Specific Fixes and Procedures - Optional		•			
Internet Updateable and Upgradeable		•			
Enhanced Engine and Transmission Codes					•
OBD2 - All 10 Modes					
Record, Graph and Play Back OBD2 Live Data on Tool					
ABS/SRS Most 1996-08 GM, Ford, Chrysler, Toyota, Honda DTC's			Optional		
OBD1 - Ford, GM, Chrysler, Toyota, Honda DTC's			•	Optional	
Shop Management Software - Print and Manage Vehicle Diagnostic Reports			•		
ABS Asian and European					
SRS Asian and European					

TechPRO®

To make the challenging job of diagnosing and servicing today's computer-controlled engines easier and more efficient, we've developed the world's SMARTest diagnostic tool: the MAHLE TechPRO Diagnostic Scan Tool. The most advanced technology available for professional technicians, this versatile, PC- or tablet-enabled tool will help you analyze, diagnose and repair today's sophisticated vehicles faster and more accurately than ever before. No more waiting for automakers to send monthly or annual updates!

Automotive Diagnostic System (Includes VCI1000 and 1-Year Subsription]

MSS4028000100 **1,599**99

VCI1000 SYSTEM Plus 8" Tablet with Preloaded Software

MSS4028000400 **1,999**99

VCI1000 SYSTEM Plus 10" Tablet with Preloaded Software

SKU **080027** MSS4028000600 **2**



MAHLE



Inspection Cameras

Borescope with 2.4" Color LCD Screen

SKU **544746** 24383

- Resolution: 640 x 480
- Adjustable LEDs Illuminate the Inspection Area
- 1 Meter Flexible Shaft
- Includes: Magnet, Mirror and Hook; All in a Blow Mold Case

Offer Good Through June 30, 2017 - While Supplies Last



AULMV208-8.5 **13999**

- Easy-to-Use, Multi-Language Interface
- Wide Camera Angle with 640 x 480 Resolution
- Probe Diameter of 8.5 mm



OEM TOOLS



2.7" LCD Inspection Camera

SKU **813284** W50046

• Full Function Camera with Video Playback/Record and 180° Image Rotation

 Submersible 11/32" (9 mm) Diameter Camera with 640 x 480 Resolution

• 4 White LEDs with 6 Output Levels

AUTEL

• 40" (1 M) Flexible Neck

• 32 MB Built-In Memory, Micro SD Card Slot and TV/Video Output Jack



2.4" LCD Inspection Camera

SKU **802203** AZ5004

• 2.4" Color LCD Monitor with 320 x 240 VGA Resolution and 180° Image Rotation and Mirroring

• Submersible 11/32" (9 mm) Diameter Camera with 640 x 480 Resolution

 4 White LEDs with 6 Output Levels

• 40" (1 M) Flexible Neck

• TV/Video Output Jack



- 2.4" Hi-Res Color LCD Display (320 x 240)



MaxiVideo® MV208-5.5 **Digital Videoscope**

AULMV208-5.5 **15999**

- 2.4" Hi-Res Color LCD Display (320x240) • Easy-to-Use,Multi-Language Interface
- · Wide Camera Angle with 640 x 480 Resolution • Probe Diameter of 5.5 mm

MaxiVideo® MV400-5.5 **Digital Videoscope**

AULMV400-5.5 **19999**

- 3.5" Hi-Res Color LCD Display (320×240)
- Removable SD Card for Images and Video • Easy-to-Use, Multi-Language
- Interface · Wide Camera Angle with 640 x 480 Resolution
- Probe Diameter of 5.5 mm





Tool & Equipment Quarterly

Smoke Leak Detectors

SmokePro® Tech-Mate Plus™

RED95-0007A **74999**

- (1) Smoke Pro Tech-Mate Plus
- (1) OEM-Approved Smoke Agent
- (1) Halogen Inspection Light
- (1) EVAP Service Port Tool
- (1) EVAP Schrader
- Valve Removal Tool
- (1) Cap Plug Kit
- (1) Exhaust Cone Adapter
- (1) Plastic Accessory Case
- Online Training Videos Provided



SmokePro® Master Tech Pack™

SKU **250694** RED95-0019B

- Speed Up Diagnostics, Improve Accuracy in Repairs, Heighten Customer Satisfaction and Increase Profits
- Minimum Leak Detection: 0.010"
- Operating Modes: Air-Only Cycle Smoke Cycle
- Includes: (1) Smoke Pro Total Tech, (1) Hook, (1) Hex Key, (3) OEM-Approved Smoke Agent, (1) EVAP Service Tool Kit, (1) Halogen Inspection Light, (1) Cap Plug Kit, (2) Standard Cone Adapter, (1) Plastic Storage Case, (1) Universal Filler Neck Connector, (2) Sealing Disks, (1) Smoke Output Hose





OEM TOOLS

SKU **544732**

Machine

Smoke Diagnostic

- Helps Technicians Diagnose Trouble Codes on Domestic and Import
- Cars and Light-Trucks • Tests for Oil Leaks, Wind Leaks, EGR Leaks and More
- Finds Leaks Fast
- Includes Variable Flow Control and Integrated Regulator That Detect Leaks in the System with Smoke
- Works for Turbo Systems, Engine Block, Fuel System and Exhaust
- Systems • 12 Volt with





Offer Good Through June 30, 2017 - While Supplies Last

Smoke Producina Fluid (8 Oz.)

SKU **802333** RED96-0039

• Contains No Dye or Other Contaminants

 Works in Most EVAP Smoke Machines



Intake Inflatable Block Off Bladder for Use with All Smoke Machines

SKU **598247** 24536

- Can Be Used with Any Brand of Smoke Machine or Diagnostic Leak Detector • Conforms to Any Shape Intake / Exhaust: Square, Round, Oval or Rectangular
- Can Be Used with Any Brand of Smoke Machine or Diagnostic Leak Detector
- Works with Most Automobiles and Light, Medium and Heavy-Duty



EasyEVAP™ Universal Filler **Neck Connector**

SKU **343405** RED95-0030

- Compatible with Any Smoke Machine and Removes Cleanly from the Gas Cap
- Essential Tool for Late Model Cars with Fuel Tank Rollover Valves





OEM TOOLS

Fuel and Engine

Exhaust Back Pressure Tester/Gauge

SKU **347232 59**99 REG. \$69.99 27263 • Oxygen Sensor Adapter is M12

and M18 Thread 6' Hose Allows User to Test from Driver's Seat

• Test for Restricted **Exhaust Systems**

• Comes in a Blow Mold Case



mityvac_

OEM TOOLS


Oil Pressure **Gauge Set** SKU **347229**

27262 • For Use on Diesel and Gasoline Engines

- Includes Standard and Metric Adapters Found on Most Cars and Trucks
- 2-1/2" Easy-to-Read Gauge with Protective Boot
- Comes in a Blow Mold Case



O=M TOOLS



• Displays Leakage as a Percentage

Cylinder Leak

Down Test Kit

SKU **347237**

· Comes in a Blow Mold Case



OEM TOOLS

Fuel Pressure Test Kit

SKU **347235 10999** REG. \$159.99

 Designed Around Quick Connect Adapters • Includes 3-1/2" Heavy Duty Gauge with Protective Boot, Large and Small Schrader Adapters, M6-1.00 Banjo Adapter, Double End Tee for 5/16" and 3/8" and Single End Connector for 1/4", 5/16" and 3/8"

• Range: 0 - 150 PSI

• Comes in a Blow Mold Case



Mituvac

Offer Good Through June 30, 2017 - While Supplies Last

Fuel Injection Cleaner Kit

SKU **517582** MITMV5567

• Complete Fuel Injector Cleaning Kit Combining the Cleaner with Connection Hose (MV5565) and Connection Adapter Kit (MVA565) • Can Be Upgraded to an Air Induction Cleaner by Adding MVA550

• Quickly and Cleanly Removes and Prevents Fuel Injector Deposits, and Loosens and Dissolves Carbon on Intake Manifold and Valves • Enhances Engine Performance, Improves Fuel Economy, Reduces

• Uses Standard Shop Air to Deliver Cleaning Solution Directly Into the Fuel Stream or Spray it Into the Air Induction System (MVA550

Required for Induction



Fuel Pressure Test Kit

SKU **988887** MITMV5546

- Contains (37) Adapters for Pressure Testing Most US, Asian and European Manufactured Vehicles
- High Quality, Heavy Duty Gauge with 0 120 PSI (0 8 Bar) Scale, Protective Rubber Boot and Push Button Pressure Relief Valve • Uses SAE Certified, Fuel-Rated Quick Connects for Reliability,
- Ease of Use and Interchangeability



mityvac_

SKU **988886** MITMV5545

Fuel System Tester

- Measures Fuel System Pressure and Flow to Accurately Pinpoint Fuel System Failures • Saves Hours of Troubleshooting Time by Diagnosing a Bad Fuel Pump and Other Related Drive Ability Problems in Seconds
- Patented System Simulates Extreme Driving Conditions in the Shop to Provide the Most Accurate Diagnosis
- Capable of Testing Both Return and Returnless Fuel Systems Including Electronic Control

• Provides Clear Visualization of Fuel to Detect Impurities and Air Bubbles



Diagnose and Pinpoint Common Fuel System Failures Including: Failing Fuel Pump, Faulty Pressure Regulator, Blocked Filter(s), **Pinched Fuel Line, Contaminated Fuel and Fuel Tank Vortex.**

Compression Testers

Professional Compression Test Kit SKU **972276**

MITMV5530 • Adapters Include: 10, 12, 14 and 18 mm

Digital Gas Engine

SKU **383182** MITMV5532

Compression Test Kit

• Stores Maximum Compression

Value for Up to 12 Cylinders

• 3 Minute Auto Shut-Off

• Extended Hoses for Hard-to-Reach Cylinders

• Large 2-3/4" Easy-to-Read Gauge Quick Disconnect Fittings

Everything You Need to Perform Cylinder Compression Tests on Motorcycles, Marine and Small Engines, and an Air-Hold Adapter for Performing Valve Seal Repairs



MITMV5535

• Features an Electronic Tester That Memorizes Peak Values for Each Cylinder

Dodge 5.9L Cummins ISB and ISBE; Case/ Cummins Series "B" 2.9L, 3.9L, 5.9L (Through 1998) • Glow Plug Adapters: GM 4.3L, 5.7L (1978-1985);

• Right-Angle Adapter

Master Compression Test Kit SKU **347236** 27266


• Includes: 2-1/2" 0 - 300 PSI Gauge with 10" Hose, Quick Small Engines

- Connect and Protective Boot, Plus 1-1/2" 0 200 PSI Gauge for
- (2) Separate M14 Hoses, (Short Thread and Long Thread) M18 Hose, M10, M12 and M18 Solid Adapter
- Extra O-Rings and Valve Cores Included

mituvac...

· Comes in a Blow Mold Case







• Glow Plug Adapter M14 x 1.25 International VT365



OFM TOOLS

• Ford Power Stroke, 6.0 Liter Engine



Digital Diesel Compression Test Kit SKU **988885**

• Injector Adapter: Dodge 24V 5.9L Cummins (1999-2003);

Navistar 6.9L, 7.3L (Through 1994); GM 6.2L, 6.5L V8; Ford/Navistar 7.3L Power Stroke (1994-2003);

DAGNOSTICS

Labscope

Dual Channel Labscope

SKU **094926** UEIADL7103

- Digital Storage Oscilloscope
- Graphing Multimeter OBDII Code Reader
- Sample Rate 25 Meg per Second
- 51 Preset Waveforms That Include Sensor, Actuator, Electrical and Ignition Patterns
- DC to 5Mhz Bandwidth
- Secondary Ignition Displays the Waveform and Includes Spark Voltage, RPM, Burn Time and Burn Voltage
- Parade Pattern on Secondary Ignition "Parade" Mode
- Built-In "Help" Includes Test Procedure
- Includes USB Software to Capture Screen Images

Glow Plug Reader

Glow Plug Reader

SKU **531174 CDOGPR**



- Uses a Resistance Test with Diagnostic Algorithms to Provide an Accurate Diagnostic Result
- No Voltage Applied, Preventing Damage to **Expensive Components**
- Tests All Plugs Up to 24V On or Off the Car
- Results with Actual Condition Displayed on Backlit Digital Display
- Built-In LED Flashlight for Testing in Low Light Conditions



Probes

Electrical Back Probe Kit SKU **511020**

THX490

- Kit Contains 20 Pin-Type Back Probes
- Smaller Pins for Tough-to-Test Areas



THEXTON

Color Coded for Easier Testing

Extended Heavy Duty Back Probe Kit

SKU **511028 THX490X**

- Contains 8 Extended Electrical Back Probes • Use to Access Electrical Circuits from the Back Side of the Connector
- Color Coded in 4 Variations for Fasier Testing

SKU **511021** THX490-M

- Have Longer Pin for Tough-to-Reach Circuits
- Kit Contains: (10) Straight Pins, (5) 90 Degree Pins, (5) 45 Degree Pins
- Color Coded for Easier Testing



Electrical Diagnostic Test Kits

Power Probe III with Case and Accessories

SKU **262523** PWPPP319FTC

- Relay and Component Tester
- Voltmeter and
- Continuity Tester • Audio Tone
- Carbon Fiber
- Design Housing
- Works on





ECT3000 Short/Open **Electrical Circuit Tester**

วหม**วงช789** PWPPPECT3000 **19999**

- Transmitter Will Quickly Determine an Open or Short Circuit When Connected to an Isolated Circuit
- Receiver is Designed to Detect the Signal Emitted from the Transmitter Through the Vehicle's Wiring, Notifying the User of Distance and Direction with Adjustable Height Sensitivity
- 10 Minute Auto Shut-off
- Integrated Flashlight in



Power Probe IV

SKU **802331** PWPPP401AS

- Supplies Power and Ground for Functional Component Testing
- Digital Volt and Ohmmeter for Circuit Testing
- Large Color LCD Screen with Easy to Navigate User Menu
- AC-RMS, AC Peak to Peak, Frequency and Pulse Width for Signal Testing
- Fuel Injector Tester for Easy Circuit Diagnosis PCM/ECM Driver
- Supplies Safe Voltage for Testing Circuits



Master Electrical Test Kit

SKU **262524** PWPPPKIT03

- Includes: Power Probe III. ECT2000 and Gold Series Lead Set
- Contains Gold Series 4 mm Leads and Connectors
- Continuity, Relay and Component Tester
- Works on 12-24V Sources
- · Easy-to-Read Backlit Voltmeter Reads Voltage in 1/10th Volt



Relay Circuit Tester SKU 383450

• Includes: Tester, (5) Popular Relay Leads, (1) Universal Relay Lead

• Use to Test Relay Circuits in Late

- Model Vehicles • Can Also Be Used to Perform Easy Combination Tests, Fuel Pressure Tests and Jump Relay for A/C Fill
- Comes in a Blow Mold Case





Multi-Function Power/Ground Meter

SKU **300126** 24366

• Quickly Diagnose Circuits and Test Components

- Apply Battery Voltage or Ground with a Simple Thumb Rocker Switch
- Performs Standard Multimeter Functions: Volt, Continuity and Polarity
- Includes: Meter, 20' Extension Lead, Probe Extension, Battery Clips, Cigarette Lighter Adapter, Auxiliary Ground Lead

MEASURE SPARK KV, INJECTOR **FREQUENCY AND PULSE**

Comes in a Blow Mold Case



INN@VA

Offer Good Through June 30, 2017 - While Supplies Last

Multimeters

Parasitic Drain Tester SKU **011608** LIS64970

- Replaceable In-Line Fuses • Allows Tester and Meter to Remain Connected
- Stacking Banana Connectors



FSI585K

SKU **301604**

- Used for Diagnosing Electrical, Computer and Engine Problems • 45 Test Ranges, 14 Test Functions, and
- Dual Fuse Protection • RPM for DIS and Standard Ignitions
- RPM Pick-Up and Temperature Probe Included
- Dual Fuse Protection with Built-In Tilt Stand





Auto-Ranging Digital Multimeter

SKU **851885** ESI480A

- 43 Test Ranges, Auto-Ranging
- 10 Test Functions
- Auto Power-Off, Data Hold
- Dual Fuse Protection 10 Meg/Ohm Input Impedance



- 35 Test Ranges with Continuity Beep
- 10 Test Functions with Overload Protection Heavy Duty Insulation Piercing Clip
- Automatically Powers Off
- Clamp Opening of 7/8" Carrying Case and 9 Volt Battery Included



Timing Lights

Professional Timing Light SKU **108154**

- INN5568 • Four Function Digital Readout and Easy-to-Read Backlit LCD
- Tachometer: 249 to 9,990 RPM
- Advance Degrees (2 and 4 Cycle):
- 0° to 90° • Dwell: 0° to 180°/ 2-12 Cylinders
- Voltage: 10 to 16 Volts DC • Switches from 2 Cycle to 4 Cycle Heavy Duty ABS/Polycarbonate Shockproof Housing, Molded Boots, Built-In Hand Guard
- for Protection Detachable 6' Leads with
 - Metal Inductive Pickup Patented Skip Circuitry Test Up to 9,990 RPM



CarDAQ-M®

• High Performance

SKU **222849** DRWCARDAQ-M



- Programming on Ford, GM and Toyota Vehicles • Kit Includes a J2534-1 and J2534-2 Module, OBDII Cable, USB Cable, CD and User's Manual
- · Ability to Add Extra CAN Channels, K-Line Channels, and Wireless Connectivity

Truly Universal Device, Educational Materials and Technical Support Included







- Provides Both Ethernet and USB Connectivity to a PC
- Built-In Operating System for Running Internal Programs • Protocol Support for Modern Vehicles
- Updates and Expansion Slots • ECU Programming (ECM, PCM, TCM, BCM, Etc.)
- Generic and OEM-Level Diagnostics • Key Programming

• 6 Analog Inputs

 VIN Read/Write • SKIM Clear/Reset

Data Monitoring

• Immobilizer Adaptation



MongoosePro® Vehicle Interfaces

Chrysler SKU **362554** DRWMGSCI

Ford SKU **362553** DRWMGFORD

GM

SKU **362555** DRWMGGM

Toyota SKU **362550** DRWMGMFC





- Manufacturer OEM Approved
- Supports Full Factory
- Diagnostics and Reprogramming Free Telephone and Email
- Optional Bluetooth® Version



X-431 PRO \$1895.99

SKU 427081 301190189

FULL SYSTEM DIAGNOSIS IS THROUGH A NEW MORE POWERFUL CLASS-1 BLUETOOTH 4.0 CONNECTOR OFFERING A WIRED EXPERIENCE WITH A WIRELESS DEVICE

- Featuring the latest Lenovo Tablet and MKT 4 core processor running an open Android[™] operating system (5.1.1)
- OE-level access to Asian, European and Domestic applications for module coding, resets, relearns & amp; bi-directional capabilities. 12 graphs of live data
- Code Search: Auto searches Google with DTC and related info
- Install third party apps and software. Ultra fast Wi-Fi updates!
- Auto-ID all available vehicle systems and modules
- Class-1 Bluetooth 4.0 connector for a wired experience in a wireless device
- High resolution camera with still and video capabilities (5MP R 2MP F)
- 10" High resolution (1280 x 800) IPS capacitive 10 point touch screen
- Remote diagnostics with optional GOLO telematics connector
- 4290 mAh lithium-ion battery
- One year software subscription included
- OBD I & cables and connectors in a large hard plastic case



x-431 PRO 3 \$2499.99

SKU 427078 301190171

FULL SYSTEM DIAGNOSIS IS THROUGH A NEW MORE POWERFUL CLASS-1 BLUETOOTH 4.0 CONNECTOR OFFERING A WIRED EXPERIENCE WITH A WIRELESS DEVICE

- · Performs Oil service light resets, Electronic Parking Brake (EPB) release, and Steering Angle Sensor (SAS) resets and Battery Reset
- Enhanced Manufacturer Specific DTCs for Domestic, Asian and European Coverage
- Reads and Records enhanced Data Streams for ABS, SRS, Transmission and Engine
- Auto Vehicle ID, Auto Module Search & Fast Protocol ID
- Reads and clears codes on Engine, Transmission (A/T), ABS, and Airbag (SRS) systems – on all makes and all models (16 Pin)
- Support for all 10 test modes of OBD II with Enhanced OBD II Mode 6
- Retrieves generic and manufacturer specific codes current, permanent and pending
- View freeze frame data and I/M Readiness monitor status
- Graph, record, and replay data in full color
- Menu with DTC definitions in English, Spanish & French
- Free Internet updates (USB 2.0)
- 4.0" TFT color display



CRP 123P \$319.99

SKU 119870 301050231

VIEW AND GRAPH LIVE DATA FOR ENGINE

VIEW LIVE DATA FOR ABS, SRS, AND TRANS. SYSTEMS

- Retrieves Manufacturer Specific Enhanced Data for Domestic, Asian and European vehicles
- Reads and Records Data Streams for ABS, SRS, Transmission and Engine
- Auto ID Vehicles, Auto Module Search & Fast Protocol ID
- Reads and clears codes on Engine, Transmission (A/T), ABS, and Airbag (SRS) systems - on all makes and all models (16 Pin)
- Support for all 10 test modes of OBD II with Enhanced OBD II Mode 6
- Retrieves generic and manufacturer specific codes Current, Permanent & Pending
- View freeze frame data and I/M Readiness monitor status
- Graph, record, and replay data in full color
- Menu with DTC definitions in English, Spanish & French
- Free Internet updates (USB 2.0)
- 4.0" TFT color display


CRP 129P \$524.99

301050232

ELECTRONIC PARKING BRAKE (EPB) RELEASE, STEERING ANGLE SENSOR

- (SAS) RESETS AND OIL SERVICE LIGHT RESETS

 Performs Oil service light resets, Electronic Parking Brake (EPB) release, and Steering Angle Sensor (SAS) resets and Battery Reset
- Enhanced Manufacturer Specific DTCs for Domestic, Asian and European Coverage
- Reads and Records enhanced Data Streams for ABS, SRS, Transmission and Engine
- Auto Vehicle ID, Auto Module Search & Fast Protocol ID
- Reads and clears codes on Engine, Transmission (A/T), ABS, and Airbag (SRS) systems – on all makes and all models (16 Pin)
- Support for all 10 test modes of OBD II with Enhanced OBD II Mode 6



- View freeze frame data and I/M Readiness monitor status
- Graph, record, and replay data in full color
- Menu with DTC definitions in English, Spanish & French

Millennium 70 \$149.99

SKU 592033 301050343

THE MILLENNIUM 70 IS THE NEXT GENERATION CODE READER WITH LIVE DATA FOR ENGINE, ABS & SRS

• 4.0" TFT Color Screen

- Full Coverage Domestic, Asian, European (Gas, Diesel and Hybrid Vehicles 1996 and newer OBD II)
- Reads and Clears OBD II Engine Codes
- Reads and Records Data Stream for Engine
- Reads and Clears ABS & SRS **Enhanced Manufacturer Specific** Codes and Data
- Live Data Stream for ABS, SRS and **OBD II Engine**
- Multilingual Support in English, Spanish & French
- 4 Color Graphs OBD II Engine



Millennium 40 \$59.99 SKU 592023

301050340 THE MILLENNIUM 40 IS THE NEXT

GENERATION CODE READER WITH LIVE DATA

• 2.4" TFT color display

- Full Coverage Domestic, Asian, European (Gas, Diesel and Hybrid Vehicles 1996 and newer OBD II)
- Reads and Clears OBD II Engine Codes
- Reads Live Data Stream for Engine
- Graphs Live Data in Color
- Auto ID Vehicles for Fast Protocol ID Free Internet updates
- Retrieves Generic and
- Manufacturer Specific Codes -Current, Pending & Permanent
- View Freeze Frame data and I/M Readiness Monitor Status
- Multilingual Support in English. Spanish & French



Millennium 90 \$259.99 SKU 592024

301050345

THE MILLENNIUM 90 IS THE NEXT GENERATION CODE READER WITH LIVE DATA FOR ENGINE, ABS, SRS AND SPECIAL FUNCTIONS

- 4.0" TFT Color Screen
- Full Coverage Domestic, Asian, European (Gas, Diesel and Hybrid Vehicles 1996 and newer OBD II)
- Reads and Clears OBD II
- **Engine Codes** Multilingual Support in English,
- Spanish & French Live Data Stream for ABS, SRS and OBD II Engine
- Reads and Clears ABS & SRS **Enhanced Manufacturer Specific** Codes and Data
- Reads and Records Data Stream for Engine
 - Resets Oil Lights, EPB, BMS, DPF, SAS, and ABS Brake Bleed
 - 4 Color Graphs OBD II Engine



CRP 229 \$799.99

SKU 738108 301050160

ANDROID SCAN TOOL TABLET WITH 5 INCH HIGH RESOLUTION LCD TOUCH SCREEN

- Android Based and Wi-Fi Enabled for Web Browsing
- Graph Multiple PID's of Live Data • Access All Vehicle Systems for Reading and Clearing Codes and Live Data
- Performs the Following Functions: Oil Light Resets, Electronic Parking Brake (Retract, Reset), Steering Angle Reset, **Battery Registration**
- OBDII 16 Pin Connector, MBZ 38 Pin and BMW 20 Pin Connector Included English, Spanish and French
- Padded Storage Case Included



CR-HD PLUS \$399.99 SKU 554470

301050174

LCD DISPLAY, PROVIDES J1587, J1939, J1708 AND OBDII DATA!

NOW with HD & LD Gas and Diesel Coverage

- Covers Class 4 (14,001 Lbs.) Through Class 8 (33,000 Lbs. and Over) Heavy **Duty Trucks**
- Covers Light & Medium Duty Gas and Diesel Vehicles Includes 6-Pin, 9 Pin Deutsch and
- 16-Pin OBDII Connectors Coverage for Engine Transmission, **Brakes and More**
- Read and Clear Active and **Inactive Fault** Codes Monitor All Data
- and View Live Data Streams Padded Storage
- Free Internet Updates

Case



CREADER V+ \$69.99

SKU 554465 3011050144 **CODE READER WITH COLOR SCREEN & LIVE**

Tests

DATA GRAPHING

• Color Screen View and Graph TWO

- PIDs of Live Data Features O2 Sensor and Evap System
- Coverage for Modes 1 Thru 10 **Permanent Codes**
- Pending Codes Freeze Frame Data
- Free Internet Updates English, Spanish
- and French



CREADER VII \$179.99

SKU 737756 301050156

CODE READER WITH RESET CAPABILITIES

- Reset Oil and Service Reminder Lights on Vehicles 1996 and Newer View and Graph FOUR PIDs of
- Live Data Coverage for the Latest
- Modes 1 Thru 10 Freeze Frame Data Read and Clear DTCs
- Special Tests: I/M Readiness, MIL Status, 02 Sensor, Evap System, Vehicle Info, Code Look-Up and On-Board Monitor Test
- English, Spanish and French







QUALITY - INNOVATION - VALUE

Offers Good Through June 30, 2017 - While Supplies Last

AIR COMPRESSORS



QUALITY - INNOVATION - VALUE

INDUSTRIAL GRADE COMPRESSORS

All Compressors Include:

- Bonus Start-Up Kit
- Full Two Year Warranty
- Nationwide Service Network
- ASME Tank and Safety Valves
- High-Flow Belt Guard



10 HP 120 Gallon 230V Air Compressor

SKU **592204** 26104

- Magnetic Starter
 Mounted and Wired
- 3-Phase
- 35 CFM @ 100 PSI
- 175 PSI Max Pressure
- 2-Stage



5 HP 80 Gallon 230V Compressor

- Magnetic Starter **Mounted and Wired**
- Heavy-Duty Low RPM Cast Iron Pump
- 18 CFM at 100 PSI
- 175 PSI Max Pressure
- 2-Stage

Single-Phase

SKU **592257** 26100

3-Phase

SKU **592202** 26101

7.5 HP 80 Gallon 230V Compressor

• 23 CFM @ 100 PSI

Single-Phase

26102

3-Phase

SKU **592239** 26103



GAS POWERED

13 HP 30 Gallon **Honda Gas Powered**

SKU **592266** 26105

- Heavy-Duty Low RPM Cast Iron Pump
- 23 CFM @ 100 PSI
- 175 PSI Max Pressure
- Electric and Recoil Start

Unbeatable Value



5 HP 60 Gallon **230V Air Compressor**

SKU **592262** 26106

- 5 HP
- 1 Phase
- 15.3 CFM @ 100 PSI
- 165 PSI Max Pressure
- 2-Stage

AIR COMPRESSORS

30 Gallon 2 Stage Compressors

13 HP Horizontal

DELIVERY with Honda Engine SKU **110435**

SKU 110435 IRT2475F13GH 2,74

• Gas Powered Honda Engine

• CFM: 25 @ 175 PSI

Cast Iron Pump

IN STOCK Start-Up Kit

SKU **970499** IRT32312936 • Includes: (2) Air Filter Elements, (2) Quarts

4 Cycle Engine Oil, (4) Liters of All Season Synthetic Lube Use of Kit Extends Compressor Pump Warranty to 2 Years

(IR) ingersoll Rand. **HONDA**



Lift Gate Service

13 HP Horizontal with Honda Engine

OEMTUK13030HGE **2,099**99 SKU **110306**

• Gas Powered Honda Engine

• CFM: 22 @ 175 PSI • Cast Iron Pump

· Synthetic Oil

Lift Gate Service DELIVERY SKU **295540** OEMLIFTGATE **80**00

IN STOCK

OEM Tank Color May Vary

OEM TOOLS'

13 HP Horizontal with Honda Engine

SKU **344741** CPTRCP1330G

• 175 Max PSI

• CFM: 25.3 @ 100 PSI

• Premium Cast Iron and Aluminum Hvbrid Pump

• 12V Electric and Recoil Starter Standard EZ Pull Type Tank Drain

Oil Monitor

 Cold Start Valve • Full 2 Year Warranty

> **DELIVERY** INCLUDED

Lift Gate Service

60 Gallon | 2 Stage Compressors

DELIVERY

IN STOCK

5 HP Vertical Air Compressor SKU **210433** IRT2340L5

• CFM: 14.7 @ 175 PSI

• Volts: 230 Single Phase • Cast Iron Pump

• Factory Mounted and Wired Motor Starter

Start-Up Kit

SKU **970496** IRT32305880

• (4) Quarts Synthetic Lube and (2) Air Filters

• Use of Kit Extends Compressor Pump Warranty to 2 Years

Lift Gate Service



OEMTE5060VM CFM: 15 @ 150 PSI

• Volts: 230 Single Phase

• Cast Iron Pump

· Factory Mounted and Wired Motor Starter

• Easy Access Drains

Vibration Damper Pads

· Synthetic Oil

DELIVERY INCLUDED **Lift Gate Service** OEMLIFTGATE 8000

IN STOCK

OEM TOOLS

May Vary Depending on Stock

OM TOOLS

5 HP Reciprocating Air Compressor SKU **344627** CPTRCP561VNS

• CFM 15.3 @ 100 PSI

• Volts: 208 - 230 Single Phase

• 165 Max PSI

Premium Cast Iron and Aluminum Hybrid Pump

5 HP Vertical Air Compressor

• Premium Cast Iron and Aluminum Hybrid Pump

• High Performance Inter-Cooler and Aftercooler

• Comes Ready to Run, No Start-Up Kit Required

5 HP Premium Vertical Air

• Premium Model Includes: Low Oil

Level Switch, Auto Tank Drain, Triple Pass Pump Mounted Aftercooler

7.5 HP Vertical Air Compressor

• Premium Cast Iron and Aluminum Hybrid Pump

• High Performance Inter-Cooler and Aftercooler

• Comes Ready to Run, No Start-Up Kit Required

SKU **344631 2,34999** CPTRCP-7581V

7.5 HP Two Stage Premium Model

• Magnetic Starter: Not Required

• Full 2 Year Warranty

DELIVERY INCLUDED

SKU **012631** CPTRCP-381VS

• 175 Max PSI

• CFM: 18.5 @ 100 PSI

Mag Starter Included

Compressor

SKU **344629**

CPTRCP581V

SKU **012624**

• 175 Max PSI

CPTRCP-7581VS Z

• CFM: 25.3 @ 100 PSI

Mag Starter Included

• Solid Cast Iron Cylinders

• Volts: 208 - 230 Single Phase

• Solid Cast Iron Cylinders

• Volts: 208 - 230 Single Phase

SKU 361260 CPTLIFTGATE 7500

Lift Gate Service



Chicago Pneumatic

Lift Gate Service

Chicago Pneumatic

Chicago Pneumatic

HONDA

80 Gallon 2 Stage Compressors

5 HP Vertical Air Compressor (IR) Ingersol Rand SKU **095102** IRT2475N5V

• CFM: 16.8 @ 175 PSI

Cast Iron Pump

• Volts: 230 Single Phase

Motor Starter

Factory Mounted and Wired



IN STOCK

5 HP Premium Vertical Air Compressor

SKU **040598** IRT2475N5-P

• Features of the Non-Premium Model Plus Air-Cooled Aftercooler

• Electronic Automatic Tank Drain

• Low Oil Level Protection Switch

7.5 HP Vertical **Air Compressor**

SKU **210434** IRT2475N7.5

• CFM: 24 @ 175 PSI Factory Mounted and Wired

• Cast Iron Pump



SKU **040597** IRT2475N7.5P

Air-Cooled Aftercooler

• Features of the Non-Premium Model Plus • Electronic Automatic Tank Drain

Start-Up Kit

IRT32305880 **13499**

10 HP Horizontal

Air Compressor

SKU **210437**

IRT2545E10V

Cast Iron Pump

SKU **040549**

IRT2545E10-P

Start-Up Kit

SKU **970497**

IRT32305898

• CFM: 35 @ 175 PSI

• Volts: 230 Three Phase

Air Compressor

Air-Cooled Aftercooler

10 HP Premium Horizontal

• (4) Quarts Synthetic Lube and (2) Air Filters

• Use of Kit Extends Compressor Pump Warranty

120 Gallon 2 Stage Compressors

Factory Mounted and Wired Motor Starter

• Features of the Non-Premium Model Plus • Electronic Automatic Tank Drain



(IR) Ingersoll Rand

DELIVERY

INCLUDED

Lift Gate Service

SKU **262532** IRTLIFTGATE **80**00

IN STOCK

Low Oil Level Protection Switch

5 HP Vertical Air Compressor

0EMTN5080VM 1.59

• CFM: 16.5 @ 175 PSI

 Volts: 230 Single Phase • Cast Iron Pump

Factory Mounted and Wired Motor Starter

Easy Access Drains

· Vibration Damper Pads

Low Oil Shut-Off

· Synthetic Oil



Air Compressor SKU **110301** OEMTUE7580VM

• CFM: 22.8 @ 175 PSI

• Volts: 230 Single Phase

• Cast Iron Pump

· Low Oil Shut-Off

DELIVERY **INCLUDED**

Synthetic Oil

Pads

 Factory Mounted and Wired Motor Starter Easy Access Drains



Lift Gate Service

SKU 295540 OEMLIFTGATE 8000



OEM Tank Color May Vary

OEM Tank Color May Vary

• Premium Model Includes: Low Oil Level Switch, Auto IN STOCK Tank Drain, Triple Pass Pump Mounted Aftercooler

OEM TOOLS



· Low Oil Shut-Off

· Synthetic Oil Auto Drain

10 HP Horizontal Air Compressor Single Phase SKU 110303

10 HP Horizontal Air Compressor

• Factory Mounted and Wired Motor Starter

OEMTUK100120M1

Three Phase

OEMTUK100120M3

• CFM: 32.5 @ 175 PSI

Cast Iron Pump

• Volts: 230 Three Phase

SKU 110305

Lift Gate Service SKU **295540** OEMLIFTGATE **80**00



DELIVERY INCLUDED

10 HP Horizontal Air Compressor

SKU **012626** CPTC10123HS

• CFM: 35 @ 100 PSI • Volts: 208 - 230 Three Phase

• 175 Max PSI • Premium 800 RPM Cast Iron Pump

 Mag Starter Included Concentric Disc Valves

• Cast Iron Inter-Cooler and Aftercooler • Full 2 Year Warranty

10 HP Vertical Air Compressor

SKU **012634** CPTC10123VS

> Lift Gate Service SKU 361260 CPTLIFTGATE 7500



Chicago Pneumatic



• Low Oil Level Protection Switch

• (4) Quarts Synthetic Lube and (2) Air Filters • Use of Kit Extends Compressor Pump Warranty to

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.

Tool & Equipment QUARTERLY

How to Size Your Air Compressor

Determine Compressor Type:

- Single Tech Shop or Low Volume Usage: Single-Stage (90-125 PSI)
- Two or More Tech Shops or High Volume Usage: 2 Stage (125-175 PSI)

Determine Air Consumption. Conduct a Shop Audit on Air Requirements or **Use These Benchmarks:**

- 5 CFM per Person in General Repair Shop
- 8 CFM per Person in Heavy Duty Truck Shop
- 12 CFM per Person in Paint and Body Shop

Make Adjustments to Above Total CFM Requirements to Compensate for **Compressor Duty Cycle:**

- Multiply by 1.5 for Single Stage
- Multiply by 1.25 for 2 Stage
- Add 10% to Total for Air Leaks and Future Growth in Business

Choose a Compressor That Best Fits the Required CFM per PSI Rating

COMMON AIR TOOL CFM CONSUMPTION

AIR TOOL	CFM
Air Hammer	4.0
Body Polisher	2.0
Body Orbital Sander	5.0
Die Grinder	5.0
Drill, 1/16" to 3/8"	4.0
Grease Gun	3.0
Hydraulic Floor Jack	6.0

AIR TOOL	CFM
Impact Wrench, 3/8"	2.0
Impact Wrench, 1/2"	3.5
Impact Wrench, 3/4"	7.5
Impact Wrench, 1"	10
Medium Duty Sander	40.0
Spring Oiler	4.0
Touch-Up Paint Spray Gun	3.5

Gas Compressors

5.5 HP, 30 Gallon **Horizontal with Honda Engine**

SKU **110298** OEMPUK5530G

- Gas Powered Honda Engine
- CFM: 12 @ 90 PSI
- ASME Certified

CARB Compliant



OEM TOOLS

HONDA



Lift Gate Service SKII 295540 OEMLIFTGATE 8000

8 HP. 30 Gallon **Horizontal** with **Honda Engine**

OEMTUE8030HGE • Electric Start

- CFM: 16 @ 175 PSI

SKU **979920**

• Cast Iron Pump · Synthetic Oil

CARB Compliant



Single Stage Compressors

OEM TOOLS

Single Stage, 6 HP* **60 Gallon Vertical Compressor** SKU **110297**

OEMPK7060VS 9999

- 3 Cylinder Cast Iron Pump • 19.5 CFM @ 90 PSI
- Max PSI: 150
- 230 Volt/Single Phase

*3 HP/6 HP Peak



in stoc<u>k</u> **Lift Gate Service**

OEM Tank Color May Vary Depending on Stock

Single Stage, 5 HP* **20** Gallon Vertical Compressor

SKU **110315** PUMPK5020VP

- CFM: 7.1 @ 40 PSI • CFM: 5.5 @ 90 PSI
- 120/240 Volt / Single Phase
- *2 HP/5 HP Peak

Single Stage 6 HP* 60 Gallon Vertical Compressor

PUMPK6060V **5999** • 2 Cylinder Cast Iron Pump

- 12 CFM @ 90 PSI
- Max PSI: 150
- 230 Volt Single Phase *3 HP/6 HP Peak



SKU **410033**

MTMAGWSR143M

• Electric Start Option Included

Maximum Rated Regulator)

• Battery and Cables Not Included

• Welder: 150A @ 100% Duty Cycle (50 - 170A Working Range)



Compressor/Generator/Welder

Compressor/Generator/Welder

• Quality Cast Iron Two Stage Compressor

• Generator Output: 4,500 Watts Continuous

• CFM: 15.7 @ 175 PSI (Equipped with 150 PSI

PUM074-SYN30

CARB Compliant

Compressor Synthetic Oil (1 Ot) SKU **301795**

PUMA -2

Mi-T-M

PUMA A

Regulators/Filters/Drains

Digital Air Regulator

SKU **978113** 25862

SKU **543086**

• Ensures Accurate and Consistent Air Pressure for Spray Guns and Other Air Operating Tools





• Rated for 25 SCFM

In-Line Air Tool Filter (1/4") SKU **543067** ARR9132

• Protect Your Air Tools

Max Pressure: 500 PSI



SKU **543077** ARRDFD-10

SKU **543079**

ARRF354

• 40 Micron

• 100 CFM



- Maximum Flow Capacity: 15 CFM
- Maximum Pressure: 125 PSI
- See-Through Housing Shows Desiccant
- Color Change, Indicates That the Dryer Needs to Be Replaced

Particulate Filter (1/2")









543078 ARRF353 **34.99**

 150 PSI Part # Description Particulate Filter (3/8")

Air Regulator with Gauge (1/2")

SKU **543091** ARRR354G

• Adjustment Range is 5 -125 PSIG

 Rated for 100 SCFM Description

Regulator with Gauge (3/8") 543088 ARRR353G 49.99 Automatic Lubricator (1/2")



Shutting Down Air Line 3 Position Adjustment Knob

Lubricator May Be Filled without

Description SKU Automatic Lubricator (3/8") **543083** ARRL353 **59.99**



ARR5804

• Automatically Drains Compressor Tanks, Receiver Tanks or Filters

• 110 Volt

• 6' Power Cord

Coalescing Filter Oil Removing Filter (1/2") SKU **543081**

ARRF554AW

• .03 Micron Filter Element

• 37 CFM

• Manual Drain

Coalescing Oil Removing Filter (3/8") 543080 ARRF553AW 69.99

Integral Filter/Regulator with Gauge (1/2")

SKU **543071** ARRB754G

• Operating Pressure Range 5 -125 PSI • 40 Micron Element

• 3 Position Non-Rising Adjustment Knob






Part #

Filter Regulator Lubricator with Gauge Modular Combo (1/2") SKII **543075**


Integral Filter/Regulator w/ Gauge (3/8") 543070 ARRB7536 69.99

• 142 CFM

ARRC33354




• Operating Pressure Range 5 - 125 PSI • 40 Micron Element



5 Stage Desiccant Filter/Dryer SKU **543076**

ARRC7612XL • Includes Gauge, Shut-Off Valve





Description	SKU	Part #	Price
Replacement Desiccant Silica Gel, 1 Quart	543068	ARR34189	14.99

Free Delivery!

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.

AIR TOOLS

3/8" Impact Wrenches

OEM TOOLS

Mighty Compact 3/8" Drive Impact Wrench SKU **802213**

REG. \$149.99 • Lightweight and Compact, Only Weighs 3.5 Lbs

- Fits in One Hand (5-1/4" in Length)
- Air Consumption: 4.7 CFM
- Free Speed: 11,000 RPM
- Working Torque: 280 Ft./Lbs
- Maximum Torque: 320 Ft./Lbs. Reverse

• Clutch Type: Twin Hammer



3/8" Impact Wrench SKU **970486**

- IRTIR212 • Most Powerful 3/8" Pistol Grip Impact
- Torque: 180 Ft./Lbs.
- Single Hammer Design



3/8" Titanium Impact Wrench

SKU 198065

- IRT2115TiMAX
- Torque: 300 Ft./Lbs.
- Feather Touch Trigger and Patented Push Button Forward/Reverse



3/8" Impact Wrenches

OEM TOOLS

Offer Good Through June 30, 2017

While Supplies Last

OEM TOOLS

REG. \$149.99

Mighty Compact 1/2" Impact Wrench

SKU **626146** 24403

- Max. Torque 450 Ft./Lbs. Reverse
- 3 Torque Adjustments
- Small but Powerful • Lightweight:



1/2"

Wrench SKU **884521**

Impact

25821

• Torque: 400 Ft./Lbs.

• 6,500 RPM Forward



OEM TOOLS

1/2" Composite **Impact Wrench**

SKU **900832** 25775 Max Torque: 500 Ft./Lbs.

1/2"

25774

Impact

Wrench

SKU 900831

• 5.6 CFM Air

Consumption

• Torque: 400 Ft./Lbs.



Heavy Duty O=M TOOLS 1/2" Composite Stubby **Impact Wrench**

SKU **087596** 24418

- 1/2" Square Composite Air Impact Delivering 900 Lbs. of Torque
- 4.0 CFM Includes (7) 1/2" Short Impact Sockets
- Sizes 13 mm-19 mm • Custom Cut EVA

1/2"

25769

• Torque:

• 4 CFM

Impact

Wrench

SKU **466599**

425 Ft./Lbs.

Air Consumption



OEM TOOLS

(IR) Ingersoll Rand.

OEM TOOLS 1/2" **Composite**

Impact Wrench SKU **347258**

24400 REG. \$299.99

- Max. Torque 900 Ft./Lbs. Consumption: 5.1 CFM
- Air Inlet Thread: 3/8"
- Weight: 4.58 Lbs. Sound Level: 96.2 dBA



Offer Good Through June 30, 2017 **While Supplies Last**

1/2" Impact (IR) Ingersoll Rand **Wrench Classic** SKU **495316**

IRT231C

- Torque: 600 Ft./Lbs. • Pressure-Fed Lubrication
- Adjustable Power Regulator



1/2" Drive

Impact Wrench SKU **592249**

1/2" Drive

SKU **592243**

KNGNC-4255Q

Bests OSHA

Lightweight

Twin Hammer

Mechanism

at 3.74 Pounds

Standards

Ultra

• 85 dBA Noise Level

Composite

Impact Wrench

• 1200 Ft./Lbs. Max Reverse Torque

KNGNC-4232Q • Mighty Small,

Mighty Powerful Air Impact Wrench

• 700 Ft./Lbs. Max Reverse Torque

- 85 dBA Noise Level Bests OSHA Standards
- Ultra Lightweight at Less Than 3 Pounds
- Twin Hammer Mechanism



(IR) Ingersoll Rand

M7

(IR) Ingersoll Rand

<u>m7</u>

1/2" Impact (IR) Ingersoll Rand Wrench

SKU **970487**

IRT231HA • Pressure-Fed

- Lubrication System • Handle Exhaust Directs Away from User
- Industry Standard for 3 Decades | Sound Pressure: 94 - 105 dBA

590 Ft./Lbs. of Torque

1/2" Super Air Impact Wrench with 2" Extended Anvil

SKU **604744** IRT231HA2

- Away from User • 590 Ft /l bs
- Pressure-Fed Lubrication

(IR) Ingersoll Rand.

OEM TOOLS

- Maximum Torque

Best Selling

- In-Handle Exhaust Directs Air

1/2" **Ouiet Impact Wrench** SKU **738489**

IRT2135QXPA

• Torque: 780 Ft./Lbs. • Light, Quiet and

- Powerful Impact • Twin Hammer Mechanism Weighs
- 4 Lbs

Super Quiet

1/2" Titanium (IR) Ingersoll Rand **Impact Wrench**

SKU **695134** IRT2235TIMAX

- 1.350 Ft./Lbs. of Torque
- 930 Ft./Lbs. of Reverse Torque
- Twin Hammer Impact Mechanism • Lightweight

Nut Busting Torque

M7



1/2" **Thundergun** Street Legal™ **Impact Wrench**

SKU **495318** IRT232TGSL

• Torque: 625 Ft./Lbs. • 10,000 RPM for Lightning Fast Removal is



3/4" Impact Wrenches

3/4" Heavy Duty **Impact Wrench**

SKU **466617** 25810 • Torque: 1,300 Ft./Lbs.





3/4" Drive Composite **Impact Wrench**

KNGNC-6255Q One of the Lightest and Most

SKU **592352**

- Powerful 3/4" Drive Guns
- 1400 Ft./Lbs. of Max Reverse Torque • 85 dBA Noise Level Bests OSHA Standards
- Ultra-Light 4.2 Pounds
- Twin Hammer Mechanism



3/4" Drive Quiet **Air Impact Wrench**

KNGNC-6236Q **28999**

• Power of a 3/4" Drive in a 1/2" Body

- 1200 Ft./Lbs. Max Reverse Torque
- 83 dBA Noise Level Bests OSHA Standards • Weighs 5.9 Pounds
- Twin Hammer Mechanism



1" Impact Wrenches

1" Super Duty **Impact Wrench** with Extended Anvil SKU **466618**

25811 • Torque: 1,600 Ft./Lbs. • 3,700 RPM





TOOLS

M7 Mighty Seven NC-8237 1" Drive **Air Impact Wrench** SKU **592207**

KNGNC-8237 Super Light and Quiet

- 1800 Ft./Lbs. of Max Reverse Torque
- 92 dBA Noise Level • 12.8 Pound Weight
- Twin Hammer Mechanism



1" Impact Wrench with Extended Anvil SKU **970474**

IRTIR285B6 • 1,770 Ft./Lbs. of Reverse

• 6" Anvil for Better Truck







- Recommended Air Pressure: 90 PSI
- Air Consumption: 6.3 CFM
- Air Inlet Thread Size: 1/4" NPT

Accessories Included

Reversible Drills OEM TOOLS

3/8" Reversible Air Drill

SKU **466595**

- 25765 90 PSI
- 4 CFM Air Consumption
- 2,200 RPM Free Speed

OEM TOOLS

- 35 In./Lbs. Max Torque • Sound Level: 96 dBA
- Weight: 2-1/2 Lbs.

Cut-Off Tools

OEM TOOLS Heavy **Duty Reciprocating Air Saw** SKU **802225**

- 24409 • Recommended Air Pressure: 90 PSI
- Air Consumption: 1.7 CFM
- Enhanced Blade Guard Design and Trigger Safety Lock

Air Die Grinder

• Air Consumption: 3.4 CFM

• Free Speed: 25,000 RPM

• Air Inlet Thread Size: 1/4" NPT

• 9,000 Strokes per Minute

1/4" Mini

SKU **802211**

24405

Reciprocating Saw

SKU 970481 IRTIR429

- Designed for Cutting Intricate Shapes
- Cuts Flat and **Curved Surfaces**
- · Comes with (6) High Speed Steel Cutting Blades

1/4" Air Ratchets

1/4" Industrial Air Ratchet SKU **466593** 4999

25763 • Delivers 18 Ft./Lbs. of Torque and 240 RPM Free Speed

1/4" Stubby

SKU **970472** IRT105D2

• Delivers 25 Ft./Lbs. of Torque and 250 RPM Free Speed



1/4" Drive Super Duty **Air Impact Ratchet**

SKU **850508** 24415

• Max Torque: 50 Ft./Lbs.

- Free Speed: 700 RPM
- CFM: 3.1 @ 90 PSI
- Length: 6.5" • Sealed Head Ratchet Housing Prolongs Tool Life
- Compact and Lightweight
- Most Power to Weight Ratio
- Rear Air Exhaust: 360° Adjustable



Impact Mechanism Adds Power and **Prevents Kickback**

OEM TOOLS

TOOLS

OEM TOOLS

Offer Good Through June 30, 2017 **While Supplies Last**

Die Grinders

1/4" Mini **Die Grinder** SKU **466591**

25761

- Air Consumption: 4.0 CFM
- Free Speed: 26,000 RPM • Recommended Air Pressure:
- Air Inlet Thread Size:
- 1/4" NPT • Recommended

1/4" Mini Air



1/4" Mini

Die Grinder SKU **751631**

- Requires Only 2.4 CFM @ 90 PSI for Optimum Performance
- Free Speed: 25,000 RPM
- Ultra Compact Size Fits Into Spaces Regular Die Grinders Cannot • Lightweight: 0.7 Lbs.
- Collet Size: 1/4"

Composite Body



• Recommended Air Pressure: 90 PSI

Angle Air Die Grinder SKU **802214**

• Air Consumption: 2.8 CFM

- Free Speed: 18,000 RPM
- Recommended Air
- Air Inlet Thread Size: 1/4" NPT
- Angle: 90 Deg

T REG. \$64.99

OEM TOOLS

OEM TOOLS

Offers Good Through June 30, 2017 - While Supplies I

1/4" Mini **Die Grinder** SKU **802212**

24406

- Air Consumption: 3.4 CFM
- Free Speed: 22,000 RPM
- Recommended Air Pressure: 90 PSI

OEM TOOLS

• Air Inlet Thread Size: 1/4" NPT





Extended Air Die Grinder

5999 REG. \$64.99 24408 • Air Consumption: 2.5 CFM

• Free Speed: 23,000 RPM

SKU **802216**

- Recommended Air Pressure: 90 PSI
- Air Inlet Thread Size: 1/4" NPT



3/8" Air Ratchets

3/8" Pro Air Ratchet SKU **210212 4Q**99 25819

- Max Torque: 60 Ft./Lbs. • Free Speed: 160 RPM
- Recommended Air Pressure: 90 PSI



- Max Torque: 54 Ft./Lbs.
- Advanced Head Design
- 360° Adjustable Exhaust

• Maximum Torque: 75 Ft./Lbs.

• Free Speed: 450 RPM

• Ratchet Pawl: Single

Air Consumption: 2.5 CFM

• Air Inlet: 1/4" NPT

• Exhaust: Rear

SKII 347259

24401



1/4" Mini Angle Die Grinder SKU **466592** 25762

- Air Consumption: 6 CFM
- 25,000 RPM Free Speed • Recommended Air Pressure: 90 PSI
- Air Inlet Thread Size: 1/4" NPT
 - Recommended Hose Size: 3/8"



Air Sanders and Polishers

5" High *Duralast* **Speed Air Sander**

- SKU **688297** 80-365
- Free Speed: 18,000 RPM · Designed for Light Sanding, Feathering, Edging and Rust Removal



High OFM TOOLS **Speed Air Sander*** SKU **466594** 25764

- Air Consumption: 4.5 CFM • Free Speed: 15,000 RPM
- Recommended Air Pressure: 90 PSI
- Sound Level: 88 dBA • Weight:
- 2-1/2 Lbs. *While Supplies Las

Air Sander SKU **011577**

33625830

- Air Consumption: 4.0 CFM • Free Speed: 10,000 RPM
- Pad Size: 6"
- Recommended Air Pressure: 90 PSI

Dual Action

- Recommended Hose
- Size: 3/8"



IRTIR311A • Dual Action Pad Motion Reduces Swirl

Action Sander

(IR) Ingersoil Rand.

· Built-In Silencer for Quiet Operation

6" Dual

SKU **970475**



3/8" Drive Mini Super-Duty **Air Impact Ratchet** 15999 REG. \$179.99 SKU **850055**

3/8" Drive Reactionless Air Ratchet

24416

• Max Torque: 50 Ft./Lbs.



Mechanism

Adds Power

• Free Speed: 700 RPM • CFM: 3.1 @ 90 PSI Offer Good Through June 30, 2017 - While Supplies Last

- 3/8" Super-Duty Air Ratchet SKU **495290 199**99 IRT109XPA
- Torque: 76 Ft./Lbs. Variable Speed Button Trigger • 360° Adjustable Exhaust



Composite



AutoZone® has a battery tester Earn Back program.

Contact Your AutoZone Commercial Sales Manager for Details



4999 SKU **094650** 25778 • RPM: 20,000

• 4 Position Air Volume Control • Quick Change "Twist

Lock" Mandrel

2" Surface

Prep Tool

• CFM: 3

All Twist Lock Accessories Work with This Sander







Smooth Operation • 3,000 Strokes per Minute • Quick-Action Paper Clamps

Heavy Duty Mini Surface Prep Kit SKU **087620** 2499 REG. \$149.99

Includes • 2" and 3" Heavy Duty Mini Air Surface Prep Sander

• (1) 2" Backer Pad & (1) 3" Backer Pad • (2) 2" and (2) 3" Medium Grit Surface Prep Discs

SKU **812338**

- (2) 2" and (2) 3" Coarse Surface Prep Discs • (2) 2" and (2) 3" Sander Discs
- Air Nipple Offer Good Through June 30, 2017 **While Supplies Last**




Starter Pack Surface Prep Kit

• Includes: (3) 2" and (2) 3" Medium Grit Surface Prep Discs, (5) 2" and (3) 3" Coarse Surface Prep Discs, (3) 2" and (2) 3" Sander Discs



OEM TOOLS







AIR TOOL ACCESSORIES



Impact Sockets OEM TOOLS

12 Piece, 3/8" Drive Shallow Impact **Socket Sets**

SKU **391191** 25589 (SAE)

Socket Sets

13/16", 7/8", 15/16" and 1'

33 mm, 1" Drive

Budd Wheel Socket

Mandrel for 1/4" and

Cut-Off Wheels (25 Pack)

Couplers/Plugs

SKU **442193**

25590 (SAF)

SKU **466569**

3/8" Screws

(2 Pack)

SKU **094907**

SKU **094906** SHA25-25 • 3" x 1/16" x 3/8"

SHA32

25528

SKU **391190** 25587 (Metric)

- Shallow 6 Point High Quality Impact Sockets
- SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",13/16", 7/8", 15/16" and 1"
- Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

12 Piece, 3/8" Drive Deep Impact

• SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",

• Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

• Deep 6 Point High Quality Impact Sockets

Cut-Off Accessories

99 SKU 464314

25588 (Metric)

HI-Flo V-Style 1/4" MNPT Steel Plug, 10 Pack SKU 480772 MILS7601-5

HI-Flo V-Style 3/8" MNPT Steel Plug, 10 Pack SKU 480775 MILS7621-5

HI-Flo A,M,V-Style 1/4" FNPT Coupler, 2 Pack SKU 480783 MILS764-2

HI-Flo A,M,V-Style 3/8" FNPT Coupler, 2 Pack SKU 480784 MILS766-2

OEM TOOLS



11 Piece, 1/2" Drive Shallow Impact Socket Set (SAE)

10 Piece, 1/2" Drive Impact Socket Set (Metric)

SKU **391195** 25593 (SAE)

SKU **391192** 25591 (Metric) **4**

- Shallow 6 Point High Quality Impact Sockets
- SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"
- Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm



11 Piece, 1/2" Drive Deep Impact Socket Set (SAE)

10 Piece, 1/2" Drive Deep Impact Socket Set (Metric)

SKU **391196** 25594 (SAE)

SKU **391194** 25592 (Metric)

OEM TOOLS

OFM TOOLS

Universal,

SKU **099186** 24241 Lightweight

Durable Nylon

Fits All 3

Composite Body • 1/2" x 18 NPT; Female

No Scratch.

Composite Body

Quick Coupler

- Deep 6 Point High Quality Impact Sockets
- SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"
- Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

35 mm, 1" Drive 1-1/2" Hex x 13/16" Square Deep **Budd Wheel Socket** 1" Drive Budd Wheel Socket

25529

3" x 1/16" Cut-Off Wheels

ILTON MOUSTNES, INC.

SKU **466566** 25525

(25 Pack)

SKU **347215**

• Spindle 3/8"

• 25,000 RPM

• 3" x 1/16" x 3/8'

25839B

SKU 466570

• For Budd Wheel 1-1/2" Hex with 13/16" Inside Square

Impact Adapters

Surface Prep

Twist-Lock Style

• 2" Coarse Grit / 25 Pack

• 3" Coarse Grit / 25 Pack

Twist-Lock Style

SKU **125687**

SKU**125691** 24942

SKU **298097** SHA16206

2" Surface

SKU **094920**

SHA620TBA

SKU **291346**

LIS22500

Twist-Lock Style

Includes: (12) Coarse

and (1) 2" Holder

(10) Medium, (3) Fine

Thermostat Gasket

• Floating Guide Shaft to Steer Abrasive Pad Around the Gasket Surface

2" Zirconia Mini Grinding Discs

SHA3250ZGT

• 2" / 50 Grit / 25 Pack

Use with a Die Grinder to Quickly

Clean Off the Gasket Surface

Twist-Lock Style

• 2" / 24 Grit / 25 Pack

2" / 36 Grit / 25 Pack

SKU **094908**

SHA3220ZGT

SKU **094909**

SHA3230ZGT

Residue Remover

Disc Assortment

2" Surface Prep Discs (25 Pack)

3" Surface Prep Discs (25 Pack)

2997 1.20 each

4177 1.68 each

OEM TOOLS

• 2" Medium Grit / 25 Pack

• 3" Medium Grit / 25 Pack

SHARK

2999 1.20 each

1.68 each

Twist-Lock

SKU **094911**

SKU **094916**

SHA333T2

SKU **094912**

SHA323TB

SHA323T2

Disc Holders

• 2" Holder / 2 Pack

• 3" Holder / 2 Pack

• 2" and 3" Holder Set

SHARK

SHARN

SKU **125690**

SKU 125692

24943

2" Purple Strip Disc with Rollock, 5 Pack

· Long-Life Silicon Carbide for Paint and Coating Removal

24940

5 Piece Impact Grade Adapter Set

SKU **914056** 70-383

7999 STORE STOCK

• Made of Chrome Moly Steel for Strength

• Storage Rail

• Includes Sizes: 1/4" to 3/8", 3/8" to 1/2", 1/2" to 3/4", 3/8" to 1/4" and 1/2" to 3/8"

5 Piece Adapter and Universal Joint Set (3/8" and 1/2" Drive)

• Made of Chrome Moly Steel for Strength

 \bullet Includes: 3/8" Drive Universal Joint, 3/8" Drive (F) x 1/2" (M)

OEM TOOLS

Duralast

SKU **965864** 24226

Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4" (M) Adapter

Impact Star

10 Piece External Star Socket Set

SKU **191054** 25954

Includes: 3/8" - 1/2" Drive Star: E5, E6,

E7, E8, E10, E12, E14, E16, E18 and E20

Features Chrome Moly Steel Components for Strength and Durability

Comes on a Convenient Storage Clip

Impact Extensions

OEM TOOLS

1/2" to 3/8" Drive Reducing Extension Adapters SKU **110292**

3 Piece Set Includes Size

12", 24" and 36'

 This Specialty Extension Set Lets You Use Your 1/2" Drive Tools with 3/8" Sockets

 Get Into Tight Spots Like Those Around a Transmission Bell Housing

1/2" Impact Grade Extension Set

SKU **914182** 70-391

STORE STOCK

 Includes Sizes: 6" and 10" • Chrome Moly Steel for Strength

· Black Oxide Finish to Resist Rust Ball Socket Retention

Duralast

1/4" Air Swivel Connectors

1/2" Female Coupler G-Style, Each

1/2" Male Coupler G-Style, Each

1/2" Male Plug G-Style, 5 Pack

1/2" Female Plug G-Style, 5 Pack

24242

• 360° Swivel Action at 2 Points for Maximum Maneuverability

Improves Performance of High Air Consumption Air Tools

- Maximum Air Pressure: 150 PSI



SKU **481703** MILS1815

SKU **481696** MILS1816

SKU **480770** MILS1817-5 **29**99

SKU **480771** MILS1818-5 **34**99

OEM TOOLS





- Connection Will Save You Time • 1/2" x 18 NPT: Female
- One Size Fits Most

AIR HOSES AND REELS

Heavy Duty Polymer Hose Material Redefines Flexibility - Stays Flexible Under All Weather Conditions (-40° to 150° F) MINERIFLEX Holds No Memory - Kink Resistant Under Pressure • 300 PSI Working Pressure.

Bend Restriction for Reducing Wear and Tear and Extending Life of Hose

• Solid Brass MNPT Ends



Whip Hoses 1/4" NPT End Fittings ViperFlex[®] 3/8" x 4"

Hose SKU **347219** 24420

Swivel Whip

3/8" NPT End Fittings ViperFlex® 1/2" x 4' **Swivel Whip Hose**

SKU **347221** 24421

3/8" Hoses

1/4" NPT End Fittings

ViperFlex® 3/8" x 25" Air Hose

SKU **347222** 24422

ViperFlex® 3/8" x 50' Air Hose

SKU **347223**

ViperFlex® 3/8" x 100' Air Hose

SKU **347225**

1/2" Hoses

1/2" NPT End Fittings

ViperFlex® 1/2" x 25' Air Hose

SKU **347226** 24426

ViperFlex® 1/2" x 50' Air Hose

SKU **347227** 24427

ViperFlex® 1/2" x 100' Air Hose

SKU **347228**

Hoses and Hose Reels



3/8" x 25' Red Rubber Air Hose, 1/4" NPT Male Ends

SKU **978117** 24905

• Working Pressure: 250 PSI

3/8" x 50' Red Rubber Air Hose, 1/4" NPT Male Ends

SKU **978112** 24906

3499

• Working Pressure: 250 PSI

1/2" x 50' Red Rubber Air Hose, 1/2" NPT Male Ends

SKU **978116** 24908

 Working Pressure: 250 PSI



3/8" x 5' x 1/4" NPT

SKU 186489 IRTWH385

• 1-1/4" x 1/4" NPT Ends

- Working Pressure: 200 PSI
- Burst Pressure: 800 PSI

Swivel End Whip Hose

- OSHA Yellow for Safe Visibility • Temperature Range:
- -20 to 150 Degrees



SKU **291343** 25970

- · Hand Crank with Spring-Loaded Axle
- Mount Horizontally or Vertically



ViperFlex® 3/8" x 50'

Retractable Hose Reel

SKU **347224** 24424

- Hose Reel Made with Impact Resistant Plastic and Heavy Duty Spring Action
- Retractable Hose Reel Lock Allows You to Lock the Hose in Any Position
- New Spring Action Design Tested Up to 5,000 Times
- 1/4" Solid Brass NPT Inlet

Polymer Hose Never Kinks!



VIPERFLEX[®]

3/8" x 50' Air Hose Reel

SKU **900815** 25979

- Smooth Automatic Retracting Spring Coil
- 50 Ft. Hose • 3/8" NPT Fittings
- Max. Pressure: 250 PSI



3/8" x 50' Value Series Air Hose Reel SKU **972284**

LIN83753

1/2" x 50' Value Series Air Hose Reel SKU **972285**

LIN83754

- Retractable Delivery Hose
- Slotted Mounting Base for Easy Installation

• Durable Heavy Gauge Steel Construction

50' Hose Reel

SKU **343407** DANII69II

0099 • 50' of 3/8 of Rubber Hose

- Working Pressure: 250 PSI
- Max CFM: 25
- 4 Way Non-Snag Rollers



Dannmar

LINCOLN

Air Blow Gun

5 Piece **Interchangeable Tip Air Blow Gun**

SKU **338823** 24439

- Includes 4 Interchangeable Tips: 100 mm (4"), 140 mm (5.5"), 320 mm (12.5") and a Turbo Wide Angle Nozzle
- Quick Change Coupling Makes it Easy to Change Tips
- Wide Angle Nozzle for High Volume
- Variable Trigger to Control Volume and Tip Pressure
- 1/4" NPT Air Inlet



OEM TOOLS

OEM TOOLS

OEM TOOLS'

OEM TOOLS

OEM TOOLS

MILTON MINISTREES, INC

OEM TOOLS

Inflators

Air Chuck with Comfort Grip Handle

SKU **802200** 24414

• Durable, OEM Screwdriver Style Handle for Comfort and a Positive Grip

• Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas

Dual Foot Air Chuck with Comfort **Grip Handle**

SKU **802201** 24413

- Comfortable Screwdriver Style Handle • 30° Reverse Angle Chuck Can Be Used on **Outside Tires**
- Tilt Lock Feature Locks Onto the Valve

Dual-Head Chuck Tire Inflator Gauge

SKU **094652** 25864

- 6" Chrome-Plated Dual-Head Chuck with Full 360° Swivel Action and 15" Air Hose
- Capacity: 10 to 120 Lbs. • Gauge Reads in 2 Lbs. Increments

Digital Tire Inflator

SKU **802198**

24412 REG. \$59.99 • Easy-to-Read Backlit LCD Display

- Four Units of Measure
- Measuring Range: 0 175 PSI (0 12 Bar)
 Accuracy: +/-1.2 PSI Up to 58 PSI, +/-2.3 Between 58 PSI and 145 PSI Inclusive, +/-3.6 PSI Greater Than 145 PSI
- High Air Flow Saves the
- Offer Good Through June 30, 2017 While Supplies Last

Tire Inflator

SKU **301772**

24380 • Clear and Easy-to-Read 80 mm 180

- PSI Gauge • 3-in-1 Function: Inflate, Deflate and
- Measure Tire Pressure
- Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks **Inflator Gauge,**

Dual-Head Straight Foot for Inner Duals SKU **301603**



- MILS516
- 15" Hose • 10 - 120 PSI Dual Foot Straight Chuck Ideal for Dual Wheel Equipped Vehicles • Heavy Duty Construction Provides for Long
- Life Éven Únder Extreme Use and Conditions • Gauge and Valve Cartridges are Replaceable
- Equipped with Magnifying Lens for Full View of Scale

Piping Systems

Them, Just Like Electrical Outlets

100 Ft. RapidAir Tubing Kit

RapidAir Compressed Air Piping System 1/2" Master Kit

SKU **360549**

RAP20100

SKU **360485**

RAP90500

• Designed to Easily Install Beneath Walls of New Construction or on Wall Surfaces of Existing Workshops • Allows Compressed Air Lines Exactly Where You Want

• Includes: (2) Air Outlet Kits, (1) Compressor Manifold Kit,

100' Nylon Tubing and Tubing Cutter

1/2" RapidAir Outlet Kit SKU **360542** RAP90100

SKU **360548** RAP90200

Compressor Manifold Kit

MaxLine Compressed Air Piping System 3/4" Master Kit SKU **360593 249**99

RAPM7500

• 100' of 3/4" HDPE Tubing

SKU **360650**

• Heavier Duty Components for Longer Air Runs

in Larger Buildings • (3) Air Outlets, (1) 3/4" NPT Straight Fitting, (2) Tees, (20) Clips

RAPM6031 **Aluminum Core: Holds**

Any Bent Shape!

300 Ft. 3/4" MaxLine Tubing Kit



3/4" Union Fitting SKU **360656** RAPM8022





SKU **360629**

RAPM7510







AIR TOOLS AND ACCESSORIES

NEW ITEMS

Digital Tire Inflator SKU **543041**

STORE STOCK · Easy to read backlit

- LCD display • 90 Second auto-off
- function
- Four units of measure: p.s.i., bar, kPa, & kgF
- 20" swivel hose
- Inflation range:
- 0-174 psi Inlet thread:
- 1/4" Female BSP



360 Degree Swivel Connector

SKU **543140** 19444

STORE STOCK

SKU **543306**

STORE STOCK

19461

- Swivels 360° in both directions
- Reduces stress at hose connection points
- Works with 1/4" NPT fittings & quick connect

Quick connect design allows for quick

• AMT 3-Way Style accepts the 3 most

- M Style: Milton or Industrial Style - T Style: Tru-Flate/Parker Automotive Style

assembly and release of air tools

popular 1/4" nipple styles:

- A Style: ARO 210 style

3-Way Quick Connect Female Coupler



SKU **543355**

5pc High Flow Quick Connect Coupler & Plug Set

19460

STORE STOCK

 H/F High Flow couplers and plugs are machined with larger inside diameters, doubling the amount of air flow to your tool

Great for applications requiring high volumes of air: abrasive blast cabinets, HVLP spray guns, cut-off tools, die grinders, & other high CFM

2-Way Swivel Splitter

SKU **543231** 19445

STORE STOCK

- Fits A, M, and T style fittings
- Splits (1) 1/4" air line into (2) 1/4" outputs
- Allows connection of (2) tools to a single
- 360° Swivel feature reduces kinks in



Vaper Air Tools

Siphon Feed Spray Gun SKU **976511**

19418

STORE STOCK

- Fully Adjustable Spray Pattern
- 1.8 mm Needle and Nozzle Set for
- Heavier Materials • Non Bleeder Type, Siphon Feed
- Spun Aluminum
- 1 Liter Canister



1.4 mm Gravity Feed **HVLP Spray Gun**

SKU **976510**

- STORE STOCK Lightweight Plastic Paint Cup
- Stainless Steel Needle and Nozzle Set Resists Corrosions and Wear
- · Air Valve for Precise
- from Abrasive Materials Air Flow Adjustment Includes Pressure Regulator and Cleaning Kit

Dual Setup Spray Gun Kit

SKU **976507** 19800



STORE STOCK

- 1.4 mm Set for Lighter Materials
- 1.7 mm Set for
- Heavier Materials
- Locking Pressure Regulator with Gauge
- Operating Pressure:



1/2" Drive **Air Impact Wrench**

SKU **976504** 19748

STORE STOCK

- Ideal for Removing/Installing Nuts and Bolts, Tire Changing, General Assembly and Other Workshop Applications
- Die Cast Aluminum Body with Rubber Scuff Guards
- Built-in Air Regulator Varies Speed and Power
- 230 Ft/Lbs. Maximum Torque STYLES MAY VARY



Air Die Grinder

SKU **977046** 19747

- STORE STOCK • Ideal for Light Duty Metal Fabrication, Grinding, Porting and Polishing Applications
- Durable, Lightweight Composite Housing Design Helps Reduce Vibration
- Lever Lock Throttle for Safety
- 1/4" Collet



3" Air Cut-Off Tool

SKU **976505** 19746

- STORE STOCK · Ideal for Cutting Sheet Metals, Fiberglass,
- Bolts, Muffler Člamps, Etc • 18,000 RPM No Load Speed

Spindle 3/8"

• 25,000 RPM

50' PVC Air Hose

• Premium Grade Hose with Bend

Restrictors at Each End for Prolonged Life

• Working Pressure: 300 PSI

• Burst Pressure: 1,200 PSI

SKU **977899**

STORE STOCK

19371

• Includes 3" Abrasive Wheel • Includes Arbor Wrench and Allen Wrench

STYLES MAY VARY

3" x 1/16" Cut-Off Wheel

SKU **977872**

STORE STOCK

19336



3/8" Drive Air Ratchet

SKU **976509** 19749



- STORE STOCK • Durable, Lightweight Composite Housing
- Forward/Reverse Lever Conveniently Located for Quick Direction Changes
- Front Exhaust Blows Debris Away from Work Area
- 45 Ft/Lbs. Max Torque STYLES MAY VARY

SKU **977880**

STORE STOCK

• 25,000 RPM Rated

19352



5 Piece Grinding Wheel Set

SKU **359693**

STORE STOCK

3/8" Brass Fittings

Vinyl Kink Restrictors

19382

50' Rubber Air Hose

• Working Pressure: 300 PSI

• Burst Pressure: 1,200 PSI

Air Hammer SKU **976508**

19750

STORE STOCK · Ideal for General

Cutting, Chipping and Scraping

- Hardened Steel Barrel and Piston
- Die Cast Aluminum Body with Rubber Scuff Guards
- Includes (1) Spring Retainer and (4) Most Popular Chisels

STYLES MAY VARY



19355

- STORE STOCK
- Assortment of the Most Popular Chisels • 4-3/4" Overall Length

and Tapered Punch

• Bushing Splitter, Weld Buster, Ripping Chisel



1/4" x 25' Recoil Hose

SKU **977897**

19368

- STORE STOCK
- 1/4" NPT (M)

Swivel Ends



Blow Gun with Removable

SKU **807628** 19402

STORE STOCK

- Lightweight and Durable
- 1/4" NPT
- Working Pressure: 90 120 PSI

19303

• 1/4" NPT



• Resists Gasoline, Oil and Other Automotive Liquids

· Venturi Tip Allows for 4X the Air Flow

Air Adjusting Valve

SKU **977895**

STORE STOCK



Blow Gun with Rubber Tip SKU **976307**

19435

STORE STOCK • 1/4" (6.3 mm) NPT (F)



17 Piece Accessory Kit

SKU **977888**

STORE STOCK

SKU **980359**

STORE STOCK

• 1/4" NPT

19345

19346

SKU **977877**

19338

STORE STOCK

• 1/4" NPT (F) • Kit Includes: Safety Lever Blow Gun, Blow Gun Inflators, Pressure Gauge, Dual Tire Chuck, Coupler, (2) Male Connectors, Female Connector, (2) Female Couplers and

(2) 3/8" Hose Splicers

(2) 3/8" Hose Ends



Air Adjusting Valve with Gauge SKU **978090**

Nylon Body for Strength

• OSHA Compliant Tip

STORE STOCK

SKU **977871**

STORE STOCK

Conventional Filters

19302

• 1/4" NPT



2 Piece Disposable Filters

with Gauge



• Use On Air Line Connections to Prevent Leaks

SKU **333347** Designed to Spray Fluids Such As

Spot Sprayer

Alcohol, Solvents and Cleaners • 80 - 150 PSI Operating Pressure Refillable Metal Construction

• Eliminates Harmful Propellants

• 32 Oz. Capacity **Dual Foot Inflator**



Quick Connect Set SKU **977885**

STORE STOCK • 1/4" NPT Female

- 1/4" NPT Male
- with Milton -"M" Style and



Swivel Plug SKU **480787**

19327 STORE STOCK

• 1/4" (6.3mm) NPT (N • 30° Swivel Action Reduces Fatigue By Increasing Mobility at the Tool

• Swivel Feature for Easy Access in Confined Spaces



SKU **807362** 19320 STORE STOCK

• 1/2" x 260"



and Gauge SKU **977878**

• 1/4" NPT (F)





NEW Tools of the Trade



ALLDATA MOBILE

No more back and forth between the vehicle and the computer station. Get all the OEM repair data you need with a subscription to ALLDATA Repair® and Mobile. With our mobile app you can read/clear P-Codes, view live sensors, pre-check emissions, and more with an OBDII connector and tablet.



TECH-ASSIST ASSE

ALLDATA Tech-Assist is staffed by a highly-skilled diagnostic team of ASE Certified Master Technicians. Whatever you need – from creating alternative diagnostic strategies to providing step-by-step repair assistance – we can deliver! It's like having a Master Technician in your shop that isn't on your payroll.

©2017 ALLDATA LLC. All rights reserved. ALLDATA, ALLDATA Repair, ALLDATA Mobile and ALLDATA Tech-Assist are registered trademarks of ALLDATA LLC. AutoZone and AutoZone & Design are registered trademarks of AutoZone Parts, Inc. ASE Certified is a trademark of the National Institute for Automotive Service Excellence (ASE). All other marks are the property of their respective holders.

For More Information (888) 726 - 3211

An AutoZone® Company

LIGHTING





M TOOLS

REVOLUTIONAR LUMENATION

MULTIPLE USES



Garage/Shop

Roadside Emergency

LIGHT **ACCESSORY KIT**

INCLUDES:

SKU 435496 24608



Rubber End Casings

- Non-Marring End Casings
- Use with Magnetic Adhesive Pads on Non-Ferrous Surfaces
- 2 Pack



Hanging & **Pivoting Hooks**

- Pivots 180°
- 2 Pack



Magnetic **Adhesive Pads**

 Ideal for Non-Ferrous Metal Surface



Hanging Strap

- Nylon Strap
- Adjustable Lengths







32830 (Black)

• Rotating Focus System and Magnetic Base

- 2 Modes: Low (50 Lumens) and High (100 Lumens)
- Battery Runtime: 5 Hours (Low), 2.5 Hours (High)
- Anodized Aluminum Body is Impact Resistant to 1 Meter
- Charging Indicator Lights: Charging (Red) and Fully Charged (Green)
- 80 Meter Beam Distance
- Weight: 3.2 Oz.
- Dimensions: 5.875" x 0.75"



eatLite



(Green) SKU **592178** 32832



(Red) SKU **592179** 32833 (Silver) SKU **592182** 32834

Illin

Rotate Handle

E36 Cree Rechargeable Flashlight Kit

SKU **568461** EXPE36-E02

- Dimensions:
- 5.4" (L) x 0.9" (D) x 1.1" (Head)

- Comes with (1) 18650



E36 Cree Rechargeable

Flashlight Only SKU **568460**

EXPE36

(Comes with (2) CR123A Batteries. Rechargeable Batteries and Charger Sold Separately)

Our Brightest Light!

E87 Rechargeable Flashlight

SKU **568466**

- EXPE87-E02 • Dimensions:
- 5.4" (L) x 1.0" (D) x 1.4" (Head)
- Beam Distance: 200m
- Impact Resistance: 1.5m
- Waterproof: IPX-8 • Comes with (1) 18650 Battery and Charger





GreatLite

Adjusts to 5 Light Modes: 500LM, 190LM, 35LM, STROBE and S.O.S.

E81 Cree LED Tactical Flashlight Kit

SKU **462479**

REG. \$79.99 EXPE81-E02

- 6.30" (L) x 1.06" (D) x 1.96" (Head) • Beam Distance: 200m
- Impact Resistance: 1.5m
- Waterproof: IPX-8
- Comes with (1) 18650 Battery and Charger

Flashlight Only



SKU **347207**



GreatLite E81 Cree LED Tactical

(Comes with (2) CR123A Batteries.

Rechargeable Batteries and Charger Sold Separately) Offer Good Through June 30, 2017 - While Supplies Last

E67 Cree LED Tactical Flashlight Kit

SKU **462478** EXPE67-E02

Dimensions

- 5.51" (L) x 1.04" (D) x 1.37" (Head) Beam Distance: 200m
- Impact Resistance: 1.5m
- Waterproof: IPX-8
- Comes with (1) 18650 Battery and Charger





GreatLite



SKU **347205** EXPE67

(Comes with (2) CR123A Batteries. Rechargeable Batteries and Charger **799** Sold Separately)



E54 Cree LED Tactical

 Beam Distance: 300m • Impact Resistance: 1.5m

Flashlight Kit

SKU **462477**

- Waterproof: IPX-8
- Comes with (2) 18650







Rechargeable Batteries

GreatLite

GreatLite

Offer Good Through June 30, 2017 - While Supplies Last

Strion® Rechargeable LED Flashlight with AC/DC Charger

SKU **295851**

STL74301 Black 17999

- Rechargeable, Ultra-Compact and Powerful, the Strion LED Offers Three Variable Intensity Modes, Strobe Mode and the Latest in Power LED Technology
- C4® LED Technology for Extreme Brightness
- Impervious to Shock, 50,000 Hour Lifetime
- Light Output: High: 260 Lumens; Medium: 130 Lumens; Low: 65 Lumens





FREE ON/OFF

Stinger® Rechargeable LED Flashlight with AC/DC PiggyBack Charger

STL75732 Black **20999**

- Combination of Rechargability and C4® LED Technology That Produces the Lowest Operating Cost of Any Flashlight Made!
- Ultra-Bright, Far-Reaching Beam Offers Multiple Light Modes, Including Strobe • 3 Watt Super High Flux LED,
- Impervious to Shock with a 20,000 Hour Lifetime • Run Time: High Beam: Up to 1.75 Continuous Hours; Medium Beam:
- Up to 3.5 Continuous Hours; Low Beam or Strobe: Up to 6.75 Continuous Hours • Light Output: High: 350 Lumens; Medium: 175 Lumens; Low: 85 Lumens





3.7 Volt 18650 **Rechargeable Battery**

SKU **347210** EXPE03

3.7 Volt Li-Ion Battery

SKU **535222** EXPE04

FXPF01

Charging Unit for (1) 18650 Battery SKU **347209**

EXPE02

• Comes with (1) 18650 Battery

Charging Unit for (2) 18650 Batteries SKU **347208**

• Comes with (2) 18650 Batteries



Headlamps

E51 Cree LED Multi-Function Headlight

SKU **347231** EXPE51

 Dimensions 2.36" (L) x 2.0" (D) x 1.57" (H)

• Beam Distance: 35m • Impact Resistance: 1.5m • Water Resistant: IPX-6

and (2) Red LED Bulbs

• Comes with (3) AAA Duracell® Batteries • (1) White Light CREE XP-LED Bulb



SKU **291379**

STL61400







STREAMLIGHT

Enduro® LED Headlamp

• Impact Resistant ABS Case and Polycarbonate Lens

- (1) Super High Flux LED, 100,000 Hour Life • Run Time: Low Beam (10%) Up to 12 Hours, High Beam
- (100%) Up to 6 Hours at Regulated Intensity • Light Output: High 14.5 Lumens;
- Low 6 Lumens • Includes Clip, Strap and Alkaline



E86 Headlight and Flashlight

SKU **568465** EXPE86

- Dimensions: 3.3" (L) x 0.7" (D) x 0.9" (Head)
- Beam Distance: 15m
- Impact Resistance: 1.5m Water Resistant: IPX-6 • Comes with (1) AA
- Duracell® Battery Includes Headband, (2) Headlight Cradles: Black and Glow-in-the-Dark





• Beam distance: 183 feet • Run Time: 3+ Hours

• Battery size: 3 x AAA

TT7041CP

• Lumens: 175

Bulb type: LED



GreatLite

COAST"

Tire Knocker Light 16.25" Tire Knocker and High

Performance Bat Light (Black) SKU **432100 24** REG. \$29.99 32818 (Black)

- Dimensions: 16.25" (L) x 1.25" (D)
- Beam Distance: 150m
- Impact Resistance: 1.5m • Water Resistant: IPX-4
- Comes with (4) AA Batteries











Offers Good Through June 30, 2017 - While Supplies Last

LIGHTING















• Comes with (2) AAA Panasonic® Batteries and Tactical Clip

• 3 Modes: Low (50 Lumens), High (150 Lumens) and Strobe

CREE LED Pen Light



NEW









6hrs

SKU **347202** EXPE61 Dimensions: 3" x 1/2" (Head Diameter)

- Beam Distance: 15m Impact Resistance: 1.5m • Water Resistant: IPX-4
- Comes with (1) AAA Battery







0.6" (D) • Weight: 1.6 Oz.

Resistant • Dimensions: 5.7" (L) x


SKU **592184**

32835 (Black)









(Red) SKU **592188** 32838 (Silver) SKU **592183** 32839



- Beam distance: 104 feet
- Run Time: 3+ Hours • Bulb Type: LED
- Battery Size: 2 x AA









Illin

Your "EVERY DAY CARRY" Light



• Dimensions: 4.4" (L) x 0.7" (D) x 1.0" (Head)

• Impact Resistance: 1.5m • Water Resistant: IPX-4 Comes with (1) AA Duracell® Battery







Illim

E82 Cree LED Professional Pocket Flashlight

SKU **568462** EXPE82

• Dimensions: 4.2" (L) x 0.9" (D) x 0.9" (Head)

• Beam Distance: 30m

• Impact Resistance: 1.5m

• Waterproof: IPX-8 Comes with (1) AA Duracell® Battery





GreatLite

E31 Cree LED Professional **Focus Flashlight**

SKU **568456** EXPE31

• Dimensions: 5.28" (L) x 1.1" (D) x 1.5" (Head)

• Beam Distance: 200m

• Impact Resistance: 1.5m • Water Resistant: IPX-4

Comes with (3) AAA Duracell® Batteries









E32 Cree LED Professional Focus Flashlight

SKU **568457** EXPE32



 Dimensions 6.36" (L) x 0.73" (D) x 1.04" (Head)

• Beam Distance: 30m • Impact Resistance: 1.5m

• Water Resistant: IPX-4 · Comes with (2) AA Duracell® Batteries







E83 Cree LED Professional Pocket Flashlight

SKU **568463** EXPE83

· Dimensions:

6.0" (L) x 0.9" (D) x 0.9" (Head) • Beam Distance: 30m

• Impact Resistance: 1.5m • Waterproof: IPX-8

• Comes with (2) AA Duracell® Batteries





GreatLite

Illini

E84 Cree LED Professional Stubby Pocket Flashlight SKU **568464**

EXPE84

Dimensions:

3.5" (L) x 0.9" (D) x 0.9" (Head) Beam Distance: 30m

• Impact Resistance: 1.5m

• Waterproof: IPX-8

• Comes with (1) CR123A Battery







E65 Cree LED Tactical Flashlight

SKU **347203** EXPE65

• Dimensions 6.85" (L) x 1.36" (D) x 1.71" (Head)

• Beam Distance: 300m • Impact Resistance: 1.5m • Waterproof: IPX-8









E30 Cree LED Professional **Focus Flashlight**

TIME 10hrs

SKU **568454** EXPE30 Dimensions

8.88" (L) x 1.22" (D) x 1.72" (Head) • Beam Distance: 300m • Impact Resistance: 1.5m

• Water Resistant: IPX-4 Comes with (3) C Duracell® **Batteries**

580 LUMENS



E66 Cree LED Flashlight SKU **347204**

EXPE66



• Dimensions: 10.2" (L) x 1.7" (D) x 2.2" (Head) • Beam Distance: 300m • Impact Resistance: 1.5m

 Water Resistant: IPX-4 • Comes with (2) D Duracell® Batteries









400 LUMENS





3W CREE Rechargeable Li-Ion Pocket Light

SKU **819643 2499** REG. \$29.99

- 5 SMD LED Super Bright Work Light -200 Lumens
- CREE 3W LED Spot Light 100 Lumens
- 3.7V 1000 mAh 14650 Li-Ion Battery
- Powerful Magnetic Pocket Clip







Offer Good Through June 30, 2017 **While Supplies Last**



Inspection Lights

Pro 500 Lumen Rechargeable Flashlight with 450 Lumen Ultra Slim Inspection Light

SKU **798710** 32827

- Dimensions Flashlight 6.5 ln. (L) x 1.3 ln. (D) x 1.1 ln. (H) Inspection Light 7.9 In. (L) x 0.9 In. (D) x 1.2 In. (H)
- Beam Distance: Flashlight 170m, Inspection 30m
- Impact Resistance: 1m
- 5 Light Modes: 100%, 50%, 25%, Strobe and S.O.S.
- Includes USB Charging Cord with UL Adapter and (1) 18650 Rechargeable Battery



for 32827 Light

SKU OUTSIDE BUY/EPO



Attachable 360° Hook







18650

USB Rechargeable

One Flashlight Body with 2 Interchangeable Heads

Mechanic's 500 Lumen Rechargeable Flashlight and 450 Lumen Ultra Slim Wand with UV Inspection

SKU **344835** 24607

- Recharge Anywhere with
- Micro USB Charger • Five Light Modes: 100%, 50%, 25% Strobe and S.O.S.
- Comes with Attachable 360° Hook. Shine Your Light in Any Direction You Need.
- Flashlight Head Can Be Removed and Replaced with the Slim Inspection Light (as Shown)



A Perfect Light

for the Mechanic







USB UV Lights Rechargeable Rotates 360°







7 LED Rechargeable **Work Light**

SKU **81964**4

25982

- 3W COB LED, Super Bright White Lights: 210 Lumens
- 7 LED Torch Light
- 3.7V 2200 mAh Li-lon Battery
- Runtime: 3 Hrs. (Work Light), 20 Hrs. (Torch Light)
- Cordless, Rechargeable
- Powerful Magnets on the Back and Swivel Base
- Over-Charge and Discharge Protection • Recharge Using USB Cable (Included)









130 Lumen LED Work and Flashlight

SKU **544810** 24602

32829

- Beam Distance: 85m • Impact Resistance: 1.5m • Water Resistant: IP45
- Comes with (3) AA Batteries





SKU **210205**

in 2 - 3 Hours

33006





36 LED Rechargeable Work Lamp

• 4.8 Volt Rechargeable Battery, Recharges

• Includes AC / DC Charging Adapters

• Powerful Magnet on Back · Hanging Hook for

Hands-Free Operation





140 Lumen Pop Open LED Work and Flashlight

SKU **544808** 24601

- Beam Distance: 85m
- Impact Resistance: 1.5m Water Resistant: IP45
- Comes with (4) AAA Batteries











DID YOU KNOW?

AutoZone® carries over 30 part numbers of Power Sports Batteries. These fit motorcycles, ATVs/ UTVs, snowmobiles and personal watercraft.

Contact Your AutoZone Commercial Sales Manager for Pricing



- 32771
- 500 Watt Halogen
- 10,000 Lumens











Connecte ()







GreatLite



- Heavy Duty End Caps with Shatterproof Casing
- 360° Rotating Hook
- 15' Cord

13 Watt

SKU **914625** | 25983

26 Watt SKU **915801** | 25984



24 LED Rechargeable Work Light









- 25994 • Clear Tri-Tap Illuminates When Receiving Power
- Fully Enclosed Safety Switch, Full Overload Protection • Hardware Included for Wall or
- Ceiling Mounting • Adjustable Ball-Check Stop
- 50' Cord • 12 Amp Rating
- While Supplies Last



OEM TOOLS

Bounce Lite® 13 Watt Work Light with 25' Cord

SKU **186474** CEN12006

• 25' 18/2 HD Power Cord

• Bounces Instead of Breaking -

- Features Patented Bounce-Bulb Technology · Heavier Housing and End Caps for
- Improved Durability • Fully Enclosed Safety Switch • Superior Cord Life

Bounce Lite® 13 Watt Work Light with 50' Cord

SKU **186475** CEN12007

• 50' 18/2 HD Power Cord





- Patented Bounce-Bulb Shock Technology Protects Bulb When Light is Dropped • 40' Oil and Water Resistant 18/2 Gauge
- SJTOW 110 Volt Power Cord • Heavy Duty Swivel Hook and Fully **Enclosed Safety Switch**

Bounce Lite® Bulbs

SKU **186476** CEN12009

• 25' Oil and Water Resistant 18/2 Gauge SJTOW 110 Volt Power Cord

SKU **186480** CEN1100617 • Replacement Bulbs for CEN12009 and CEN12010





25 Watt Underhood Lite® and LitePerch®

SKU **186479** CEN13003

- Hands-Free Lighting of Entire Engine Compartment
- Works on All Passenger Cars and Light Trucks • 25' 18/2 Heavy Duty
- Power Cord • LitePerch Onens: 4
- to 6.6'

Light® Bulbs

SKU **186481**

CEN1056026









BATTERY SERVICE

JUMP STARTERS AND PERSONAL POWER BANKS







Replacement "Smart Jump Cables" for PPS-1

SKU **568482** 24456

Intelligent Cables That Verify Proper Connection, Making Jump Starting Easy and Safe. Use with OEMTOOLS PPS-1 Personal Power Source #24379.



OEM TOOLS'

OEM TOOLS

Intelligent Cables That Verify Proper **Connection, Making Jump Starting Easy** and Safe

Replacement "Smart Jump Cables" for Personal Power System PPS-X

SKU **568470** 24457

• Intelligent Cables That Verify Proper Connection, Making Jump Starting Easy and Safe. Use with OEMTOOLS® PPS-X Personal Power Source #24455.



OBD-II Memory Saver SKU **555447**

24453

• Plugs Directly Into the Vehicle's OBD-II Port

- Includes: Power Plug to OBD-II Connector Adaptor Lead
- Replaceable Fuse to Protect Sensitive Vehicle Components from Damage
- Works with OEMTOOLS® PPS-1 Personal Power Source #24379, 24370 and 24454

Expand the Power of Your Personal Power Source

PPS-Maritime Jump Starter and Power Bank with **Waterproof Storage Case**

SKU **568480** 24454

• Same as OEMTOOLS® 24370 with a Waterproof Case





OEM TOOLS



AutoZone® carries vehicle make specific body fastener kits.

Contact Your AutoZone Commercial Sales Manager for Details



Battery Testers

Digital Battery Analyzer

SKU **819073 5499** REG. \$64.99

24359 • Tests Battery, Starting and Charging Systems

- Clear and Easy to Understand Results to Indicate System's Condition
- Battery CCAs: 200-1200 Voltage: 7-15VDC
- Testing Standards: SAE, DIN, EN, IEC, CA

Offer Good Through **While Supplies Last**



OEM TOOLS **Professional Battery Tester** SKU **544740**

7999 REG. \$99.99 24369

- Easy to Understand Menu-Driven Testing for Battery, Starting and Charging Systems
- Battery CCAs: 240 2,000
- Includes Fast Test Mode



Offer Good Through June 30, 2017 **While Supplies Last**



Battery Tester HH 6/12V **135**A

SKU **496662** ASC6026

Battery Conductance Tester

• Tests Both the Starter and the Charging System • Tests 12V Automotive Batteries from 200 – 850 CCAs

• Durable Design for the Workshop or in the Field

- Tests Both 6/12 Volt Batteries • Tests Alternators and Starters
- 300 Amp Vinyl Coated Clamps
- 1-Year Warranty

SKU **291330** MIDPBT100



MASSOCIATED

110 Amp Battery Tester SKU **434261** ASC6031

- Semi-Automatic Battery, Starter, Alternator Tester
- Performs State of Health for Conventional and Maintenance Free Batteries
- Built in Side Terminal Adapters
- Made in USA with 1-Year Warranty

MIDTRONICS Advancing
Battery Manage

ELASSOCIATED



Digital Electrical System Analyzer Tester

SKU **343372** ASC12-1012

• Lightweight Hand-Held Conductance Digital Battery Tester with USB Port Tests Battery, Starter and Alternator on 12V Systems



MIDTRONICS

Advanced Diagnostic Battery Conductance/ Electrical System Tester

SKU **291329** MIDPBT300

- Tests 12V Automotive Batteries from 100 1,400 CCAs • Voltmeter Mode for Testing Both Starter and
- Charging Systems • Accurate Battery Test Decisions in Seconds





- Battery Types: Flooded, AGM, AGM Spiral and Gel
- Vehicle Applications: Group 31, Automotive, Motorcycle, Marine Cranking, Lawn and Garden and



Digital System Analyzer Tester w/ Printer

SKU **343373** ASC12-1015

- Volt Meter 5-91 Volts
- Stores Last Test Series • 10 Line LCD Display
- Battery, Starter and Alternator Tests • Carrying Case Included





12V Battery and Electrical System Tester with Built-In Printer

MIDMDXP300 **69999**

- Tests 12V Batteries from 100 to 1400 CCA Including AGM and Gel • Integrated Printer Allows Immediate
- Printing of Test Results



MIDTRONICS Advancing
Battery Manage

HD/Fleet with Integrated Printer SKU **291334** MIDMDX700PHD • Applications: 6V and 12V Batteries and 12V

and 24V Charging Systems

- Commercial 4D/8D Batteries

MASSOCIATED

Battery Chargers

Fast Charger Cranking Assist SKU **344795**

ASCUS20

- 40 Amp Continuous Rating at 6/12 Volts
- · Manufacturer's Boost Rating 330 Amps
- 90 Minute Timer with Hold Fan Cooling Mechanism Prevents Overheating



Professional Fast Charger Cranking Assist SKU **496661**

ASC6012 **599**99

- 6/12 Volt, 70/60 Amp Output
- 250 Amp Crank Assist
- Fan Cooling Mechanism Prevents Overheating



Heavy Duty Fast Charger SKU **444366**

6/12/24-Volt

ASC6006 79999

- 12 Volt, 70 Amp Output
- 250 Amp Crank Assist • UL Rated Safe in Any Weather,
- Indoor / Outdoor Approved • Made in USA, 5-year Limited Warranty



Battery Charger and Power Supply SKU **344790** ASCESS6008

Amp Intellamatic

60 Amp/270

Boost Wheel

- 99999 • DC Output 60 Amps /70 amps in
- Power Supply Mode
- DC Leads 6 1/2' 6.5 AWG
- Clamp Rating 400A
- Limited Warranty Three Years
- Shipping Dimensions 23"x19"x16"
- Weight 49 LBS
- AC Cord / Voltage 6' 16-3 / 120VAC 60 Hz
- Battery Types 12 Volt Flooded, AGM, and Gel Cell Batteries -Including Spiral Cell, Orbital, or Optima **Batteries**



ASSOCIATED

CCA: 360

12Volt, 45A **Intellamatic Pro Wheel Charger**

SKU **343370** ASCESS6007B **799**99

- Charges All Types of 12V Batteries
- Dead Battery Override Control
- All Weather Safe • Made In USA



6/12-Volt **Commercial Charger**

SKU **496657** ASC6001A

- 864⁹⁹ • 6/12 Volt, 100 /75 Amp
- 375 Amp Crank Assist

• 5-year Limited Warranty

• UL Rated Safe In Any Weather

Output

• Made in USA



6/12/18/24-Volt **Commercial Charger** SKU **221248**

ASC6002B

919⁹⁹ • 6/12/24 Volt, 100/80/50/40 Amp

Warranty

- Output 400 Amp Crank Assist • UL Rated Safe in Any Weather,
- Indoor / Outdoor Approved • Made in USA, 5-Year Limited



Smart Chargers ASSOCIATED It is important to use Smart Chargers when charging AGM Batteries. Standard Battery Chargers will not fully charge AGM Batteries and can shorten their life.

6/12V, 12/2/50A Fully Automatic Smart Charger

6/12V, 15/2/100A Fully Automatic Smart Charger

SKU **850633**

- ASC3055A • LED Display Indicates Charge Current, % Charged
- Charges AGM/GEL/SLA and Deep Cycle Battery Types • 50 Amp Engine Start Feature for 12V Application



SKU **850634**

- ASC3075A • Charges AGM/GEL/SLA and Deep Cycle Battery Types
- 75 Amp Engine Start Feature for 12V Application
- Automatic Bad Battery Detection

• Automatic Bad Battery Detection

ASC3100A • Charges AGM/GEL/SLA and Deep Cycle Battery Types • 100 Amp Engine Start Feature for 12V Application



Jump Starters

Kwikstart® 12 Volt Portable Power and Jump Start SKU **850637**

• (2) 12 Volt DC Accessory Outlets to Power and/or Recharge DC Electronics

- ASC6256 • Peak Amp Output: 1700 Amps
- USB Port
- 32" Heavy Duty Cables

SKU **850635**

- KS400 KwikStart® Jump Starter
- ASCKS400G • Exclusive Heavy Duty 22Ah Sealed AGM Battery Provides Powerful "Best-In-Class" Performance
- Replaceable Field Serviceable Cables and Battery
- Built-In Digital Voltmeter, 12V Power Port and USB Power Port



Sales Manager for Details



2002 - 2014 Toyota Prius. Contact Your AutoZone Commercial

AutoZone® has the starting battery for

BATTERY SERVICE

Battery Testers

Digital Tester

SKU **240416** BT175

- For testing 12 volt batteries, up to 1200 cold cranking amps, battery state of charge, battery cranking ability, charging system output, starter motor draw
- Accurate, easy-to-read LED screen.
- Four LED indicators



Digital Tester SKU 747180

- 12 Volt Digital Battery Tester
- Checks both battery and charging system
- Bright digital display indicates both voltage and test results
- Unique 5-step design indicates OK, OK & Recharge, Recharge Battery, Recharge & Retest, Bad Cell
- Error LED indicates Reverse hook-up
- Super-Grip battery clamps



ProSeries Tester w/ Printer SKU **112548** PST-900X

- 3 Tests in 1
- Tests 6V & 12V Batteries
- Tests 12V & 24V Charging Systems • Works with Standard & AGM Batteries
- Easy to Operate
- Battery | Starting | Charging



Wheel Chargers

Oversized heavy-duty switches, precision timercontrolled operation, large face clear-view amp and volt meters, tubular steel-plated handles with rubber grips, hables are commercial grade, welding grade, high volume cooling fan and heavy-duty steel cabinets with wide-track wheels.



Model	Auto or Manual Charging	Charging Voltages	Charging Rates	Engine Start Rating	Price
PSW-2550 SKU 837564	Manual	6V, 12V	50/10 Amps	125/250 Amps (6/12V	249 ⁹⁹
PSW-3060 SKU 837565	Manual	6V, 12V	60/30/4 Amps	200/300 Amps (6/12V)	429 ⁹⁹
PSW-70300A SKU 058087	Automatic & Manual Modes	12V	70/20/4 Amps	300 Amps (12V Only)	349 ⁹⁹
PSW-61224 SKU 837566	Manual	6V, 12V, 24V	60/35/1.5 Amps	150/250/150 Amps (6/12/24V)	379 ⁹⁹

Heavy Duty Chargers



4-Battery Charging Station

SKU **069531** INC-406A

- Charge up to 4 Batteries at a time
- Works on 6V & 12V Batteries
- Includes 4 sets of 72" Leads • Fully Automatic Operation
- 6A output per bank
- Separate LED battery status indicator for each bank



8-Battery Charging Station SKU **069532** INC-812A

• Charges Standard & AGM 12V Batteries

- Digital Display Shows Charging status
- Includes 8 sets of 72" leads • Fully Automatic Operation

DSR INCLISTRIAL

- 12/2A output per bank
- 8 completely independent charging

DSR products are designed with commercial-grade heavy-duty construction and have patented, state-of-the-art charging, testing and safety technologies, built-in for ease of use and functionality

Jump Starters/Portable Power







Model	Peak Amps	Charging Voltages	CA	High Output Batteries	Price
PSJ-1812 SKU 747157	1800	12V	280	1	14999
PSJ-2212 SKU 069586	2200	12V	330	1	199 ⁹⁹
PSJ-3612 SKU 362531	3600	12V	470	2	349 ⁹⁹
PSJ-4424 SKU 069587	4400	12V, 24V	500	2	499 ⁹⁹

Great starting power for cars, sport-utility vehicles, pick-up or light trucks, RVs, and farm and ranch equipment. Units include heavy-duty cases, clamps and cable construction. Built to work with high-output AGM batteries and internal smart chargers. Select ature an On/Off switch for added safety and an integrated voltmeter for battery/system testing

Batteryless Jumpstarters



DSR PROBUDSTER™

These Batteryless Jumpstarters are HD professional grade. The light-weight and Compact Design is user friendly, both for the professional and occasional customer. UltraCaps can be used up to 10,000 times without performance loss offering greater value and longer service. UltraCaps need only 2 mins or less for a complete charge.



Batteryless Jumpstarter SKU **592157 7 99**

- 450 CCA
- 100 sec quick charge • 10,000+ Starts / 10 Year Shelf Life
- Jumpstart Gasoline and Diesel Engines
- Built-in Voltmeter
- Short Circuit Protection
- · Reverse Polarity Protection



Batteryless Jumpstarter SKU 592158 7 Q 099

- 800 CCA
- 120 sec quick charge
- 10,000+ Starts / 10 Year Shelf Life • Jumpstart Gasoline and Diesel Engines
- Built-in Voltmeter
- Short Circuit Protection
- Reverse Polarity Protection

Lithium Power

JUMP STARTER + FUEL PACK + BACK-UP POWER

SKU **674858** SL1

- Scrolling Digital Display Easy-to-read, animated display gives you step by step instructions to properly jump start your
- Ultralight Design
- Jump Starter Great for power sports, motorcycles and 4-6 cylinder cars.
- 2A USB Port charges all USB devices Charge 12V DC devices when traveling. Protect your vehicle settings while switching out your battery. (Memory Saver not included.)
- Lithium Iron Phosphate Battery provides longer life, 5x more cycle life and 4x-5x more cranks than lead-acid battery jumpers
- Safe Lithium Ion Protection. Spark-free. Built-in safety protection design to prevent overcurrent, short-circuit, overload, overvoltage



JUMP STARTER

SKU **348162** SL65

LCD Display with On/Off Button Easy-to-read, display shows battery capacity and input/output

- Compact Design/Travel Bag This durable case has a soft-touch finish, portable compact design that will conveniently fit in your travel bag, backpack or glove box
- Jump Starter Quickly starts vehicles in emergencies. Great for power sports, motorcycles and 4-6 cylinder cars.
- 2.1A/1A USB Ports for 2X faster charging.
- Charge all USB devices, including smartphones, mp3 players and tablets.
- Smart Cable provides protection against: reverse polarity, short circuit, low voltage, high temperature and reverse charging.
- Built-In LED Light (3-Modes)









Tool & Equipment QUARTERLY



2 Gauge 20' 600P Clamp sки **741369 1 4 999** 00186

• Made in USA

- Cables are made of 2 gauge 100% copper conductors
- Color-coded, tangle-free dual cable construction
- Specifically designed for maximum flexibility and easy handling



2/0 Gauge With Overmold

sки **741392 3699** 04963

- Replaces worn out battery cable terminal end
- · Extends battery cable length
- Fits up to 3/8" stud Fits positive and negative studs
- Includes hex wrench
- · Dual set screws for secure connection



seal connection

Overmolded

Cable Assembly

• Made with 2/0 PVC starter cable · Attached protective caps to

• Fits up to 3/8" stud



2-Battery, Red, 7" sки **741376 7 4199**

2-Battery, Blk, 7" SKU **741382 2499** 04363

3-Battery, Red, 14" SKU **741368 3899**

3-Battery, Blk, 14" sки **741387 3899** 04365

4-Battery, Red, 21" SKU **741393 5499**

4-Battery, Blk, 21" **SKU 741388 Д 199**

Protective

Stud Caps,

sки 741379

corrosion

• Fits Group 31

overmolded

Protective

Stud Caps,

cable assemblies

• Fits 3/8" Stud

04892

Black, Bag of 10

Helps protect against

Deka

Doka

Booster Cable 4 Gauge 20' 500G Clamp SKU **741367 999**

00159

Made in USA

Cables are made of 4 gauge 100% copper conductors

• Color-coded, tangle-free dual cable construction Specifically designed for maximum flexibility and easy handling

Patented clamp and jaw designed for 3 jump starting applications: top post, side terminal, and remote battery access terminal



Commercial Battery Cable Splice -2/0 Gauge With Tin Plated Lug

sки **741385 7799** 04958

- Replaces worn out battery cable terminal end
- Extends battery cable length • Fits up to 3/8" stud
- Fits positive and negative studs
- Includes hex wrench



Plug In Booster Cable 2 Gauge 30' 600E Clamp

sки **747186** 10 04665

- · Made in USA
- Cables are made of 100% copper conductors
- · Color-coded, tangle-free dual cable construction
- Consists of 5' battery connector cable with plug connector and 25' cable with clamps



Deka.

Commercial Battery Cable Splice -2/0 Gauge With Brass Top Post Terminal

sки **741370 799**

- Replaces worn out battery cable terminal end
- Extends battery cable length • Fits positive and negative posts
- Includes hex wrench Dual set screws for
- secure connection



sintered material • Fits Group 31 overmolded cable assemblies **Deka Power Sports**

Bag of 25 **sки 741380 3 999** 00385

Group 31

Bag of 25

05419

sки **741381**

· Stainless steel

Closed Top Nuts,

• 3/8" - 16 unc thread

and 9/16" hex head



· Facilitates charging and testing

• Posts have M6 threaded stud to

screw into power sports battery

of power sports batteries

· Fast finger tight installation

Doka

- Red, Bag of 10 SKU **741378** 04893
 - Fits 3/8" Stud Helps protect against
 - corrosion Fits Group 31 Overmolded Cable Assemblies



sки **460709**



- Tough PVC insulation • Tangle-free dual cable construction
- Storage bag included





- Made in USA
- Cables are made of 100% copper conductors
- Color-coded, tangle-free dual cable construction Consists of 5' battery connector cable with plug connector and 15' cable with clamps
- Patented clamp and jaw designed for 3 jump starting applications: top post, side terminal, and remote battery access termina

ENGINE SERVICE TOOLS

OEM TOOLS

Freeze Plug Kit

Master Freeze Plug Tool Kit

SKU **965837** 27208





Throttle Depressors

Brake -**Accelerator Pedal Depressor**

SKU **802194**

- 24232
- Easy to Adjust
- Extends to 24'
- Suitable for Many Diagnostic Applications

OFM TOOLS **Throttle** Pedal Depressor

SKU **222525** LIS48700

- Holds Throttle at a Constant RPM
- Length: 40"

Belt Tools

Stretch Belt Mate Kit

SKU **544729** 24388

• Easily Installs All Stretch Fit Belts

Scan for Instructions on How to Use Stretch Belt Mate Kit

Serpentine Belt Tool

SKU **013620**

24687

- Provides Leverage and Clearance to Release the Spring Pressure and Remove the Tensioner Pulley
- Includes 4 Shallow Sockets, Sizes: 13, 15, 16 and 18 mm; and 1/2" and 3/8" Square Drive Adapters



Stretch Belt Installation Tool SKU **227301**

24363

STORE STOCK

- Works on Both Large and Small Pulleys
- Clamping Jaw Allows User to Position Serpentine Belt without the Belt Slipping Out of the Tool

Stretch Belt Remover and Installer

SKU **255866** LIS59370

- Unique Magnetic Faces Hold the Tool in Place on the Pulley
- Compact, One-Piece Tool Can Be Used on the Front or Back Side of the Pulley

Serpentine Belt Tool SKU **695121**

33627115

• Provides Required Leverage





and Clearance to Release
Spring Pressure and Remove Tensioner Pulley

Block Testers

Block Tester

SKU **695104** 33627145

- Locate Internal Combustion Leaks Quickly and Easily
- When Fluid Turns from Blue to Yellow a Combustion Leak is Present





Block Tester Test Fluid (8 Oz.)

#33627145

OEM TOOLS

lisle

OEM TOOLS'



STORE STOCK

Use with Block Tester



Engine Cylinder Hones



Adjustable Engine **Cylinder Hone Deglazer**

SKU **532002** 25041

STORE STOCK

- Range: 2" to 7" (51 mm to 128 mm)
- Spring Tension Adjusting Nut for Positive Cutting Action
- Supplied with 4" Medium Grit Stones

Replacement **Stone Sets**



SKU **141540** 2541C

STORE STOCK

• 3 Coarse Grit

SKU **532044** 2541M 2541F

STORE STOCK STORE STOCK 3 Medium Grit • 3 Fine Grit



Flex-Hone™ BC 10 mm (.394")

6.4 mm (.250") SKU **341249** SKU **343384** BRMBC10M18 BRMBC64M24



Flex-Hone™ GB

3-1/2" (89 mm) 3-1/4" (83 mm) SKU **341239** SKU **341232** BRMGB31212 BRMGB31412

3-3/4" (95 mm) SKU **341317**

4-1/8" (105 mm) SKU **341325** BRMGB33412 BRMGB41812

(118 mm) SKU **341332** BRMGB45812

4-5/8"

CALL FOR ADDITIONAL SIZES

Torque Adapter

Offer Good Through June 30, 2017 - While Supplies Last

Torque Adaptor, Diesel Head Bolt, Ford 6.OL Power Stroke® Engines

REG. \$34.99 24208



• Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging • Prevents Damage to the Rear Heat Shield

• Use with OEM 27309 3/4" Drive Torque Wrench and OEM 22398 18mm Socket

AutoZone® carries a full line of Fel-Pro gaskets.

OEM TOOLS

OEM TOOLS

Contact Your AutoZone Commercial Sales Manager for Details

Fan Clutch Tools

Universal Pulley and Fan Clutch Holder

SKU **547013** 27281

- Fits Many Different Fan Clutches, Cam. and Crank Pulleys with Slots or Holes
- Pin Sizes: 6 10 mm, 8 11 mm, 10 - 12 mm, 11 - 16 mm
- Adjustable Diameter: 1-1/2" 8-5/8"



- Use on the Most Popular Applications
- Hooked Wrench Design Holds 2 Nuts or Bolts, Allowing the Technician to Tighten/Loosen the Other 2
- Double-Sided Spanner Style Holding Wrench Will Hold Pressed on Pulleys on Many GM, Jeep and Dodge Vehicles



Fan Clutch Wrench Set

27186

SKU **110280**


- Combines OEM #27108 and OEM #27141 Into a Master Set
- Ideal for Removing Fan Clutches from Water Pumps
- Set Includes: 36, 40, 48, 54, 57, 68, 72, 76 and 83



Pneumatic Fan Clutch Wrench Set

SKU **291409** LIS43300

- · Quickly Removes and Installs Fan Clutch When Repairing the Water Pump or Fan Clutch
- Set Includes Wrench Sizes: 32, 36, 40 mm; 7/8", 1-7/8" and 2"



Fan Clutch Service Set for Mercedes-Benz and BMW

SKU **512958** 27224

- Removes Lock Nuts on Thermo Viscous Fans Found on Mercedes-Benz, BMW and Many Ford Models
- Includes: (1) Mercedes-Benz Fan Clutch Wrench -36mm, 40mm and 65 mm Opening (1) BMW Fan Clutch Wrench - 32 mm Opening (1) BMW Fan Clutch Holding Wrench - 38 mm and



Clutch Tools

Flywheel Turner

SKU **301613**

SKU **505066** LIS23800

• For Turning and Holding Flexplates and Flywheels • Easily Turn Engine from Underneath the Vehicle

Duramax Flywheel Lock

LIS22100 • Locks Flywheel in Place When Removing Harmonic Balancer on 6.6L Duramax with Allison Transmissions



Saves Time By Locking the Flywheel at the Transmission Instead of Having to Remove the Starter for Water Pump Replacement



OFM TOOLS

Ford Cam Phaser Noise Repair Kit 4.6/5.4 3V

Adding This Kit to a 4.6/5.4L 3V Car, Truck, or SUV Will Help Ensure That Your Cam Phasers Don't Suffer Premature Failure

This Kit is a True, Long Term **Repair for Ford Cam Phaser Noise.**

SKU **079897** 24206

099 REG. \$699.99

- Included Timing Chain Wedge Tool Increases
- Included Simple to Use Vehicle Computer Programmer with OBD-II Cable to Disable Cam Phaser Function
- One Kit Corrects Both Cam Phasers
- Cam Phaser is NOT INCLUDED

Offer Good Through June 30, 2017 - While Supplies Last

Ford Timing Chain Locking Wedge Tool (4.6/5.4 3V Engines)

SKU **012647** 24207

- For 2005-14 5.4L and 4.6L 3V
- OE Type Tool
- · Allows for Easy Cam Changes without Removing the Timing Cover

Max Energy Tuning Optimizes Spark and Air/Fuel Ratio from Just Off Idle to Wide-Open Throttle. Maximum Horsepower and Torque Gains Are Provided to Work Perfectly with the Cam Phaser Kit.

Ford Cam Phaser Noise Kit 4.6/5.4 3V with Tuning

SKU **597001** 24209

- Includes Performance Tuning Optimized for this Kit to Produce Max Horsepower and Torque
- This Kit Also Includes Tuning Options for Airflow, TPMS, Top Speed Limit, Speed of Calibration, Rev Limiter, Shift Firmness, Shift Point, Cooling Fan On/Off Temp
- Note: Not all Features are Available in All Applications the Year, Make, & Model Of the Vehicle Will Determine the Feature Set for That Application.
- Cam Phaser is NOT INCLUDED

Valve Train Tools

Valve Spring Compressor

SKU **231210**

25220 STORE STOCK

• Designed for Use on Most Trucks and Cars with Overhead Valves

Ford Valve Spring Compressor OFM TOOLS

5499 REG. \$69.99

Applications: 1991-2004 Ford Vehicles with 4.6L, 2V, V8 Engines; 4.6 4V, 5.4 V8 and 6.8 V10

 Works with Engine Removed or Installed, Cylinder Head On or Off Not for Triton 5.4 3V

Offer Good Through June 30, 2017 - While Supplies Last

OEM TOOLS

Push Rod Remover SKU **459100** LIS48300



• Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms



SKU **516515**

• Strong But Light Frame - Weighs Only 6 Lbs.

 Works with Most Valve-in Head and L-Head Engines as Well as Truck and Tractor Engines

• Spring Capacity: 1"- 2"

• Throat Depth: 10"

• Includes Straight and Offset Jaws

REG. \$31.99



24206 SHOWN

Moving While the Retaining Bolt is Removed Allows the Cam

Timing Gear Holder

• Holds the Timing Gear in

Place During Removal

and Installation and

Prevents it from

SKU **544797**

24387

Gear to Rotate to Align Valve Timing Marks • Single Lever

Locking

Design is

Easy-to-Use

OEM TOOLS

NEW

SKU **011658** LIS36050

> Tool Body Captures Keepers

• Works on Toyota 4 Cylinder and Chrysler New World Engine Applications

Valve Keeper Remover and **Installer Kit**

• For Use with Valve Stems from 4.5 to 7.5mm and


5/16" to 3/8" Magnet in



component disassembly and reassembly fast and easy

Piston Tools

Piston Ring Compressor SKU **013641** 24682





• Fits 3" to 5" Pistons

STORE STOCK

OEM TOOLS

Ridge Reamer SKU **532325**

25051

• Capacity: 3" to 5"

(76 mm to 127 mm)

For Use on Conventional and

Offer Good Through June 30, 2017 - While Supplies Last





AutoZone® has availability on Moog HUB Bearings.

Contact Your AutoZone Commercial Sales Manager for Details

DOHC Cam Lock Holder

• This Versatile Tool Easily Locks

and Holds Both Camshaft

Sprockets Firmly in Place

• Preserves the Engine

Timing During Belt or

Chain Replacement

SKU **291419**

LIS36880

Cam/Crankshaft Tools

Ford 2.OL, 2.3L, 2.5L **Cam Tool Kit**

SKU **626108** 24448

2 Piece

SKU **238159**

STORE STOCK

 Simple to Use · Installs in Seconds

24360

Cam Clamp™ Set

• Applications: 2.0L DOHC Engines

Mercury, 2004-2012 2.5L DOHC, 2.3L DOHC 4V and 2.0L DOHC Engines in Ford, Mercury and Mazda, and 2.0L DOHC Engines in 1993-1994 Ford Probe

Found in 1994-2003 Ford and

Honda **Crankshaft Pulley Holding Tool** SKU **217379**

REG. \$39.9 27176 Holds Crankshaft Dampeners When Tightening/Loosening Crankshaft Bolts on Honda and Acura

OEM TOOLS

Offer Good Through June 30, 2017 - While Supplies Last **OEM** TOOLS

17 mm Crank Bolt Socket SKU **818785 79**99 CAL981

19 mm Crank Bolt Socket SKU **818784** CAL982

21 mm Crank Bolt Socket SKU **818782**

- Remove Stubborn Crankshaft Pulley Bolts Increase Working Torque Up to 50%
- Works with Any Standard 1/2" Impact

No Special

OEM TOOLS



Sprockets • Holds Cam Sprocket in Place

When Removing Cam Bolt

• Works on All Single and Dual Overhead Cam Sprockets with Holes



SKU **191677**

OEM TOOLS

• Removes or Inserts Camshaft Bearings in Nearly All Engines

Easy on Bearings

· Set Includes: Driving Shaft, Driving Shaft Extension Expander Unit, (5) Split Driving Plugs, (2) Driving Collars and



OEM TOOLS

27143

• Range: 1.125" to 2.69"



Camshaft and Crankshaft Seal Tool Kit

SKU **544799** 24386

· Specifically Designed to Retain Sprocket Wheels While

Maintaining Proper Timing During Belt Service

- · Easily Removes and Installs Camshaft and • Compact Puller with Unique Extracting
- Hooks Engage Seal for Quick Removal • Interchangeable Sleeves and Mandrels
- Allow Easy Installation of New Seal • Suits Seals from 21.5 mm - 64 mm · Sleeves and Mandrels Made from High

Strength Fiber Glass Reinforced Polymer







5 Piece Master

Cam Clamp Kit

SKU **383452**

27210



on How to Use This **Universal Seal Tool Kit**

Crankshaft and Camshaft Seal Kit SKU **512952**

27222 • Install and Remove Oil





REG. \$79.99

• Covers Most Single, Twin Cam and Quad

Offer Good Through June 30, 2017 - While Supplies Last

Locks Camshaft to Hold Valve Timing

During Timing Belt Replacement



CHASSIS/SUSPENSION

OEM TOOLS

OEM TOOLS

OEM TOOLS

Inner Tie Rod Tool

• Used to Easily Turn Tie Rods

• Tool Can Remove Inner Tie Rod without Removing the Outer Tie Rod

4.999 REG. \$59.99

Offer Good Through June 30, 2017 - While Supplies Last

• Use with an Extension,

Tie Rod Tool Kit

• Removes and Installs Tie Rod End on Rack and

Pinion Steering

Includes: 1-3/16

Tighten Nuts on U-Bolt

SKU **094645**

STORE STOCK

as Needed

Inner

27185

SKU **217377**

25296

Tie Rod Tools

⊙EM TOOLS



Master Inner Tie Rod Tool Set SKU **344979** 27178

Works on Both

- Tube Handle Has an Inner Diameter of 2.125" to Service Small Cars, Pick Ups and Large SUVs
- Includes 12 Crowfoot Style Adapters, Sizes: 29mm, 1-3/16", 1-1/4", 32.5mm, 1-5/16", 33.6mm, 1-3/8", 1-7/16", 1-1/2", 38.4mm, 40mm and 42mm

· Comes in a Blow Mold Case **Tie Rod End Remover**

SKU **695086** 33627175

- Used on Imports and Many Front Wheel Drive Vehicles and Rack and Pinion Steering
- Pressure Screw Tip Swivels for Damage Free Results and Will Not Damage Tie Rod End Dust Boots



SKU **291414** LIS45750

- Utilizes Six Sizes: 1-3/16", 1-1/4", 1-5/16", 1-7/16", 1-1/2" and 33.6 mm
- Long Socket Slips Over Tie Rod End and Connects to the Crowfoot
- Includes 1-1/2" Crowfoot for Use on Chevrolet Colorado and GMC Canyon



Master Inner Tie Rod Tool

SKU **080557** LIS46800

- Works on Inner Tie Rods with Inaccessible Wrench Flats
- Includes 9 Crowfoot Style Adapters to Work on Various Applications
- Long Socket Slips Over the Tie Rod End and the Crowfoot Engages on the Socket for Easy Removal and Installation



Hub Bearing

OEM TOOLS

23 Piece Hub Bearing Remover and Installer Kit

SKU **094804** 27205

Removes and Installs Wheel Bearings with Steering Knuckle and Strut Assembly Still on the Vehicle, Eliminates Need for Alignment



OEM TOOLS **Master Wheel Hub and Bearing Remover and Installer Kit**

SKU **298230**

39999 REG. \$449.99

- For Removal and Installation of Front Wheel Hub and Bearings on Asian, Domestic and German Vehicles Along with Rear Wheel Hubs and Bearings on European Vehicles
- Works on Front, Rear and All- Wheel Drive Vehicles
- Self Centering Design is Incredibly Durable and Easy to Úse
- Broader Application with Fewer Components Than Many Other Tools

Offer Good Through June 30, 2017



Seal Tools

Seal Puller SKU **048199**

25014

STORE STOCK • Two Tips Fit All Seal Sizes **Bearing Race and Seal Driver Set** SKU **695119** 33627119

• Used to Install Most Standard Wheel Bearing Races and Seals



OEM TOOLS

OEM TOOLS

Pinion Shaft Seal Driver

SKU **080559** LIS56950

- Used for Driving Pinion and Other Seals Into Place
- Hollow Adapter Allows Driver to Slide Over Shaft to Drive Seal

Transmission/ **Transaxle Plugs** SKU **298196** 24490

• Includes Five Plugs to Seal Both Transmissions and Transaxles on Most Import and Domestic Vehicles

• Stepped Design for Retention and Positive Sealing

• Includes Side Gear Centering Pin for Ford Transaxles

Universal Seal Installer Kit

SKU **547959**

• Min/Max. Spring

Diameters

3.5" / 11.5'

Made in

the USA

BRA7600

Includes: 3" Driver, 2.5" Driver, Short Handle, Long Handle, Spider Insert, 5/16" x 1" Cap Screw, Large Spider, Small Spider and Washer

• Long Handle Provides Good Flexibility When Installing Pinion Seals

Branick



Offer Good Through

While Supplies Last

OEM TOOLS

Comes in a Sturdy Blow Mold Case

Model 7600 Strut

Spring Compressor

Handles the Toughest Applications

Spring Compressors

Universal Strut Remover

SKU **141509** 25423

⊙≡M TOOLS

- Removes the Top Nut on Many MacPherson Struts
- Deep Socket is Used to Remove Nut
- Includes: 3/4" Adapter, 6.5 mm Hex, "Double D" and 7.5 mm Hex and "Double D" Sockets
- Comes with T-50 Star, 10 mm Internal Hex and "Double D" Sockets

Coil Spring Compressor SKU **695608**

33627035 • Used to Compress the Coil Spring in the Installation of Coil Spring

Spacers • Comes in a Sturdy Blow Mold Case



OEM TOOLS

25550 STORE STOCK

MacPherson Strut Spring Compressor

SKU **070135**

- Used to Compress Strut Spring During Cartridge Replacement • Forged Hook
- Heat-Treated Forcing Screw

Strut/Coil Spring

• Used to Compress Most Sizes of MacPherson

Springs and Coil Springs

Heat-Treated for Toughness

• Comes in a Blow Mold Case

Compressor Kit


· Safety Latches

SKU **094802**

• 10 Piece Kit



OEM TOOLS







Bench Mount for BRA7600 SKU **547962** BRA00-0125

12 Point

Axle Nut

SKU **751696**

Sockets are

Black Oxide

Resist Rust

Finish to

Comes in

a Blow

Impact Rated

24480

Socket Set

• Includes Sizes: 29, 30, 32,

StrutTamer™ II **Extreme with Stand**

SKU **471100** OTC6637-ST

• Meets the New ASME PASE Standards for Spring Compressors

• Capable of Safely Compressing the Largest Strut Springs

 New Forged Locking Jaws Include Larger Pads and Offset to Clamp Onto and Compress Springs Even Tighter Than Before

• Unique Trunnion Locking Mechanism to Eliminate Arm Movement for Stable Compression



Suspension

GM Upper Control Arm Knock Out Tool

SKU **420336**

• Services 1989-2001 Chevrolet and GMC 1/2, 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks and 1990-2002 All Wheel Drive Chevrolet Astro and GMC Safari Vans **⊙≣M** TOOLS

Universal Steering Knuckle Spreader Tool SKU **512957**

27234 • Used to Spread Lower Costly Damage



John Dow Camber Industries **Adjustment Tool**

SKU **360484** DOWTC614

to Knuckle

• Makes Camber Adjustment a "One-Man Job"

- Inflatable Air Bladder Fits Between Tire and Strut for Easy and Controlled Adjustment of Camber Settings
- · Camber Can Be on Ground
- Eliminates the Need for Special Camber Bolts



CV Axle Nut Sockets

Axle Nut Socket Set SKU **900822**

 Includes Sizes: 27, 29, 30, 32, 34, 35, 36, 38 and 39 mm Chrome Moly

27188

Sockets are Impact Rated Black Oxide Finish to Resist Rust Comes in a Blow Mold Case

SKU **300125**

SKU **036202**

25038

24365

Shock Tools

Removal Socket Tool

Includes Holding Socket with

• Fits Many Shock Stems

"Double D" Axle Center Socket

Fits Several Volvo Models 1999-2010

For Removing and Installing Shock Nuts

Universal Shock Absorber Tool



Volvo Shock Retaining Nut Strut

1/2" Drive Axle STORE **Nut Sockets**

30 mm SKU **079988** | 25203 **32 mm** SKU **552315** | 25204

33 mm SKU 864643 | 25152 34 mm SKU 010252 | 25205

35 mm SKU 864642 | 25153 **36 mm** SKU **079772** | 25206

- Removes and Installs the Front Drive Hub/Axle Nuts on 4-Wheel Drive and Many Front Wheel Drive Automobiles • For Use with a 1/2" Drive Ratchet
- 1/2" Drive Chamfered Square Drive

OEM TOOLS

Unloading Tool <u>O≓M</u> TOOLS **GM Torsion Bar**

Unloading Tool SKU **099289** 27235

• Built for GM's K-3500 Series Trucks with the Heavy **Duty Chassis**

 Also Works on 1988-2003 GMC and Chevrolet 1/2. 3/4 and 1 Ton Pick-Ups; S-10 Blazers, S-15 Jimmys, 4WD Pick-Ups with 4.3L V-6 Engines and 1991 to 2001 Oldsmobile Bravada

Mold Case

34, 35, 36, 38 and 39 mm

Chrome Vanadium

O≡M TOOLS

12 PT Axle Nut Socket 1/2" Drive

29 mm SKU **821446** | 33627322 **30 mm** SKU **191051** | 25157

31 mm SKU 821448 | 33627324

32 mm SKU **821449** | 33627325 **33 mm** SKU **821451** | 33627326

34 mm SKU **821453** | 33627327 35 mm SKU 821455 | 33627328

36 mm SKU **821456** | 33627329 **38 mm** SKU **821457** | 33627330 **39 mm** SKU **821452** | 33627331

Pitman Arm Pullers

Pitman Arm and Ball Joint Front End Service Kit SKU **900820**

27181

- Services Pitman Arm, Tie Rod and Ball Joints
- Includes: Pitman Arm/Tie Rod End Puller, Ball Joint Separator, Pitman Arm Puller, Ball Joint/Tie Rod End Remover
- Comes in a Sturdy Blow Mold Case





OEM TOOLS

⊙≡M TOOLS

Tool & Equipment Quarterly

Pickle Fork

Tie Rod End Puller

SKU **004463** 25201

STORE STOCK

- Tapered Fork Wedged Ends with 21/32" Opening
- Overall Length: 11-7/8"

Ball Joint Separator SKU **004464**

25202 STORE STOCK

• Tapered Fork Wedged Ends with 15/16" Opening

3 Piece **Pickle Fork** Set

SKU **802196** 27080

REG. \$34.99

⊙EM TOOLS

• Can Be Used for Tie Rod End, Pitman Arm and Ball Joint Removal



O=M TOOLS **5** Piece **Pickle Fork Set**

SKU **466511**

 Set Includes: Tie Rod Spreader with 11/16" Wedge Opening, Ball Joint Separator with 15/16" Jaw Opening, Pitman Arm Wedge with 1-1/8" Opening, 8" Handle



1/2" Drive

SKU **295858**

WLMW89314

Locknuts

Wheel Bearing

Locknut Socket Kit

• Specially Designed to Easily Remove

or Install 6-Point Wheel Bearing

Contains: 2-3/8", 2-1/2" and 55 mm Locknut Sockets; and 2-3/8",

2-1/2", 2-9/16", and 2-3/4"

Stepped Pickle Fork Set

SKU **291410** LIS41400

- 6 Tools in One
- Includes: 11/16", 15/16", 1-1/8" • Forks and 2 Handles



5 Piece Tie Rod and **Ball Joint Set**

SKU **094799**

- Used to Remove Tie Rods and Ball Joints
- Includes: 11"x 1-1/8", 11-5/8" x 1-7/16", 11-3/4" x 1-5/8", 16" x 11/16" and 16" x 15/16"



OEM TOOLS

OEM TOOLS

M TOOLS

O≣M TOOLS

Spindle Nut

1/2" Drive Socket Bearing Locknut

SKU **231203**

25243

STORE STOCK

• Fits Adjusting Nuts Found on 1995-96 Ford F150 Trucks and Full-Sized Broncos with Automatic Locking Hubs

GM Axle Hub Nut Socket

SKU **298219**

REG. \$29.99 • Applications: GMT900 Silverado, Sierra HDCS, 2-Wheel and 4-Wheel Drive Cheyenne, Silverado, Escalade, Sierra and Avalanche Trucks with 10.5" or 11.5" Ring Gear

• Has 9 Pins to Fit GM New Style Retaining Nuts

• Unapproved Methods Can Damage the Bearing, or Result in Shorter Service Life

Offer Good Through June 30, 2017 - While Supplies Last

OEM TOOLS

OEM TOOLS

Spindle Socket SKU **552265**

4WD 4 Lug

Offer Good Through June 30, 2017

25072 STORE STOCK

4WD 6 Lua

Spindle Socket SKU **695598**

Toyota 4-Pin Hub

Locknut Socket

(Lock Out) Hubs

· Improved Design with

SKU **298224**

25969

33627046

• Services High-Torque Locknuts

Solid Pins for Increased Durability

on Toyota 4WD Vehicles Having Free-Wheel

• 1995-Newer Tacoma; 1996-Newer T100 and

<u>O≣M</u> TOOLS

OEM TOOLS

Rounded Locknut Sockets **OEM** TOOLS

Toyota 8-Pin Front Hub **Locknut Socket**

SKU **298205** 25962

• Allows for Easy Removal and Installation of Front Hub Lock Nut without Damage to the Nut

• Applications 2007 - 2014 Toyota 4Runner 2WD, 2008 - 2014 Toyota Seguoia, 2007 - 2014 Toyota Tundra

• 3/4" Drive

2 Wheel Drive

Ball Joint Adapter Set

• Ford Van 2WD, Upper and Lower



While Supplies Last

OEM TOOLS

Dana 70 Series Axles

Dodge Hub

• Use with Many 1/2 Ton Vehicles

with Dana 44 Series Axles and

with Many 3/4 Ton Vehicles with

Locknut Socket SKU **344964**

OEM TOOLS

• Fits 1994 and Newer Dodge 1/2-Ton

Pickup Trucks with Dana 44 Front Axle And Dana 60 Axle with a Vacuum Disconnect

• Designed to Accommodate the 1-11/16" (43mm) Wheel Bearing Retaining Nut Which is Recessed Into

Offer Good Through June 30, 2017 - While Supplies Last

Ball Joint

3/4" Drive Ball Joint Impact

Socket 2-9/64" SKU **462494**

24215 • Used on Chrysler/Dodge



OEM TOOLS

Mid Size Cars, Light-Trucks and Vans • Fits 2-9/64" Ball Joints

• 3/4" Drive



GGT850

56mm (2.25")

• Jaw Width:



OEM TOOLS

Ball Joint

Separator SKU **793569** 33627308

• Used for Separating the Ball Joint from the Spindle Support Arm on Domestic and Import FWD Vehicles

Adjustable for Different Size Ball Joints

• Steel Construction with Black Oxide Pins

• Max. Opening Range: 1-1/8" and 2-1/8"

Axle Puller

SKU **695612**

33627032

Use with

OEM Slide

(#27033 and

OEM TOOLS

#33627033) to Pull

Flange Type Axle on

Most Domestic Cars and

Trucks with 4-1/2" or 5-1/2'

Hammer



4 Wheel Drive **Ball Joint Adapter Set** SKU **695093**

33627165

• Designed for Use On 1967 - Current 4WD Vehicles with Dana 44 Axles

• Upper and Lower Ball Joint Adapter Set for 27023, 27089



Ford Ball Joint Adapter Set

SKU **695095** 33627163

STORE STOCK 1996-2004 Ford Taurus and Mercury

Sable Ball Joint

Adapter Set for 27023 or 27089

SKU **695584**

Rust Resistant Finish on All Parts

with 4WD Adapter Set

Ball/U-Joint Press COMMONDS

Hydraulic Ball Joint Separator

SKU **596905**

NEW

• Quick, Easy Ball Joint Separation

• 8 Ton Hydraulic Ram • Jaw Opening Capacity:

22mm (0.86")

No More Hammering Suspension Arms

• Comes in a Sturdy Blow Mold Case Honda Ball Joint **Adapter Set**

SKU **695094** 33627164

• 1980-2000 Accord, Civic, DelSol, CRX and Prelude

Front Wheel



Ball/U-Joint **Press Set**

SKU **695092**

27089

Rust

Resistant

Finish on

SKU **695617** 33627023

 Removes and Replaces Ball Joints on Many Vehicles



<u>O≣M</u> TOOLS

OEM TOOLS **Master Ball Joint** Installer/Remover Adapter Set

4WD Spindle

SKU **695583**

• Use with OEM

Slide Hammer

• Fits Most Spindles

1-1/2", 1-5/8" and 2" on 4WD Vehicles

33627104

Puller Attachment

#27033 and #33627033

SKU **793562** 33627310

• Expands the Capabilities of OEM #27023 Ball Joint Press

 For Working on Many GM, Ford and Chrysler 2WD and 4WD Pick-Ups, Vans and SUVs • Includes: 8 Receiving Tubes, 2 Installing Tubes, 2 Receiving Cups, 1 Plug and 1 Remover/Installer

• Comes in a Sturdy Blow Mold Case

<u>⊙≣M</u>TOOLS

<u>O≣M</u> TOOLS

OEM TOOLS

Bushing Tool

33627089 • 1967 to Current 1/2 to 3/4 Ton 4WD

 Dana 44 Series Front Axle Adapter Sets Available 27163 27164 27165 and



OEM TOOLS

Axle Tools

FWD Axle Puller Adapter

Transmission of Front Wheel Drive Cars

Hammer 27033 Axle Popper™ II



are Threaded 5/8" x 18

Drive

Hub Puller

Fits Most Domestic

with Independent

Front Wheel

Suspension

Yoke and Bolt

SKU **695606**

33627037

33627033 • Threaded 5/8" x 18 · Works with OFM Attachments as



Rear Axle Bearing Remover Set

33627129

Rear Axle Bearings Use with OEM #27033 and #33627033 Slide Hammer

SKU **094801**



OEM TOOLS



Manual Bushing Installation and

Removal Tool Set KU **298214** 27212

REG. \$249.99

 Comprehensive Kit for Fast and Effective Removal/Installation of Wheel Bearings/Suspension Bushings and Seals

• Allows the Technician to Service a Wide Range of Bushings

without Removing Components from the Vehicle

• Comes with 20 Sleeves for 100's of Combinations External Sleeve Diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82mm

Offer Good Through June 30, 2017 - While Supplies Last

⊙EM TOOLS

CV Boot Tools

CV Boot Driver SKU **695597** 33627052

• Removes and Installs Many Boots on GM Constant Velocity Joints with Stamped Retaining Rings

Impact Socket 1/2" (12 mm) Ford Drive

Line Impact Socket SKU **420319**



 Applications Include Many Ford Drive Line Bolts 12 mm, 12 Point

SKU **695592**

33627058 Drive Axles from the

Note: Use with OEM Slide

SKU **010119** STK71415

Rear Axle

SKU **821450**

the Half Shaft

Some Vehicles

the Gap on

· Shim Included to Fill

33627305

• Tapered on Both Ends • Fits in Air Hammer



Bearing Remover Set

• Strike the Axle Popper Wedge or

Use it as a Pry Bar to Remove

27233 · Set Includes: M20 x 1.25, M20 x 1.50.

M24 x 1 50



Rear Axle Puller Set

and Bearing Removal Late Model Passenger





M22 x 1.00,

M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar

SKU **695117**

27202 • Use for Flange-Type Rear Axle

Cars and Light-Trucks OEM TOOLS

SERVICE TOOLS

Harmonic Balancer

Harmonic Balancer OFM TOOLS **Puller Retrofit** Kit for GM

SKU **695100**

• Use with OEM 33627019, 27019 and 25053 Harmonic

- Balancer Pullers and Many Other Popular Balancer Pullers • The 3 Bolts Fit Through the Slotted Holes in the
- Balancer and Screw Into the Threads of the Balancer on GM 3300 and 3800 V6 Engines Shoulders on the Bolts Prevent Damage to the Crank Sensor That Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft and Threads

Harmonic Balancer Puller Kit

SKU **818738** 25090

• Includes: Puller Body, 3 Jaw Puller, (3) Jaw Retaining Pins

- (3) Wave Washers, Pressure Screw • Insert Rods: 4", 5-13/32",
- 6-1/2" and 7-13/32" • Used on Many GM,

Mitsubishi and Chrysler Engines

OEM TOOLS Harmonic **Balancer/Steering Wheel Puller**

SKU **532440** 25053

STORE STOCK

- · Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes

Long Reach



Harmonic **Balancer Puller**

SKU **695619** 33627019

- Set Includes: Yoke, Pressure Screw, and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends Comes in a Sturdy
- Blow Mold Storage Case
- Yoke Features 4 Slots
- Heat-Treated for Strength and Durability



Harmonic Balancer

• Time Saving Harmonic Balancer Puller

• Clip-in Compact Design (No Bolts

• Also fits: Chrysler/Dodge/Jeep 3.5L

Radiator Removal Not Required

& 3.6L V6s and 4.7L, 5.7L, & 6.1L V8s

• Suitable for: GM, 5.3L, 5.7LS1,

6.0LS2, 6.2LS3, 7.0L

Remover

SKU **596957**

Required)

GGT180

OEM TOOLS

19 mm Harmonic **Balancer Socket** for Honda

SKU **011632** LIS77080

- More Than 3X Standard Socket Mass
- For Use with 19 mm
- **Applications** Made with Heat-Treated



G & G Technics

Overriding Alternator Decoupler (OAD) One-Way Clutch (OWC) Pulleys

OEM TOOLS

Tools May Be Used While the Alternator is On or Off the Vehicle

Alternator

Pulley Tool Kit

Set Works on Both

SKU **300124**

27261

Alternator Decoupler

 Comes in a Blow Mold Case

Alternator Decoupler **Tool Set**

SKU **255865**

LIS57650

lisle

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Comes in a Blow Mold Case

Specialty Pullers

Steering Wheel Puller Leg Kit

SKU **793567**

33627312

- for Durability
- Legs and Spacer for Expanded Coverage
- Use with OEM 27017, 33627019, 27182 and

OEM TOOLS

- Steel Construction
- Includes (2) J Hook Puller

Power Steering

SKU **141495**

• Fits Pullevs with Hub Diameters Measuring 1-1/8", 1-1/4", 1-5/16" and 1-3/8'

Puller Set

SKU **900825**

Blind Hole

Puller Set

• Pull Blind Hole

Bearings, Bushings

and Sleeves with Inside Diameters 3/8" - 1-3/8"

SKU **695118**

33627128



• Designed for Use with Other 5/8"- 18 Thread Slide Hammer Attachments

Slide Hammer Pullers

OEM TOOLS'

OEM TOOLS'

Harmonic Balancer Unique Jaw and Returning Springs for Easy Positioning **Pulley Installer** SKU **544785** of the Puller

- REG. \$59.99 Install Crank Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16x2.0 GM;

Offer Good Through June 30, 2017 - While Supplies Last

OEM TOOLS





- M14x1.5 Dodge, Chrysler, Jeep; M12x1.75 Dodge, Chrysler, Jeep; M112x1.5 Ford; Nut / Bearing Assembly

OEM TOOLS

SKU **265106** 25135

Steering Pivot Pin

Remover

• Works on 1969 to Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns

OEM TOOLS

Timing Gear and Pulley Set

SKU **695623** 33627009

 Services Crankshaft Pulleys and Timing Gears on Gasoline and Diesel Powered Engines

SKU **548566**

· Applications:

27282

VW®/Audi® Diesel

• Remove Diesel Injectors from 1996 to Current VW

and Audi Vehicles

VW, Audi TDI Engine

Injector Puller Kit



OEM TOOLS


OEM TOOLS

Alternator Decoupler

Pulley Service Kit SKU **695085** 33627275

Allows Alternator Shaft to Be Held While the Pulley Retainer is

 Includes a Special Set of Spline and Star Socket Bits for Removal of Bosch Type Alternator Free-Wheel Drive Pulleys



Other Popular Pullers

Pulley Puller/Installer Kit

25298

STORE STOCK

9 Way Slide Hammer

• Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs

to Pull Bearings, Gears and Seals • Two- and Three-Way Cross Blocks

• Includes a Grip Wrench Adapter

and a Dent Puller Attachment

 Internal and External Jaws Provide a Variety of Combinations



• Includes Yoke, Pressure Screw and Five Sets of ling Screws with Washers and Swivel

Steering Wheel and

Lock Plate Puller Kit

Offer Good Through June 30, 2017 - While Supplies Last

OEM TOOLS'

OEM TOOLS

Pullers

2 Jaw 5 Ton **Gear Puller**

SKU **141513**

STORE STOCK

 Reversible • Maximum Reach: 3-1/4"

• Maximum Spread: 6"

SKU **231202**

STORE STOCK



2/3 Jaw 2 Ton **Gear Puller**

SKU **070134** 25901

STORE STOCK Maximum Reach: 3-1/2"

• Maximum Spread: 4-3/4"

• Center Forcing Screw: 3/8" - 24" x 4-7/8"



2/3 Jaw 5 Ton **Gear Puller**

25919

Reversible

• Maximum Reach: 5-1/2" • Maximum Spread: 7"



27311

Bearing and **Pulley Puller Set**

SKU **900824** 27190 • Use on Pitman Arms, Timing Gears,

Makes Up to Eighteen

arrier Side Bearings, Crankshaft



Different Pullers!

Pulleys and More

Universal Air Bleed Adapter

• Helps Remove Trapped Air in the Power Steering System

• Seals Pump Necks Ranging from 5/8" Up to 1-5/8" (16 to 41 mm)


Vacuum Pump



MITMVA662 • Helps Remove Trapped Air in the

Power Steering System Pump Necks Having an Internal Diameter of 1-1/4" or 2" (32 or 50 mm) Works with a

Hand Vacuum Pump



mityvac:... **Air Bleed** Adapter for GM SKU **751698**

MITMVA661

Vacuum Pump

• Helps Remove Trapped Air in the Power Steering System • Designed for Sealing GM Power

Steering Pumps with a Two-Tab Cap Design • Works with a Hand



Power Steering Bleeder Kit SKU **434716**

• Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid

Changes • Includes 2 EPDM Tapered Rubber Adapters to Fit

Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters

 Works with a Hand Vacuum Pump • Includes Blow Mold Case

Power Steering

mituvac:

SKU **751699** MITMVA660

• Rubber, Cone-Shaped Design

Internal Diameter • Works with a Hand





Mityvac

Power THEXTON Steering Vacuum Pump SKU **463254**

THX212 • Bleeds Trapped Air from Power

Steering System Tapered Adapter Allows Use on







Measuring Tools

Feeler Gauge

SKU **001927** 25025

STORE STOCK

• 26 Blades with Laser Etched In/mm



6" Digital Caliper SKU **013642**

24680 STORE STOCK

• Easy-to-Read LED Display



X-Tread® Digital **Tire Gauge**

SKU **186495** F0W74225500

- For Tire Tread Thickness Measurement
- Reads in Inch, Metric and Fractions



- CEN6494A • Magnetic Base
- 1/2 Degree Graduations



Disc Brake Rotor Micrometer

SKU **607071**

25367 STORE STOCK

- .001" Accuracy, .0005" Reading
- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On



Dial Indicator Set

SKU **186500** F0W72522101

• Includes 1" Indicator, Magnetic Base, Plus Rods, Swivel Clamp and Case

• 2-1/4" Dial, .001" Increments



Fowler

Fowler

Fowler

RotoCal® with Twin Conical Anvils

SKU **186492** F0W74150004

- Range 0 to 5.5"
- Reads in Inch, Metric and Fractions
- 3.5" Jaw Depth for Large Rotors



Mini MAG Protractor

- Femorial 1999 • Embedded Magnets with 35 Lbs. Pull
- Uses Standard 9V Battery
- 360 Degree Measuring Range • Accuracy ±0.2 Degrees



Rotor/Drum Measuring Kit

SKU **186504** CEN3K301

- Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums • Inward Pointing Anvils to Measure Rotors
- 8" to 13" Range
- 0 to 6" Digital Caliper Included



- Checks Ball Joint Wear and Disc Rotor Run-Out
- Checks Gear Backlash and Valve Guide Wear
- 0 to 1" Travel and .001" Graduations





- Measure Head, Block and Flywheel Straightness
- Precision Ground to ±.001"

3 Piece Micrometer Set

SKU **186503** CEN3M113

- 0 to 3" Range
- 3m101: 0 1"; 3m102: 1 to 2"; 3m103: 2 to 3"
- Set Includes Calibration Tools







Central TOOLS, Inc.

Torque Adaptors

3/8" Drive Digital

SKU **362559**

4499 REG. \$49.99

• Range 27 - 135 Nm (238.9-1,194.8 ln./Lbs.)

Turn Any Ratchet or Breaker Bar Into a Digital Torque Wrench!

Offer Good Through June 30, 2017 - While Supplies Last



Offer Good Through

June 30, 2017 While Supplies Last

1/2" Drive Digital **Torque Adapter** SKU **900805** 25682

• Range 40 - 200 Nm (29.5-147.5 Ft./Lbs.)

3/4" Drive

SKU **850046**

33627309

Professional

• Range: 86-400 Ft./Lbs.

Pull Down Lock Ring

• Torques in Both

• Torques in Both Directions

Micrometer Torque Wrench,

80-400 Ft./Lbs. Range

Positive Lock with Spring-Loaded

• Buzzes When Target Torque is Reached



OEM TOOLS

Torque Wrenches

3/8" Drive **Torque Wrench 25-250 In./Lbs. Range**

• Both Clockwise and Counterclockwise Operation

3/8" Drive Torque Wrench 10-100 Ft./Lbs. Range

- 45 Tooth Round Head Ratchet
- Both Clockwise and Counterclockwise
- Operation



25687

6999 REG. 79.99

Ratchet Head

 Both Clockwise and Counterclockwise



3/4" Drive **Professional Micrometer Torque Wrench** 100-600 Ft./Lbs. Range

Replacement

SKU **217376** 25688 • Right Hand Direction

Micrometer **Click Style**



OEM TOOLS

25-250 Ft./Lbs.

OEM TOOLS

Great for 2004-2008 Ford F150

Brake Rotor and Hub Assembly

Torque Multipliers

3/4" Drive **Torque Multiplier**

SKU **191056** 25683

24999 REG. 299.99 Converts Low Torque (Max. 650 Ft./Lbs.) to High

Comes with a 3/4"

Offer Good Through June 30, 2017 While Supplies Last



Torque Screwdriver

1/4" Drive **Torque Screwdriver** SKU **695088**

33627172

• Range: 10 - 50 In./Lbs. • Great for Low

3/8" Drive Oxygen

Sensor Socket

SKU **047738**

STORE STOCK

25001

Torque Applications



Oil Pressure Switch Socket

25254

• Fits Most 1" and 1-1/16" Switches

• Accepts Oil Pressure Sending Units Up to 2-5/8" Long





Water Sensor Wrench SKU **459099** LIS34900

• Durable Alloy Steel Construction

• For Use with 3/8" Drive Ratchet or 1" Wrench

Removes and Installs Oxygen Sensors on All Domestic and Imported Computerized Engine Controlled Vehicles

• Cutaway Slot Provided in the Side for Sensor Wire Clearance

• Removes and Installs the Water Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines



OFM TOOLS

OFM TOOLS **Oxygen Sensor Wrench**

> 33625246 STORE STOCK Use with Oxygen

SKU **947305**

Sensors on Ford 4.6 and 5.4 Engines • 7/8" / 22 mm Used in SUVs and



Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



Torque Adapter

OEM TOOLS

Zeroing Feature

Fowler








Audible Click When Desired Torque is



• Heavy Duty 24 Tooth Pear Shaped • Audible Click When Desired Torque is Reached





Sensor Sockets

SKU **141490**

Water Sensor Wrench

Sensors

 Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 - 2011 6.6L Duramax Diesel Engines

Socket Set

SKU **695125**



7 Piece Sensor Socket Set SKU **900823**

· For Removal and Installation of

45 Tooth Round Head RatchetAudible Click When Desired Torque is Reached





OEM TOOLS

Torque (2,200 Ft./Lbs. / 3,000 Nm) With Planetary Gear Set for Heavy Duty Tightening and Loosening • Input Drive: 3/4", Output Drive 1"

OEM TOOLS

STORE STOCK

Fits Aftermarket

SKU **459101** LIS34910

Oxygen Sensor

33627110 Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors

IPR Socket • Used to Remove and Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and

Designed to Bottom Out on the Hex So it Does Not Put Torque on the Connector in Case it Can Be Reused

Other Diesel Engines

SKU **080593**

LIS68210

SERVICE TOOLS

Exhaust Tools

Exhaust Manifold Spreader Set

SKU **504028** 25253TW0



- Used for Reinstalling the Manifold on Small-Block Chevrolets
- Simple Way to Expand Warped Manifold to Align Bolt Holes
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalianment

Pipe Stretcher Kit

SKU **080137** LIS17350

- Expands All Types of Exhaust Pipe Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
- Use with Impact Wrench to Quickly Stretch Pipes



OFM TOOLS **Tailpipe Cutter**

SKU **695599**

33627045

• Use to Cut Tailpipe • Range 3/4" to 3-1/4" (19 - 83 mm)



1-1/2" x 2-7/16" **Tailpipe Expander**

SKU **695615**

33627027 2-1/8" x 3-7/16"

Tailpipe Expander SKU **695614**

33627028

• Expands Tail Pipes So Mufflers and Tail Pipes Can Be Fitted to the Exhaust System

Thread Repair

2 Piece External Thread Repair Set 5/32" - 1-1/2"

SKU **343361**

NES1000* • Includes the NES1A and NES2

• Restores Inch or Metric, Right or Left Handed Fastener Threads

*NES Set Comes with Extra Blades



Nes[®]

External Thread Repair 5/32" - 1/2"

SKU **343360** NES6040

Restores Inch or Metric, Right or Left Handed Fastener Threads



External Thread Repair 5/32" - 11/16"

SKU 343365 NES1A

Also Repairs Damaged Threads on Pipes Up to 7/16"



Thread Chasers OEM TOOLS

OEM TOOLS

Spark Plug Hole Thread Chaser SKU **070109**

25124

STORE STOCK • Double End for 14 mm and 18 mm

• For Use with 13/16" Deep Sockets

• Cleans Spark Plug Threads of Dirt and Carbon Build-Up

Limited Access Spark Plug Chaser

SKU **607068** 25155

Access to Spark Plug Holes in Confined

STORE STOCK • Narrow Profile and Long Length Allows

Spaces • Use with a 3/8" Ratchet or Extension

• Size: M14 x 1.25

OEM TOOLS

Oxygen Sensor Thread Chaser

SKU **607067** 25255

STORE STOCK

• Use with 3/8" Hex Socket or 3/8" Square

Size: M18 x 1.5



Multi-Purpose

Tubing Bender

SKU **390889** 25179

STORE STOCK

External Thread Repair 11/16" - 1-1/2"

SKU **343366**

10499

• Restores Inch or Metric, Right or Left Handed Fastener Threads

Internal Thread Repair 5/16" - 7/16' SKU **343367**

NES21 **1/2" - 5/8"** SKU **343369**



OEM TOOLS

999REG. \$24.99

OEM TOOLS'

Scan the QR Code for More Info on NES Thread Repair Products

Fuel

SKU **110278**

Fuel Tank

Ring Tool

SKU **751721**

Lock

24398

Fuel Pump Module

• Removes and Installs the Fuel

Offer Good Through June 30, 2017 While Supplies Last

• For 2004 - Newer Ford F150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans,

PT Cruiser. Dakota, Durango;

1/2 Ton and 3/4 Ton Trucks

2004-Newer Chevy

Spanner Wrench

Tubing

Mini Tubing Cutter

SKU **532507** 25058

STORE STOCK

- Capacity: 1/8" to 7/8"
- Cutter is Capable of Turning on a 1-7/8" Radius
- Lightweight for Easy Handling

OEM TOOLS

OEM TOOLS

OEM TOOLS

Double Flaring Tool

Ratcheting

SKU **466309**

STORE STOCK

Tubing Cutter

SKU **864647**

25358 STORE STOCK

• Includes Five Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2" (4.8 mm Through



Tubing Cutter SKU **141489**

25299

- STORE STOCK
- Cuts Tubes Capacity: 1/8" to 1-1/8"
- Alloy Steel Cutting Wheel
- Large, Easy Grip Knob with 1/8" to 1-1/8" Two Facing Flare Groove Rollers



OEM TOOLS

SKU 238197

24364

Tool Kit

- STORE STOCK • Use on Thin Walled Steel and Copper Tubing
- Low Profile Design Allows for Use On or Off the Vehicle • 3/16" and 4.75 mm Tubing
- Tubing Locked Tightly in Position



Die and Adapter (Mastercool L

Cooling Line SKU **300785** MSC71099-TC **4999**

• Die and Adapter Transmission Cooling Line

Flare for GM

Transmission



OEM TOOLS

Double OM TOOLS

• Works on 1/4", 5/16" and 3/8" (4, 6, and 8 mm) O.D.

Copper, Aluminum and Stainless Steel Tubing

Used to Make Left, Right and Offset Bends Up to 90 Degrees

Flaring Tool SKU **695622**

33627015 • Produces Single and Double Flares in Soft Steel



Universal Hydraulic

• Fabricates Push to Connect Flares:

• GM Fuel Line Flares: 5/16" and 3/8"

• Metric Bubble Flares: 4.75, 6, 8 and 10 mm

Flaring Tool Set

1/4", 5/16" and 3/8"

SKU **390927**

MSC71475

O=M TOOLS **Bubble Flaring Tool Kit**

OEM TOOLS

SKU **592261** 27214

 Designed for Metric Soft
 Steel Brake Lines Man Steel Brake Lines Where an "ISO" Or Bubble Style Flare

Needed For ISO Bubble

Flaring Includes Four Dies 4.75, 6, 8, and

• Flaring Bar and All the Adapters





🕶 Mastercool 🕻





Spark Plug

Ratcheting Action Ideal

Where Space is Limited

Cuts 1/4" to 1-1/8" Tubing

Installation **Heavy Duty Spark Plug Boot Pliers**

SKU **390900** 25542

STORE STOCK • Designed to Remove Hard-to-Reach Spark Plug Boots

• Has 45 Degree Offset

Jaws for Easy Gripping of Wires and Boots • Vinyl Coated Grips for Comfort • Do Not Use When the Engine

DID YOU

KNOW?



3/8" Drive 9/16" Spark **Plug Socket**

SKU **265110** 25259



AutoZone® has instrument clusters available.

Contact Your AutoZone Commercial Sales Manager for Details







THREAD REPAIR



Spark Plug Thread Repair

14 mm Tapered Spark **Plug Thread Repair Kit** SKU **141511** 25647



STORE STOCK

- Can Be Used to Repair Both Taper Seat and Gasket Type Spark Plug Assemblies
- Three Insert Lengths are Available to Accommodate Most Spark Plug Reaches • Positive Mechanical Locking Feature Means the Insert Will Never Come Out
- The Piloted Reamer Tap Means No Drilling is Necessary and Perfect Alignment of the Tapped Hole

14 mm Tapered Spark Plug Inserts

SKU **141512**

25648 STORE STOCK

- 6 Pieces in Three Lengths: M14 1.25
- Drill Size: 14.25 mm; 9/16"



STORE STOCK

- Replaces Threads for 14 mm
- Kit Includes: 3 Thread Inserts, Thread Installer Tool and Thread Tap
- Size: M14 1.25
- Not for Tapered Spark Plugs

14 mm Thread Inserts SKU **557140**

25644 STORE STOCK

- 10 Pieces in Sizes M14 1.25 x 3/8",1/2", 3/4"
- Drill Size: 14.25 mm; 9/16"
- Not for Tapered Spark Plugs

M12-1.25 OFM TOOLS **Spark Plug Thread Repair** Kit SKU **789141**

25640 • Kit Includes:

- 3 Thread Inserts, Thread Installer Tool and Thread Tap 6 0 Designed for
- Rethreading in All Materials Such as Alloys, Steels, Plastics, Magnesium, etc. • Specified for Military, Aviation and Other
- Inserts are Made from High Quality 18-8 Stainless Steel Wire with a Diamond Shaped Cross Section Wound to the Shape of a Spring Thread
- Not for Tapered Spark Plugs

Drain Plug Repair

Drain Plug Repair Kit (191-79) SKU **818569**

CAL38400 • Designed to Repair Aluminum Oil Pans with Damaged Drain Plug Threads, Size M12 x 1.75 Commonly Found in GM, Ford and Mazda Vehicles



Repairs Stripped Drain Plugs without Leakage and Allows Users to Use Original Plug Instead

5 Pack Drain Plug Inserts

CAL384-5

FIX-A-THRED

Thread Repair

3 Piece Internal/External **Thread Repair Set** SKU **343362**

NES1015 • Includes the NES1A, NES21 and NES22 Restores Inch or Metric, Right or Left Handed Fastener Threads



Oxygen Sensor Thread Repair Kit

SKU **010134** FIX38189-1

OEM TOOLS

- No Need to Replace Exhaust Manifold
- Pilot Nose Tap Provided

Replacement

Inserts

• Easy and Quick to Use, Repairs in Minutes

FIX-A-THRED

Critical Usage

Metric Head Bolt Thread Repair Kit SKU **010131** FIX35119S

Applications - Cadillac, Honda, Toyota

- and Other Imports
- Extended Reach for Deep Threads

*STORE STOCK

OF MITORIES

• Longer Length (33 mm) Inserts for Maximum Thread Engagement

Replacement Inserts



OEM TOOLS'

Price

6.99 7.99

7.99

9.99

DEM TOOLS

Metric **Thread Repair Kits**



*STORE S	TOCK		The second		*STORE ST	ОСК	900
SKU	Part No.	Size	Price	SKU	Part No.	Size	Price
516472*	25626	M6 - 1	29.99	516473*	25627	M6 - 1	6.99
516474*	25628	M8 - 1.25	29.99	516475*	25629	M8 - 1.25	7.99
E44 477 0	05/00	140 45	00.00	E44 470 #	05/00	140 45	

SAE Thread Repair Kits *STORE STOCK

SKU	Part No.	Size	Price	SKU	Part No.	Size
557009*	25602	UNC 1/4" - 20	22.99	557116*	25603	UNC 1/4" - 20
557017 *	25604	UNC 5/16" - 18	22.99	557124 *	25605	UNC 5/16" - 18
557090*	25606	UNC 3/8" - 18	22.99	557132*	25607	UNC 3/8" - 16
516464*	25608	UNC 7/16" - 14	29.99	516465*	25609	UNC 7/16" - 14
516467 *	25610	UNC 1/2" - 13	29.99	516468*	25611	UNC 1/2" - 13

Drill Bits and Extractor Sets

6 Piece Spiral Flute **Screw Extractor Set**

24374

SKU **099281**

24375

• Extractors: Ex-1, Ex-2,

M2 Steel

Screw Extractor Set

• Contains Sizes from 1/8" - 13/32" in 1/32" Increments

• Can Be Used with Hand

Sockets and Wrenches

• Constructed of High Carbon

Steel for Strength Under

• Aggressive Left Hand Spiral

Stressful Conditions

Design Provides Extra

Gripping Power

Ex-3, Ex-4, Ex-5 and Ex-6 • Comes in a Vinyl Pouch 10 Piece Multi-Spline

SKU **099277**

• Set Includes Extractors Size: #1, #2, #3, #4, #5 and Bits: 5/64", 7/64", 5/32", 1/4" and 19/64" **10 Piece Spiral Extractor and Drill**

10 Piece Bolt

Extractor Set

SKU **231204**

STORE STOCK

25467

Bit Combo Pack SKU **099229**



• Extractors: Ex-1, Ex-2, Ex-3, Ex-4 and Ex-5 • Left Hand 135 Degree Split Point Cobalt

• (5) Mechanic's Length R.H. Cobalt Drill Bits


- Drill Bit Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64" • Aggressive Left Hand Spiral Design for Extra Gripping Power
- Pilot Point Starts on Contact and Eliminates Bit Walking

Offer Good Through June 30, 2017 - While Supplies Last

OEM TOOLS'

Extractor/Drill and Guide Set SKU **099215** 24376

25 Piece Screw



• Turns Broken Fastener Out and Permits Highest Torque without Expansion

3 Piece Double Edge Bolt and **Screw Extractor Set**

SKU **042367**

KNP9R4719033

- Contains Sizes 1-3 in a Plastic Tube • Tip Has Built-In Center Punch
- No Additional Tool Required

5 Piece Double Edge Bolt and Screw **Extractor Set**

SKU **042353** KNP9R4719043

- Contains Sizes 1-5 in a Plastic Tube • Tip Has Built-In Center Punch
- No Additional Tool Required

35 Piece **Master Screw Extractor/Drill Bit Set**

SKU **099258** 24377

• Full Range of Spiral and Multi-Spline Extractors for Removing the Toughest Bolts and Screws from 3/32" to 15/16"

• OEM 135° Split Point Left Hand Cobalt Drill Bits, Start Easy and Drill the Toughest



Spark Plug Thread Repair for Ford Triton

Ford Spark Plug Porcelain Extractor Set SKU **104290**

2099



 In Some Cases the Porcelain Will Break Off in the Sleeve and Will Need to Be Extracted in Order for the 24201 to Function Effectively

• Unlike Other Tools That Tell You to Push the Porcelain Through the Sleeve (Ford Says Specifically Not to Do This) This Tool Adheres to the Porcelain Using a Special Adhesive and Then Allows a User to Extract the Broken Porcelain from the Sleeve


Loctite 60800 5 mL Replacement Adhesive SKU **248475** 24204

Replacement Pins SKU **248476**



Ford Spark Plug Extractor Set SKU **104286**





 Specially Machined Guide Works with Extra Long Tap and Extractor to Make Sure the Job is Done Right

Ford Triton 3 Valve SKU **489173** LIS65600 • Includes a Unique Porcelain Push

OEM TOOLS

Remover for Removing the Broken Spark Plug without Leaving the Porcelain in the Engine Cylinder

Broken Spark Plug Remover



Ford Triton Plug-Saver® Kit

SKU **094873** FIX98140T

24201

- Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines
- Repairs Worn, Damaged Threads
- Self Cutting Tap
- Includes Tap, Tool and Eight Inserts in a Sturdy Case

FIX-A-THRED

Inserts (Pack of 8) SKU **110263** FIX98149P

Ford Cylinder Head Repair Set

SKU **104283** 24200

Comes with Instructional Video

• Current Repair Takes About 10 Labor Hours, This Tool Cuts Time to 30 Minutes • Works on Ford 4.6, 5.4, 6.8 V10 Engines

• Repair Ford Triton Modular Engines (1996 – 2003) with Spark Plug Thread Erosion

• Individual Inserts Available as Part Number 24203; The Patented Replacement

- Insert is a Permanent Fix That Does Not Have to Be Replaced with Every Tune-Up • Patented Guide Makes Drilling and Tapping in a Straight Line Easy
- Set Includes: Instruction Sheet, DVD, (6) Inserts, Reamer Tap, Drill Bit, Expanding Tool and Air Blower Accessory Assembly





Ford Triton 14 mm x 1.25 Repair Insert **3/1**99 each SKU 104287

• Alloy Steel Insert - Not Aluminum • Seals Perfectly and Prevents Any Loss of Compression

24203

Taper on the Inside of the Insert That Seats the Spark Plug

Ford Triton M16 x 1.5 **3 Valve Insert** SKU **396658**

• Note: THIS IS NOT the Replacement Insert for the Triton 2 Valve Kit

Ford Triton 3 Valve Set SKU **343388** CAL39300

• Application: 2004-2008 Ford 4.6 and 5.4 3 Valve Engines That Have Spark Plugs That are M16 x 1.5

• Includes (8) Inserts



Cal-Van



SPECIALTY TOOLS

Circuit Tester Computer Safe Circuit Tester SKU **222515** LIS24550 Indicates Polarity • Draws Less Than 21 mA at 12 Volts DC

• Operating Range: 3 - 28 Volts

Digital Display

Circuit Tester

SKU **568468** 24451

- Detect Voltage, Power, Ground and Circuit Condition Display Provides
- Precise Voltage
- Voltage: 5-30V DC
- Computer Safe Do Not Use on Airbags



Voltage Display

Radio Remover

Radio Remover

SKU **222508**

LIS11770

• Disengages Radio Retaining Clips on Fords and Imports for Removal



Terminal Tools

Wire Terminal Tools SKU **191676** 25228 (Green)

SKU **255953** 25229 (Red)

- Fits Most GM and Domestic Motors, Computer Connectors and Terminals
- Designed to Remove Wires from Terminals without Damaging Either
- Prongs Depress the "Barbs" on

OEM TOOLS

Deutsch **Terminal Tool**

SKU **222527** LIS59600

 Works on OEM Electrical Connectors Used on Trucks and Equipment: Caterpillar. Kenworth, Peterbilt,



19 Piece Master **Terminal Tool Kit**

SKU **447159** 27169

· Latest Tools for Coolant Sensors, Wiring Harnesses and Terminal Blocks on Most Modern Vehicles

- Eliminates Potential Damage to Wires or Terminal Blocks
- Application Chart Included Inside Storage Case

Heavy Duty Remote



OEM TOOLS

OEM TOOLS

Relay Test Jumper Set SKU **291333** LIS56810

Relay Tools

Relay Puller Pliers

• For Removing Electrical Relays on

• Allows Relay to Pop Free from

Socket with Less Chance

of Damaging the Relay

Most Domestic and Import Vehicles

Relay Test Jumper Set II

• Set Includes Four Jumpers to Fit Many Popular Relays on Honda,

Nissan, Toyota, Newer Ford

Well as International Trucks

and GM Mini Micro Relays as

SKU **291342**

SKU **291341**

• Set Comes in

for Storage

Blow Mold Case

LIS60610

LIS46950

- Set Includes Four Jumpers to Fit the Most Popular Size Relays on Domestic and Import Vehicles
- Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On
- Set Comes in Blow Mold Case for Storage



EM TOOLS

Relay Circuit Tester SKU **383450**

27211

• Cut Relay Related Diagnosis

- Time by 75 Percent · Identify at the Push of a Button if a Wire, a Part, or a Relay is Defective
- Test an Entire Circuit from the Battery to the Component
- Bypass Relays to Do Compression Test, Fuel Pressure Test, A/C Fill, etc.
- Kit Includes: Tester, 5 Popular
- Relay Leads and 1 Universal Relay Lead • Comes in a Sturdy Blow Mold Case



Remote Starters

Remote Starter Switch

SKU **265124** 25330

- Heavy Clips with Insulated Sleeves Attach to Ground and Starter Solenoid Switch
- Thumb Activated Switch
- 6' Heavy Insulated Wire for Long Tool Life

OEM TOOLS

Starter Switch SKU **265127**

> 25331 • Heavy Duty, Push Button Remote Starter Allows Technicians to Bump or Crank Engines While

Under the Hood • 5' Heavy Insulated Wire for Long Tool Life

 Heavy Duty Insulated Alligator Clips



OEM TOOLS Wire Cutter/ **Stripper Combo** SKU **191685**

Wire Strippers

25192 (Small) Used for Soft Copper,

- Electrical Wires
- 14 AWG to 26 AWG
- in One Quick Motion



- Grab. Hold and Strip Wire
- Jaws are Made of Surgical Steel

Compact 8-14 Gauge TOOLS

Wire Stripper SKU **751657**

24452

- Strips 20-12 Gauge Insulated and Non-Insulated Wire • Length: 7"
- Use for Wire Cutting and Stripping, as Pliers for Grabbing and Twisting or for Crimping of Insulated and Non-Insulated Connectors • Industrial Finish with Red
- Textured Grips



- Crimps 8 to 14
- Gauge Terminals • Wire Gauge Key Markings



Compact 14-24 Gauge Wire Stripper

SKU **011610** LIS68250

- Cuts and Strips Insulation from 14 to 24 Gauge Wires
- Crimps 14 to 24 Gauge Terminals
 - Wire Gauge Key Markings




Ignition Tester

In-Line Ignition Spark Tester SKU **900800** 25227

STORE STOCK

- Quickly Troubleshoot Ignition System
- "Hands-Free" Device Connects In-Line Between Spark Plug and Plug Wire
- Shows a Duplicate View of the Ignition Spark
- Technician Can Visually Check Condition of Ignition System at Each Cylinder





AutoZone® has over 60,000 specific replacement part numbers for import vehicles through IMC®

Contact Your AutoZone Commercial Sales Manager for Details

Fuse Buddy™

3-in-1 Tester

Fuse Buddy™ Pro Tester Kit SKU **374602** ESI310

3 Interchangeable Test Functions:

- 1. 30 Amp MINI Circuit Amperage Testing
- 2. 30 Amp ATC Circuit Amperage Testing
- 3. 30 Amp All Purpose Amperage Testing





Fuse Buddy Current Loop Mini Fuse Buddy Tester Mini 30 Amp Fuse Buddy Tester ATC 30 Amp



SKU **374610** SKU **374613** SKU **374603**





STECK

Tool & Equipment QUARTERLY

Lockout Tools

BigEasy™ Loop

SKU **964492** STK32903

- Clips to Any BigEasy to Allow Grabbing of Door Handles and Locks, it Even Glows in the Dark
- Provide Easy Leverage to Pull Door Handles and Window Cranks During the Door Unlocking Process
- Handy Accessory Tool Easily Snaps on the End of the BigEasy Tool Avoiding Need to Purchase Additional, More Costly Specialty Tools



BigEasy™ Carrying Case

SKU **227873** STK32935

7999

- Made of Soft, Yet Firm Material to Protect Your BigEasy Kit
- Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck





Snap Ring Pliers

Shop Tools

Angle Tip Lock

• Spring Loaded Jaws

Ring Pliers

SKU **191055**

• Spread: 3/4"

• Length: 8-1/4"

25354

SKU **011600**

Pick Set

SKU **094658**

and Hook Pick

25940

LIS46200 • Reversible Action for Both Internal

• Jaws are Scored on the Outside for Secure Gripping

24 Reg. \$29.99

- and External Snap Rings
- Includes 4 Pairs of Tips • 45 and 90 Degree Conical Tips

4 Piece 15" Jumbo

• Includes: Straight, 90°, Offset

• Chrome Vanadium Steel for Strength



OEM TOOLS

M TOOLS

BigEasy™ Easy Wedge (Inflatable)

SKU **964493** STK32922

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy





STECK

BigEasy™ Lockout Tools Kit

SKU **964491** STK32900

• High Visibility Pink Powder Coating and Improved Non-Marring Wedge

- Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door
- Paint Protector Reduces Friction Between the Car Door and the BigEasy





STECK

BigEasy™ Glo with Easy Wedge Lockout Kit

SKU **964494** STK32955

• Glow-in-the-Dark Yellow Allows You to See the Tool at Night or Through Tinted Windows

• Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo







27180

- For Both Internal and External Rings
- Set Includes: 5-1/2" Bent Pliers with .038" Tip; 6" Straight Pliers with .038" Tip, 5-1/2" Bent Pliers with .047" Tip; 6" Straight Pliers with .047" Tip; 7-1/2" Bent Pliers with .070" Tip; 8" Straight Pliers with .070" Tip, 8-1/2" Bent Pliers with .090" Tip; 9" Straight Pliers with .090" Tip
- Also Includes Two Stainless Steel Handle Picks





Rivet Tools

Industrial Riveter

SKU **291353** 25921 REG. \$49.99

- For Use with Steel and Aluminum Rivets Noses: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)
- 18" Overall Size with Long Handle Provides

Offer Good Through June 30, 2017 - While Supplies Last

Deluxe Riveter Kit

marson

SKU **094877** MAR39001KIT



- Kit Includes: HP-2 Riveter. Sets Up to 3/16" Diameter Rivets, (200) Rivets and Molded Case
- 39003 Same as 39001 But Contains (200) Assorted Klik-Fast Stainless Steel Rivets



SKU **094879** MAR39003KIT Stainless Steel

KLIK-LOK Plastic Rivet Setter SKU **222531**

MAR48005

• Includes a Universal Nose Piece That Sets All Plastic Rivets




Big Daddy® Hand Riveter

MAR39031

The Big Daddy is the Most Versatile and Powerful Hand

- Comes with 5/32", 3/16" and 1/4" Nose Pieces Stored in the Body



Air Over Hydraulic Powered Rivet Tool SKU **222750**

MARAK-175

- Sets 1/8" 1/4" Steel Rivets with Up to 3,500 Lbs. of Pull Capacity • Unique Jaw System Accommodates 1/8" - 1/4" Rivet Sizes by Simply
- Changing the Nose Assembly (No Tools Required)



marson

SPECIALTY TOOLS

Windshield Tools

Window Molding Clip Remover

SKU **265130** 25338

- Use to Release Body Molding Clips
- The Double-Sided Design Works on a Variety of Clip Configurations
- Made with Heat-Treated Carbon Steel for Strength



OEM TOOLS

Windshield Wiper **Arm Puller**

SKU **191681** 25319

• Easily Removes Wiper Arms on Most Domestic and Foreign Vehicles



OEM TOOLS

Double Head Suction Cups

SKU **291351** 24246

- Twin Head Suction Cups Help Remove
- Windshields • ABS Rubber Cups Grab Hold to Glass
- Flexible Handle Bends to Windshield



OEM TOOLS

Universal Wiper **Arm Puller**

SKU **265136**

25339

- Prevents Damage to Wiper Arm
- Cross-Piece Special for Wiper Featuring a Nozzle



OEM TOOLS

18" Professional **Windshield Knife**

SKU **480782**

- CAL53100
- · Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle



Disconnect Tools

Fuel Line Disconnect Tool

SKU **246367**

25043 STORE STOCK

• Fits Any 5/16" or 3/8" Fuel Line Found on GM, Ford and Chrysler Vehicles



A/C and Fuel **Line Disconnect Tool Set**

SKU **246366** 25042

STORE STOCK • Range: A (3/4") B (5/8"), C (1/2") and D (3/8")



A/C and Fuel Line **Quick Connect Tools**

SKU **002356** 25052

STORE STOCK

 Easily Disconnects Air Conditioning Lines and Quick Connect Fuel Lines

4 Piece OMMTOOLS

Disconnect Set

SKU **695116** 33627130

 Works on 1988 to Present Ford Vehicles and Light-Trucks with Hydraulic Clutches

Ford Clutch

Disconnect Tool



Ouick Connect Tools

SKU **363869**

25184

STORE STOCK • Sizes: 3/8", 1/2", 5/8" and 3/4"

 Enables Quick and Easy Disconnect of Air Conditioning Couplings



OFM TOOLS

Over-Tank Fuel Pump Disconnect Set

SKU **695115** 33627131

- Provides Easy Access to Hard to Reach Fuel Line Quick Connectors Found Under the ABS Unit on '92 and Newer GM "W"
- Red Tool Fits 5/16" Return Lines; Blue Tool Fits 3/8" Fuel Inlet Lines
- Also Works on 1988 and Newer Ford F-Series Pickups to Disconnect the Fuel Lines from the Fuel Sending Unit

OEM TOOLS

SKU **864648** 25150

STORE STOCK

• Sizes: 1/4", 5/16", 3/8"



6 Piece OEM TOOLS

Disconnect Set

SKU **013603** 24681

STORE STOCK

- Separates Fittings on Fuel Lines, Fuel Filters, and Fuel Tank Return Lines
- Oil Cooler Line Disconnect Tool Separates Automatic Transmission Oil Cooler Lines on Ford Taurus and Escort with AXPD and ATX Transmissions
- Unique Offset Design Allows for Access in Confined or Obstructed Areas
- Sizes: 5/16", 3/8", 1/2", 5/8", 3/4", and 7/8"

Heater Hose **Disconnect Tool**

SKU **695607** 33627106

- Removes Heater Hoses with 1/4" or 5/8" Quick Disconnect Couplings on '86 to Current Ford Aerostar Vans and '01s to
- Current Full Size Ford Vans · Works on Rear Heater Hose Couplings on '87 to Current Chrysler and Plymouth

3 Piece 1/2" Oil Line **Disconnect Set**

SKU**094653** 25187

• Used to Remove and Replace Oil and Transmission Cooler Lines on GM, Ford, Nissan and Toyota



OHM TOOLS 15 Piece Master

Disconnect Set SKU **900807**

3499 REG. \$39.99 • Includes Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel



Offer Good Through June 30, 2017 **While Supplies Last**



OEM TOOLS

22 Piece Disconnect **Master Set**

SKU **900817** 27177

 Includes Quick Connects Set, Air Conditioning and Fuel Line Disconnect Tools



OEM TOOLS **Master Disconnect Set**

SKU **821445** 33627318

• Easily Disconnects A/C Lines, Fuel

Lines and Transmission Cooler Lines • Includes: Hydraulic Clutch Line Disconnect for GM, 5/16" and 3/8" Fuel Line Retaining Clips

for GM, Air Conditioning/Fuel Line Disconnects: 5/16", 3/8", 1/2", 5/8", 3/4", and 7/8

- Scissor Disconnects: 5/16", 3/8" and 1/2", 3/8"
- Ford: Fuel Line, Oil Cooler Line and Clutch Coupling Remover
- Coupler Disconnects



OEM TOOLS

4 Piece **Disconnect Set**

25183

STORE STOCK Includes: 1/2" 5/8", 3/4

OEM TOOLS

SKU **948999**



Fuel Module Disconnect

SKU **291418** LIS37500

• Fits Both 3/8" and 5/16"

Connectors and Applications Tool Can Be Clipped Together for



AC/Fuel Line Tool Set

SKU **222520** LIS37000

 Set Includes (6) Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Angled **Disconnect Set**

SKU **291416**

LIS39400 • Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines

- Works on Fuel Lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
- (6) Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8

• Contains (8) Tools for A/C and Fuel Lines



Fuel and AC Disconnect **Pliers**

Fuel Lines

SKU **343391** LIS37300

• Unique Design Provides Extra Leverage When Disconnecting Quick Connect Coupling Air Conditioning and



Fuel/Transmission Line Disconnect Tool Set

SKU**526503**

WLMW89330

Sizes: 1/4", 5/16", and 3/8" Inches • Oil Cooler Line Disconnect Tool • Fuel Line Coupling Tool

While Supplies Last

Line Disconnect Tool

• Ford and GM Quick

Disconnect Tool



Master Disconnect Set SKU **452636**

WLMW89331 Performance Master Disconnect Set Includes Disconnect Tools for Air Conditioning, Fuel, Heater, Transmission and Power Steering Lines

• O.E. Tool Identification Number Included Tools Color Coded for Easy Identification

Offer Good Through June 30, 2017 - While Supplies Last

Tool Set SKU **291413** LIS39900

Master Disconnect



Low Profile Jiffy-Tite®

Disconnect SKU **011609**



· No Need to Remove Retaining Clips Includes Four Sizes: 3/8 1/2", 5/8"-30% and 5/8"-39%

All-In-One



AIRSEPT.

Coolant Hose

SKU 383214 CAL244TNZ

Void in the Connector to Release the Fastener 40° Offset Designed

for Jobs Up Against

the Firewall or in

Tight Spaces



Airsept Smart Splice Multi System Line Repair Tray

SKU **687973** AIR76076

3/4" Line Splice Straight SAE Repair Kits; 1 each 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits; 1 each 5/16", 3/8", 1/2", 5/8" Line Splice 45° SAE Repair Kits; 1 each 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE Repair Kits



Airsept Smart Splice Ultimate Line Repair Kit SKU **687976**

AIR76057 • Everything Needed to Repair A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil,

Engine Oil Cooler, Coolant and Heater Lines • OEM Approved Line Repair Solution Installs in Five Minutes, on the Vehicle,

Leak Free Up to 2,600 PSI

without Special

Tools or Adhesives



Callan **Removal Tool Set**

• Used to Completely Fill the





• Includes: 1 Each 5/16", 3/8", 1/2", 5/8",

Covers All Standard Automotive Line **OD Sizes**





Avoid the traditional hassles of Power Sports battery handling, preparation, and installation.

EASYFactory Charged

SAFEWon't spill,
no adding acid

FUN Enjoy maximum power

Patented heavy-duty top and side connection terminals



POPULAR FITMENT GUIDE:

SKU #	Stock Number	Motorcycle	PWC	ATV	Snowmobile	Utility Vehicle
<i>350076</i>	ETX9	X		X		
<i>350077</i>	ETX12	X		X		X
<i>350083</i>	ETX14	X		X	X	X
<i>350066</i>	ETX14L	X				
<i>350078</i>	ETX15	X		X	X	X
<i>350079</i>	ETX15L	X	X	X	X	
<i>350080</i>	ETX16	X	X	X	X	
350081	ETX16L	X	X	X	X	X
<i>350084</i>	ETX18L	X		X	X	X
178908	ETX20L	X	X	X	Х	X
273069	ETX30LA	X	X	X	X	X

A full coverage line, in stock and ready to go!



Professional Grade Tools GUARANTEED FOR LIFE

Socket Sets

5 Piece Mortorg® Super Socket Set

SKU **750019** 78-140

• Sizes: M0, M1, M2, M3, M4, Services New Fasteners Found on GM, Chrysler, BMW, Nissan, etc.



Ratchets Round Head Ratchets

• CR-V Steel 3/4" Drive Round **Head Ratchet**

SKU **914050** 72-130 STORE STOCK

STORE 3/8" STOCK Drive Stubby

Ratchet SKU 482540 73-872

3/8" Drive Comfort

Handle Ratchet

Knurled Grip

SKU 482541 🦪 73-873

While Supplies Last

1/2" Drive Super 72 Ratchet

1/4" Ouick Release Ratchet

SKU **557430**

1/2" Drive Comfort

Handle Ratchet

Duralast

STORE STOCK

3/8" Drive Super 72 Ratchet SKU **454285**

73-879

- Sealed Head Keeps Dust and Dirt Out
- 72 Teeth, Fine-Tooth Design Offers 5° Backlash
- Quick Release for Secure Holding of Sockets One Finger Reverse Switch

1/2" Drive Breaker Bar 24" SKU 560039

72-124

SKU **454286**

SKU **013649**

72-131

71-420

Socket Retainer



3/8" Ratchet with 1/4" Body SKU **013644**

73-868 STORE STOCK

• 72 Tooth Ratchet with 5 Degree Arc Lets You Work in Tight Spaces

• One Handed Forward and Reverse Action

Screwdriver Set

28 Piece Speed Driver Screwdriver Set

SKU **013649**

70-000

Ratcheting

Precision

Wrenches are

Action to Get

Tightest Spots.

STORE STOCK Screwdrivers • The Double Drive Gear Mechanism_Allows

• 6 Times Faster Than Standard Hand

Continuous Rotation in Forward or Reverse without Ever Lifting Your Hand

Comes with 28 Piece Bit Set with Multiple Sizes for Most Applications

Bit Sets

9 Piece XZN Triple Square Bit Set

SKU **013563** 70-070

STORE STOCK

• These Hard to Find Bits are for Tightening and Loosening Head Bolts, Brake Caliper Bolts, Door Handles, Screws, Axle Bolts, and Other Applications Found on Many European Vehicles

• Includes 1/4", 3/8" and 1/2" Drives

 1/2" Drives are Tamper Proof



70-071

Loosening Electrical Sensors, Interior, Dash, Body and Trim Pieces Along with Other Applications Found on Many European Vehicles

Ratcheting Wrench Sets

7 Piece Slip Resistant Ratcheting Wrench Set

SKU **607062 (Metric)** 70-023

STORE STOCK

• Metric: 8, 10, 12, 13, 14, 15 and 18 mm

SKU **607063 (SAE)** 70-024

STORE STOCK • SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4"

4 Piece Double Offset Ratcheting

Wrench Set SKU **561039 SAE**

70-015 • SAE: 5/16" x 3/8", 7/16" x 1/2", 9/16" x 5/8" and 11/16" x 3/4" *While Supplies Last



SKU **951643 (SAE)**

STORE STOCK

70-009

2 Piece Double Duty Wrench Set 8 Wrenches for the Price of 2

SKU **951644 (Metric)** 70-008

STORE STOCK

• Metric: 8, 10, 12, 13, 14, 17, 18 and 19 mm

• SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4

11 Piece 5-Lobe Tamper-Proof

STORE STOCK

• These Hard to Find Bits are for Tightening and

• Includes 1/4", 3/8" and 1/2" Drives

Engineered with

20 Piece Screwdriver Set SKU **363800**

Screwdriver Set

70-204

Set Includes:

• Slotted: 3/32" x 2", 1/8" x 2-1/2", 3/16" x 4", 1/4" x 4", 1/4" x 6", 1/4" x 1-1/2", Offset Screwdriver • Phillips: #00 x 1-1/2", #0 x 2-1/2", #1 x 3", #2 x 4", #2 x 6",

#2 x 1-1/2"; Star: #15, #20, #2 Square Plus 4 Piece Hook and Pick Set

Acetate Handles

Adapters

All Open Stock Items Available in Store

1/4" M x 3/8" F Adapter SKU **482536** 73-814 499 3/8" M x 1/4" F Adapter SKU 557436 73-816 SKU **482534** 73-812 3/8" M x 1/2" F Adapter...... 499 1/2" M x 3/8" F Adapter..... SKU 482535 73-813. **3/4" M x 1/2" F Adapter**......SKU **560449** 73-413.

Spark Plug Sockets

5/8" x 6" Magnetic Spark Plug Extension SKU **454330**

75-499 • Chrome Vanadium for Strength

 Fully Polished to Resist Rust • 3/8" Drive

Color Coded Blue – SAE

STORE STOCK

9/16" x 6" Magnetic **Spark Plug Extension** SKU **454328**

75-498

• Chrome Vanadium for Strength

• Fully Polished to Resist Rust • 3/8" Drive

 Color Coded Blue - SAE STORE STOCK

Flare Nut Wrenches

Flare Nut Wrench Set (SAE) SKU **914117**

70-026 STORE STOCK

• SAE: 3/8" x 7/16", 1/2" x 9/16" and 5/8" x 11/16'



Flare Nut **Wrench Set (Metric)** SKU **914115**

MAGNETIC

Duralast

70-025 STORE STOCK

• Metric: 10 x 12 mm 13 x 14 mm and 15 x 17 mm

Slip Joint Pliers

6" Slip Joint..... SKU 482480 77-016.... 699 8" Slip Joint..... SKU 482481 77-018..... 699

6.5" Diagonal.... SKU **482485** 77-206 ... **799 7.5" Diagonal** SKU **482486** 77-207.... **999**

8" Linesman SKU **482487** 77-308.... **1799 6.5" Long Nose** ..SKU **482483** 77-106 . **799** 8" Long Nose ... SKU 482484 77-108 899

All Open Stock Items Available in Store

Sawtooth Jaw Parrot Nose Locking Pliers

8.5" Parrot . SKU 013647 77-513.....

Groove Joint Pliers SKU **482488** 77-406 **899** 6" Groove Joint

SKU **482490** 77-408 **1199** 8" Groove Joint SKU **482491** 77-410 **1399** 10" Groove Joint

SKU **482492** 77-412 **1499** 12" Groove Joint 16" Groove Joint SKU 914072 77-416 **27**99

Long Nose and Curve Jaw Locking


Pliers STORE STOCK **4" Curve Jaw** SKU **600989** 77-504 ... **999 5" Curve Jaw** SKU **482494** 77-505.... **999** 6.5" Long Nose SKU 482495 77-506.... 1 199 **7" Curve Jaw** SKU **482496** 77-507 **1 299 9" Long Nose**SKU **600990** 77-509... **1 499 10" Curve Jaw** SKU **482498** 77-510..... **1 499**

19" Chain Locking .. SKU 600991 77-519 2 1 99

Wrenches

Wrenches are Forged with Longer Shanks for Extra Leverage.









5/8" Combo Wrench...... 11/16" Combo Wrench SKU 482633 ... 79-107 3/4" Combo Wrench......SKU 482634 ...79-108. 13/16" Combo Wrench SKU 482635 ... 79-109. 7/8" Combo Wrench......SKU 482636 ...79-110 .. 15/16" Combo Wrench SKU 482637 ... 79-111 1" Combo Wrench......SKU 482639 ...79-112 13*9 1-1/16" Combo Wrench SKU 482640 ...79-113 1 499

1-1/8" Combo Wrench SKU 482641 79-114 1599

1-1/4" Combo Wrench.......SKU 482642 ...79-115 1699

All Open Stock Items Available in Store

24 mm Combo Wrench......SKU 482625....79-024.... 1 249 **Wide Mouth Adjustable Wrenches**

21 mm Combo Wrench.......SKU 48262279-021..... 1 099

22 mm Combo Wrench......SKU 482623....79-022.... 1 099

23 mm Combo Wrench...... SKU 482624 79-023 1 299

Store Stock

- · Chrome-Plated Finish Resists Rust
- for Added Versatility Ruler for Quick,

Adjustment



6" Adjustable...... SKU 482601 78-006 8" Adjustable SKU 482602 78-008 999

10" Adjustable...... SKU 482603 78-010 1199 12" Adjustable...... SKU 482605 78-012....... 1599

Jaws Open Extra Wide

CONTOUR TOOL BOX



41" 10 Drawer Contour Chest and Cabinet Combo

0 0 0 0 0 P P REG. \$999.99

FFATURES

- 10 Drawers With Full Extension 100 Lbs. Capacity Slides for Easy Access
- Patented Raise and Release Drawer Latches to Secure Drawers
- EVA Drawer Liners Included
- 4 Sturdy 5" x 1.5" Tire Style Casters With Wheel Locks
- · Gas Struts on Lids for Easy Opening
- One Stainless Steel Handle on Cabinet
- Double Drawer Slides on Larger Drawers
- Dimensions: 41" x 18" x 60.4" (W x D x H)

Race Blue With White Stripes
SKU OUTSIDE BUY/EPO | 24590

Orange With White Stripes
SKU OUTSIDE BUY/EPO | 24620

Green and Matte Black
SKU OUTSIDE BUY/EPO | 24623

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering instructions.

Lift Gate Service SKU 295540 OEMLIFTGATE 8000

Offers Good Thru June 30, 2017 - While Supplies Last

HAND TOOLS



JUMBO WRENCHES ARE MADE OF HIGH QUALITY DROP FORGED STEEL AND ARE PRECISION MACHINED TO PREVENT FASTENER DAMAGE.



Continuous Curve Design Reduces Spreading, Slippage, and Fastener

Sets Include Heavy Duty Vinyl Roll-Up Storage Bag



Box End Offset

Wrench Set (Metric) SKU **338852**

8 Piece Jumbo

22120 8499

REG. \$99.99

Includes Sizes: 21 mm, 22 mm, 24 mm, 25 mm, 27 mm, 29 mm, 30 mm, 32 mm



8 Piece Jumbo XL Wrench Set (Metric)

SKU **338858** 10999

REG. \$119.99 Includes Sizes: 33 mm, 34 mm, 40 mm, 42 mm

46 mm, 50 mm



6 Piece Jumbo Wrench Set (SAE)

SKU **338830** 22100 6999

REG. \$79.99 Includes Sizes: 1-1/16", 1-1/8", 1-1/4"

1-5/16",1-3/8", 1-7/16"



OEM TOOKS

OEM TOOLS

5 Piece Jumbo XL Wrench Set (SAE) SKU **338833** 22101

REG. \$89.99 Includes Sizes: 1-1/2"

1-5/8",1-3/4",1-7/8", 2 Individual Sizes

Offers Good Through June 30, 2017 While Supplies Last

Combination Wrenches

Combination Wrench Set

- Off Corner Loading for Greater Torque with More Socket-to-Fastener Contact • Marked on All Four Sides with Standard and Metric Sizes for Easy Identification
- Longer Shaft for Extra Leverage
- The Beam Isn't Too Skinny But Isn't Awkwardly Thick, It's Just About Perfect
- The Flat Profile is Comfortable in Hands
- Exceed ANSI Standards

9 Piece (SAE)

SKU **127906** 22996

• Set Includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",

Hard Chrome™ Finish is Satiny, Sexy, and Won't Show Prints

10 Piece (Metric) SKU **127920** 22995

• Set Includes: 10, 11, 12, 13, 14, 15, 16. 17. 18 .19 mm

Combo Wrenches Grab

OEM TOOLS Combo Wrench Set in EVA Foam Tray

- EVA Trays are Designed to Fit Securely in a Cabinet or Tool Box
- Custom Cut of the Tool is a Hi-Vis Green, Making it Visible if a Tool is Missing
- Made with Unique Alloy Steel That is Heat-Treated for Extra Strength and Longevit Features a Hard Chrome™ Finish Which Has a Smooth, Satin Finish

That Won't Show Prints and Protects Against Rust

Posi-Grip No-Slip® Design

14 Piece (SAE)

SKU **802222** 23993

14999 REG. \$179.99

• SAE Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1", 1-1/16" and 1-1/8"

16 Piece (Metric)

SKU **802224**

• Metric Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 and 22 mm



Offers Good Through June 30, 2017 While Supplies Last

Combination Wrench Set

- Posi-Grip No-Slip® Configuration to Achieve Maximum Torque without Damaging Fasteners
- · Chrome Over Nickel Plating
- Full Polish Finish

9 Piece (SAE)

SKU **391168** 25235

• Set Includes: 3/8", 7/16", 1/2" 9/16", 5/8", 11/16", 3/4", 13/16 and 7/8'



• 12 Point End Design Which Allows

Fasteners or Make Sounds When

15° Backward Movement to

• Smooth Open End Won't Mark

Re-Engage Fastener

Applying to the Fastener

10 Piece(Metric)

SKU **391169** 25236

• Set Includes: 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19 mm



OEM TOOLS

OEM TOOLS

Features Posi-Grip No-Slip® Configuration to Achieve Maximum Torque Without maging Fasteners

Ratcheting Wrenches

RingStop® Reversible Ratcheting **Wrench Set in EVA Foam Tray**

- Patented RingStop Design Makes One-Hand Use Easy
- Posi-Grip No-Slip® Design • Jaw is 15° Offset
- Made with Chrome Vanadium Steel

RingStop

Has a Patented Ring on the Box End to Stop the Spanner from Slipping (

Offers Good Through June 30, 2017 **While Supplies Last**



8 Piece Set (SAE)

SKU **803139** 23989



12 Piece Set (Metric)

SKU **803140** 23988

• Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,



12 Piece Go Thru Socket Set (Metric) EVA Trays Feature a Custom Cut Contrast Soft Foam to Keep Your Tools Organized

8 Piece Go-Thru Socket Set (SAE)

SKU **807946**

22979 • SAE Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"



12 Piece Go Thru Socket Set (Metric)

SKU **807945**

22978 • Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16,

17, 18 and 19 mm

OEM TOOLS

Specialty Ratcheting Wrenches **OEM** TOOLS

8 Piece Go Thru Socket Set (SAE)

8" Ratcheting Adjustable Wrench

SKU **255655** 22658

• Patented 8" Self-Ratcheting Function Allows for Fast Reversing • Spring-Loaded Ratcheting Mechanism

3/8"x 7/16", 1/2"x 9/16", 5/8"x 11/16"

• 10 x 12 mm, 13 x 14 mm, 15 x 17 mm

- Releases Tension on One of the Jaws • High Torque Exceeds ASME Breaking Test Standards • Easy On/Off Switch Allows Wrench to Be Used with Self-Ratcheting Function or as
- Standard Wrench
- Ideal for Limited Space and Hard to Reach Areas • Matte Chrome Finish Resists Rust

Flare Nut Ratcheting Wrench Sets

9999

2 x 8 Ratcheting Wrench Set SKU **802209**

• 72+ Teeth Patented Design

22062

 SAE & Metric Sizes • 16 Sizes in 2 Tools Small: 8 mm x 5/16"

10 mm x 3/8", 12 mm x 7/16" and 13 mm x 1/2" • Large: 14 mm x 9/16", 16 mm x 5/8" 17 mm x 11/16" and 19 mm x 3/4"

Hard Chrome™ Finish Has Satin Sh

Won't Show Prints, and is Easy to Clear



Fits 16 Sizes


in 2 Tools

Offer Good Through June 30, 2017 - While Supplies Last

0

OEM TOOLS

Ratcheting System and Flexhead



Specialty Wrenches

15" Chain OFM TOOLS Wrench

SKU **452624**

- 22659 • Excellent for Objects of Various Sizes • Designed for Tight
- Ordinary Wrenches Can't Fit • Double-Action Allows Use in
- Either Direction • Chrome Plated to Resist Rust

Spaces When

• Strong I-Beam Handle Construction

12 Piece Flexible Crowfoot Wrench Set

- Made with Chrome Vanadium Steel for Strength and Durability • Flexible Head Folds Up to 200 Degrees
- Traditional Flare Nut Wrench and Crowfoot Function
- Ideal for All Hydraulic Fuel, Oil Brake and More

SKU 900810

25519

[SAE]

• 6 Point Set Includes SAE Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8"

11/16", 13/16", 7/8" and 15/16"

SKU 900809 25518

• 6 Point Set Includes Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 19 mm





90° Swedish Pipe Wrench SKU **297681**

KNP8310015 • Set Includes: 5-1/2" and 7-1/4"

- Jaws with Offset, Induction-Hardened Teeth Bite in Opposite Directions for a Tight Grip
- Ideal Tool for Tie Rods and Alignments
- I-Beam Handle Design for Strength



106

SAE

22060

22061

Metric

SKU **432076**

SKU **432074**





26 Piece 1/2" Drive Ratchet and Socket Set

SKU **591154** 23995

- 26 Pc 1/2" Drive Ratchet and Socket Set
- The Most Popular Tools Used by Mechanics
- Includes: (21) 6 Pt. Metric and SAE Sockets;
- (1) 1/2" Drive Extension Bar 3'
- (1) 1/2" Drive Extension Bar L6;
- (1) 1/2" Swivel U-Joint;
- (1)1/2" Drive Regular Ratchet



OEM TOOLS

80 Piece 1/4" Ratchet and Socket Set in EVA Foam Tray

SKU **087605** 23982

- Features a 90 Tooth Ratchet with 4 Degree Arc to Get Into Tight Spaces
- (10) 1/4" Drive 6-Point SAE Sockets, Sizes 3/16"- 9/16"
- (12) 1/4" Drive 6-Point Metric Sockets, Sizes 5 mm-15 mm
- (10) 1/4" Deep Drive 6-Point SAE Sockets, Sizes 3/16"- 9/16"
- (12) 1/4" Deep Drive 6-Point Metric Sockets, Sizes 5 mm-15 mm
- Drive Extension Bar
- Drive Universal Joint
- 32 Piece Bit Set with 72-Tooth 1/4" Mini Ratchet
- Comes in Sturdy Blow Molded Case and Tools are Set in a Removable EVA Tray for Easy Identification and Organization



64 Piece 1/4" Drive Mechanic's Set in EVA Foam Tray SKU **020788**

23997 REG. \$199.99

- Shallow Sockets, 6 Pt: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 and 15 mm
- 1/4" Drive Deep Sockets, 6 Pt: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 and 15 mm
- 1/4" Drive Wobble Straight Extension
- 1/4" x 1/4" Extension
- Bit Extension Bars: 6" and 10"
- Ratchet Screwdriver
- 28 Bits: Square: 1, 2, 3; Slotted: 6-8, 8-10, 10-12, 1/4; Phillips: #1, #1, #2, #2, #2, #3; Torx: T8, T10, T15, T20, T25, T27, T30; Torx Tamper: TT8, TT10, TT15, TT20, TT25, TT27, TT30
- 1/4" Drive Universal Joint
- 1/4" Drive Ratchet

Offer Good Through June 30, 2017 While Supplies Last

EVA Trays Feature a Hard Top Carbon Fiber Style Finish That Makes for a Lifelong Lasting Tray



Each Tool Size is Marked

for Fast Identification



OEM TOOLS

21 Piece 3/4" Drive Ratchet and Socket Set SKU **237647**

SSH21

- Set Includes: 3/4" Drive Ratchet, Breaker Bar, 4" and 8" Extensions
- Standard SAE Sockets: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-13/16", 1-7/8" and 2"







Ratchets

360° Swivel Ratchets

- 72 Teeth Driving System

• Flexible Rotating Ratchet Head · Quick Release Button

3/8" Drive SKU **095065** 28098 (While Supplies Last)

1/2" Drive SKU **095066**

38098





121 Piece Mechanic's Tool Set SKU **850892 999**99 23984

Multi-Drive Set 1/4" and 3/8"

• Includes: Combo Wrenches; 1/4" and 3/8" Drive Sockets; Extension Bars and Ratchets; Long Nose, Diagonal, and Groove Joint Pliers, Reducing Adapters; Ratcheting Screwdriver with 6" Bit Driver Blade; 33 Piece Chrome Plated Bit Set; SAE and Metric Hex Key Sets and More.

Set Comes in a Heavy Duty Blow Mold Case to Keep Tools Organized

Features: POSI-GRIP NO-SLIP® Socket Off Corner Loading for Greater Torque with More Socket-to-Fastener Conta

Screwdriver with 45 Tooth Ratcheti Mechanism and 3 **Locking Positions for**



SEALED RATCHETS to Keep Out Dirt and Debris HARD CHROME"FINISH and Keeps Rust Away



Extensions

10" Quick Extension

1/4" Drive SKU **965842** 18096

28096

GreatNeck

3/8" Drive SKU **965843**

Great Neck

Duralast

OEM TOOLS

Extra Long 3 Piece 3/8" Drive Extension Set

SKU **094813** 68034

• Includes: 18", 24" and 30" Extensions

1/4" Drive 11" Extension BBar SKU **013586**

STORE STOCK

• High Quality, Heat-Treated Alloy Steel for Strength and Durability

• Full Polished Chrome Plating for Easy Clean Up and Corrosion Resistance

Knurled for Finger Tip Control

Socket Adapters

3 Piece Low Profile Adapter Set

SKU **818570**

22535

• CR-V Steel for Strength

· Chrome Finish to Resist Rust

• Get into Tighter Spaces

• Includes Sizes: 1/4" F x 3/8" M, 3/8" F x 1/2" M and 1/2" F x 3/4" M

4 Piece Swivel Adapter Set SKU **191043**

24270 • Includes Sizes: 1/4" M x 3/8" F, 3/8" M x 1/4" F, 1/2" M x 3/8" F, 3/8" M x 1/2" F

• Pinless Design Enhances Strength and Life



10 Piece 1/4" Deep Socket **Set in EVA Tray (SAE)** SKU **850056**

• Includes Sizes: 3/16", 7/32", 1/4",

9/32", 5/16", 11/32", 3/8", 7/16" 1/2" and 9/16"

23985

Chamfered Ends Chamfered ends on bits and sockets make

Reg. \$44.99

12 Piece 1/4" Deep Socket Set in EVA Tray (Metric) SKU **850510**

3999 Reg. \$44.99 23986 • Includes Sizes: 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 and

Offers Good Through June 30, 2017 While Supplies Last



20 Piece

Screwdriver Set SKU **363800** 70-204

Acetate Handle

• Set Includes: Slotted: 3/32" x 2" 1/8" x 2-1/2", 3/16" x 4", 1/4" x 4" 1/4" x 6", 1/4" x 1-1/2" and Offset Screwdriver; Phillips: #00 x 1-1/2", #0 x 2-1/2", #1 x 3", #2 x 4", #2 x 6", #2 x 1-1/2"; Star: #15 and #20; Square: #2; and 4 Piece Hook and Pick Set

37 Piece Ratcheting **Screwdriver Set** SKU **094661**

25943 • Comes in a Sturdy Blow Mold Case

• Includes: Ratcheting Screwdriver Handle

 17 S2 Steel Bits: Phillips #1 #2, #3; Hex: 5/32", 3/16", 7/32", 5/16"; Slotted: 5/32", 3/16", 7/32", 1/4"; Star: T10, T20, T25, T27, T30, T40 • 1/4" Socket Adapter

• 15 1/4" Sockets: SAE 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32"; Metric 5, 6, 7, 8, 10, 12, 14 mm

• 6" Magnetic Bit Shaft

Duralast

OEM TOOLS

22 Piece Stubby Ratcheting **Screwdriver Set** SKU **094659**

25942 • 45 Tooth Ratcheting Mechanism for Smooth Ratcheting Stroke

• 3 Locking Positions • Includes: Slotted: 4", 5", 5-1/2", 6-1/2" Phillips:#1, #2, #3; Star: T10, T15, T20,



23999 • Slotted:

1/4" x 1-1/2", 3/16" x 3", 1/4" x 4", 5/16" x 6" and 3/8" x 8' Phillips:

#2 x 1.5", #1 x 3" and #2 x 4



OEM TOOLS

Magnetic Tip

Black -

Hex Bolster **Hex shaped bolster** for when you need more turning power

Unique Ergonomic Handle 3 sided handle feels good in your hands

HAND TOOLS

Dead Blow Hammers

Professional Grade Quality

- One Piece, Hot Cast Polyurethane Construction
- Safety Red
- Maximum Dead Blow Non-Bounce Action
- Textured, Non-Slip, Comfort Contoured Handle



Dead Blow Sledge Hammers







3 Piece **Dead Blow Hammer Set** SKU **900804**

1999Reg. \$26.99

OEM TOOLS

- 1/2 Lb., 1 Lb. and 2 Lbs.
- Soft Rubber Handles for Non-Slip Grip
- Steel Shot Filled for More Force



Offer Good Through June 30, 2017 - While Supplies Last

Breaker Bars

1/2" Drive 18" Breaker Bar

SKU **914045**

72-123

Ball Retainer

Flex Drive

Duralast

SKU **914046**

Stubby Star

Drive Sets

1/2" Drive 24" Breaker Bar

STORE STOCK • 24" for Maximum Torque



3/4" Drive 39" Breaker Bar

SKU **989265** BB40

• 39" for

Maximum Torque



M TOOLS

Drive Bits

Compact Bit Driver Set

SKU **447158** 25945

• Includes: Phillips, 1, 2, 3; Slotted 3/16", 1/4", 5/16"; T15, T20, T25 and T30 wth Magnetic

• Ergonomic Case Converts to Driver and Stores All Components

• 3/4" Overall Length Designed for Limited Access Applications • S2 Steel for Strength and

STORE STOCK

13 Piece 1/4" Drive

SKU **447157** Sizes: T7-T50

Reg. \$29.99

Duralast

Tamper-Proof

13 Piece 1/4" Drive SKU **447156 2999** Reg. \$34.99

• Sizes: T7-T50

Offers Good Through June 30, 2017 - While Supplies Last

9 Piece Triple **Square Bit Set**

SKU **191052** 25953

Set Includes:

• 1/4" Drive: M4, M5 and M6 3/8" Drive: M8, M10 and M12 1/2" Drive/Tamper-Proof: M14.

• S2 Steel Bits with Chrome Vanadium Socket

10 Piece External Torx Socket Set

SKU **347214** 22974

• Set Includes: 1/4" Drive: E4, E5, E6, E7



9 Piece Hex Bit Set (Metric)

SKU 127903

22983 • Set Includes: (1/4" Dr.)

2, 2.5, 3, 4mm (3/8" Dr.) 5, 6, 7, 8, 10mm¹



35 Piece Multi-Drive Star Socket Set in EVA Foam Tray SKU **802217**

23991

• 1/4" Drive Star: T10, T15, T20,

T25, T27 and T30 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30

• 1/4" Drive Female Star: E4, E5, E6, E7 and E8

• 3/8" Drive Star: T40, T45, T47, T50 and T55 • 3/8" Drive Tamper-Proof Star: T40,

T45, T50 and T55 • 3/8" Drive Female Star: E10, E12,

• 1/2" Drive Star: T60 and T70 • 1/2" Drive Female Star: E18

EVA Trays

Features a Hard Top Carbon Fiber Style Finish That Makes for a Life Long Lasting Tray.

7 Piece Hex Bit Set (Metric)


SKU **127883** 22981

SKU **127904**

9/16", 5/8", 3/4"

22982

• Set Includes: (3/8" Dr.) 6, 8, 10 mm, (1/2" Dr.) 12, 14, 17. 19 mm



• Knurling Position is

Optimized for Best Finger Gripping Position

7 Piece Hex Bit Set (SAE)

• Set Includes: (3/8" Dr.) 5/16", 3/8", (1/2" Dr.) 7/16", 1/2",

• Made with S2 Steel Bits

• Silver with Crosshatch Marking Indicates Metric Sizes

Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head (Makes Fastener Engagement Quick and Smooth)

Knurling Position is Optimized for Best Finger Gripping Position

• Chamfered Ends Allow the Socket to Easily Slip Over the Bolt

Head (Makes Fastener Engagement Quick and Smooth)

44 Piece Multi-Drive Star Socket Set in **EVA Foam Tray**

SKU **802206** 23992

Reg. \$49.99

• 1/4" Bit Holder • 1/4" Hex Drive Tamper-Proof Star Bits: T7, T8, T9, T10, T15, T20, T25, T27 and T30

1/4" Drive Star: T10, T15, T20, T25, T27 and T30 • 3/8" Drive Star: T40, T45, T47, T50,

T55 and T60

• 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm • 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

• 3/8" Drive Phillips: #1, #2 and #3 • 3/8" Drive Slotted: 3/16", 1/4" and 5/16"

Offer Good Through June 30, 2017 **While Supplies Last**

Master Hex

Bit Set SKU **094663** 25952

• 1/4" Drive: 1/8", 5/32", 3/16" and 7/32

• 3/8" Drive: 1/4", 9/32", 5/16" • 1/2" Drive: 3/8", 1/2", 9/16", 3/4" and

• 1/4" Drive: 2.5, 3, 4 and 5 mm • 3/8" Drive: 6, 7, 8 and 9 mm

• Comes in a Blow Mold Case

• 1/2" Drive: 10, 12, 14, 17 and 19 mm



11 Piece **Tamper-Proof** Torx Plus Bit **Socket Set**

• Set Includes: (1/4" Drive) 8-TPT, 10-TPT, 15-TPT, 20-TPT and 25-TPT

• (3/8" Drive) 27-TPT, 30-TPT, 40-TPT, 45-TPT, 50-TPT and 55-TPT

M16 and M18 **44 Piece Master Torx®**

and Hex Bit Set

25950

• Hex: 2, 2.5, 3, 4, 5, 6, 7, 8, 10; 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

Star: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55 and T60
• Phillips: #1, #2 and #3

Slotted: 3/16", 1/4" and 5/16"
 Bits: T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H and T30H



35 Piece Master Torx® **Bit Set**

SKU **466622**

25951 • Star: T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50,

T55 and T60 • Tamper-Proof Star: T7, T8, T9, T15, T20, T25, T30, T40, T45, T50 and T55

• Female Star: E4. E5. E6. E7. E8, E10, E12, E14, E16 and E18



26 Piece Master Hex Bit Set in EVA Foam Tray

REG. \$79.99

SKU **802219** 23990

• 1/4" Drive: 1/8", 5/32", 3/16" and 7/32" • 3/8" Drive: 1/4", 9/32", 5/16" and 11/32"

• 1/2" Drive: 3/8" 1/2", 9/16", 3/4 and 5/8"

• 1/4" Drive: 2.5, 3, 4 and 5 mm

• 3/8" Drive: 6, 7, 8 and 9 mm

• 1/2" Drive: 10, 12, 14, 17 and 19 mm

Offer Good Through June 30, 2017 **While Supplies Last**



Chamfered ends on bits and **Strength Made with S2 steel**

Control Knurling position is optimized for finger tip control

> Deep markings won't wear off with extended use




12 Piece Hex Bit Set (SAE)

• Blue with Straight Knurling Indicates SAE Sizes

• Set Includes: (1/4" Dr.) 1/16", 5/64", 3/32", 7/64", 1/8" (3/8" Dr.) 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"


• Knurling Position is Optimized for Best Finger Gripping Position











Tamper-Resistant Star Security Bits



Tool & Equipment Quarterly

Pliers

Professional Snap Ring Plier Set

SKU **141502** 25356

- 180°, 90° and 45° in One
- Tip Size: 0.8 mm, 1.2 mm, 1.4 mm, 2.0 mm



OEM TOOLS

3 Piece 16" Long Nose **Plier Set**

SKU **237648** L113S

- Great for Confined Spaces When You Need an Extra Long Reach
- Set Includes: 45° Pliers, 90° Pliers and Straight Pliers



10 Piece Snap Ring Plier Set

SKU **900819** 27180

- For Both Internal and External Rings
- Set Includes: 5-1/2" Bent Pliers with .038" Tip; 6" Straight Pliers with .038" Tip; 5-1/2" Bent Pliers with .047" Tip; 6" Straight Pliers with .047" Tip; 7-1/2" Bent Pliers with .070" Tip; 8" Straight Pliers with .070" Tip; 8-1/2" Bent Pliers with .090" Tip; 9" Straight Pliers with .090" Tip
- Also Includes Two Stainless Steel Handle Picks



KNIPEX

NIPEX

KNIPEX

KNIPEX

Angle Tip Lock Ring Pliers

SKU **191055** 25354

- Jaws are Scored on the Outside for Secure Gripping
- Spring Loaded Jaws
- Spread: 3/4"
- Length: 8-1/4"



3 Piece, 11" Hose Gripper **Plier Set**

SKU **094811** L311L

- Extra Long Handle Gets Into Tight Areas
- Includes Sizes: 5/16",1/2" and 3/4" • Ideal for Removing Cooling System,
- Fuel and Vacuum Lines
- Heat-Treated, Ergonomic Comfort Grip Handles

10" Plier Wrench

• Functions of Pliers and a Wrench

• Smooth Jaws Won't Damage Soft

SKU **297845**

KNP86032500

All in One Tool



8 3/4" Ear Clamp Pliers

• Suitable for Simple and Reliable Clamping of 1-Ear and 2-Ear Clamps

with Front Jaw SKU **297701** KNP10981220

with Front Jaw and Side Jaw SKU **298005** KNP10991220



3 Piece Cobra® Pliers Set SKU **505075**

KNP002006US1

- Comfort Grip, Two-Color Dual Component Handles
- Box-Joint Design is Highly Stable Because of a Double Guide



· Contains Special Hardened Teeth • Grips Any Shaped Object - Round, Square, Hex or Flat



3 Piece Plier Wrench Set

KNP002006US2 16499

- Set includes: 7-1/4", 10", 12"
- Secure Grip, 10x Your Strength
- Push-Button Adjustment Directly on the Workpiece





- the Workpiece Self-Locking Means No Slipping Off the Workpiece
- Gripping Surface with Special, Hardened Teeth (Approximately 61 HRC)
- Grips Any Shaped Object: Round, Square, Hex or Flat • 4-1/2" Gripping Capacity

Additional Sizes Available: 5", 6", 7 1/4", 10", 12", and 16"

2 Piece Flush Cutter Set

SKU **297849**

KNP9K008090US U

Repetitive Cutting

• Set Includes: 5 1/2" and 7 1/4"

• Provides a Fully Flush Cut When

Cutting Tie-Wraps, Plastic and Soft Metals

• Spring Assisted Handles for Easier



SKU **297700** KNP8701250

- Push-button Adjustment Directly on the Workpiece Self-locking Means No Slipping off
- the Workpiece • Gripping Surface with Special, Hardened Teeth (approximately 61 HRC)
- Grips Any Shaped Object: Round, Square, Hex or Flat
- Thin Head Fits Into Tight Places



- KNP8111250 • For Siphon Tube Fittings and
- 25 Adjustment Positions
- for Sensitive Surfaces





for a Life Long Lasting Tray.

7 Piece Locking Pliers Set in EVA Tray SKU **012622**

23987

• Sizes: 4", 5", 7", 10" Curved Jaw and 4", 6", 9" Long Nose

Hex Screw Patented Square Drive and Hex Control



Bolt Cutters

Bolt Cutters

- Forged S2 Steel Construction for **Cutting Power**
- Hardened Cutting Edge for Long Life • Ergonomic Comfort Grip Handles

24" Bolt Cutters

BC24

SKU **025213**

30" Bolt Cutters

SKU 965828 BC30



8" Battery Cable Cutter

5999

Dual Jaws Allow Thicker Cables to Be Stripped

For Cutting Copper and Aluminum Cables

• Not Suitable for ACSR, Steel Wire and

and Then Cut in a Two-Step Process

Hard Drawn Copper Conductors

8" Mini Bolt Cutter with Notch SKU **042478**

KNP7131200 • Cuts Hard Wire, Steel Rods, Fencing

- and Bolts
 Cutting Edge Hardness 64 HRC
- Recess in Blade for Easier Cutting

KNIPEX

• 20-to-1 Compound Joint Ratio = 60% Less Effort is Required During Cutting



Cutters

10" High Leverage Diagonal Cutter

SKU **080088** KNP7401250

• High Leverage Require 21% Less Effort

- Forged Axle-Rivet Joint Ensures Smooth Operation
 Long and Precise Induction-Hardened Cutting Edges (Approximately) 64 HRC) for Extra Long Life and Effortless Cutting of Hardened Wire



Pick-Up Tools

SKU **080091**

KNP9511200

Heavy Duty Telescopic Magnetic Pick-Up Tool

SKU **231205** 25466

Picks

25940

STORE STOCK • Lifts Up to 3 Lbs

 Telescoping Handle Range 6" to 33" with a Steel J-Hook SKU **110277** 1099 25293

- 24-1/2" Flexible Reach • 4 Claw Grip for Easy Pick-Up
- Magnetic End with Extra Strong Hold
- Bright LED Lighted Base for Convenience





OEM TOOLS

OEM TOOLS


Pry Bars

5/8" x 36" Prv Bar SKU **695126** 24435

That is Solvent Resistant and

- Unique Ergonomically Designed 3-Sided Handle for Secure Grip and Comfort • Handles Made with Hardened Resin
- Easy-to-Clean • Forged and Hardened 5/8" Square
- Stock for Incredible Strength

3 Piece Pry Bar Set SKU **626114** 24433



- Handle for Secure Grip and Comfort • Handles are Solvent Resistant
- and Easy to Clean · Comes in a
- Plastic Tray

OEM TOOLS

OEM TOOLS





OEM TOOLS



• Chrome Vanadium Steel for Strength and Durability



Punch and Chisel

11 Piece Punch and Chisel Set in EVA Foam Trav

SKU **802227** 23996

- Tapered Punches: 3/32" x 8 mm x 5-1/4", 5/32" x 10 mm x 6", 3/16" x 12 mm x 6-1/4"
- 3 Piece Pin Punches: 3/32" x 8 mm x 4-1/4", 5/32" x 10 mm x 5", 3/16" x 10 mm x 5-1/4" • Center Punches: 3/16" x 12 mm x 6"
 - Cold Chisels: 3/8" x 8 mm x 5-1/2", 1/2" x 10 mm x 6", 5/8" x 12 mm x 6-1/2"



UNIFORMS

View Product Information www.1-stopworkwear.com To Place an Order Call Your AutoZone Commercial Sales Manager For Product Information Call 1-855-275-1403

TAKE ADVANTAGE OF THE DICKIES ADVANTAGE

Quality Since 1922, Durable, Comfortable & Great Value



(S to 5XL)

Colors:

Dickies Auto Tech Work Shirt

• Button Front Shirt; One Snap Closure at Neck

 Mitered Front Pockets with Pencil Division on Left Pocket • Fade Resistant

I add Hesistant			
(Small to 4XL) 65% Polyester/35% Cotton	Short Sleeve 1SSS535	Long Sleeve 1SLS535	
Item Only	1799	1999	
Item + Shop Name	2299	2499	
Item + Employee Name	2499	26 99	
Item + Shop + Employee Name	2999	3199	

Work Shirt

65% Polyester/

• Generous Fit in

• 5.25 Oz. Twill

Resists Wrinkles

Item Only

Item + Shop Name

Item + Employee Name

Item + Shop + Employee Name

• Moisture Wicking for Comfortable Wear

• Square Tail Design Stays Tucked in

Shoulders and Chest

35% Cotton

(S to 5X)

1SS1574

Dickies Short Sleeve

Dickies Shop Series Collection

Define Your Custom Look

- Shop Name Embroider the Left Chest of Any Work Shirt Designate the Item Number Text and Text Color
- Employee Name Personalize the Right Chest of

• Includes Up to 10 Characters Per Line, 2 Line Limit

Shop or Name Colors: Gray Royal Dark Navy





Release

Dickies

- Moisture Wicking
- Side Vents

Shirt

Light Blue


2995

3495

3695

4195

• Snag Resistant



Item + Shop + Employee Name



3850

Dickies

Black/ English Red Dark Navy/ Smoke Item Only **26**50 3150 Item + Shop Name 3350 Item + Employee Name Item + Shop + Employee Name 3850

Dickies Color Block

Performance Polo

(S to 5XL)

1SSSLS424

• Easy Care

Side Vents

100% Polyester

Stain Release

Snag Resistant

• Moisture Wicking

Dickies Color Dickies **Block Auto Shirt** 65% Polyester/ 35% Cotton • Mitered Front Pockets with Pencil Division on Left Pocket Fade Resistant Industrial Laundry Friendly

	oyal Smoke	
(Small to 4XL) 65% polyester/35% cotton	Short Sleeve 1SSS524	Long Sleeve 1SLS524
Item Only	2999	3199
Item + Shop Name	34 ⁹⁹	36 ⁹⁹
Item + Employee Name	3699	3899
Item + Shop + Employee Name	4199	4399

Dickies

3399

3899

Dickies


Dickies Performance Tee

(M to 5XL) 85% Polyester/ 15% Cotton 1888500

• Dri Release, Resists Pulling & Wrinkles • Resists Stains

Jersey Knit with Wicking





Dark Navy English Red

Dickies WorkTech Ventilated **Performance Shirt**

(M to 5XL) 65% Polyester/35% Cotton 1SLS516

• Easy Care Stain Release • Moisture Wicking

• Flex Fabric for Comfort

and Mobility

• 4.2 Oz Mechanical Stretch Poplin Side and Back Mesh Panels

Colors:



Item Only	3499
Item + Shop Name	3999
Item + Employee Name	4199
Item + Shop + Employee Name	4699

WorkTech Ventilated Polo

(S to 5XL) 100% Polyester 1SSSLS425

• 6 Oz Micro Pique

• 4.7 Oz Performance Mesh

• Easy Care Stain Release

• Resists Wrinkles, Snags and Fading





NEW

Dickies

Item Only	29 95
Item + Shop Name	3495
Item + Employee Name	36 95
Item + Shop + Employee Name	4195

Dickies Shop Pant

Item + Shop Name

Item + Employee Name

Item + Shop + Employee Name

Dickies Performance

Shop Shirt

65% Polyester/

Moisture Wicking

• Resists Wrinkles

• 4.6 Oz Flextwill

• Easy Care Stain Release

• Available in Long Sleeve

Black/ English Red

Item Only

(S to 5XL)

35% Cotton

1SLS605

Shirt Colors:

65% Polvester/35% Cotton Waist: 30-50 Even Sizes Only Inseam: 28-36

DICKIES **7**0

Relaxed Fit

 StayDark Technology Wrinkle/Stain Resistant











Dickies Blended Coverall (Small to 4XL)

65% Polyester/35% Cotton 1548611

• Durable Poly/Cotton • Easy Care Stain Release

Two Large Back Pockets

Item Only 4545 Item + Shop Name **50**⁴⁵ Item + Employee Name Item + Shop + Employee Name

Dickies Cargo Pant

65% Polyester/35% Cotton Waist: 30-50 Even Sizes Only Inseam: 28-36

1SPCARGO **2899**

- Relaxed Fit
- StayDark Technology
- Wrinkle/Stain Resistant





NEW

Dickies Performance Shop Pant

65% Polyester/ 35% Cotton Waist: 30-50 Even Sizes Only Inseam: 28-36

1SLP605 **3799**

• Rubberized Scratch Resistant Tack Button Closure

- Easy Care Stain Release
- Cell Pocket
- Double Knee
- 7 1/4 Flex Twill





All Hats Come With Shop Name That Includes Up to 10 Characters Per Line With 2 Line Limit. Minimum Purchase = 6 Dickies **Dickies** Cargo Short

65% Polyester/35% Cotton Waist: 30-50 **Even Size Only** 1SPCSHORT

 Relaxed Fit StayDark Technology

• Wrinkle/Stain Resistant



Shop Hats - Only \$500! **Black Hat Khaki Hat with Black or Navy Bill** 1SH03



Camo Hat 1SH06 **Q50**



1SH12

• Color: Magnet Grey



Checkered Racing Hat with Mesh Back



Specialty Hats - as Low as \$999!



AutoZone Custom Embroidered Hats

- Thread Color Choices: Black, Royal, Navy, Red, White, Orange, Tan, Grey
- Hats Include Up to 10 Characters Per Line, 2 Line Limit
- Minimum Order is Only 6 Pieces!

Item#	Description	Color	Price
WW415PC	Camo Hat with Camo Mesh Back	Mossy Oak	999
WWGL-845	Contrasting Sandwich, Buttons & Eyelet	Black/Red or Navy/White	999
WWFWT-130	Heavy Garment Washed, Mesh Back	Black/Dark Grey, Charcoal/ White or Black/Tan	1099
WWGWT-111	Unstructered Garment Washed Twill	Black, Charcoal or Navy	1299
WWHIB-836	OC Hi Beam Mesh Back Hat with Built-In LED Lights	Navy or Black	1999

PROMOTE YOUR SHOP!

Go to WWW.1-STOPWORKWEAR.COM for product details.

Item#	Description	Price
1SPROS27	Black Click Pen	.90
1SPR08	Mini Tire Gauge Keychain	135
1SPR07	Metal Key Tag	175
AZFLASH	LED Flashlight	4 50
WWBottle	Aluminum Water Bottle	450
1SPR11	Matrix Tumbler 18 oz.	725
1SPRB07	Cinch Bag with Zipper	1399



SAFETY SUPPLIES

GREEN CAMO

Safety

Camo LED Glasses

- Adjustable Ultra-Bright Built-In LED Lights
- High-Impact Polycarbonate Lens
- 99.9% UV Protection
- Anti-Fog & Scratch Resistant Lens Coating
- LR44 Batteries Included
- Meets ANSI Z87.1 2015



SKU **010115** SAS5421

• High Impact Clear Polycarbonate Lens

• 99.9% UV Protection

• Lightweight, Wrap Around Shade Lens

SKU 301767 | SAS5330PK **Clear Lens**

SKU **462984** | SAS5332PK **Yellow Lens**

Shade Lens SKU **462983** | SAS5331PK

Nuisance Dust Mask (Box of 50)

SKU **526952** SAS2985

• One-Size-Fits-All Mask That Reduces Irritating Effects from Non-Toxic Particles



Bandit N95 Half Mask Respirator SKU **972274**

SAS866192 (M) SKU **972275**

SKU **526953**

• Noise Reduction Rating: 30

SAS6100

SAS866193 (L)

Tan

SKU **010113**

• Form Fitting and Can Be Worn for Hours

Foam Ear Plugs (Box of 200)





Bottle Eye Wash Station* SKU **094904** SAS5132

• Includes (2) 16 Oz. Eye Irrigate Solution Bottles *Please Verify with OSHA or with a Certified Safety Professional That This Meets OSHA Requirements

16 Oz. Eye Wash Irrigate Refill

SKU **977588**

SAS5130 • For Use with Eye Wash Station SAS5132



16 Gallon Emergency Eye Wash Station

SKU **094905** SAS5135 • Station Comes with

- Water Preservative • One-Hand Operation Gravity-Fed 15 Minute Flow Time
- Change Water Every 90 Days





TAN CAMO

SKU **977586** SAS5136

- For Use with Eye Wash Station SAS5135
- Portable Water Preservative
- · Add One Bottle for Each 15 Gallons of Water

Back Belts

Deluxe Back Support Belt

• Made of Lightweight, Cool, Washable Nylon • Six Fully Enclosed Steel Springs Stay Flexible for Contoured Support

• Tapered Design Allows a Full Range of Body Motion While Maintaining Proper Support

Small SKU **803153** SAS7161

Medium SKU **803156** SAS7162

Large SKU **803161** SAS7163

X-Large SKU **803151** SAS7164

XX-Large SKU **803152** SAS7165



Deluxe Hi-Vis Back Support

 Bright Orange and Yellow Design Allows for Extra Visibility

· Made of Lightweight, Cool, Washable Polyester

Tapered Design Promotes Better Movement for Proper Back Support

Small SKU **803154** SAS7261

Medium SKU **803157** SAS7262 Large SKU **803158** SAS7263

X-Large SKU **803159** XX-Large SKU **803160** SAS7265







GLOVES



VENOM STEEL® INDUSTRIAL NITRILE GLOVES

VENOM STEEL® INDUSTRIAL LATEX GLOVES

Premium, extra thick natural latex for heavy-duty protection

From brakes to body work, tune-ups to transmissions, rip through the filthiest jobs, without ripping through your gloves.

70% THICKER*



100 CT BOX

MEDIUM: SKU 847122 VEN6142H LARGE: SKU 847123 VEN6143H X-LARGE: SKU 847125 VEN6144H

- Black, 6 mil thick
- Rip, tear & puncture-resistant premium black nitrile
- Fully textured for extra grip
- Powder-free



500 CT BOX

and contractors

MEDIUM: SKU 847126 VEN6542 LARGE: SKU 847127 VEN6543 X-LARGE: SKU 847128 VEN6544

- Same high quality black nitrile as the 100 count box
- Great savings for auto shops

Compared to Venom® Nitrile Gloves



100 CT BOX

MEDIUM: SKU 847130 VEN8122H LARGE: SKU 847131 VEN8123H X-LARGE: SKU 847124 VEN8124H **70**%

THICKER**

- Beige, 8 mil thick
- Ultimate flexibility & comfort
- Textured fingers for better grip
- Touch screen sensitive
- Powder-free

©2016 Medline Industries, Inc. All rights reserved. Venom and Venom Steel are registered trademarks and Nothing's Tougher Than Steel is a trademark of Medline Industries, Inc. MKT1679231



There are over 120 million vehicles on the road with TPMS and that equates to almost 500 million sensors that will need to be replaced in the coming years.

Contact Your AutoZone® Commercial Sales Manager for Details

Disposable Gloves

Dura Flock® Gloves (50 Gloves Per Box)

SKU **429674** DFK-608-M (M)

SKU **429676** DFK-608-L(L)

SKU **429678** DFK-608-XL(XL)

Select store availability February 2017

MICR@FLEX®



Utilizing a super-thin moisture absorbing flock lining, Dura Flock gloves keep hands dry and comfortable. Designed with 25% more thickness than standard disposable gloves. Dura Flock gloves offer increased protection for demanding jobs while reducing muscle fatigue through a comfortable fit.

- 25% thicker than standard disposable gloves
- Longer cuff for increased protection
- · Fully textured surface for a great grip
- Overall Length: 10.6"
- 0.20 mil Finger, .21 mil Palm

Diamond Grip[™] Gloves (100 Gloves Per Box)

SKU **497065** MF-300-M (M)

SKU **497064** MF-300-L (L)

SKU **497066** MF-300-XL (XL) each



MICR#FLEX®

The benchmark in strength and durability in latex gloves. Thicker than typical latex gloves, Diamond Grip gloves provide enhanced protection, especially in the fingertips where protection is critical.

- Unique Design Prevents Ripping and Tearing
- Enhanced, Textured Fingertips for Added Protection and Function
- Ideal for Rugged Tasks in Mid to Heavy-Duty Environments
- Overall Length: 9.8"
- 9.1 mil Finger, 6.3 mil Palm • 21MPa Tensile Strength
- Low Protein Latex (<= 50 Micrograms/g)

Ansell

Product Attributes: Natural Color • Latex • Non-Sterile • Ambidextrous Product Attributes: Dark Green Color • Nitrile • Non-Sterile • Ambidextrous • Fully Textured • Beaded Cuff • For Single Use Only • Non-Latex • For Non-Medical Use • Textured Fingertips • Beaded Cuff • For Single Use Only



Tool & Equipment QUARTERLY

Disposable Gloves

Value-Touch Latex

5 mil, Powder Gloves 100 Gloves Per Box - 10 Boxes Per Case

- Strength from a Durable Glove
- Keep Sensitivity and Be Safe on the Job
- Powder-free Latex Exam Grade Gloves
- Beaded Cuffs
- Ambidextrous

1,000 Gloves

Case (10 Boxes, 100 Ea.), **\$12.99** Per Box

SKU **265076** SAS6592CS

SKU **265079** SAS6593CS

SKU **265068**

SAS6594CS (XL)



Professional Black Nitrile 4.5 mil, Textured Grip

- 100 Gloves Per Box 10 Boxes Per Case
 Superior Puncture and Abrasive Resistant
- LatexFree
- Textured Grip
- Beaded Cuff Ambidextrous

1,000 Gloves

Case (10 Boxes, 100 Ea.), \$12.99 Per Box

SKU **504168** SAS66542CS (M)

SKU **504169**

SAS66543CS (L)

SKU **504172** SAS66544CS (XL)













Nitrile Palm Knit Gloves (1 Dozen)

- Liquid Dipped 100% Nitrile Palm Coat
- 16 Gauge Seamless Nylon Shell
- Knit Back Helps Keep Hand Cooler Longer

SKU **250887**

SAS6401909

SKU **250888** SAS6401910 (XL)

SKU **250890** SAS6401911

(XXL)



Washable and Reusable

Derma-Lite Nitrile 5 mil, Powder Gloves

- Extra Strong Puncture and Abrasive Resistant
- Latex-Free
- Beaded Cuff
- Ambidextrous, Textured Grip

300 Gloves

3 Boxes of 100 Each, \$19.99 Per Box

SKU **222821** SAS6607PK3 (M) SKU **265037**

SAS6608PK3 (L)

SAS6609PK3 (XL) **5999**



Case (10 Boxes, 100 Ea.), \$16.99 Per Box

SKU **227872** SAS6607CS (M)

SKU **265038** SAS6608CS (L)

SAS6609CS (XL) 16999

SAS6610CS (XXL) 16999 SKU **265050**













Gloves

Hot Sleeve SKU **291321 1999** LIS18700

- Made of Kevlar® to Protect Arms from Burns
- Double Wall Construction for
- Added Heat Protection • Works for Either Right or Left Arm
- Sleeve is Washable



Kevlar® Burn Protection Arm Glove

SKU 222467 LIS21260

- Total Hand and Arm Burn Protection
- Kevlar Protects Hands and Arms from Hot Surfaces
- Enables Work on Hot Engines and Exhaust Systems without Waiting
- For Right and Left Hands
- Glove Portion is Coated with a Vinyl Tread for Greater Gripping Power



Magnetic **Glove Box Holder**

SKU **291322 2999** LIS20130



• Two Large Magnets Hold the Dispenser in Place

 Uses Three Springs Which Can Be Adjusted as Necessary to Hold the Various Box Sizes





Extra Strength Disposable Gloves*



- Powder-free exam grade nitrile
- Thickness: 6 mil
- Non-latex
- · Outstanding strength, wear and dexterity
- Fully textured for enhanced gripping power
- 100 gloves per box



Dual-Sided Scale Grip Disposable Gloves



www.sassafety.com

- Powder-free nitrile
- Thickness: 7 mil
- Dual-sided scale textured surface for superior grip
- High-visibility safety orange color
- Exceptional chemical and puncture resistance
- Maximum comfort allows for extended wear
- 100 gloves per box





1799

1799

SKU **244622** SAS66518 Large **STORE STOCK***

1799 SKU **244617** SAS66519 XLarge

* See store for availability


STORE STOCK*

1799 SKU **823166** SAS66572 Medium

SKU **823167** SAS66573 Large STORE STOCK

STORE STOCK

17⁹⁹ SKU **823168** SAS66574 XLarge STORE STOCK





SHOP SUPPLIES

M TOOLS

Quality • Innovation • Value





10 Oz. Stainless **Steel Tumbler** SKU **096882**

26010

20 Oz. Stainless Steel Tumbler SKU **096878**



30 Oz. Stainless Steel Tumbler

SKU **096881** 26008



- Double-Wall Vacuum Insulation
- "No Sweat" Design Keeps Fingers Dry and Comfortable

Work Stand

Work Stand

• 500 Lbs. Capacity

SKU **222856**

STK20350

• 32" x 16"

Adjustable

from 6-1/2

to 22-1/2

Height

Pro Step Adjustable

BPA Free

OEM TOOLS



4 Piece Copper Lowball

REG. \$69.99

• The Perfect Size for Your Morning Coffee

• Comes with Replaceable Shatter-Proof Lid

• This Lowball Fits Easily in Your Hand

• Finished in a Copper Colored Coating • No Sweat Design Keeps Fingers Dry

Double-wall Vacuum Insulation Keeps Drinks Cold or Hot to the Last Sip

• Comes in a Decorative Storage Box,

Keeps Ice 2x Longer than Plastic Tumblers

⊙≣M TOOLS

Box Set

SKU **527867**

or Evening Toddy

and Comfortable

Ready to Gift

26015

3 Piece Tumbler **Box Set** SKU **096887**

REG. \$69.99

- Jackhammer: 30 Oz. Tumbler
- Hammer: 20 Oz. Tumbler
- Chuck: 10 Oz. Double-Wall Vacuum Insulation Keeps Drinks Cold or Hot to the Last Sip
- Made with Durable Kitchen-Grade 18/8 Stainless Steel
- BPA Free
- Includes Decorative Gift Box



- **Maintains the Temperature of Your Drink**
- Ideal for Office, Home, Garage, Anywhere
- Keeps Ice 2 Times Longer Than Plastic Tumblers

Trays

10" x 11" Magnetic Tray SKU **965835**

25119 • OEM Magnetic Trays are Strong and Durable

to Collect Small Parts, Fasteners and Tools • Four Powerful Magnets with Protective Rubber Coating to Resist Scratching

• Ideal for Holding

Small Parts and Tools

• Heavy Duty Stainless Steel



Magnetic Nut Cups, 2 Pack

SKU **592211** 25115

• No More Crawling Around on the Ground Looking for a Fallen Fastener or Nut

• Magnetic Cups Hold Nuts, Bolts, Parts and Screws Securely Until You Need Them

• Strong Magnets Attach the Cups Securely to Flat Metal Surfaces

• Matching Magnetic Cups Come in a Pair and Are Shipped in a Handsome Display Box



OEM TOOLS

NEW

Truck Step

Adjustable Tire Step SKU **818571**

- Fits Both Front and Rear 9" to 13" Wide Tires Powder Coat Finish
- Designed for SUVs, Motor Homes and Light-Duty Trucks
- Heavily Textured Non-Slip Step for Safety Adjustable Rubber Bumpers
- Protect Your Wheels and Ensure the Step is Sturdy and Level • Easy to Adjust
- Weight Capacity: 300 Lbs

Fender Cover

Heavy Gauge Vinyl

• Sewn-in Tool Ridge

Wipes Clean

• 27" x 34"

SKU **818712**

24902

Fender Covers

Offer Good Through June 30, 2017 While Supplies Last

CEMITOOLS

⊙≡M TOOLS

Soft Fleece

Fender Cover SKU **751711**

24899



Cover in Place

Prevent Paint Damage and Strong Magnets to Hold Cover in Place Two Super Powerful Corner Magnets for Securing the • Magnets are Removable to Wash the Cover

SKU **186484**

• 17" x 22"

Paper Floor Mats

• Coated Paper "Footprint" Style

• Large 42 In. x 24 In. Size for Cars, Trucks, and SUVs

OEM TOOLS

Fender Cover SKU **965832** 24900

REG. \$22.99 Heavy Gauge Vinyl Wipes Clean

• 27" x 34

We Take Pride In Your Vehicle!



OEM TOOLS

Non-Slip Fender Cover

SKU **447120** 80-205

 Heavy Gauge Vinyl Wipes Clean

• 24" x 36'



THANK YOU!

Duralast

Shop Supplies

• Won't Mar or Scratch Surface

Work Ticket Holder (52/ROX)

SNGFBP993302 4499



- Accommodates Most Pre-Printed and Computer Generated Forms
- Dimensions: 14.5" x 10.5"



(1,000 Count) SKU **262547** SNGMFBP993323

1 000 Count

 Self Locking Plastic Key Tags Help Secure Keys • Write On



Plastic Floor Mats SKU**186488** SNGMFGP994302

 Slip-N-Grip® Plastic Disposable Mat • Box of 500

• Roll 16.5" x 21"



Adhesive Floor Mats (175/Roll)

SKU **262546** SNGMFBP993349 **99**

• Self Adhesive, 3 mil Protective Film Keeps Carpet Protected







Value Coated Paper

SNGM0758LX226

• 17" x 19" Plain Paper Mat

• Reusable

• Disposable

Floor Mats (500/Case)

Steering Wheel Cover (500/Box)

SKU **186485** SNGMFBP994333

(250/Box)

SNGMFBP994336 **3999**



Start-Up Kit (Dispenser and Product) SKU **262544** SNGMFKP994376

• (250) Seat Covers, (500) Plastic Floor Mats, (500) Parts Bags, (250) Steering Wheel Covers, (100) Tire Bags and (250) Paper Floor Mats



Disposable Value Seat Cover (500/Roll) SKU **186487** SNGMFGP994315

(250/Roll) SKU **262537** SNGMFGP994314



Thermal Oil Change Static Cling Refill Kit **Sticker Printer**

SKU **526488** SNGFKGX00106 699⁹⁹

· Kit Includes: Printer, Keyboard, Power Cord/Adapter, (1) Ink Ribbon and (2) Rolls of 500 Generic Static Cling Labels



SKU **291380**

SNGMFKG016501

• (2) Rolls of Labels • (1) Replacement







Tool & Equipment QUARTERLY



Adjustable Hydraulic Stool That Raises from 28" to 32.5"

Offers Good Through June 30, 2017 - While Supplies Last

OEM TOOLS

Buy 2 and SAVE

Two Swivel Shop Stools

SKU **432326** 24910TW0

- Swivel Seat • Double Foot Ring
- for Strength Seamless Pad

One Swivel

Shop Stool

SKU **512951**

24910

• 30.5" High x 14" Across



OEM TOOLS

Buy 2 and SAVE

Two Adjustable **Hydraulic Stools**

SKU **362969** 24911TW0

- Swivel Seat
- Double Foot Ring for Strength
- Cushioned Pad • Raise from 28" to 32-1/2"

One Adjustable

Hydraulic Stool

SKU **512945**

96 Piece

SKU **271169**

3A - 30A

68148

Mini Fuse Kit

• Includes: Mini Fuses

24911



OEM TOOLS

SKU **125749**

- 6 Heavy Duty TPU Casters Roll Easy and Are
- Low Ground Clearance Allows For Greater Mobility and Clearance Under Vehicles
- Trays on Each Side and Next to the Headrest

Shop Seats and Creepers

⊙≡M TOOLS

NEW

NEW

⊙≡M TOOLS

Anti Fatigue Kneeling Pad

SKU **125753** 24971

- Helps Prevent Damage to Knees • EVA Construction is Resistant to Oil and Other Petroleum Products
- Great for Kneeling in Severe Conditions Such as Steel, Concrete, Grating and Gravel
- Includes Tool or Parts Storage Cutout
- 18" x 8" x 1"



Racing Body Board OEM TOOLS **EVA Foam Creeper**

SKU **125754** 24972

- EVA Construction is Water, Chemical and Impact Resistant
- Includes Handle and Two Tool Compartment Cutouts
- Great for Both Garage and Outdoors
- Lightweight Construction is Portable and Easy to Stow



Professional 41" **6** Wheel Creeper

24970

- 3D Streamline Design for Shoulder Clearance
- Resistant to Oil, Grease and Abrasions
- 4 Tool Storage

Tractor

Seat



- Tractor Style Shop Seat
- (4) Durable Swivel Casters
- Parts Tray

Offer Good Through June 30, 2017 - While Supplies Last

Z Creeper SKU **536761** C-2036D

Pro-Lift

OEM TOOLS

STORE STOCK

- Easily transforms from a creeper to shop seat
- Six caster design
- Vinyl padded seat and headrest
- Heavy duty 36" steel frame
- 300 lb. rated capacity
- Patented design





- OMG92450 • 450 Lbs. Rated Capacity
- Steel Frame Construction
- Extra Thick Seat Cushion • 3 Drawer Locking Tool Box



44" Aluminum Creeper SKU **237641** 71004

- Lightweight and
- Strong Aluminum Adjustable Headrest



MACHINERY

Hardware Kits

34 Piece Hose **Clamp Assortment** SKU **271201**



300 Piece E-Clip

Assortment

• Includes: 1/16" - 7/8"

24 Piece Maxi

• Includes: Maxi Fuses

Fuse Assortment

SKU **271188**

SKU **271152**

68146

68145



80 Piece Vacuum Cap Assortment SKU **271197**

• Includes Sizes: 3/16" - 3/8"

158 Piece Wire

· Popular Sizes for Joining

2, 3 or 4 Wires #22 - #10

SKU **271196 2 1 99** 68141

• Contains 270 O-Rings in

a Variety of SAE Sizes

• Great O-Ring Set for Most

270 Piece A/C O-Ring Kit

Connector

SKU **271200**

68131

Assortment





555 Piece Cotter Pin Assortment

96 Piece ATO Fuse

Assortment

• Includes: ATO Fuses

SKU **271172**

68149

SKU **271180** 68120

Includes 6 Popular Sizes from 1/16" x 1" to 5/32" x 2-1/2"



68106



88 Piece Master

Includes: Popular Sizes of Mini, ATO and Maxi Fuses 3A – 100A

Auto Fuse

SKU **271161**

Assortment



500 Piece Aluminum Rivet Assortment SKU **271150**

200 Piece Spring

• Includes 20 Popular Sizes

from 7/32" x 11/16" to 5/16" x 1-1/4"

Assortment

SKU **271195**

68140

• Includes: 1/8" and 3/16" Rivets 1/4", 5/16" and 3/8" Long



240 Piece Metric



250 Piece Welding **Stud Assortment** SKU **271198**


- 68130
- 250 Pieces, Size 3/40"
- Use with Stud Welder or Stud Gun
- Copper Coated Steel Construction



Automotive and Refrigerant Applications

407 Piece Universal O-Ring Set (SAE) SKU **546661** 68168

- (34) Popular Sizes
- Inside Diameters from 1/8" to 2"
- Complete with Secure Fit Latched Storage Case, Keeps Each Size Separate and Easy to Identify





- (15) Female Disconnects
- (15) Male Disconnects
- Re-Sealable Plastic Case
- MACHINERY




Bolt, Nut and Washer Kit SKU **271149**

68107 Includes Popular Sizes and Lengths: M4 – M10

110 Piece Metric

Copper Washer







419 Piece Universal O-Ring Set (Metric) SKU **546659** 68167

- Pliable, Flexible Rubber Rings Seal Contact and Connection Points Like Mini Gaskets
- Inside Diameters from 3 mm to 50 mm



MACHINERY

Heat-Shrink Tube Sets

106 Piece Waterproof Heat-Shrink Tube Set SKU **420334**

from 1/16" x 1" to 5/32" x 2-1/2"

68164

- Tubes Shrink to Fit Over Cable Splices and Can Be Used for Wire Harnessing, Covering, Marking and Bundling of Wires • Adhesive Lined Inner Wall to Seal Out
- 3:1 Shrink Ratio
- Waterproof



68166 • (30) Ring Connectors • (15) Butt Connectors

• (15) Tin Butt Connectors





68165

- · Protection and Insulation of Components and Wires Protection Against Water and Moisture Ingress
- Preventing Corrosion Color Coordinated Sizes • Quick and Simple to Shrink

by Heat Gun

SHOP SUPPLIES

Recovery Tow Ropes

Kinetic Recovery Tow Ropes

- 45% Stronger and Lighter Than Wire Rope
- Does Not Curl, Kink or Pinch Itself
- Safer Than Wire Rope if the Line Breaks Due to Overloading
- 6" Eyes Have Protective Sleeve to
- Reduce Wear and Tear
- 2-to-3 Times Stronger Than Nylon Straps with Eyes
- Includes Protective Storage Bag



16,000 Lbs. Capacity **7/8" x 20'** Sku**751612 |** MIB448521 24700 Lbs. Capacity

7/8" x 30' SKU**751619 |** MIB448531 24700 Lbs. Capacity

1-1/4" x 30' SKU**751620 |** MIB448541 • 44200 Lbs. Capacity


1-1/2" x 30' SKU**751613 |** MIB448551 • 64.300 Lbs. Capacity

USB Charger

Smart 6 Port 8A USB Wall Charger

- Charges up to 2 Tablets and 4 Smartphones at One Time
- Compatible with all USB Enabled Smartphones, Tablets, Wireless Speakers and Headsets, Digital Cameras and More

• Smart Charging Function: Distributes the Safest Current at the Fastest Possible







OEM TOOLS

6 USB Ports

Smart Devices

Smart Devices

Apple Devices

Apple Devices

Android Devices

PEALTREE

Android Devices

A REALTREE

REALTREE® 3 Pack of Magnetic Can Coolers

Xtra Camo, Flag Black, Par Pink SKU **534394** RELCANCOOL-3

- Machine Washable
- Magnets Adhere to All Metal Surfaces
- Constructed of Stretchable Neoprene Rubber
- Vinvl with Insulated Foam
- Black Interior Foam
- · Collapsible for Easy Storage



Cans Not Included





RELRTWF-XT-RL

RELRTWF-WT-XT

RELRTWF-MX5RL



RELRTWF-DKMX5

REALTREE® Window Films

- See Through Design Allows for
- Unrestricted View Out Rear Window Adds Privacy and Helps Keep Truck
- Cool by Blocking UV Light Air Release Technology for Easy,
- Bubble-Free Installation

• Graphic Measures 20" x 66"

Xtra Camo SKU**534398** | RELRTWF-XT-RL

Max 5 Camo SKU 534395 | RELRTWF-MX5RL

Whitetail - Xtra Camo SKU**534396 |** RELRTWF-WT-XT

Duck - Max 5 Camo SKU 534399 | RELRTWF-DKMX5

REALTREE® Tailgate Graphics

- Adhesive Vinyl Graphic
- Graphic Measures 26" x 66"
- Fits Most Full-Sized and Mid-Sized Trucks
- Air Release Technology for Easy, Bubble-Free Installation
- Matte Finish

Xtra Camo SKU**534413 |** RELRTTG-XT-RL

NEW

Max 5 Camo SKU**534414 |** RELRTTG-M5-RL Whitetail - Xtra Camo

SKU **534415** | RELRTTG-WT-XT **Duck - Max 5 Camo** SKU**534401 |** RELRTTG-DKMX5






RELRTTG-WT-XT



RELRTTG-DKMX5

RELRTTG-M5-RL

FAILED LIFT SUPPORTS CAN BE DANGEROUS AND CAUSE INJURY



YOUR CUSTOMER'S LIFT SUPPORTS MAY **NEED TO BE REPLACED**

IT'S FAST... WON'T TIE UP THE BAY IT'S EASY... ANYONE IN THE SHOP CAN DO IT

NO SPECIAL TOOLS REQUIRED

TRUSTWORTHY BRAND

>> Direct fit style for proper function and long life $\langle\!\langle$ >> Affordable - saves a trip to the dealership ((>> Customer Satisfaction ((





Approved Outside Buy Vendor

Call to place your order: 855.277.3074 toll free · 561.689.2064 fax

YOUR TRUSTED BUSINESS PARTNER - TODAY, TOMORROW & BEYOND!

Spray Equipment

Mixing Cups and Lids

1 quart cups

- Strong, Durable, and Tough Polypropylene Cup is Crack Resistant
- Easy to read for proper mixing every time
- Solvent Resistant
- Made in the USA.
- 10% reduction option has been added to the four popular mixing scales



Disposable Cup System

- Better fluid flow for great color match
- Positive locking gun connection
- Refill without opening the cup Self-dispensing packaging
- Larger capacity cups
- Part No. **Description**

Price DPC-600 34 fl. oz cup/lid \$78.50 DPC-601 24 fl. oz cup/lid DPC-602 9 fl. oz cup/lid \$52.45



32 per box

3-Gun HVLP Paint and Touch Up Gun Set T530

- One year OTC warranty
- Includes three Performance Series spray guns with aluminum cups: 1.0mm touch up, 1.4 mm topcoat, and 1.7 mm primer
- · Also includes locking pressure regulator, fluid filter, gun cleaning kit and service tools
- Avg. air consumption: 7-9 CFM
- Air inlet threads: 1/4'

Paint Suit

4999

2-way zipper

• Elastic back

Breathable

· Extremely lightweight

Machine Washable



12 pc Spray Gun Cleaning Kit T550

- · Designed for use with both HVLP and Conventional systems
- Safe with all thinners & solvents
- Specially-formulated lubricant for spray

KIT INCLUDES:

- (1) Body Cleaning Brush with wooden handle
- (1) External Brush with metal handle • (3) Fluid Tube Brushes with metal
- handles
- (1) Straight Line Wire
- (1) Jar of Lubricant

• (5) Picks



Part No.	Size	Color
PS105B	М	Black
PS110B	L	Black
PS115B	XL	Black
PS120B	2XL	Black
PS125B	3XL	Black
PS205W	М	White
PS210W	L	White
PS215W	XL	White
PS220W	2XL	White
PS225W	3XL	White

Tekna ProLite Gun 703566

60999

- TE10 & TE20 Air Caps
- 1.2, 1.3 & 1.4 Fluid Tips
- 900cc Cup



PROLITE

PRODUCTS. INC.

Tekna ProLite Gun 703567

- TE10 & TE20 Air Caps
- 1.2, 1.3 & 1.4 Fluid Tips
- Uncupped w/adaptor
- Optimized performance in climates varying from hot and humid to cold
- Three air caps developed using advanced fluid dynamics technology for
- Packaged as a solution with multiple components allowing the painter to adapt to changing environments
- Excellent for solvent-based coatings and a must for waterborne
- Fully protected outside and inside for high corrosion resistance gun coating has non-stick properties
- High transfer efficiency for material savings

TEKNA ProLite 1.3 mm and 1.4 mm TEKNA. Fluid Tip Spray Gun 703517



• TE20/HV30 Air Cap

- Optimized performance in climates varying from hot and humid to
- Three air caps developed using advanced fluid dynamics technology for excellent atomization
- Packaged as a solution with multiple components allowing the
- painter to adapt to changing environments • Excellent for solvent-based coatings and a must for waterborne
- Fully protected outside and inside for high corrosion resistance
- gun coating has non-stick properties
- High transfer efficiency for material savings

Gun Washer with Timer G200

• Innovative design to reduce heat build up, work in

• Lint Free densely woven polyester multi filament yarn

• Separate hood, allowing freedom of movement

• Interwoven Carbon Fibre thread dissipates

electrostatic charges, less re-works

• Vented back and under arms

• Front Chest Pocket; Back pocket

- Cleans 2-4 spray guns with automatic
- Large tank to work in, small foot print
- · Made in the USA
- Safety shut off





5 GL Solvent Recycler URS500

- Tank Capacity: 5.0 US Gal (20 litres)
- Speed: 5.0 US Gal in about 4 hours
- Solvent Transfer: Manual
- Power Supply: 110/120V, 1500W, 13.3A
- Heater: 1500W
- Display: LEDs indicate power on, heat on and 6 temperature set points





Color Match Light 5000K-6500K

- Rapid recharge (AC adaptor and USB cable included)
- Diffuser lens
- (For larger illumination area)
- Carrying case with belt clip
- · Charge light indicator · Built-in clip hook
- Cordless



Portable Work Stand

Portable Work Stand (16 lb)

- Lightweight work bench with capacity of 500lbs
- Steel tubing construction with 1/2" foam padded top • Great for working on doors, fenders, hoods and
- bumpers • 1 Year Limited Warranty
- Adjustable height of 33" to 40" tall
- Unassembled



Aluminum Repair

DF900DX

Everything that is needed to pull damaged aluminum panels is included with this system plus more. From repair to proper storage the Ford approved, DF-900DX allows any shop to start working on highly profitable aluminum repairs. The 5 steps for aluminum repair are covered: Expose the bare aluminum, apply heat, weld pins, pull the dent, and shaping the dent.



Pouble-Sided la

Double-Sided Tape

- Applications
- Bumper Trim Body Side Emblems · Other Exterior
- Claddings • Wheel Flares



Trim Parts

Part No.	Size	Price
3682	1/2" x 20 yds	\$29.99
3683	7/8" x 20 yds	\$43.99
3684	1/2" x 5 yds	\$10.99
3686	1/4" x 20 yds	\$17.99

Gold Abrasi

6" Gold PSA Discs

- Resistant to clogging and loading
- · P-grade aluminum oxide offers an exceptional long
- High strength resin bonding gives superior grain support producing an even, consistent scratch pattern



Part No.	Grit	Price	Part No.	Grit	Price
6036	36	\$54.99	6180	180	\$30.99
6080	80	\$33.99	6220	220	\$30.99
6100	100	\$30.99	6320	320	\$30.99
6120	120	\$30.99	6400	400	\$30.99
6150	150	\$30.99			

Aluspot Aluminum Repair Station





Tool & Equipment Quarterly



Do you want to help customers see better and drive safer?

SYLVANIA Automotive Lighting has options for an improved driving experience

SYLVANIA zXe®

HID Attitude // Xenon Fueled

- The perfect balance of
- performance and style. Cobalt blue nano coating technology to deliver our whitest halogen*
- Mirror Top alloy coating
- 100% street legal and DOT approved



SYLVANIA SilverStar® ULTRA

Farthest Downroad and Whiter Light*

SYLVANIA SilverStar®

Farther Downroad and Whiter Light*

- Whiter color'
- Most downroad*

Whiter color' More downroad*

More clarity*

Does not increase glare

- More clarity*
- For ULTRA night vision
- Does not increase glare



HID Portfolio

SYLVANIA XENARC and zXe® HID

- OEM quality, precision, and consistent performance that complies with SAE regulations
- SYLVANIA zXe® HID produces an intense white light
- Superior visibility with 3 times more light output than halogen lighting
- Trusted Quality from America's #1 Automotive Lighting Manufacturer

Family	BASIC	zXe®
D1R	✓	✓
D1S	✓	✓
D2R	✓	✓
D2S	✓	✓
D3R	✓	
D3S	✓	✓
D4R	✓	
D4S	✓	✓
D8S	✓	

BASIC



ULT

ZXE

Miniature Replacement Bulbs

SYLVANIA LEDs

- **Direct Replacement for incandescent bulbs**
- 77 bulbs covering 94% applications

SYLVANIA ZEVO®

- ZEVO LIFETIME WARRANTY
- Superior quality
- Longer Life than
- incandescent bulbs Low power consumption



SYLVANIA LED

- Longer Life than incandescent bulbs
- Low power consumption



Traditional Incandescent

• Direct Replacement for OE minature bulbs

SYLVANIA SilverStar®

- Whiter color*
- Improves contrast and clarity



SYLVANIA LongLife

- Longer Life than Basic bulbs
- 99% Vehicle application coverage



SYLVANIA XtraVision®

Farther Downroad*

- More downroad*
- Does not increase glare



9006	SN/TW	SN/TW	SN/TW	SN/TW	TW
H11	SN/TW	SN/TW	SN/TW	SN/TW	TW
9007	SN/TW	SN/TW	SN/TW	SN/TW	TW
H7	SN/TW	SN/TW	SN/TW	SN/TW	TW
9003	SN/TW	SN/TW	SN/TW	SN/TW	TW
9005	SN	SN/TW	SN/TW	SN/TW	TW
H1-55W	SN	SN	SN	SN/TW	TW
H13	SN	SN/TW	SN/TW	SN/TW	TW
9004	SN/TW	SN/TW	SN/TW	SN/TW	TW
9145	SN		SN		TW
H3-55W	SN		SN		TW
9006XS	SN		SN		TW
880	SN		SN		TW
881	SN				TW
9005XS	SN		SN		TW
893	SN		SN		
Only Offered in DACIC Cingle, U11D, U0, 0010, U0, 000, 0140					

Available Single and Twin Packs in Sylvania Capsules

ST

ΧV

Only Offered in BASIC Single: H11B, H9, 9012, H8, 899, 9140, H3-100W, 5202, 898, 896, 894, 886, 2504, 885, 889, 9011, 5201, 891, 9040, H16, H15

SN = Single TW = Twin

*Compared to only SYLVANIA BASIC

Hand Cleaner

Cleans the Toughest Dirt...

World's Best Hand Cleaner

- All Natural, Concentrated, Solvent Free Cleansing Formula
- Unique Skin Conditioning System Leaves Hands Feeling Smoother, While Fibril Scrubbers Deep Clean Even the Toughest Dirt
- Cherry Fragrance Leaves Hands Smelling Great
- 100% Biodegradable

Starter Kit with **BONUS** Dispenser

SKU **972773** 24292

• Kit Includes Wall-Mount Dispenser and 4,000 mL of Cherry Fragrance Cleaner

4000 mL **Refill Bottle** SKU **972772**

24291





OEM TOOLS

LED Safety Glasses

- Polycarbonate Frame and Lenses
- Light Output: 24 Lumens
- (4) CR1632 Batteries



Vindicator SKU **555987** LSSG-279760

• Black Glossy Finish



ANSI Z87.1-2010 Rated



Predator

SKU **514090** LSSG-280377



· Camo Glossy Finish



Introducing EiKO® Commercial Lighting Program, now available at AutoZone®, offering:





High Intensity Discharge (HID)

• Better visibility and illumination • Lower power consumption • Greater durability



SKU 312630 PART# D2R



SKU 312631 PART# D2S



\$69.99 SKU 312634



\$69.99 SKU 312633 PART# D1R




SKU 312632 PART# D4S

Cabinet Program

\$129.99

- Conveniently stores and displays popular lamps
- See-through bins offer easy product selection
- Durable and long lasting
- Easily wall-mounted or placed on any flat surface
- 110 bulbs included



Miniatures - 10 packs













SKU 312605

SKU 312586







OE Halogens - 2 packs











SKU 312627

Miniatures

• Dashboard, interior lamp, signals, brake light offering • Patented 3000 series bulbs • LED offering available



\$5.99 SKU 312605 PART#168



\$5.99 SKU 312579 PART# 194



\$5.99 SKI I 312581 PART# 912



\$5.99 SKU 312582 PART# 921



\$6.99 SKU 312583 PART# 1156



\$6.99 SKU 312584 PART# 1157



\$24.99 SKU 312629 PART# 2504



SKU 312601

\$9.99 SKU 312588 PART# 3057



\$9.99 SKU 312589 PART# 3157



\$11.99 SKU 312600 PART# 3157NA



SKU 312597 PART# 7443

Sealed Beams

• Popular fleet and off-road applications available • Widest selection of incandescent types • Quality construction



\$6.99 SKU 312635 PART# 4411



SKU 312610

PART# H7635









\$12.99 SKU 312638 PART# 4636



\$9.99 SKU 312636 PART# 4412A

TOOL & EQUIDMENT QUARTERLY

Got Questions?

Call AutoZone® **Tool & Equipment** Customer Service:

1-377-AZTOO 1 (phone)

(1-877-298-6651) HABLAMOS ESPAÑOL

Call Center Hours of Operation: 7:00AM to 5:00PM Central Standard Time

OEM TOOLS

OEM TOOLS

OEM TOOLS



OEM TOOLS

Blower Fans OEM TOOLS Portable

Mechanic's Fan -1200 CFM SKU **850066**

24878

- For Indoor or Outdoor Use
- 4 Position Feet Great for Use in Shops, Offices, Homes
- and Other Locations
- 3 Speed Switch (2) 11 Amp Grounded Receptacles with

Over Current Protection SEE DETAIL, PAGE 21 >>>

Shop Equipment

SEE DETAILS, PAGE 115 >>>

Digital Tire Inflator SKU **802198** 24412 **REG. \$59.99**

• Easy-to-Read Backlit LCD Display

• Four Units of Measure (PSI, Bar, KPa, kgf)

Measuring Range: 0 - 12 Bar (0 - 175 PSI)



SEE DETAILS, PAGE 40 >>>

18" Floor Fan SKU **592201**

- 24881 • Complete Metal Structure with
- Rotary Switch on Fan Guard • V-Shaped Base with Pivoting Arms
- Allows the Fan to be Tilted
- Rear Handle for Easy Transportation • 3 Black Aluminum Blades Produce 4500 CFM
- 3 Speed, 1.05 Amp Motor
- 5' UL Listed Power Cord

SEE INSERT FOR DETAILS

OEM TOOLS

SEE DETAILS, PAGE 21>>>

Fluid Handling

No-Spill Coolant Filling Funnel Kit SKU **802197**

87009 • 5 High Quality 1 Piece Adapters

No Assembly or Searching for Loose Parts • Simply Select the Correct

Adapter, Attach the Funnel and Fill Includes Extensions

and Adapters for Hard-to-Reach Surge Tanks

SEE DETAILS, PAGE 66 >>>

OEM TOOLS Fluid Evacuator (1.4 Gallon)

SKU **544744**

REG. \$79.99 • 1.4 Gallon (5.6 Quarts, 5.3 Liters) Reservoir with

Hand Operated Pump

• 5 Ft. of Flex Hose and (2) Dipstick Hoses

Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant, Power Steering Fluid

Offer Good Through June 30, 2017 - While Supplies Last

SEE DETAILS, PAGE 65 >>>

Your Choice

Professional 3-in-1 Soldering Iron Kit SKU **420338**

24355

54 REG. \$39.99

• 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower



SKU **420339 3499** REG. \$39.99 24356 • 3-in-1 Design Can Be Used as a Soldering Iron, Torch or

SEE DETAILS, PAGE 27 >>>

Hot Air Blower without Iron Tip • Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup

with Sponge, Heat-Shrink Deflector, Chisel Point Ti Anvil Solder Tip, Needle Tip and Hot Air/Soldering

Offer Good Through June 30, 2017

OEM TOOLS

Offer Good Through June 30, 2017 **While Supplies Last**

While Supplies Last

Leak Detection

A/C Refrigerant **Leak Detector**

SKU **466307** 24510

REG. \$99.99 • Detects All Types of

Halogenated Refrigerants Sensitive to 0.1 Oz/Yr.

- Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach to Almost Any Space

Includes Spare Sensor Tip



OEM TOOLS

Offer Good Through June 30, 2017 - While Supplies Last

SEE DETAILS, PAGE 32 >>>

Hand Tools

64 Piece 1/4" Drive **Mechanic's Set in EVA Foam Tray** SKU **020788**

23997

5999 REG. \$199.99

 Includes Deep and Shallow 6 Pt. Sockets Made with Our Unique Hard Chrome™ Finish, a Smooth Satin Finish that Won't Rust or Show Prints. Tools Made with Chrome Moly Steel that is Heat-Treated for Extra Strength and Longevity. EVA Trays Have Sizes Etched in Them for Quick and Easy Identification.1/4" Dr. Universal Joint.

SEE DETAILS, PAGE 107 >>>



EVA Trays Feature a Hard Top Carbon Fiber Style Finish That Makes for a **Lifelong Lasting Tray**

Offer Good Through June 30, 2017 While Supplies Last

OEM TOOLS 8 Piece Mechanic's Screwdriver Set in **EVA Foam Tray**

SKU **802208** 23999

Slotted: 1/4" x 1-1/2", 3/16" x 3" 1/4" x 4", 5/16" x 6" and 3/8" x 8"

• Phillips: #2 x 1.5", #1 x 3' and #2 x 4"



Black Magnetic Tip

Hex Bolster Hex shaped bolster for when you need

Unique **Ergonomic Handle** 3 sided handle feels good in your hands

SEE DETAIL, PAGE 107 >>>

Air Tools

Extension Bar Universal Joint Bar

Air Tire Buffer SKU **802218**

24410

7999 REG. \$89.99 • Recommended Air Pressure: 90 PSI

(8) 3/8" Drive 6-Point SAE Sockets, Sizes 5/16"-3/4"

(12) 3/8" Drive 6-Point Metric Sockets, Sizes 8 mm-19 mm

(8) 3/8" Deep Drive 6-Point SAE Sockets, Sizes 5/16"-3/4"

(12) 3/8" Deep Drive 6-Point Metric Sockets, Sizes 8 mm-19 mm

42 Piece 3/8" Impact Socket Set in EVA Foam

Tray

SKU **087600**

• Air Consumption: 3.5 CFM

• Free Speed: 2,600 RPM

Air Inlet Thread Size: 1/4" NPT

• Minimum Hose Size: 3/8"

Offer Good Through June 30, 2017 While Supplies Last

1/2" Composite **Impact Wrench**

SKU **347258** 24400

- Max. Torque: 900 Ft./Lbs. • Air Consumption: 5.1 CFM
- Air Inlet Thread: 3/8"
- Weight: 4.58 Lbs.
- Sound Level: 96.2 dB(A)

Offer Good Through June 30, 2017 - While Supplies Last SEE DETAILS, PAGES 41 and 78 >>>



Multi-Use Rechargeable Diagnostic Work Light SKU **591153**

24609 • 3 Different Light Modes - White.



OEM TOOLS

Yellow (Smoke Detection), UV/Black (Leak Die Detection)

• 400 Lumens of Super Bright Light Lasts Over 5 Hours Using White Light





'Lease to Own Equipment

Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods.

©2017 AutoZone, Inc. All rights reserved. AutoZone, AutoZone & Design, Loan A Tool, Duralast, Duralast Gold and Duralast ProPower are registered marks of AutoZone IP LLC or one of its affiliates. All other marks are the property of their respective holders. iPhone® is a registered trademark of Apple Inc., Android® is a trademark of Google Inc., and Bluetooth® is a trademark of Bluetooth® SIG, Inc. Items requiring freight shipping cannot be delivered outside of the continental United States. For shipping cost to Alaska or Hawaii, please contact Commercial Sales Manager. Ad prices cannot be combined with any other offer. Offers may vary by market. Offers valid while quantities last. Items may not be available at all locations at all times. We reserve the right to limit quantities and to correct pricing errors. Some new items might not be available at the time of print deadline. Prices valid only during sales catalog effective dates. All photographic, clerical, typographical and printing errors are subject to correction. Images shown may not be actual product but represent products or sets which include product. We reserve the right to substitute a like item or an item of greater value on any promotional offer in this publication. Store stock items may be purchased at any local AutoZone store or through your AutoZone Commercial Sales Manager.



NEW