

AIR CONDITIONING

It's about time somebody introduced R/R/R machines for the 21st century!

ARCTIC COMMANDER

RECOVERY / RECYCLE / RECHARGE MACHINES



COMMANDER4000
R1234YF & HYBRID

COMMANDER3000
R134a & HYBRID

COMMANDER2000
R134a FULLY AUTOMATIC

COMMANDER1000
R134a SEMI-AUTOMATIC



Mastercool introduces its new ARCTIC COMMANDER line of R/R/R machines. Equipped with the latest technology, all models come standard with an 8" GUI Command Center. Navigate through all functions, features and instructions with ease. Wi-Fi capabilities allow for real time, interactive communication and troubleshooting.

COMMANDER1000 Semi-Automatic R134a R/R/R Machine

SKU 471051 MSC1000 **2,999⁹⁹**

- R134a
- Wi-Fi Capable
- Vacuum Leak Test
- Cylinder Heater
- 3 CFM Vacuum Pump
- Dust Cover

COMMANDER2000 Fully Automatic R134a R/R/R Machine

SKU 471040 MSC2000 **3,899⁹⁹**

- R134a
- Wi-Fi Capable
- Vacuum Leak Test
- Refrigerant Database
- Cylinder Heater
- 6 CFM Vacuum Pump
- Dust Cover
- Automatic Oil Injection

COMMANDER3000 R134a and Hybrid R/R/R Machine

SKU 471054 MSC3000 **4,099⁹⁹**

- R134a and Hybrid
- Wi-Fi Capable
- Vacuum Leak Test
- Refrigerant Database
- Cylinder Heater
- 6 CFM Vacuum Pump
- Dust Cover
- Hose Flushing

COMMANDER4000 R1234yf and Hybrid R/R/R Machine

SKU 471061 MSC4000 **5,999⁹⁹**

- R1234yf and Hybrid
- Wi-Fi Capable
- Vacuum Leak Test
- Refrigerant Database
- Cylinder Heater
- 6 CFM Vacuum Pump
- Dust Cover
- Hose Flushing
- Built-In Identifier

Also Available
SKU 471058 MSC4000X **4,929⁹⁹**

- Same as MSC4000 but without Identifier

Recovery Machines

All MAHLE Recovery Machines are Fully Automatic and Include a 2-Year Warranty

CONTACT US FOR FACTORY SETUP AND TRAINING
1-877-AZTool1 (1-877-298-6651)

R134a A/C Refrigerant Handling System

SKU 850570 MSSACX1120H **2,799⁹⁹**

- ECO LOCK® Quick Couplers
- Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles
- High Performance Vacuum Pump to Ensure Faster Service Times



Hybrid Ready

MAHLE

R134a A/C Refrigerant Handling System

SKU 850573 MSSACX1150 **3,399⁹⁹**

- 4.3" Color TFT Touchscreen
- ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure Faster Service Times
- Automatic Oil Injection and Measurement



Hybrid Ready

MAHLE

R134a ArticPro Refrigerant Handling System

SKU 850566 MSSACX1180 **3,849⁹⁹**

- Completely Recover, Recycle or Recharge R134a Air Conditioning Systems
- Quicker Service Times
- Automatic Air Purge
- Fully Automatic



MAHLE

R134a ArticPro Refrigerant Handling System

SKU 850567 MSSACX1180H **3,899⁹⁹**

- Completely Recover, Recycle Or Recharge R134a Air Conditioning Systems
- Hybrid Ready



Hybrid Ready

MAHLE

R1234yf A/C Refrigerant Handling System

SKU 764988 MSSACX1250 **5,249⁹⁹**

- Fully Automatic Recovery, Recycle and Recharge Machine
- Compatible with R1234yf Refrigerant
- Meets SAE J 2843 Standard
- ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure Faster Service Times



NEW

MAHLE

R1234YF ArticPro Refrigerant Handling System Hybrid with Printer and Identifier

SKU 850569 MSSACX1280 **5,699⁹⁹**

- Completely Recover, Recycle or Recharge R1234YF Air Conditioning Systems in Conventional and Hybrid Vehicles
- Fully Automatic
- Quicker Service Times
- Automatic Air Purge



Hybrid Ready

MAHLE

HF01234YF Recovery, Recycle and Recharge with 8 Ft. Hoses and 50 Lb. Tank

SKU 452639 CPSFA1234 **3,729⁹⁹**

- Fully Automatic Operation of Recovery, Recycle, Evacuate, Air Purge and Recharge
- Easy To Program Command-Based LCD Display Supports Five Languages
- 2/3HP Oil-less Compressor
- All Steel Construction with Heavy Duty Casters
- Includes 8' Hoses and 50 Lb. Storage Tank
- Compliant with SAE Standards



CPS

R134a Refrigerant/Recover/Recharge Machine with Printer

SKU 695135 CPSFX134A **3,999⁹⁹**

- On-Board Vehicle A/C Data: 1994-2015
- 10 Ft. Charging Hoses
- 6 CFM Vacuum Pump
- Heater Blanket Included
- 1-2-5 Warranty



Hybrid Ready

CPS

1234YF Recovery/Recycle/Recharge with Printer

SKU 850568 CPSFX1234 **6,699⁹⁹**

- Patented Oil-less Compressor
- 6 CFM Vacuum Pump/50 Micron Rated
- Patented Motor-Controlled Ball Valves
- AC Systems Capacity Database Included
- 1-2-5 Warranty



Hybrid Ready

CPS

Dual Gas Recovery/Recycle/Recharge Machine with Printer

SKU 850572 CPSFX3030 **7,119⁹⁹**

- Convertible Between R134a and R1234yf
- Built-In Refrigerant Identifier
- Vehicle Refrigerant Capacity Database Included
- Includes 2 Tanks and 2 Sets of Hoses
- 1-2-5 Warranty



Hybrid Ready

CPS

MAHLE

A/C Recovery Filter Dryer

SKU 470141 MSS268069600 **149⁹⁹**



- Fits ACX1120H, 1150, 1150H
- Removes Moisture and Contaminants from Refrigerant
- Easy Installation
- Protects Your Investment

A/C Recovery Machine Filter Kit for RTI and Mahle

SKU 818739 RTI3608213300 **119⁹⁹**



- Includes All Components Necessary for Basic Maintenance on RHS980 and ACX1180 Series Units
- Removes Acids and Moisture that can Damage Compressors and Contaminate Oil

CPS

AR2788/2788S Recovery Machine Filter

SKU 186483 CPSARXF5 **94⁹⁹**



- Filter Removes Moisture and Contaminants Before the Refrigerant is Returned to the System
- Designed for Use on the AR2788S

Leasing Terms Available!†

Ask Your AutoZone®
Commercial Sales Manager

AutoZone
Tool & Equipment QUARTERLY

RECOVERY / RECYCLE / RECHARGE MACHINES

ROBINAIR



SKU 221185
ROB34288 **2,899⁹⁹**



SKU 751569
ROB34788NI **3,899⁹⁹**



SKU 751572
ROB34788NI-H **3,899⁹⁹**



SKU 377607
ROB34988NI **4,899⁹⁹**



SKU 751575
ROBAC1234-6 **6,499⁹⁹**

Features	ROB34288	ROB34988NI	ROB34788NI	ROB34788NI-H	ROBAC1234-6
Fully-Automatic Function: Program to recover, vacuum, leak test and charge without operating panel valves.		X	X	X	1234YF A/C Service
Automatic Dye Inject: Gives the user the ability to use the machine to inject UV dye into a vehicle's A/C system.		X			<ul style="list-style-type: none"> Fully automatic operation — program for service, walk away and return when complete. 95% recovery efficiency. Programmable vacuum operation helps get to the necessary vacuum level in any condition quickly. System leak test to identify gross leaks in a system. Charge accuracy within +/- 1/2 oz. Automatic oil drain shows how much oil was removed from the system during service. Automatic air purge removes the potential of air accumulating in the internal tank. Integrated refrigerant identifier (meets SAE J2927). Liquid refrigerant flushing function can flush A/C systems or individual components using liquid refrigerant instead of harsh chemicals. Automatic internal tank refill. No stopping to fill the internal tank during service, or before service. 1/4 Color VGA display. Large easy-to-read graphical display. On-board printer capable of printing vehicle service report slips to present to customers.
Automatic Oil Drain: A display reminds you to empty the graduated container to show the amount of oil to replace.	X	X	X	X	
Oil Inject: Automatically inject oil back into the vehicle's A/C systems.		X*	X		
Refrigerant and Oil Database: A/C system capacities for North American market vehicles (Optional – not included with the machine).		Optional	Optional	Optional	
A/C System Flush: Flushes a vehicle's A/C system with refrigerant, eliminating any residual oil or other liquid (Flushing adapters not included).		X	X	X	
Save and Print Before and After Service Data: Allows the user to store before and after service information by vehicle and print this information to provide to a customer.		X	X	X	
Visual and Audible Alarm: Notifies the user when service is complete, or if a problem has occurred.		X	X	X	
Vacuum Leak Test: Monitors level after evacuation, informs of possible leak.	X	X	X	X	
Automatic Air Purge: Eliminates system-damaging air without monitoring gauges or opening valves.	X	X	X	X	
Automatic Refrigerant Refill: Maintains a user-selectable amount of refrigerant in an internal vessel and signals when it's time to change supply tank, no monitoring required.		X			
Vacuum Feature: Defaults to 15 mins, programmable up to 99 mins. "Remaining time" is displayed.		X	X	X	
Display: Multilingual.	X	X	X	X	
Refrigerant Charging: Select a charge mode from high or low side, or use both sides.		X	X	X	
Refrigerant Management System: Displays refrigerant use and monitors remaining filter life. Prompts appear when 1/3 of filter life remains.	X	X	X	X	
Electric Vehicle: Capable of servicing high voltage electric compressor A/C systems.				X	
Printer		X	Optional	Optional	
Refrigerant Identifier			Optional	Optional	

* 34988NI has (2) oil bottles for injection, giving the technician the option to choose between two on-board oils to service the vehicle • Large full color display (34988 has monochrome display) • 34988NI meets SAE J2788 requirements, consistently meets 98.5% recovery performance vs 95% on the 34988

A/C Recovery Machine Accessories

A/C Recovery Machine Vinyl Dust Cover
SKU 291481
ROB17492 **99⁹⁹**

- Medium Gray Color with Cool-Tech Logo
- Fits All 342000, 17700-2K, 34700-2K, 34134Z, 34700Z, 34711-2K, AC375, AC375A, 17700Z, 34702Z

Refrigerant Canister Filter™ 1/2" Acme
SKU 544562
AIR72900 **54⁹⁹**

- Use Inline Between the Virgin Refrigerant Tank and the Tank Fill Hose
- Helps Stop Debris from Entering Your Refrigerant Supply
- Protects Your Recovery Machine from Tank Debris

Spin-On Filter-Drier
SKU 414883
ROB34724 **69⁹⁹**

- Fits Current Models: ROB34288, ROB34788, ROB34988, ROB34700Z
- Genuine Robinair Spin-On Filter with the Proper Serial Number to Input for Easy Installation
- High Quality Filter Protects Your Investment
- Easy to Install

Recycling Filter-Drier
SKU 522875
ROB34430 **74⁹⁹**

- For Older 17700A, 34450, 34700 (1997), AC375, AC375A, AC375C, and 34134Z Robinair Recovery Machines

A/C Recovery Machine Vinyl Dust Cover
SKU 752708
ROB17490 **129⁹⁹**

- Medium Gray Color with Cool-Tech Logo
- Fits 34900, 34800-2k, and 17800b Series

A/C Recovery Machine Maintenance Kit
SKU 752703
ROB13172 **79⁹⁹**

- Contains: (1) Quick Change Filter-Drier to Be Used on Both R-12 and R-134a Stations and (1) 16 Ounce Bottle of Our Premium High Vacuum Pump Oil
- For Models Using 34724 Filter/Drier - 17700A, 17700-2K, 34700, 34700-2K, 34800, 34800-2K, 34900 Series

AR2788/2788S Recovery Machine Filter
SKU 186483
CPSARXF5 **94⁹⁹**

- Filter Removes Moisture and Contaminants Before the Refrigerant is Returned to the System
- Designed for Use on the AR2788S

A/C Capacities Database - 2016
SKU 597992
ROB34412-A **279⁹⁹**

- For Use with Robinair 34788NI and 34788NI-H A/C RRR Machines
- Displays Charge Amount and Oil Capacities for Vehicle Model Years 1997-2016
- Increases Technician Productivity by Eliminating the Need to Search Charge Capacities
- Clamshell Packaging

Vinyl Dust Cover for A/C Recovery Machine
SKU 751574
ROB17499 **129⁹⁹**

- Protect Your Investment with a Heavy-Duty Vinyl Dust Cover
- Fits AC1234-6, 34788NI, 34788NI-H Models

A/C Recovery Filter Dryer
SKU 470141
MSS268069600 **149⁹⁹**

- Fits ACX1120H, 1150, 1150H
- Removes Moisture and Contaminants from Refrigerant
- Easy Installation
- Protects Your Investment

MAHLE

A/C Capacities Database - 2016
SKU 331126
ROB34411-F **279⁹⁹**

- Works with Robinair 34788, 34788-H, and 34988 A/C RRR Machines
- Includes Charge Amounts and Component Oil Capacities for Vehicle Model Years 1997-2016

Replacement High/Low Filter Set
SKU 389222
MSC69788FLTPK **139⁹⁹**

- Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789-H Recharge-Recover-Recycle All-in-One Units

A/C Recycle Guard Accessories

Recycle Guard™ R12 Adapter Kit, 1/4" Flare
SKU 504086
AIR72138 **39⁹⁹**

Recycle Guard™ for R134a - 1/2" ACME Fittings with 36" Service Hose
SKU 504082
AIR72101 **289⁹⁹**

- Protect Your Recovery Equipment from Debris Sealant, Dye, Excess Lubricant and Other Contaminants
- Works with All A/C Service Equipment

Recycle Guard™ for 1/4" SAE Flare with 36" Service Hose
SKU 504083
AIR72102 **289⁹⁹**

- Protect Your Recovery Equipment from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- Works with All A/C Service Equipment

Dual Automatic Recycle Guard™ for R134a with (2) 36" Service Hoses
SKU 504091
AIR75000 **439⁹⁹**

- High- and Low-Side Protection from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- No Technician Input Required - Switches Automatically from Recover to Recharge
- Traps Metal Shavings, Desiccant Particles and Other Harmful Debris
- Maintains Refrigerant Flow

AIR CONDITIONING

Portable Recovery Systems



Portable R134a Recovery System

SKU 290024 **1,369⁹⁹**
MSC69100

- High Performance Oil-Less Compressor
- Includes an Oil Separator and Filter Dryer to Clean Refrigerant During Recovery
- Recovers All Refrigerants, 30 Lbs. DOT Recovery Tank Included



Portable A/C Recovery Machine

SKU 504026 **1,499⁹⁹**
CPSTRA21

- SAEJ2810 Approved, Fastest Recovery Recycle Machine in the Industry
- Oil Separator and Filter Includes 30 Lbs.
- Tank and Manifold Set with 60' Hoses and Manual Couplers



Vacuum Pump Kits



A/C Service Set with Air Vacuum Pump - R134a

SKU 850564 **99⁹⁹**
68991

- Complete Kit for Diagnosing and Charging R134a A/C Systems
- Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve and Large Diameter Dual Scale Thermometer



A/C Starter Kit - R134a

SKU 695127 **179⁹⁹**
68987

- OEMTOOLS™ 1.8 CFM, 100 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability.
- Ensures Moisture Removal
- Kit Includes: OEMTOOLS™ Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEMTOOLS™ R134a Can Tap Connects to Any ACME Threaded R134a Can



3 Piece High Performance A/C Kit

SKU 626121 **249⁹⁹**
68989

- OEMTOOLS™ 6 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reduces Evacuation Time.
- Kit Includes: OEMTOOLS™ Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEMTOOLS™ 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports




A/C Professional Set - R134a

SKU 695129 **299⁹⁹**
68988

- OEMTOOLS™ 4 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensures Moisture Removal and Reduces Evacuation Time
- Kit Includes: OEM Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEMTOOLS™ 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports
- OEMTOOLS™ AC Refrigerant Leak Detector is Sensitive to 0.1 Oz./Year and Responds to All Halogenated Refrigerants



Manifold Gauges



R134a Brass Manifold Gauges Set

SKU 752520 **64⁹⁹**
24563

- High Quality Brass Body with Sight Glass
- Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" 3,000 PSI Burst, 600 PSI Working Pressure Hoses
- Snap Style Quick Couplers



R134a Manifold Gauge Set with Sight Glass

SKU 466319 **99⁹⁹**
24527

- Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 72" Hoses with Manual Couplers



Dual Unit with Extra Long Hoses



R134a/R12/R22 Dual Manifold Gauge Set

SKU 512961 **149⁹⁹**
27229

- For Use with R134a, R12 and R22
- 3,000 PSI Burst and 600 PSI Max
- SAE J2196/ R134a
- Extra Long High and Low Hoses: 72"; Freon Hose: 96"
- Manual Couplers Included



R1234YF Manifold Gauge Set

SKU 752518 **149⁹⁹**
24559

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers



R134a Aluminum Manifold Kit with Dye Injector

SKU 290023 **149⁹⁹**
MSC89660UV

- Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



R134a Aluminum Manifold Kit with Dye Injector

SKU 290022 **169⁹⁹**
MSC89661UV

- Includes: R134a Aluminum Manifold, 60" Hoses, Manual Couplers and 10 Application Mini Dye Injector

Manifold Gauge Repair

1/4" Hose Set 72"

SKU 752515 **39⁹⁹**
24557

- 72", 1/4" SAE 3 Hose Set Color Coded: Red, Yellow and Blue



R134a Hose Set 72"

SKU 752516 **39⁹⁹**
24558

- 72" R134a 3 Hose Set Color Coded: Red, Yellow and Blue



1/4" Hose Set SAE 60"

SKU 347260 **59⁹⁹**
24390

- Maximum Working/Burst Pressure 300PSI / 3000PS
- Solid Brass Fittings
- 60" Long



Replacement Gauge Low Side for A/C Manifold

SKU 481709 **14⁹⁹**
24531

- This is a Low Compound Gauge for OEMTOOLS™ and Other Brands of A/C Manifold Sets Used to Service A/C Systems on Cars
- Reads 0-120 PSI and 0-30" Hg
- 1/8" NPTF Male Threads



96" R134a Red Hose

SKU 489152 **39⁹⁹**
MSC84963

- 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



96" R134a Blue Hose

SKU 489151 **39⁹⁹**
MSC84961

- 1/2" Acme-F and 14 mm-M Auto A/C Fittings - 96"



1/4" SAE Hose Set

SKU 512962 **69⁹⁹**
27230

- High Pressure Hose Length: 6 Feet.
- Low Pressure Hose Length: 6 Feet Freon
- Hose Length: 8 Feet.



Replacement Gauge High Side for A/C Manifold

SKU 481705 **14⁹⁹**
24530

- Replacement High Side Gauge Fits OEMTOOLS™ and Other Brands of A/C Manifolds Used to Service A/C Systems on Cars
- 1/8" NPTF Male Threads
- Reads 0-500 PSI Hoses



Leasing Terms Available!†

Ask Your AutoZone®
Commercial Sales Manager

AutoZone
Tool & Equipment QUARTERLY

Vacuum Pumps

Air-Operated Vacuum Pump

- SKU 544730 24533 **29⁹⁹**
- Includes 1/2" ACME (R134a) and R12 Connectors
 - Air Pressure Range: 75 - 180 PSI
 - Air Consumption: 4.2 CFM @ 90 PSI
 - Vacuum Capacity: 28.3" of Mercury @ 90 PSI



1.8 CFM Single Stage Vacuum Pump

- SKU 466312 24500 **99⁹⁹**
- 1/4 HP, 110V Motor
 - 100 Microns
 - Internal High Volume Cooling Fan for Extended Use
 - Inlet Ports: 1/2" ACME - 1/4" Flare
 - Oil Capacity: 200 mL, Included



4 CFM Single Stage Vacuum Pump

- SKU 466305 24501 **149⁹⁹**
- 1/3 HP, 110V Motor
 - 75 Microns
 - Internal High Volume Cooling Fan for Extended Use
 - Inlet Ports: 1/2" ACME - 1/4" Flare
 - Oil Capacity: 330 mL, Included



6 CFM Single Stage Vacuum Pump

- SKU 466306 24502 **199⁹⁹**
- 1/3 HP, 110V Motor
 - 75 Microns
 - Internal High Volume Cooling Fan for Extended Use
 - Inlet Ports: 1/2" ACME - 1/4" Flare
 - Oil Capacity: 330 mL, Included



Vacuum Pump Oil (8 Oz.)

- SKU 363429 24399 **9⁹⁹** STORE STOCK
- Increases Life Span of the Pump
 - Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
 - Compatible for Use in Pumps Made by Most Manufacturers



Premium Vacuum Pump Oil 1 Quart Bottle

- SKU 517580 CPSVPOQ12 **19⁹⁹**
- Compatible with Most Pumps
 - Increases Life Span of the Pump
 - Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



1.5 CFM Single Stage Vacuum Pump

- SKU 573206 MSC90059-R **139⁹⁹**
- 1/6 HP
 - 75 Microns



6 CFM 2 Stage Vacuum Pump

- SKU 301619 MSC900662V110 **349⁹⁹**
- 1/3 HP
 - 15 Microns



A/C Couplers

R134a Refrigerant Tank Adapter

- SKU 850565 24554 **19⁹⁹**
- Male Low-Side R134a to Female 1/2" ACME
 - Attaches to Virgin Tank and Low-Side Service Coupler



R134a High Side Manual Coupler

- SKU 347267 24395 **29⁹⁹**
- All Metal Construction for Extra Durability
 - 6 Ball Coupler for Secure Grip
 - Includes an Adapter for Use with R12 Hoses



R134a Low Side Manual Coupler

- SKU 347266 24394 **29⁹⁹**
- All Metal Construction for Extra Durability
 - 6 Ball Coupler for Secure Grip
 - Includes an Adapter for Use with R12 Hoses



R134a High and Low Side Coupler Set

- SKU 362980 24396 **34⁹⁹** REG. \$39.99
- Change Your Old R12 Manifold Set to R134a with This Set of Manual Couplers
 - All Metal Construction for Extra Durability
 - Includes Adapter for Use with R12 Hoses
 - 6 Ball Coupler for Secure Grip



SAVE \$5

Offer Good Through September 30, 2017 While Supplies Last

R134a Extra Long Coupler

- SKU 752517 24556 **49⁹⁹**
- Used on BMW E60 (2003-2009 5 series) and Some Volvo Models
 - Allows for A/C Service with No Radiator Removal



Conversion Coupler Set R134a to HFO-1234YF

- SKU 752527 24561 **64⁹⁹** REG. \$69.99
- HFO-1234YF Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to HFO-1234YF
 - Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter



SAVE \$5

Offer Good Through September 30, 2017 While Supplies Last

DID YOU KNOW?

AutoZone® has multiple financing options for large tool or equipment purchases to include leasing and/or interest free extended payment options.

Contact Your AutoZone® Commercial Sales Manager for Details

A/C Flush

A/C Quick Flush 17 Oz. Replacement

- SKU 695647 MSC91050 **24⁹⁹**



A/C Flush 32 Oz. Bottle

- SKU 695650 MSC91049-32 **24⁹⁹**



A/C Flush Solvent (1 Gallon)

- SKU 695653 MSC91049-128 **49⁹⁹**
- Non-Toxic, Quick Evaporating A/C Flush
 - Effectively Removes Debris and Sludge from A/C Components
 - Solvent-Based, Leaves No Residue
 - Professional Use Only
 - Flush Any A/C System



A/C Flush 6 Pack 32 Oz. Bottles

- SKU 695652 MSC91049-32-6 **99⁹⁹**



A/C Quick Flush 17 Oz. Replacement 6 Pack

- SKU 695649 MSC91050-6 **139⁹⁹**



A/C Flush 1 Gallon Case of 4

- SKU 695654 MSC910491284 **198⁹⁹**



A/C System Flush Kit

- SKU 466308 24515 **49⁹⁹**
- Use with MSC91049 A/C Flush Solvents
 - Includes: Canister, Hose, Blow Gun, Rubber Tip and Cylinder Cap



Total A/C Quick Flush Kit

- SKU 695646 MSC91051 **54⁹⁹**
- Includes: 17 Oz. Pressurized A/C Flush, Hose and Rubber Tipped Blow Gun with Thumb Control
 - Pressurized to 150 PSI
 - Non-Toxic
 - Self-Evaporating
 - Single Use Disposable Cans



A/C Flush Machine

- SKU 217370 CPSAFM100 **1,179⁹⁹**
- Air Operated
 - 8 Foot Hoses to Reach Any System
 - Forward or Reverse Flush Without Changing Hoses
 - 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
 - Universal Couplers Allows Connection to Virtually All Types of Connections
 - Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter



Valve Tools

No Gas Loss A/C Valve Core Remover/Installer

- SKU 466321 24529 **49⁹⁹**
- Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant
 - Built-In Ball Valve Retains Charge and Allows Access to A/C System
 - For 13 mm and 16 mm High and Low Service Ports



Can Taps

Refrigerant and Oil Charge Can Tap

- SKU 466313 24523 **19⁹⁹**
- Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans
 - Plier Type Grip with Positive Lock
 - Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



R134a DIY Refrigerant Recharge Kit

- SKU 466316 24525 **19⁹⁹**
- Will Service Most R134a Systems
 - Includes High Pressure Hose and Quick Disconnect Coupler



AIR CONDITIONING

SAVE \$20

OEM TOOLS™


Three Lights in One

400 Lumens
3-in-1 Multi-Use Rechargeable
Diagnostic Work Light

SKU 591153
24609 **89⁹⁹** Reg. \$109.99
• 5 Hr. Run Time on High
• Length: 13.4"



LCD Displays
Battery Charge



Power
Source*

Smoke Detection Light

UV Detection Light

Bright White Light

*Charges Cell Phones, Tablets and Handheld Devices

Offer Good Through September 30, 2017 - While Supplies Last

Leak Detection Lights

UV Pen Light

SKU 695128 **24⁹⁹**
24610

- Pen Style Ultraviolet Light
- Lightweight, Aluminum Casing
- Convenient Pocket Clip
- Maximum Continuous Run Time is 4.5 Hours



Mini UV Flashlight - 12 LED

SKU 300782
MSC53512-UV **34⁹⁹**

- 25,000 Hour Bulb Life
- 3 AAA Batteries / Operates for 22 Hours Under Normal Work Conditions
- Comparable to 50 Watt Illumination
- UV Goggles Included



Compact UV Flashlight - 17 LED

SKU 300783
MSC53517-UV **54⁹⁹**

- 25,000 Hour Bulb Life
- 3 AAA Batteries / Operates for 22 Hours Under Normal Work Conditions
- Comparable to 75 Watt Illumination
- UV Goggles Included



USB Rechargeable UV Light with Glasses

SKU 626122
EXPE93-E02 **59⁹⁹**

- 1W Bulb That Casts a Beam Up to 5 Meters
- 0.8 Lumens
- 3 Light Modes: 25%, 50% and 100%
- Runtime: 12 Hours
- USB Cord



GreatLite

Mechanic's 500 Lumen Rechargeable Flashlight and 450 Lumen Ultra Slim Wand with UV Inspection

SKU 344835 **69⁹⁹** REG. \$89.99
24607

- 500 Lumen Flashlight Will Cast a 170 Meter Beam
- Ultra Slim 450 Lumen Inspection Light Casts a 30 Meter Beam
- 3 Powerful, UV LED Lights on Inspection Light Detect Leaks Quickly and Easily
- Detachable 180 Degree Swivel Hook with Magnets
- Battery Lasts 3.5 Hours at 100% and Fully Charges in 5 Hours
- 5 Light Modes
- Comes with (1) USB Charging Cord, AC Adapter, (1) 18650 Rechargeable Battery, and a 180 Degree Swivel Hook

3 Lights in 1!



500 LUMENS FLASHLIGHT
450 LUMENS INSPECTION
MAX RUN TIME 3.5H

Includes Hook

18650 Battery

Offer Good Through September 30, 2017 - While Supplies Last

SAVE \$20

DID YOU KNOW?

STP oil is now available at AutoZone®. STP is a worldwide name that customers know and trust. Buy your STP oil and filters at your local AutoZone® store.

Contact Your AutoZone® Commercial Sales Manager for Details

Leak Detection

Complete A/C and Fluid Leak Detection Starter Kit

SKU 291378 **79⁹⁹**
TRATP8621

- 50 Watt 6 LED Lamp
- Pinpoints A/C, Oil Systems and Coolant Leaks
- EZ-Ject™ Dye Injector with (3) 1 Oz. Bottles of Dye



A/C Refrigerant Leak Detector

SKU 466307 **79⁹⁹** REG. \$99.99
24510

- Detects All Types of Halogenated Refrigerants
- Sensitive to 0.1 Oz. /Yr.
- Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost Any Space
- Includes Spare Sensor Tip



SAVE \$20

Offer Good Through September 30, 2017 - While Supplies Last

Professional UV Leak Detection Kit with 12V/50W UV Light

SKU 290041 **84⁹⁹**
MSC53351

- 12 Volt / 50 Watt UV Leak Detector
- 1 Ounce Coolant Dye, 1 Ounce Oil/ATF/Fuel Dye, Dye Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Which is compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels



Mastercool™
World Class Quality™

OPTI-PRO™ Leak Detection Kit

SKU 765000 **144⁹⁹**
TRATP8617

- EZ-Ject™ A/C Dye Injector
- R-134A Hose/Coupler with Purge Fitting
- EZ-Ject™ Universal/Ester A/C Dye Cartridge for Servicing Up to 14 Vehicles
- 1 oz. (30 ml) Bottle of Dye-Lite® All-In-One™ Standard Dye for All Oil-Based Fluid System
- Includes Fluorescence-Enhancing Glasses and Rugged Carrying Cases



NEW

OPTI-PRO™/EZ-Shot™ A/C Dye Injection Kit

SKU 568718 **154⁹⁹**
TRATP8616

- Cordless, Economical, True UV Led Leak Detection Flashlight
- EZ-Shot A/C Dye Injection Gun
- 8 Oz. (237 ml) BigEZ™ Universal/ Ester A/C Dye Cartridge



"Inspector" 2-in-1 Electronic/UV Leak Detector

SKU 290031 **199⁹⁹**
MSC55200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) per Year
- Ultra Bright UV Light is Built into the End of the Probe, Allowing Easy Access into Tight Areas



Mastercool™
World Class Quality™

Electronic Leak Detector with 3 Sensitivity and 5 Detection Levels

SKU 290030 **199⁹⁹**
MSC55100

- Detects All Refrigerants (CFC's, HCFC's, HFC's)
- Meets and Exceeds SAE J1627



Mastercool™
World Class Quality™

Nitrogen Leak Test Kit

SKU 295560 **299⁹⁹**
MSC53010

- T-Handle for Ease of Pressure Adjustment Kit
- Includes Leak Testing Gauges and Hoses




Mastercool™
World Class Quality™

IntellaSense II Refrigerant Leak Detector

SKU 695639 **299⁹⁹**
MSC55900

- Detects: Combustible Gases, Hydrogen, Refrigerants (all CFC's, HCFC's and HFC's)
- Includes Leak Test Vial and Replacement Filters in a Blow Molded Box
- Meets and Exceeds J2791 and J2913



Mastercool™
World Class Quality™

Leak Detection Fluid

1 Oz. Bottle Dye-Lite® All-In-One™ Oil Dye (6 Pack)

SKU 291395 **34⁹⁹**
TRATP3405

- Patented Formulation Works with any Leak Detection Lamp



1 Oz. Bottle Fluoro-Lite® Universal/POE A/C Dye (6 Pack)

SKU 291398 **54⁹⁹**
TRATP38400601

- Pourable Dye for Use with Many Dye Injectors or Simply Pour into an Open System
- Includes 4 Applications for Standard Sized Systems



BigEZ™ 8 Oz. Universal Dye Cartridge

SKU 291396 **64⁹⁹**
TRATP97700108

- Treats Up to 64 Vehicles
- Fits Most Caulking Gun Injectors Including TRATP9790



Universal Concentrated Dye Cartridge - 1 Oz. (5 Pack)

SKU 505040 **94⁹⁹**
MSC53810-5

- 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle



Mastercool™
World Class Quality™

AIR CONDITIONING

A/C Hose and Line Repair

Line Splice Straight Repair Kit



- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required)
- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2600 PSI



SKU	Part #	Size	Price
SAE			
504140	AIR76003	5/16" Line	\$29.99
504138	AIR76002	3/8" Line	\$29.99
504136	AIR76001	1/2" Line	\$29.99
504143	AIR76011	5/8" Line	\$39.99
504145	AIR76012	3/4" Line	\$39.99
METRIC			
504132	AIR77008	8 mm Line	\$29.99
504155	AIR77010	10 mm Line	\$29.99
504156	AIR77012	12 mm Line	\$29.99
504133	AIR77015	15 mm Line	\$39.99
504117	AIR77016	16 mm Line	\$39.99

Smart Splice™ Straight Connectors

- When a Metal-to-Rubber A/C Line is Damaged, You Often Must Replace the Complete OE Line. If the Line is Not in Stock Locally, You Inconvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™.
- Leak-Proof Line Splice™ Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Works for Heater and Coolant Lines Also
- Install in 5 Minutes



SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99

Line Splice Straight Repair Kit Reducer

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required)
- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2,600 PSI
- Works on Heater and Coolant lines



SKU	Part #	Size	Price
504141	AIR76004	3/8" to 5/16" Line	\$29.99
504095	AIR76005	1/2" to 5/16" Line	\$29.99
504142	AIR76006	1/2" to 3/8" Line	\$29.99

Line Terminator Rear A/C Blockoff Kits



- OE-Approved Rear A/C Block-Off Kits Block Damaged or Unused A/C Lines — No Line R and R. Save Time and Satisfy Customers. Leaking Rear A/C Components or Lines Can Result in High Operating or Repair Costs. Many Car Owners Would Rather Avoid That Expense and Operate the Front A/C Unit Only. With AirSept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or Replacement Labor.
- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part #	Size	Price
504150	AIR76503	5/16" Line	\$22.99
504149	AIR76502	3/8" Line	\$22.99
504146	AIR76501	1/2" Line	\$22.99
504152	AIR76504	5/8" Line	\$26.99
504154	AIR76505	3/4" Line	\$31.99

Manual Style A/C Hose Crimper, Bench or Vise Mounted

SKU 290028 **244⁹⁹**
MSC71550

- The 71550 is Our "Manual Style" A/C Hose Crimper. The Dies Snap Quickly into Place Requiring No Pins or Screws. The Unit Can Be Easily Mounted to a Bench Using the Holding Fixture or Held Securely in a Vise. This Kit Comes with a Complete Set of Dies Covering Standard Hose Sizes #6, #8, #10 and #12.
- Includes: 71500 - 001 Yoke Assembly, 71550 - 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die Set - #6 (5/16 In.), 71500 - 8 Die Set - #8 (13/32 In.), 71500 - 10 Die Set - #10 (1/2 In.), 71500 - 12 Die Set - #12 (5/8 In.), and 71500-PB Custom Mold Box Carrying Case



Hydra-Krimp A/C Hose Crimping Tool

SKU 290027 **749⁹⁹**
MSC71500

- Repair A/C Hoses On or Off the Vehicle
- Includes a Complete Set of Dies Covering Hose Sizes: #6, #8, #10, #12; and Reduced Barrier: #6, #8, #10 and #12
- Dies Snap Quickly into the Press Fixture (No Pins or Screws Required)
- Patented, Lightweight, Portable
- Ideal for Shop and Field Applications



Heavy Duty Ratcheting Hose Cutter

SKU 466311 **16⁹⁹**
24522

- Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts
- Cuts Rubber Hose and PVC Up to 1-1/2" OD
- Ratcheting Action Makes it Faster and Easier to Use Than Other Cutters
- Wide Hooked Jaws Hold Tubing Securely



Line Terminator SAE - 5 Pack

SKU 504122 **89⁹⁹**
AIR76526

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits



Line Terminator SAE/Metric - 10 Pack

SKU 504124 **179⁹⁹**
AIR76530

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kits



Line Splice Straight SAE (5 Pack)

SKU 504101 **139⁹⁹**
AIR76050

- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install - No Special Tools
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" Line Splice Kits



Line Splice Straight SAE/Metric - 10 Pack

SKU 504103 **269⁹⁹**
AIR76051

- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install - No Special Tools
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Line Splice Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Line Splice Kits



R134a / R12 Charging Hose Repair Kit

SKU 295557 **44⁹⁹**
MSC91334-A

- 55 Piece Assortment of Replacement Gaskets, O-rings, Depressors for Charging Hoses and Adapters



Airsept Smart Splice™ Ultimate Line Repair Kit

SKU 687976 **1,769⁹⁹**
AIR76057

- Everything Needed to Repair A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater Lines
- OEM Approved Line Repair Solution Installs in Five Minutes, on the Vehicle, without Special Tools or Adhesives
- Leak Free Up to 2600 PSI



Smart Splice™ Multi-System Line Repair Tray

SKU 687973 **524⁹⁹**
AIR76076

- Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4" Line Splice Straight SAE Repair Kits; 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits; 5/16", 3/8", 1/2", 5/8" Line Splice 45° SAE Repair Kits; 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE Repair Kits
- Top Tray in Master Cabinet



Smart Splice™ Line Terminator and Service Tee Repair Tray

SKU 687974 **499⁹⁹**
AIR76077

- Everything Needed to Block Off A/C, Coolant and Heater Lines, or Add an A/C Service Port
- SAE Sizes (OD Metal Lines): 5/16", 3/8", 1/2", 5/8", 3/4" OD Metal Lines
- Metric Sizes (OD Metal Lines): 8 mm, 10 mm, 12 mm, 15 mm, 16 mm



Smart Splice™ Hose to Tube, Hose to Hose Repair Tray

SKU 687975 **549⁹⁹**
AIR76078

- Everything Needed to Make Hose to Line or Hose to Hose Repairs on A/C, Coolant and Heater Lines
- SAE Sizes (OD Metal Lines): 5/16", 3/8", 1/2", 5/8", 3/4" OD Metal Lines, SAE Sizes for #6, #8, #10, #12 3/4"; A/C Reduced Barrier Hose



Smart Splice™ Aluminum Tube Insert Service Tray

SKU 687989 **219⁹⁹**
AIR76079

- Repair Long Sections of Damaged or Leaking A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater Lines.
- Includes 12' Lengths of Aluminum Tubing for SAE and Metric Lines



5 Piece Smart Splice™ Tool Assortment

SKU 688003 **159⁹⁹**
AIR76080

- Includes: Deburring Tool, Tube Cutter, Caliper, Pex Crimper, Rubber Hose Crimper

Leasing Terms Available!†

Ask Your AutoZone®
Commercial Sales Manager

AutoZone
Tool & Equipment QUARTERLY

Engine Service



Ford Spark Plug Remover Kit, Triton 3V

SKU 087307
OTC6918 **99⁹⁹**

- Unique Design Helps Prevent Breakage by Locking the Plug Porcelain Core to the Plug Hex Allowing it to Turn as One Complete Unit
- Will Also Pull Plug Porcelain Core if Only Plug Hex is Removed
- Detailed Instructions to Maximize Success Rate

Works on:

- Ford 4.6L 3V V8 Engines Used in 2005–2008 Mustang, 2006–2008 Explorer
- Ford 5.4L 3V V8 Engines Used in 2004–2008 F-Series, 2005–2008 Expedition, 2005–2008 Lincoln Navigator
- Ford 6.8L 3V V10 Engines Used in 2005–2008 F-Series 250-350-450



Belt Holding Tool

SKU 087299
OTC7424 **19⁹⁹**

- Keeps Belt from Falling Off of a Pulley During Belt Installation
- Universal Design to Fit Most Pulley Styles and Sizes
- Super Strong Magnet to Hold the Belt Firmly On the Pulley
- Multiple Holders Can Be Used for Belt Applications that Fit Around Many Pulleys
- Durable Plastic Housing with Magnet for Steel/Iron Pulley Applications



Chassis Service



Ball Joint Intermediate Service Kit

SKU 087302
OTC6530 **349⁹⁹**

- This 20+ Adapter Kit Covers Many Truck/Van/SUV Applications and Some Car Applications
- With the Majority of Cars and Truck/Van/SUV Applications Having Press-In Ball Joints and Universal Joints, This Kit is Designed to Service Many of Those Applications
- This Kit is a Combination of 7249, 7918, and 7996 Kits, and Includes 20+ Adapters, C-Frame, and Application Diagrams All Provided in a Case



Specialty Tools



Master TORX® Socket Set

SKU 087309
OTC5900A **97⁹⁹**

52 Piece, Professional Socket Set in a Blow-Molded Case. Hundreds of Applications from Front to Rear on Cars and Trucks:

- Seat Belt Bolts
- Interior and Exterior Trim Screws
- Engine Assemblies
- Tail Lamp Lenses and Assemblies
- Bumpers
- Headlight Bezels
- Door Strikers and Latches
- Brake Rotor Bolts
- GM Front-Wheel Drive Front Wheel Bearings
- Truck Box Liners

- Styles Available: TORX, TORX PLUS, Tamper-Resistant TORX and External TORX
- Made from Superior S2 Steel to Meet or Exceed Torque Specifications



CrimPro™ 4-in-1 Angled Wire Tool

SKU 087314
OTC5950A **29⁹⁹**

- Compact 7" Design
- Gripping Nose
- Crimper, 12-20 AWG Insulated and Non-Insulated Wire
- Stripper – Strips 12-20 AWG Wire
- Cutter – Ability to Make Cuts Both Above and Below Pivot



CrimPro™ 4-in-1 Wire Tool

SKU 087317
OTC5950S **25⁹⁹**

- Compact 7" Design
- Gripping Nose
- Crimper, 12-20 AWG
- Insulated and Non-Insulated Wire
- Stripper – Strips 12-20 AWG Wire
- Cutter – Ability to Make Cuts



Brake and Driveline Service



9-Way Slide Hammer Puller Set

SKU 087303
OTC4579 **99⁹⁹**

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 5 Lb. Slide Hammer
- Two- and Three-Way Cross Blocks and Cone Provide the Perfect Jaw Configuration for Most Jobs
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment for Sheet Metal or Other Unique Pulling Requirements
- Designed for Use with Other OTC 5/8"-18 Thread Slide Hammer Attachments
- Packaged in Blow-Molded Case



Bearing Splitter Combo Set

SKU 087318
OTC1183 **349⁹⁹**

This Combo Pack Contains Four of OTC's Most Popular Bearing Splitters, Plus a Pulley Pulling Attachment. A Rugged Organizer Case is Included, Enabling You to Keep the Tools Together for Instant Use.

OTC Brake Drum & Rotor Puller

SKU 087311
OTC6980 **139⁹⁹**

- Handles Large Components Such as Brake Drums, Rotors, Drive Gears, Flywheels, and Pulleys
- One Person Can Easily Set the Tool in Place and Use for Tough Pulls Even Where There is Little Access to Insert the Jaws
- Spread to 12-3/4" and 5" of Reach
- 7-Tons of Force, Yet Weighs Less Than 10 Lbs.
- Can Be Used with Air Tools to Reduce Time and Fatigue



OTC Hub Grappler™

SKU 096847
OTC6575 **599⁹⁹**

The Hub Grappler Kit is the Complete Solution for Servicing Wheel Hubs and Bearings on the Vehicle without Removing the Steering Components or Knuckle. This Eliminates Unnecessary Alignments or the Use of a Shop Press, Cutting Service Time Dramatically.

- The New Hub Grappler Puller is Specifically Designed to Apply Maximum Force with Minimal Effort from an Impact Gun to Also Minimize Service Time
- The New Jaws are Designed and Sized to Properly Fit Hub Applications and Can Be Quickly Located on the Puller Bar without the Use of Fasteners
- The New 3/4" Custom Drive Screw Coupled with the Special Equalizer Washer Provides Smooth Operation While the Proprietary Heat Treating Extends its Life 5-10 Times Longer Than Similar Designs

- 6 New Adapters Increases Application Coverage Up to 2009 Model Year. Also Includes Tie Rod/Ball Joint Tool and 2 Ford Axle Installers
- The Hub Grappler Application Guide is the Most Comprehensive Hub and Bearing Service Guide on the Market. Developed to Be the First Tool Used in the Kit, it Provides Quick Reference to the Other Tools in the Kit Required to do the Job, Eliminating Guesswork and Saving Time



Refractometers



OTC UREA DEF Refractometer

SKU 471112
OTC5025 **99⁹⁹**

- Def-Unique Calibrated Scale with 32.5%
- Enables Operators to Clearly Determine if the Def in their Vehicle Consists of a 32.5% Urea / Water Solution
- 15-40% Variance on Scale
- 0.5% Line Graduations
- Complete Kit Provides Operators Everything They Need to Calibrate and Use Def Refractometer



Robinar Coolant and Battery Refractometer

SKU 471116
ROB75240 **59⁹⁹**

- Can Be Used for Measuring the Freezing Point of Either Propylene or Ethylene Glycol Based Cooling Systems
- Can Also Be Used for Checking the Strength of Electrolyte Solution Batteries
- This Precision Instrument Features High-Quality Optics with Ultra-Smooth Focusing
- Scale Range: -60° F To 32° F.



Spring Compressor



StrutTamer II Extreme with Stand

SKU 471100
OTC6637-ST **899⁹⁹**

- Meets the New ASME PASE Standards for Spring Compressors
- Capable of Safely Compressing the Largest Strut Springs
- New Forged Locking Jaws Include Larger Pads and Offset to Clamp Onto and Compress Springs Even Tighter Than Before
- Unique Trunnion Locking Mechanism to Eliminate Arm Movement for Stable Compression

