AutoZone Tool & Equipment QUARTERLY

Service Tools

Torque Wrenches

3/4" Drive Torque Wrench
100-600 Ft/Lb Range
SKU 217376
25688
299.99

- Right Hand Direction



3/8" Drive
10-100 Ft/Lb Range
SKU 133658
25686
49.99

3/8" Drive
25-250 In/Lb Range
SKU 133657
25685
49.99

1/2" Drive
25-250 Ft/Lb Range
SKU 133659
25687
79.99

Professional Micrometer Adjustable Torque Wrenches



- Precision Torque Control by 45 Tooth Ratchet Head
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counter-Clockwise Operation
- High Grade Spring Steel Torque Mechanism



1/2" Drive Digital Torque Adapter OEM
SKU 900805
25682
49.99
Turn any Ratchet or Breaker Bar into a Torque Wrench!

- Range 40-200N-m (29.5-147.5 Ft/Lb)
- Buzzes When Target Torque is Reached

1/4" Drive Torque Screwdriver
SKU 209522
27172
79.99
STORE STOCK



- Range: 10-50 In/Lb
- Great for Low Torque Applications
- Easy to Read Window Scale

Piston Tools

Ring Compressor 2-1/8" - 5
SKU 531921
25037
13.99
STORE STOCK

Ring Compressor 3-1/2" - 7
SKU 531947
25039
16.99
STORE STOCK




- Designed with Double Friction Brake Adjustment and Hardened Tool Ratchet
- Constructed of High Grade Spring Steel With 1/4" Square Drive Adjuster
- Beaded Edge Prevents Tool from Entering Cylinder with Pistons

Wrinkle Band Ring Compressor
SKU 246373
25257
10.99



- 1-1/2" Deep Low Friction Wrinkle Band
- Fits 3" to 5" Pistons

Piston Groove Cleaner
SKU 555680
27038
25.00
STORE STOCK



- The Blades are Set in the Wheel Which May be Rotated to Bring the Desired Blade Into Position

Ridge Reamer OEM
SKU 532325
25051
31.99



- Capacity 3" to 5" (76mm to 127mm)
- Reversible Tungsten Carbide Cutter with Fine Pitch Screw for Smooth Cutting Action
- For Use on Conventional and Slant-Block Engines


Piston Ring Expander OEM
SKU 532267
25049
6.99



- Makes Installing Piston Rings Easy
- Works on Most Common Piston Diameters and Rings from 3/64" to 1/4" Thick
- Comfortable Vinyl Grip

Tubing

Double Flaring Tool Kit
SKU 069341
27015
30.00
STORE STOCK



- Used to Produce Single and Double Flares in Soft Steel

Heavy Duty Tubing Bender
SKU 391367
27134
20.00
STORE STOCK



- Used to Make Left, Right and Offset Bends Up to 90° 1/4", 5/16" and 3/8" (4, 6 and 8mm) OD Aluminum, Copper and Stainless Steel Tubing

Quickly and Accurately Cuts Copper, Brass and Thin-Wall Steel Tubing from 1/8"-7/8"

Mini Tubing Cutter
SKU 532507
25058
6.99
STORE STOCK



- Capacity: 1/8" to 7/8"

Tubing Cutter
SKU 141489
25299
7.99
STORE STOCK



- Capacity: 1/8" to 1-1/8"

NEW

Tubing Bender Pliers OEM
SKU 265107
25170
49.99



- Can be used as 3/16" Tubing Bender Pliers and 1/4" Brake Line Bender Pliers
- Bends all Types of 3/16" Brake Lines And 1/4" OD Tubing Without Kinking or Flattening, Especially in Tight Spots

Innovative Design
Bends 3/16" and 1/4" Tubing

Ball Joint Sets

Ball/U-Joint Press w/4WD Ball Joint Service Set OEM
SKU 516524
27089
139.99



- 1967 to Current 1/2 to 3/4 Ton 4WD
- Dana 44 Series Front Axle

Ball/U-Joint Press Set OEM
SKU 557231
27023
100.00



STORE STOCK

- Removes and Replaces Ball Joints on Many Vehicles
- C-Clamp Frame Press May Also be Used to Remove and Replace U-Joints

Ball Joint Super Set OTC
SKU 112535
6530
349.99



- For Removal and Installation on Most Trucks, SUVs and Vans from GM, Ford, Chrysler 1972 to 1997
- Also Includes Adapters for Honda (Accord, Civic, Del Sol, Prelude) 1983-1997

Ball Joint Service Kit OTC
SKU 119334
7249
110.99



- Removes and Installs Press-Fit Parts Such as Ball Joints, Universal Joints and Truck Brake Anchor Pins
- Contains: 3 Receiver Tubes (2-3/4" I.D. x 3" O.D., 2-1/4" I.D. x 2-1/2" O.D. and 1-3/4" I.D. x 2" O.D.)
- Installation and Removing Adapters: 1 Installing Cup, 1 Receiving Cup and 1 Installing Adapter

Ball Joint Adapter Sets for 27023 or 27089

Ford Ball Joint Adapter Set OEM
SKU 948082
27163
85.00
STORE STOCK



- Ford Taurus and Mercury Sable

4 Wheel Drive Ball Joint Adapter Set OEM
SKU 948075
27165
85.00
STORE STOCK



- 4WD Ford, GM, and Dodge with Dana 44 Axle, Upper and Lower

Honda Ball Joint Adapter Set OEM
SKU 948074
27164
110.00
STORE STOCK



- 1980-2000 Honda Accord, Civic, CRX and Prelude

2 Wheel Drive Ball Joint Adapter Set OEM
SKU 948076
27166
85.00
STORE STOCK



- Ford Van 2WD, Upper and Lower

CV Boot Tools

FWD Axle Puller Adapter
SKU 002061
27058
20.00
STORE STOCK



- Used to Pull CV Drive Axles from the Transmission of Front Wheel Drive Cars

Note: Use with OEM Slide Hammer #27033



CV Boot Clamp Tool
SKU 002058
27056
15.00

- For Installing Band Style Clamps That Require the Tensions be Maintained While the Band is Locked Into Place



CV Boot Pliers
SKU 002068
27055
15.00

- Plier Designed for Use on Earless Type Clamps Including Those Found on Late Model GM Inboard CV Joints
- Overall Length 7-1/2" (19cm)

CV Boot Driver
SKU 555409
27052
45.00



- Removes and Installs Many Boots on GM Constant Velocity Joints Having Stamped Retaining Rings


Service Tools

Pullers

Timing Gear and Pulley Set
OEM
SKU 555508 27009 **15.00**
STORE STOCK
- Services Crankshaft Pulleys and Timing Gears on Gasoline and Diesel Powered Engines



Harmonic Balancer Puller Kit
OEM
SKU 555524 27019 **15.00**
STORE STOCK
- Used to Remove Harmonic Balancers, Vibration Dampeners, Pulleys or Gears
- Kit Features Four Yoke Slots Allowing Unit to be Used for Two or Three-Hole Applications, Floating Swivel Prevents Damage to the Shaft Ends and the Yoke is Heat-Treated Alloy Steel for Strength and Durability
- Set Includes Yoke, Pressure Screw and Pulling Screws



Harmonic Balancer/ Steering Wheel Puller
OEM
SKU 532440 25053 **16.99**
STORE STOCK
- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



Pulley Puller/ Installer Kit
OEM
SKU 002075 27031 **30.00**
STORE STOCK
- Used to Remove and Install Power Steering Pump Pulleys on Many Domestic Vehicles



Harmonic Balancer Installer
OEM
SKU 391373 27144 **44.00**
STORE STOCK
- Used to Properly Install Harmonic Balancers



Steering Wheel and Lock Plate Puller Kit
OEM
SKU 900821 27182 **49.99**
- Used to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel



Chrysler Harmonic Balancer Puller
OEM
SKU 391370 27139 **70.00**
STORE STOCK
- For Removal of the Harmonic Balancer on Many Chrysler and Mitsubishi Engines



5-Ton Bar-type Puller/ Bearing Separator Set
OTC
SKU 110812 4518 **74.99**
- Set Includes 2" and 3" Bearing "Splitters", Four Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw
- Separator Tools Are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- 5" Puller Cross-Bar with a 6-1/4" Forcing Screw and Each of the Bearing Separators May Be Used Separately or in Combination with Other Pullers or Tools



7-Ton Bar-Type Puller/Bearing Separator Set
OTC
SKU 112532 4517 **109.99**
- Includes a Bearing Splitter with 4" Capacity, Two Sets of Hex Push Puller Legs, an 8" Bar Type Puller Head Mated with a Custom Thread Forcing Screw
- Now Service and Maintenance Professionals Have a Puller/Bearing Set for Tough Jobs, Up to 7-Tons, Larger Applications and Greater Reach 8" to 16"
- As a Stand Alone Puller/Bearing Splitter Set or as a Compliment to the 4518 Version, the 4517 7-Ton Puller/Bearing Separator Set Gives Your Maintenance/Service Shop the Expanded Capability to Keep More Business in House



Bearing and Pulley Puller Set
OEM
SKU 900824 27190 **99.99**
- Used for a Wide Range of Pulling Jobs, Including: Bearings, Alternators, Generators, Power Steering and Crankshaft Pulleys, Timing Gears and Harmonic Balancers



9-Way Slide Hammer Puller Set
OTC
SKU 110811 4579 **89.99**
- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two- and Three-Way Cross Blocks and Cone Provide the Perfect Jaw Configuration for Most Jobs
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment for Sheet Metal or Other Unique Pulling Requirements



9-Way Slide Hammer Puller Set
SKU 900825 27191 **119.99**
OEM
- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two-And Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8"-18 Thread Slide Hammer Attachments



Reversible Pullers

2/ 3 Jaw 2-Ton Gear Puller
SKU 070134 25901 **34.99**
STORE STOCK
- Maximum Reach 3 1/2"
- Maximum Spread 4 3/4"
- Center Forcing Screw 3/8" to 24 x 4 7/8"



2 Jaw 5-Ton Gear Puller
OEM
SKU 141513 25914 **29.99**
STORE STOCK
- Reversible
- Maximum Reach 3-1/4"
- Maximum Spread 6"



3 Jaw 1 Ton Puller
SKU 265138 25904 **119.99**
- Maximum Reach: 2-1/4"
- Maximum Spread: 1/4" to 3-1/4"



2/3 Jaw 5-Ton Gear Puller
SKU 231202 25919 **39.99**
STORE STOCK
- Reversible
- Maximum Reach 5-1/2"
- Maximum Spread 7"



7-Ton Reversible Puller
SKU 978100 27183 **79.99**
STORE STOCK
- Maximum Reach: 6"
- Maximum Spread: 7"
- Used to Pull Gears with 2/3 Jaws



Steering Pivot Pin Remover
NEW
SKU 265106 25135 **9.99**
- Works on 1969-current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



Blind Hole Puller Set
OEM
SKU 391362 27128 **160.00**
STORE STOCK
- This Special Puller is Designed to Pull Blind Hole Bearings, Bushings, and Sleeves with Inside Diameters 3/8" - 1-3/8"



Quick Change Pullers



Quick Change 2/3 Jaw 2-Ton Ratcheting Gear Puller
SKU 191044 25900 **49.99**
- Maximum Reach: 2-5/8"
- Maximum Spread: 3-1/4"
- Used to Pull Gears, Pulleys, Bearing Flanges and Fly Wheels From Shafts and Housings
- Jaws Lock in Place and Make Pulling Fast and Easy
- Quickly Converts to 2, 3 or Reversible Puller
- There Are No Pins or Nuts to Drop or Loose



Quick Change 2/3 Jaw 5-Ton Ratcheting Gear Puller
SKU 191045 25916 **89.99**
- Maximum Reach: 4"
- Maximum Spread: 5"
- Used to Pull Gears, Pulleys, Bearing Flanges and Fly Wheels from Shafts and Housings
- Jaws Lock in Place and Make Pulling Fast and Easy
- Quickly Converts to 2, 3 or Reversible Puller
- There Are No Pins or Nuts to Drop or Loose



Quick Change 2/3 Jaw 7-Ton Ratcheting Gear Puller
SKU 191046 25918 **129.99**
- Maximum Reach: 4"
- Maximum Spread: 5"
- Used to Pull Gears, Pulleys, Bearing Flanges and Fly Wheels from Shafts and Housings.
- Jaws Lock in Place and Make Pulling Fast and Easy
- Quickly Converts to 2, 3 or Reversible Puller
- There Are No Pins or Nuts to Drop or Loose



Quick Change 2/3 Jaw 5-Ton Gear Puller
SKU 191047 27193 **149.99**
- Maximum Reach: 6-3/4"
- Maximum Spread: 7-1/2"
- Quick Change Legs Allows You to Change from Two Jaw to Three Jaw Puller
- Reversible Jaws Convert Puller from Internal to External in Seconds
- Removes and Installs a Wide Range of Special Application Pulleys
- Center Screw Size 9/16"-12

Valve Tools



Valve Spring Compressor
OEM
SKU 002052 27040 **25.00**
STORE STOCK
- Used to Compress Overhead Valve Springs Without Removing Cylinder Head

Hydraulic Valve Lifter Remover
SKU 424904 27146 **13.99**
STORE STOCK
- Use for Removing Valve Lifters from Engine Block



Service Tools

Block Testers



Block Tester
SKU 391378
27145
25.00

STORE STOCK

- Locate Internal Combustion Leaks Quickly and Easily

OEM



Block Tester Test Fluid
SKU 391381
25739
7.99

STORE STOCK

- 16 Oz, Use with Block Tester #27145

Compression Gauge Kits

Professional Compression Test Kit
SKU 972276
MITMV5530
69.99

- Extended Hoses for Hard to Reach Cylinders
- Large 2-3/4" Easy to Read Gauge
- Quick Disconnect Fittings
- Not for Diesel Engines

Mityvac



Compression Tester Gauge Set
SKU 424906
27138
38.00

STORE STOCK

- Test Engine Compression from 0-300 PSI on 14mm and 18mm Spark Plug Ports

OEM



Hose Clamp Pliers

2 Piece Hose Clamp Pliers
SKU 972767
25198
19.99

- Services Most Ring-Type or Flat-Band Hose Clamps
- Jaws Swivel to Access Hose Clamps in Any Position



5 Piece Hose Clamp Plier Set
SKU 965836
27159
39.99

- Services Most Ring-Type or Flat-Band Hose Clamps
- Jaws Swivel to Access Hose Clamps in Any Position

OEM



Hose Clamp Pliers
SKU 607069
25246

STORE STOCK


34.99

- Removes Plastic and Metal Self-Tightening Hose Clamps with Diameters of 11/16" to 2-1/2"



Angle Tip Lock Ring Pliers
SKU 191055
25354
12.99

- Used To Spread Snap Rings Found On Brakes, Pedal Shafts, Clutch Shafts, Transmissions, Machine Tools and Some Piston Rings
- Jaws Are Scored on the Outside For Secure Gripping
- Spring Loaded Jaws
- Spread: 3/4"
- Length: 8 1/4:"



Cylinder Hones

Adjustable Engine Cylinder Hone Deglazer
SKU 532002
25041
29.99

STORE STOCK

- Range: 2" to 7" (51mm to 128mm)
- Spring Tension Adjusting Nut for Positive Cutting Action at All Speeds
- Supplied with 4" Medium Grit Stones



Replacement Stone Sets
SKU 141540
2541C
9.99

STORE STOCK

- 3 Coarse Grit (#100)

SKU 532036
2541M
9.99

STORE STOCK

- 3 Medium Grit (#220)

OEM

SKU 532044
2541F
9.99

STORE STOCK

- 3 Fine Grit (#400)



Engine Tools

Oil Pump Primer Ford 1/4
SKU 534537
27061
25.00

STORE STOCK

Oil Pump Primer GM V6-V8
SKU 534529
27060
30.00

STORE STOCK

Oil Pump Primer Ford 5/16
SKU 534545
27062
25.00

STORE STOCK

- Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start



Serpentine Belt Tool
SKU 298547
27115
25.00

STORE STOCK

- Provides Required Leverage and Clearance to Release Spring Pressure and Remove Tensioner Pulley



Universal Camshaft Bearing Tool
SKU 191677
27143
229.99

- Removes or Inserts Camshaft Bearings in Nearly All Engines.
- Set Includes Driving Shaft, Driving Shaft Extension, Expander Unit, (5) Split Driving Plugs, (2) Driving Collars and Center in Cone



OEM

Water Pump Socket
SKU 693857
27109
30.00

STORE STOCK

- Use on Northstar 4.6 Cadillac and Oldsmobile Engines



6 Piece Noid Light Set
SKU 948078
27161
25.00

STORE STOCK

- For Checking Electrical Impulses from the Wiring Harness to the Fuel Injectors



Rear Main Bearing Seal Extractor & Installer
SKU 424905
27147
5.00

- Removes and Installs the Upper Rear Main Bearing Seal Without Removing the Crankshaft





PMT

Twin Cam Position Locking Tool

5 Piece Master Cam Clamp Kit
SKU 186527
PBT70900
79.99

- Covers Most Single, Twin Cam and Quad Cam Engines
- Locks Camshaft to Hold Valve Timing During Timing Belt Replacement
- Compact Design for Use in Small Engine Compartments

Fan Clutch Wrench Set
SKU 110280
27186
69.99

- Set Includes: 36, 40, 48, 54, 57, 68, 72, 76 and 83mm Wrench Sizes



Master Freeze Plug Installation Tool Kit
SKU 965837
27208
99.99


- Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines



Heavy Duty Spark Plug Boot Plier
SKU 390900
25542
8.99

STORE STOCK


- Designed to Remove Hard to Reach Spark Plug Boots
- Do Not Use When the Engine is Running



Engine Lift Chain
SKU 556647
27041
45.00

STORE STOCK

- Used with Engine Hoist to Lift Engine Into and Out of Engine Compartment
- Never Exceed the Weight Limits of the Chain (1,000 Lbs)



Specialty Engine Tools

OTC



Variable Pin Spanner Wrench
SKU 110449
6613
54.99

- Universal Design Fits Many Different Types of Pulleys Having Slots or Holes, Including Camshaft Pulleys
- Wrench is Adjustable from 1-1/4" to 5"; Works with a 1/2" Ratchet or Breaker Bar
- Replacement Parts: 3.5, 4, 4.5, 5, 6, 7, 10mm and Handle

Honda Crankshaft Pulley Holding Tool
SKU 217379
27176
35.99

- Holds Crankshaft Dampeners When Tightening/Loosening Crankshaft Bolts on Honda and Acura Engines



Water Pump Holding Tool for GM
SKU 094808
27207
29.99

- Use for 2002-2008 GM 2.2L and 2.4L Eco Tech Engine in Chevrolet, Oldsmobile, Pontiac and Saturn Platforms



OEM

Universal Fan Clutch Holding Tool
SKU 209526
27171
49.99

- Aids in Changing Fan Clutch by Holding the Pulley
- Fits Many GM, Ford and Dodge Vehicles



Clutch Tools

2" Spicer Clutch Adjusting Wrench
SKU 466497
25161
24.99

- For Internal Adjustment of Spicer Angle-Spring Heavy Duty Clutches Found on 50% of All Heavy Duty Trucks in the USA



OEM

Clutch Alignment Tool
SKU 532622
25063
19.99

- Bushing Range: Import: 12 to 12.7mm,15.8 to 16mm, 17.4 to 18mm, 21 to 22.2mm; Domestic: 0.561 to 0.590", 0.749 to 0.787" 0.812 to 0.874", 0.984 to 1.181"



Service Tools

Chassis Tools



5 Piece Spindle Nut Socket Set
SKU 209527
27174
110.00

STORE STOCK

- Ideal for Popular 4-Wheel Drive Axle Retainers
- Use with Many 1/2 Ton Vehicles with Dana 44 Series Axles GM, Ford and Dodge and with Many 3/4 Ton Vehicles with Dana 70 Series Axles GM, Ford and Dodge



9 Piece Axle Nut Socket Set
SKU 900822
27188
79.99

- Removes Front Wheel Drive Axle Nuts
- Kit Includes: 27mm, 29mm, 30mm, 32mm, 33mm, 34mm, 35mm, 36mm and 38mm

OEM



23 Piece Forward Bearing Remover and Installer Kit
SKU 094804
27205
199.99

- Removes and Installs Wheel Bearings with Steering Knuckle and Strut Assembly Still on the Vehicle – Eliminates Need for Alignment

Bearing Race and Seal Driver Kit
SKU 112534
4408
49.99

- Smoothly and Quickly Position a Bearing in the Inner Hole of an Axle
- Kit Includes: Handle Grip and Six Heavy-Duty Bearing Drivers
- Bearing Driver Sizes: 1.555" (39.5 mm), 1.752" (44.5 mm), 1.968" (50.0 mm), 2.322" (59.0 mm), 2.48" (63.0 mm), 2.559" (65.0 mm), 2.834" (72.0 mm), 2.992" (76.0 mm) and 3.189" (81.0 mm)

OTC



SUNEX TOOLS

1/2" Drive Ford Drive Line Impact Socket
SKU 110256
SUN212ZUMDL
29.99



- 12mm, 12 Pt, Univ Joint, 4-9/16" Length
- Designed For Removal of Drive Shaft in Limited Clearance Applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150 and Mercury Equivalents from 1980s to Present



Rear Axle Puller Set
SKU 094801
27202
99.99

- Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks



Bearing Race and Seal Driver Set
SKU 391360
27119
60.00

STORE STOCK

- Used to Install Most Standard-Wheel Bearing Races and Seals



Universal Shock Absorber Tool
SKU 036202
25038
9.99

STORE STOCK

- For Removing and Installing Shock Nuts
- Fits Most Shock Stems

OTC



Ford Axle Shaft Seal Installers
SKU 110447
6695
64.95

- Correctly Installs the Seal Onto the Axle Shaft and into the Wheel Knuckle, Preventing Front Hub Vacuum Leaks that Would Cause the 4WD to Not Engage
- Works on 1998-2004 Ford F-250, F-350, F-450 and F-550 4X4s Having the Vacuum-Operated Front Axle

5 Piece Tie Rod and Ball Joint Set
SKU 094799
27201
69.99

- Used to Remove Tie Rods and Ball Joints
- Includes: 11" X 1-1/8", 11-3/4" X 1-5/8", 11-5/8" X 1-7/16", 16" X 11/16" and 16" X 15/16"



NEW

OEM



Drive Pin Installing Tool
SKU 466577
25580
27.99

- For Proper Installation of Spacer Plate Drive Pins on the Pot-type 14" Flywheel

HubTamer Elite
SKU 688168
6537
449.99

OTC



- Puller Weldment Adapter Has Been Improved with the Addition of a Beveled Edge for Use in Tight Fitting Applications
- New Ford Adapter for Use on Taurus/ Sable 1986-1995 and Contour/ Mystique 1995 - 2001 Vehicles
- For Those Who Want to Update Their Current No. 6490 Hubtamer You Can Purchase the Weldment and New Ford Adapter Separately



Inner Tie-Rod Tool Kit
SKU 217377
27185
59.99

- Removes and Installs Tie Rod End on Rack and Pinion Steering
- Includes: 1-3/16", 1-5/16" and 1-7/16"



Inner Tie Rod Tool
SKU 094645
25296
19.99

- Used to Easily Turn Tie Rods. Slide Tool Over the End and Tighten Collar to Allow Access with an Extension
- Remove Inner Tie Rod Without Removing the Outer Tie Rod



Front End Service Kit
SKU 900820
27181
99.99

- Services Pitman Arm, Tie Rod and Ball Joints



5 Lb Slide Hammer
SKU 002047
27033
30.00

STORE STOCK

- Threaded 5/8" x 18
- Works with OEM attachments as well as other mfrs attachments with the same thread



Rear Axle Bearing Remover Set
SKU 391363
27129
55.00

STORE STOCK

- Used to Pull Semi Floating Rear Axle Bearings
- Use with OEM #27033 Slide Hammer Puller



Axle Puller
SKU 002045
27032
25.00

STORE STOCK

- Used with OEM Slide Hammer (#27033) to Pull Flange Type Axle on Most Domestic Cars and Trucks with 4.5 or 5.5 Bolt Circles



Front Wheel Drive Hub Puller
SKU 002050
27037
25.00

STORE STOCK

- Use with OEM #27033
- Fits Most Domestic and Import Vehicles with Independent Front Wheel Suspension
- Yoke and Bolt are Threaded 5/8" x 18

Upper Control Arm Bushing Service Set
129.99
SKU 094806
27206



- Used for Quick Bushing Removal / Installation Without Removing Control Arm from Vehicles

Front Hub Puller/ Installer Set
SKU 900826
27192
69.99



- Used to Remove and Install Most Front Wheel Drive Hubs for Servicing of Wheel Bearings

Tie Rod End Remover
SKU 209525
27175
40.00

STORE STOCK



- Used on Import and Many Front Wheel Drive Vehicles and Rack and Pinion Steering

5 Piece Pickle Fork Set
SKU 466511
25261
35.99



- Set Includes: Tie-Rod Spreader with 11/16" Wedge Opening, Ball-Joint Separator with 15/16" Jaw Opening, Pitman-Arm Wedge with 1-1/8" Opening, 8" Handle for Use with Your Regular Hammer Handle with .401" Shank for Use with Your Air-Impact Hammer

Heavy-Duty Pitman Arm Puller
SKU 209523
27170
90.00

STORE STOCK

- Services Cars and Light Trucks 3/4 Ton
- Can Be Used for Bearing, Collar or Gear Removal



Pitman/Tie Rod Arm Puller
SKU 555631
27022
12.00

STORE STOCK

- A Smaller Design than OEM # 27016 for Use on Compact Cars and Smaller Pitman Arms
- Yoke is Forged and Heat Treated with a 2-1/16" Opening



Pitman Arm Puller
SKU 555623
27016
14.00

STORE STOCK

- Used for Pulling Pitman Arms



Service Tools

Chassis Tools

OEM

Bearing Locknut Wrenches



- 3/4" Square Drive Opening to be Used with a Hand Rathcet or Bar and Extension Torque Wrench

2-3/32" 6 Point	SKU 466531 25470 24.99	4-7/8" 8 Point	SKU 466545 25487 54.99
2-9/16" 8 Point	SKU 466534 25473 24.99	2-1/4" 6 Point	SKU 466546 25488 24.99
3" 6 Point	SKU 265087 25474 29.99	2-5/8" 6 Point	SKU 466548 25490 24.99
3-1/4" 6 Point	SKU 466535 25476 29.99	2-3/4" 6 Point	SKU 466549 25491 24.99
3-7/8" 6 Point	SKU 466539 25480 39.99	3-3/4" 8 Point	SKU 466551 25493 39.99
4" 6 Point	SKU 466541 25482 39.99	2-9/16" 6 Point	SKU 265086 25496 24.99
4-1/8" 6 Point	SKU 265085 25483 39.99	2-7/8" 6 Point	SKU 466557 25503 24.99
4-3/8" 6 Point	SKU 466542 25484 44.99	4-13/16" 8 Point	SKU 466565 25512 54.99
4-3/8" 8 Point	SKU 466543 25485 44.99		

1/2" Drive Impact Grade Axle Nut Socket



SKU 191051 25157 11.99

- Removes and installs axle nuts and automatic transmission tail output shafts
- Applications: Chrysler manufactured vehicles, 2004 and up, Jeep Grand Cherokee V6, 2005 and up, Lexus-ES300, Pontiac-Vibe, Toyota-Avalon, Camry, Highlander, Matrix, VW Beetle, Jetta, Golf 1999 and up

SUNEX® TOOLS

2-5/8" Axle Nut Spanner Socket



SKU 110265 SUN10207 29.99

- Six Lug Spanner Type Socket Removes and Installs Rear Wheel Bearing Lock-nuts on 1946-Present Chevrolet and GMC 5200 and 7200Lb Axles

4 Wheel Drive Spindle Nut Socket



SKU 110264 SUN10202 15.99

- Services 1988-95 Isuzu Trooper, Rodeo, Amigo and Pickups; 1985-89 Honda Passport; Jeep J20 Pickups with Dana 60 Axle

4WD 6-Lug Spindle Socket



SKU 002056 20.00
27046
STORE STOCK

- Used to Remove and Install Wheel Bearing Retaining Nut on 3/4-Ton Vehicles with Dana 70 Series Axles

1" Impact Sockets

35mm 1" Drive Hex Socket

SKU 466566 25525 25.99

33mm 1" Drive Hex Socket

SKU 466569 25528 24.99





1-1/2", 1" Drive Hex Budd Wheel Socket

SKU 466570 25529 26.99

- For Budd Wheel 1 1/2" with 13/16" Inside Hex

Brake Service

Brake Lathes

Model 4000SP Single Pass Brake Lathe

SKU 210247
AMM904000SP
5,999.99

- Integrates Single Speed Spindle and Feed Rates for One Pass Precision Finishes
- Cut Rotors in One Pass, with a High-Quality Finish
- Positive Rake Tool. Bits Allow for Precision Turning That Produces Superior Machined Surfaces
- Twin Cutter Dials and Depth of Cut are Clearly Marked



AMMCO

FREE Bench with Purchase of AMM904000SP. A Value of Over $500.

Ammco Adapter Kits MUST be Purchased with Each Ammco Brake Lathe
Shown w/ adaptor kit not included

Lift Gate Service SKU 262529 AMMLIFTGATE 55.00

Leasing Terms Available. *Ask Your AutoZone® Commercial Specialist.*
Free Delivery!

Model 4000B Brake Lathe

SKU 534380
AMM904000B
7,299.99

- Twin Cutter Tools and Quick Drum-to-Rotor Changeover
- Adjustable Spindle Speeds Allow for Quick Rough Cut/ Finish Cut Settings
- Infinitely Adjustable Spindle-Feed Gear Box
- User-Friendly Ergonomics
- Supports Drums or Rotors up to 100 Lbs Using the 1" Arbor, or up to 200 Lbs Using Optional 1-7/8" Arbor



FREE Bench with Purchase of AMM904000SP. A Value of Over $500.

Ammco Adapter Kits MUST be Purchased with Each Ammco Brake Lathe
Shown w/ adaptor kit not included

Lift Gate Service SKU 262529 AMMLIFTGATE 55.00

Leasing Terms Available. *Ask Your AutoZone® Commercial Specialist.*
Free Delivery!

Model 4000E Drum/Disc Brake Lathe



SKU 212869
AMM95000106
7,499.99

- The 4000E is the Ultimate in Finish Control Right at your Fingertips from the Leader in Brake Service
- Custom Digital Finishes
- Shift on the Fly
- Increased Capacity for Larger Jobs

FREE Bench with Purchase of AMM904000SP. A Value of Over $500.


Ammco Adapter Kits MUST be Purchased with Each Ammco Brake Lathe
Shown w/ adaptor kit not included

Lift Gate Service SKU 262529 AMMLIFTGATE 55.00

Leasing Terms Available. *Ask Your AutoZone® Commercial Specialist.*
Free Delivery!


Brake Lathe Adapter Kits

Kit A
739.99
SKU 496628
AMM900001




- Hub and Hubless Adapters for Most Vehicles

Kit B
909.99
SKU 496629
AMM900002



- Hub and Hubless Adapters for Vehicles Through 1/2 Ton

Kit C
1,549.99
SKU 534397
AMM900003



- Hub and Hubless Adapters for Most Vehicles Through 1 Ton

Kit E
1,399.99
SKU 496630
AMM900006



- Hub and Hubless Adapters for Most VehiclesThrough 1-Ton
- Includes Double Chuck Kit and Tacoma Plate for Hub Less Applications

Drum Silencer Bands



	AMMCO			SHARK USA		
1-3/4" Silencer Band	SKU 496613	AMM905280	24.99	SKU 262390	SHA80B	24.99
2-3/4" Silencer Band	SKU 210241	AMM905290	35.99	SKU 262391	SHAA5290	35.99

Rotor Silencer Bands



	AMMCO			SHARK USA		
Model 6920 Ventilated	SKU 496621	AMM906920	18.99	SKU 262392	SHA69	18.99
Model 6921 Non-Vented - 6.50"	SKU 496622 (2/Pkg)	AMM906921	4.99	SKU 262393	SHA96	4.99
Model 6922 Non-Vented - 9.25"	SKU 496623 (2/Pkg)	AMM906922	5.99	SKU 262396	SHA94	5.99
Model 6930 Heavy Duty Ventilated	SKU 210243	AMM906930	38.99	SKU 262397	SHA930	38.99