ARCTIC COMMANDER

all models come standard with an 8" GUI Command Center. Navigate through all functions, features and instructions with ease. Wi-Fi 🛜 capabilities allow for real time, interactive communication and troubleshooting. Introducing R/R/R machines for the 21st century!



COMMANDER1000 Semi-Automatic R134a R/R/R Machine

SKU **471051**

- MSC1000
- R134a
- Wi-Fi Capable
- Vacuum Leak Test
- Cylinder Heater
- 3 CFM Vacuum Pump
- Dust Cover



COMMANDER2000 Fully Automatic R134a R/R/R Machine SKU **471040**

MSC2000

- R134a
- Wi-Fi Capable
- Vacuum Leak Test
- Refrigerant Database
- Cylinder Heater • 6 CFM Vacuum Pump
- Dust Cover
- Automatic Oil Injection



All MAHLE Recovery Machines are Fully Automatic

and Include a 2-Year Warranty

COMMANDER3000 R134a and **Hybrid R/R/R Machine**

SKU **471054**

- MSC3000
- R134a and Hybrid

Mastercool introduces its new ARCTIC COMMANDER line of R/R/R machines. Equipped with the latest technology,

- Wi-Fi Capable
- Vacuum Leak Test
- Refrigerant Database
- Cylinder Heater
- 6 CFM Vacuum Pump
- Dust Cover
- Hose Flushing



COMMANDER4000 R1234yf and **Hybrid R/R/R Machine** SKU **471061**

MSC4000 R1234yf and Hybrid

- Wi-Fi Capable
- Vacuum Leak Test
- Refrigerant Database
- Cylinder Heater • 6 CFM Vacuum Pump
- Dust Cover
- Hose Flushing • Built-In Identifier



MAHLE

• Same as MSC4000 but without Identifier

Filter Kits Available - Call for Assistance.

Recovery Machines

R134a A/C Refrigerant **Handling System**

SKU **850570** SKU **850570**MSSACX1120H **2,99**

- ECO LOCK® Quick Couplers
- Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles
- High Performance Vacuum Pump to Ensure Faster Service Times

Hybrid Ready



MAHLE

R134a A/C Refrigerant **Handling System**

SKU **850573** MSSACX1150 **3,59**

- 4.3" Color TFT Touchscreen
- ECO LOCK® Quick Couplers
- High Performance Vacuum Pump to Ensure Faster Service Times Automatic Oil Injection

R134a A/C Refrigerant **Handling System**

and Measurement

SKU **850571** MSSACX1150H



MAHLE

MAHLE

Refrigerant Handling System SKU **850566**

- MSSACX1180 • Completely Recover, Recycle or Recharge R134a Air Conditioning Systems
- Quicker Service Times

R134a ArticPro

- Automatic Air Purge
- Fully Automatic



A/C Recovery

Filter Dryer SKU **470141**



- Fits ACX1120H,1150,1150H
- Removes Moisture and Contaminants from Refrigerant
- Easy Installation

and Mahle

Protects Your Investment

A/C Recovery Machine Filter Kit for RTI

RTI3608213300 12999

R134a ArticPro Refrigerant MRHLE **Handling System**

SKU **850567** MSSACX-1180H

 Completely Recover, Recycle or Recharge R134A Air Conditioning Systems Hybrid Ready

Hvbrid Readv



R1234yf A/C Refrigerant **Handling System**

SKU **764988** MSSACX1250

- Fully Automatic Recovery, Recycle and Recharge Machine
- Compatible with R1234yf Refrigerant
- Meets SAE J 2843
- Standard • ECO LOCK® Quick
- Couplers • High Performance Vacuum Pump to Ensure Faster Service Times



R1234YF ArticPro Refrigerant III HILE **Handling System Hybrid with Printer and Identifier**

CONTACT US FOR FACTORY

1-877-AZTool1 (1-877-298-6651)

SKU **850569 6,17999** MSSACX1280 SKU **850569**

- Completely Recover, Recycle or Recharge R1234YF Air Conditioning Systems in Conventional and Hybrid Vehicles
- Fully Automatic
- Quicker Service Times
- Automatic Air Purge

CDS



Hybrid Ready



SKU **850572** CPSFX3030

Machine with Printer

- Convertible Between R134a and R1234yf
- Built-In Refrigerant Identifier

Dual Gas Recovery/

Recycle/Recharge

- Vehicle Refrigerant Capacity Database
- Includes 2 Tanks and 2 Sets of Hoses 1-2-5 Warranty





Necessary for Basic Maintenance on RHS980 and ACX1180 Series Units Removes Acids and Moisture That Can Damage Compressors and Contaminate Oil

Includes All Components



Recovery **Machine** Filter SKU **186483** CPSARXF5



- Filter Removes Moisture and Contaminants Before the Refrigerant is Returned to the System • Designed for Use on the

HF01234YF CDS Recovery, Recycle and Recharge with 8 Ft. Hoses and 50 Lb. Tank SKU **452639**

- CPSFA1234 • Fully Automatic Operation of Recovery, Recycle, Evacuate, Air Purge and Recharge
- Easy to Program Command-Based LCD Display Supports Five Languages
- 2/3HP Oil-less Compressor • All Steel Construction with Heavy Duty Casters
- Includes 8' Hoses and 50 Lb. Storage Tank
- Compliant with SAE Standards



R134a Refrigerant/ Recover/Recharge **Machine with Printer**

SKU **695135 3,99999** CPSFX134A

- On-Board Vehicle A/C Data: 1994-2015 • 10 Ft. Charging Hoses
- 6 CFM Vacuum Pump • 50 Lb. Tank
- Includes Heater Blanket, Printer and Oil Injection Kit



1234YF Recovery/ Recycle/Recharge with Printer SKU **850568**



- 6 CFM Vacuum Pump/ 50 Micron Rated • Patented Motor-Controlled Ball Valves AC Systems Capacity Database Included
- 1-2-5 Warranty



Hvbrid Readv



Recovery / Recycle / Recharge Machines

Cool-Tech R134a Recovery, Recycling and **Recharging Machine**

SKU OUTSIDE BUY/EPO 2,89999

- Combines Simple Operation with Superior Accuracy
- Automatic Oil Drain: A Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace
- Automatic Air Purge: Eliminates Damaging Air without Monitoring Gauges or Opening Valves
- Refrigerant Management System: Displays Refrigerant Use and Monitors Remaining
- Prompts Appear When 1/3 of Filter Life Remains



Premier R134a Refrigerant Recovery, **Recycling and Recharging Machine** SKU **OUTSIDE BUY/EPO** 3,89999

- Fully Automatic Function: Program to Recover, Vacuum, Leak Test and Charge without Operating Panel Valves
- Automatic Oil Drain: A Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace
- Oil Inject: Automatically Inject Oil Back into the Vehicle's A/C Systems Save and Print Before and After Service Data: Allows the User to Store Before and After Service Information by Vehicle and Print This Information to Provide to a Customer
- Vacuum Leak Test: Monitors Level After Evacuation, Informs of Possible Leak
- Refrigerant Charging: Select a Charge Mode from High or Low Side,



Premier R134a Refrigerant Recovery, **Recycling and Recharging Machine** for Hybrid and Non-Hybrid

SKU OUTSIDE BUY/EPO

- Fully Automatic Function: Program to Recover, Vacuum, Leak Test and Charge without Operating Panel Valves
- Automatic Oil Drain: A Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace
- Save and Print Before and After Service Data: Allows the User to Store Before and After Service Information By Vehicle and Print This Information to Provide to a Customer
- Visual and Audible Alarm: Notifies the User When Service is Complete, or if a Problem Has Occurred from High or Low Side, or Use Both Sides



Premium R134a Recovery Machine SKU OUTSIDE BUY/EPO ROB34988NI

• Fully-Automatic Function: Program to Recover, Vacuum, Leak Test and Charge without Operating Panel Valves

- Automatic Dye Inject: Gives The User the Ability to Use the Machine to Inject UV Dye into a Vehicle's A/C System
- Oil Inject: Automatically Inject Oil Back into the Vehicle's A/C Systems Two Oil Bottles and One UV Dye Bottle



1234YF Recover, Recycle, **Recharge Machine** SKU OUTSIDE BUY/EPO

ROBAC1234-6 • Fully Automatic Operation — Program

- For Service, Walk Away and Return When Complete
- On-Board Printer Capable of Printing Vehicle Service Report Slips to Present to Customers
- Integrated Refrigerant Identifier (Meets SAE J2927)



Available via Outside Buv/EPO, Call 1-877-298-6651 for Ordering Instructions

* 34988NI has (2) oil bottles for injection, giving the technician the option to choose between two on-board oils to service the vehicle
• Large full color display (34988 has monochrome display) • 34988NI meets SAE J2788 requirements, consistently meets 98.5% recovery performance vs 95% on the 34988

Portable Recovery Systems



Portable R134a **Recovery System**

SKU **290024** MSC69100

- High Performance Oil-Less Compressor Includes an Oil Separator and Filter Dryer to
- Recovers All Refrigerants, 30 Lb. DOT Recovery



Portable A/C Recovery **Machine**

SKU **504026** CPSTRA21

- SAEJ2810 Approved, Fastest Recovery Recycle Machine in the Industry
- Oil Separator and Filter Includes 30 Lb. Tank and Manifold Set with 60" Hoses and Manual Couplers

A/C Recovery Machine Accessories

A/C Recovery **Machine Vinyl Dust Cover**

SKU OUTSIDE BUY/EPO ROB17492

• Medium Gray Color with Cool-Tech Logo • Fits All 342000, 17700-2K,

A/C Recovery

Machine Vinyl

Dust Cover

SKU **752708**

Cool-Tech Logo

17800b Series

34700-2K, 34134Z, 34700Z, 34711-2K, AC375, AC375A, 17700Z, 34702Z

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering



Canister Filter™ 1/2" Acme

SKU **544562 5499**



Maintenance Kit

SKU **752703 7099**

• Contains: (1) Quick Change

High Vacuum Pump Oil

Filter-Drier to Be Used on Both

R-12 and R-134a Stations and

(1) 16 Ounce Bottle of Our Premium

For Models Using 34724 Filter/Drier - 17700A, 17700-2K, 34700, 34700-2K, 34800, 34800-2K,

- · Helps Stop Debris from Entering Your Refrigerant Supply
- Protects Your Recovery Machine from

ROBINAIR Spin-On **Filter-Drier**

SKU OUTSIDE BUY/EPO ROB34724

- Fits Current Models: ROB34288, ROB34788, ROB34988, ROB34700Z
- Genuine Robinair Spin-On Filter with the Proper Serial
- Number to Input for Easy Installation • High Quality Filter Protects Your Investment
- Easy to Install

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering



AR2788/2788S Recovery **Machine** Filter

SKU 186483 0 199

- Filter Removes Moisture and Contaminants
- Designed for Use on the AR2788S



CDS

- Before the Refrigerant is Returned to the System



Call 1-877-298-6651 for Ordering A/C Capacities

Recycling

R0B34430

Filter-Drier

Database - 2016 SKU **597992**

SKU OUTSIDE BUY/EPO 7499

Available via Outside Buy/EPO,

For Older 17700A, 34450, 34700 (1997), AC375,

AC375A, AC375C, and 34134Z Robinair Recovery Machines

ROB34412-A For Use with Robinair 34788NI

- and 34788NI-H A/C RRR Machines
- Displays Charge Amount and Oil Capacities for Vehicle Model Years 1997-2016 • Increases Technician Productivity by Eliminating
- the Need to Search Charge Capacities • Clamshell Packaging
- A/C Capacities



SKU **331126** R0B34411-F



POBINAIR

- Works with Robinair 34788, 34788-H, and 34988 A/C RRR Machines
- Includes Charge Amounts and Component Oil Capacities for Vehicle Model Years 1997-2016
- **✓** Mastercool[®] Replacement High/Low Filter Set



Vinyl Dust Cover for A/C Recovery Machine

• Medium Gray Color with

• Fits 34900, 34800-2K, and

SKU **751574** ROB17499

- · Protect Your Investment with a Heavy-Duty Vinyl Dust Cover
- Fits AC1234-6 34788NI 34788NI-H Models



POBINAIR

A/C Recovery Filter Dryer MSS268069600 **15999**

• Fits ACX1120H,1150,1150H

- Removes Moisture and Contaminants Protects Your
- Easy Installation

AIRSEPT.





 Replacement Filter Pack Kit for Mastercool's MSC69788-A MSC69789 and MSC69789-H Recharge-Recover-Recycle All-in-One Units



A/C Recycle Guard Accessories

AIRSEPT. **Guard™ R12** Adapter Kit, 1/4" Flare



Recvcle Guard™ for Ř134a - 1/2" ACME Fittings with 36" Service Hose

SKU **504082 28999**

- Protect Your Recovery Equipment from Debris Sealant, Dye, Excess Lubricant and Other Contaminants
- Works with All A/C Service Equipment



AIR72102 • Protect Your Recovery Equipment from Debris, Sealant, Dye, Excess Lubricant

• Works with All A/C Service Equipment

and Other Contaminants



AIRSEPT. **Dual Automatic** Recycle Guard™ for R134a with (2) 36" Service Hoses SKU **504091 43999**

AIR75000 • High- and Low-Side Protection from Debris, Sealant,

- Dye, Excess Lubricant and Other Contaminants • No Technician Input Required - Switches Automatically from Recover to Recharge
- Traps Metal Shavings, Desiccant Particles and Other Harmful Debris
- Maintains Refrigerant Flow

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Vacuum Pump Kits

OFM TOOLS

A/C Service Set with Air Vacuum Pump - R134a

68991

SKU **850564 QQ99**

- Complete Kit for Diagnosing and Charging R134a A/C Systems
- Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve and Large Diameter Dual Scale Thermometer



OEM TOOLS

A/C Starter Kit - R134a SKU **695127 179**99

68987

- OEMTOOLS™ 1.8 CFM, 100 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability.
- Ensures Moisture Removal
- Kit Includes: OEMTOOLS™ Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEMTOOLS™ R134a Can Tap Connects to Any ACME Threaded R134a Can



OEM TOOLS

3 Piece High Performance A/C Kit

SKU **626121 249**99 68989

- OEMTOOLS™ 6 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reduces Evacuation Time.
- Kit Includes: OEMTOOLS™ Professional Quality Extruded Aluminum Manifold with Sight Glass, 72 Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEMTOOLS" 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL -



OFM TOOLS

A/C Professional Set - R134a

SKU **695129** 68988

- OEMTOOLS™ 4 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensures Moisture Removal and Reduces Evacuation Time
- Kit Includes: OEM Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, High Quality Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- OEMTOOLS™ 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports
- OEMTOOLS[™] AC Refrigerant Leak Detector is Sensitive to 0.1 Oz./Year and Responds to All Halogenated Refrigerants



Manifold Gauges

OEM TOOLS



R134a Brass **Manifold Gauges Set**

SKU **752520** 24563

6499

- High Quality Brass Body with Sight Glass
- Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" 3,000 PSI Burst, 600 PSI Working Pressure Hoses
- Snap Style Quick Couplers

OEM TOOLS



R134a Manifold **Gauge Set** with Sight Glass

SKU 466319 099 24527

- Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 72" Hoses with Manual Couplers

OEM TOOLS

Dual Unit with Extra Long Hoses



R134a/R12/R22 **Dual Manifold Gauge Set**

SKU **512961**

- 27229 • For Use with R134a, R12
- and R22 • 3,000 PSI Burst and 600
- PSI Max
- SAE J2196/ R134a
- Extra Long High and Low Hoses: 72"; Freon Hose: 96"
- Manual Couplers Included

OEM TOOLS



R1234YF Manifold Gauge Set

SKU **752518** 24559

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers

⋘ Mastercool L



◆ Mastercool:

R134a Aluminum **Manifold Kit** with Dye Injector

SKU **290023**

MSC89660UV • Includes: R134a Aluminum Manifold,

60" Hoses, Standard Couplers and 10 Application Mini Dye Injector

R134a Aluminum **Manifold Kit** with Dye Injector

SKU **290022** MSC89661UV **16999**

• Includes: R134a Aluminum Manifold, 60" Hoses, Manual Couplers and 10 Application Mini Dye Injector

Vacuum Pumps

OFM TOOLS

Air-Operated Vacuum Pump

24533

SKU **544730 999**

- Includes 1/2" ACME (R134a) and R12 Connectors
- Air Pressure Range: 75 180 PSI
- Air Consumption: 4.2 CFM @ 90 PSI
- Vacuum Capacity: 28.3" of Mercury @ 90 PSI



OEM TOOLS

STORE


STOCK

SKU **363429 199** 24399 Increases Life Span of the Pump

Vacuum Pump Oil

(8 Oz.)

• Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use





OEM TOOLS

1.8 CFM Single Stage Vacuum Pump SKU 466312 099

24500

- 1/4 HP, 110V Motor
- 100 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME -1/4" Flare · Oil Capacity: 200 mL, Included



CDS **Pump Oil 1 Quart Bottle**

SKU **517580** CPS VPO 012 **1999** CPSVP0Q12

Premium Vacuum

• Compatible with Most Pumps

 Increases Life Span of the Pump • Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



OEM TOOLS

4 CFM Single Stage **Vacuum Pump**

SKU **466305** 11999 REG. \$149.99

- 1/3 HP, 110V Motor
- Internal High Volume Coolin Fan for Extended Use • Inlet Ports: 1/2" ACME
- Oil Capacity 330 mL, Included



Offer Good Through December 31, 2017 - While Supplies Last

Mastercool 1.5 CFM Single Stage Vacuum Pump

SKU **573206** MSC90059-R





OEM TOOLS

6 CFM Single Stage Vacuum Pump

SKU **466306 13999** REG. \$199.99

- 75 Microns Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME - 1/4" Flare



Offer Good Through December 31, 2017 - While Supplies Last

6 CFM 2 Stage Vacuum Pump SKU **301619**



MSC900662V-B • 1/2 HP Motor • 15 Microns



Mastercool



Replacement

Systems on Cars

SKU **481705**

Manifold Gauge Repair

OEM TOOLS Replacement Gauge Low Side for A/C Manifold

SKU 481709 1499

- This is a Low Compound Gauge for OEMTOOLS™ and Other Brands of A/C Manifold Sets Used to Service A/C Systems on Cars
- Reads 0-120 PSI and 0-30" Hg



• 1/8" NPTF Male Threads • 1/8" NPTF Male Threads • Reads 0-500 PSI Hose

24530



OEM TOOLS

Gauge High Side for A/C Manifold

1/4" Hose Set 72" SKU **752515**

24557

• 72", 1/4" SAE 3 Hose Set Color Coded: Red, Yellow and



OEM TOOLS

R134a Hose Set 72"

SKU 752516 2099

• 72" R134a 3 Hose Set Color Coded: Red, Yellow and Blue



OEM TOOLS

96" R134a **Red Hose**

SKU **489152** MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



96" R134a **Blue Hose**

SKU **489151 3999** MSC84961 MSC84961

• 1/2" Acme-F and 14 mm-M Auto A/C Fittings - 96"



🗫 Mastercool: 🖢

1/4" Hose Set **SAE 60"**

SKU **347260**

24390

- Maximum Working / Burst Pressure 300PSI / 3000PS
- Solid Brass Fittings • 60" Long



OEM TOOLS

1/4" SAE **Hose Set**

SKU **512962** 27230

• High Pressure Hose

Length: 6 Feet

• Low Pressure Hose Length: 6 Feet Freon

• Hose Length: 8 Feet



OEM TOOLS

A/C Couplers

OEM TOOLS R134a **Refrigerant Tank** Adapter

SKU **850565**

24554 • Male Low-Side R134a to

Female 1/2" ACME • Attaches to Virgin Tank and



OEM TOOLS **High Side Manual** Coupler

SKU **347267** 24395

• All Metal Construction for Extra Durability • 6 Ball Coupler for Secure Grip

• Includes an Adapter for Use with R12 Hoses



OEM TOOLS R134a **Low Side Manual**

Coupler SKU **347266** 24394

- All Metal Construction for Extra Durability
- 6 Ball Coupler for Secure Grip Includes an

Adapter for Use with R12 Hoses



OEM TOOLS and Low Side Coupler Set

SKU **362980** 24396

STORE STOCK

- Change Your Old R12 Manifold Set to R134a with This Set of Manual Couplers · All Metal Construction for
- Extra Durability · Includes Adapter for
- Use with R12 Hoses • 6 Ball Coupler for Secure Grip



OEM TOOLS R134a **Extra Long Coupler**

SKU **752517 1099** 24556

 Used on BMW E60 (2003-2009 5 series) and Some Volvo Models

 Allows for A/C Service with No Radiator Removal



⊘≡M TOOLS Conversion **Coupler Set R134A to HFO-1234YF**

SKU **752527** 24561

 HFO-1234YF Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to HFO-1234YF

Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter

A/C Service Tools

OEM TOOLS Condenser **Fin Comb** Straightener/ Cleaner

SKU **466317**

- 24526 • Clean and Straighten Condenser and
- Compact Design for Confined Spaces

33627007

- **Evaporator Coils**
- Includes (6) Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch

OEM TOOLS



 For Use in Conjunction with OEM 27006, A/C Clutch Hub Plate Remover to Install Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches

A/C Orifice

Tube Tool

OEM TOOLS

SKU **695629** 33627004

• Fits Many GM and Ford Models

OEM TOOLS



Remover Shoe Tool SKU **695630**

A/C Clutch Plate

33627002 • Used for GM A6 and R4

Compressor Clutches Simply Screw into Clutch and Turn Pressure Screw

OEM TOOLS

A/C Clutch **Puller Jaws** SKU **695624**

33627008 2399

 Additional Jaws for Use with the OEMTOOLS" 27001 AC Pulley Puller

OEM TOOLS

A/C Clutch **Hub Plate Remover**

SKU **695626** 33627006

Removes Club Hub from

the Compressor • For Use with Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches

AIRSEPT. **Compressor**

Turner Tool SKU **504135** AIR67700

2499

 OEM-Approved Compressor Start-up Assistance Prevent New Compressor

✓ Mastercool.º

CDS

Seizure at Startup • Fits Most Hex-less

OEM TOOLS



A/C Clutch **Holding Tool**

SKU 695102 2599

33627000 • Holds Compressor Clutch in Place When Removing Holding Bolt

Remover SKU **695628**

33627005

A/C Clutch Hub

• Removes Club Hub from Ford ES-6 Compressors

OEM TOOLS **EM** TOOLS



Orifice Tube Remover Set SKU 752530 2099

- To Use, Simply Turn into Orifice Tube for Grip Then Turn Out
- Includes Auger for Removing Broken

to Remove



24562

A/C Compressor **Pulley Removal**

Tool SKU **695609**

6 Pack

32 Oz. Bottles

- 33627001 • Makes AC Compressor Pulley Removal Jobs Fast and Easy
- Can Be Used with OEMTOOLS™ 27008 Clutch

A/C Flush Mastercool Monda Class Constitution

OEM TOOLS



Radiator/Condenser Cleaning Wand SKU **514015 999** THX467A

A/C Quick Mastercool Mond Class On District

Flush 17 Oz.

6 Pack

SKU **695649**

MSC91050-6

Replacement

THX467A • New, Improved High Pressure Air/Water Cleaning Wand Reaches 24-Inches Between Radiator and Condenser, Under Mowing

A/C

Flush

SKU **695654**

MSC910491284

19299

1 Gallon Case of 4

Decks, etc. to Clean Away Dirt and Debris

 Made of Zinc-Plated Steel with Adjustable Valve Assembly Special Tips Deliver Air or Water at a 90 Degree Angle

· Adjust Pins to Fit Holes in Clutch

A/C Flush



MSC91050

2499



Mastercool...

A/C Mastercool Flush **32 Oz. Bottle** SKU **695650** MSC91049-32

7499



A/C Flush **Solvent (1 Gallon)**

MSC91049-128 **4999**

- Non-Toxic, Quick Evaporating A/C Flush Effectively Removes Debris and
- · Solvent-Based, Leaves No Residue

Flush Any A/C System

Sludge from A/C Components • Professional Use Only



⋘ Mastercool:

SKU **695652** MSC91049-32-6

A/C Flush Machine



- Air Operated
- 8 Foot Hoses to Reach Any System • Forward or Reverse Flush without Changing Hoses
- 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
- Universal Couplers Allows Connection to Virtually All Types

· Clear Filter Bowl Allows You to See What is Coming Out of the



Refrigerant and Oil Charge Can Tap

24523 2" Oil Charge Cans



R134a DIY Refrigerant









OEM TOOLS

Will Service Most



A/C System Flush Kit

SKU **466308**

• Use with MSC91049 A/C Flush Solvents

Includes: Canister, Hose.

Blow Gun, Rubber Tip

Valve Tools

Remover/Installer

Access to A/C System

without the Loss of Refrigerant

and Cylinder Cap



Total A/C Quick Flush Kit

SKU **695646** MSC91051 • Includes: 17 Oz. Pressurized A/C

Flush, Hose and Rubber Tipped

Blow Gun with Thumb Control

Pressurized to 150 PSI

• Single Use Disposable Cans

 Non-Toxic Self-Evaporating



OEM TOOLS



Can Taps

• Fits 1 Lb. Cans of R134a, R12 and

• Plier Type Grip with Positive Lock • Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve

OFM TOOLS

Recharge Kit SKU **466316** 24525

R134a Systems Includes High Pressure

• Remove and Install Standard R134a Valve Cores

• Built-In Ball Valve Retains Charge and Allows

No Gas Loss A/C Valve Core

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

• For 13 mm and 16 mm High and Low Service Ports

34

SKU **466321**

24529

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly



Leak Detection Lights

UV Pen Light

SKU 695128 **94**99

- 24610 • Pen Style Ultraviolet Light
- Lightweight, Aluminum Casing
- Convenient Pocket Clip
- Maximum Continuous Run Time is 4.5 Hours



★ Mastercool:

OEM TOOLS

Mini UV

Flashlight - 12 LED SKU **300782**

MSC53512-UV

- 25,000 Hour Bulb Life
- 3 AAA Batteries / Operates for 22 Hours Under Normal Work
- Comparable to 50 Watt Illumination
- UV Goggles Included





GreatLite

★ Mastercool:

Compact UV Flashlight - 17 LED

SKU **300783** MSC53517-UV

- 25,000 Hour Bulb Life
- 3 AAA Batteries / Operates for 22 Hours Under Normal Work Conditions
- Comparable to 75 Watt Illumination
- UV Goggles Included



USB Rechargeable **UV Light with Glasses**

SKU **626122** EXPE93-E02

- 1W Bulb That Casts a Beam Up to 5 Meters
- 0.8 Lumens • 3 Light Modes: 25%, 50%
- and 100% • Runtime: 12 Hours
- USB Cord



450 Lumen Ultra Slim Wand with UV Inspection SKU **344835 8999** 24607

Mechanic's 500 Lumen

Rechargeable Flashlight and

• 500 Lumen Flashlight Will Cast a 170 Meter Beam

- Ultra Slim 450 Lumen Inspection Light Casts a 30 Meter Beam
- 3 Powerful, UV LED Lights on Inspection Light Detect Leaks Quickly and Easily
- Detachable 180 Degree Swivel Hook with Magnets
- Battery Lasts 3.5 Hours at 100% and Fully Charges in 5 Hours
- 5 Light Modes

Comes with (1) USB Charging Cord, AC Adapter, (1) 18650 Rechargeable Battery, and a 180 Degree Swivel Hook



Leak Detection

Complete A/C and Fluid **Leak Detection** Starter Kit

SKU **291378 79**

of Dye

TRATP8621 • 50 Watt 6 LED Lamp

• Pinpoints A/C, Oil Systems and Coolant Leaks EZ-Ject[™] Dye Injector



TRACERPRODUCTS

TRACER PRODUCTS

Professional UV Leak Detection Kit with 12V/50W UV Light

SKU 290041 8499 MSC53351

- 12 Volt / 50 Watt UV Leak Detector
- 1 Ounce Coolant Dye, 1 Ounce Oil/ATF/Fuel Dye, Dye Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Which is Compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels

⋘ Mastercool≗

SKU **466307** 0099 24510

A/C Refrigerant Leak Detector

- Detects All Types of Halogenated
- Sensitive to 0.1 Oz. /Yr.
- Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost Any Space
- Includes Spare Sensor Tip



★ Mastercool:

▲ Mastercool L

OEM TOOLS

OFM TOOLS

OPTI-PRO™ Leak Detection Kit

SKU **765000** TRATP8617

Purge Fitting

EZ-Ject[™] A/C Dye Injector

 EZ-Ject[™] Universal/Ester A/C Dye Cartridge for Servicing Up to 14 Vehicles

R-134A Hose/Coupler with

• 1 oz. (30 ml) Bottle of Dye-Lite® All-In-One™ Standard Dye for All Oil-Based Fluid System

 Includes Fluorescence-Enhancing Glasses and Rugged Carrying Cases



OPTI-PRO™/EZ-Shot™ A/C Dye Injection Kit

SKU **568718 15999** TP ATPR616 TRATP8616

 Cordless Econom Leak Detection Flashlight

• EZ-Shot A/C Dye Injection Gun • 8 Oz. (237 ml) BigEZ™

Universal/Ester A/C

Dye Cartridge



TRACER PRODUCTS

─ Mastercool:



MSC55200



• Pinpoint Leaks as Small as 1/10 Oz. (3 gr) per Year

• Ultra Bright UV Light is Built into the End of the Probe, Allowing Easy Access into Tight Areas



Electronic Leak Detector with 3 Sensitivity and **5 Detection Levels**

SKU **290030** MSC55100

- Detects All Refrigerants (CFC's, HCFC's, HFC's)
- Meets and Exceeds SAE J1627



Nitrogen Leak 🚺 Mastercool 🕻 Test Kit

SKU **295560** MSC53010

• T-Handle for Ease of Pressure

Adjustment Kit Includes Leak Testing Gauges and Hoses



IntellaSense II Refrigerant **Leak Detector**

MSC55900

SKU **695639**

· Detects: Combustible Gases, Hydrogen, Refrigerants (all CFC's, HCFC's and HFC's)

 Includes Leak Test Vial and Replacement Filters in a Blow Molded Box

 Meets and Exceeds SAE J2791 and J2913



Injectors

OEM TOOLS

In-Line Dve and Oil Injector

SKU **466322 3499** REG. \$39.99

- Add Up to 2 Oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant
- 1/2" ACME Fittings to Fit Most R134a
- Use with TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dye



Offer Good Through December 31, 2017 **While Supplies Last**

OEM TOOLS

R12 and R134a Hand Turn Dye Injector

SKU 466320 **5999** REG. \$69.99

- Injects Dye or Oil into R12 or R134a Systems
- Refillable, Capacity: 2 Oz.
- Includes R134a Quick Coupler
- Use with TRATP38400601 Bottle Fluoro-Lite® Universal A/C Dye



Offer Good Through December 31, 2017 **While Supplies Last**

EZ-Ject™ R-1234yf/PAG A/C Dye Injection Kit -**Professional Grade!**

SKU **568721** TRATP9844 **8499**

- Multi-Dose Cartridge Prefilled with R-1234Yf/PAG A/C Fluorescent Dye
- Easily Overcomes System Pressure, Dye Can Be Injected While System is Off or Running
- EZ-Ject R-1234Yf/PAG A/C Dye Cartridge, Services Up to 14 Vehicles



✓ Mastercool[®]

Refillable Universal Dye Injector for RÍ234ÝF

MSC53123-YF 12499 • Heavy Duty Aluminum

- Construction
- Injects Dye or Oil into R1234YF Systems
- Refillable, Any Dye or Oil Can Be Used
- Easy Twist Injection System
- Precise Injection Controlled



▼ Mastercool:

EZ-Shot™ Universal A/C Dye Injection Kit -**Universal** and **Economical!**

SKU **568723** TRATP9790

- EZ-Shot Quickly Introduces Dye into a Vehicle's A/C System
- BigEZ™ Cartridges are Prefilled with Co-Solvent Free A/C Dye, Certified to Meet SAE J2297 and Calibrated for Exact Dosing
- BigEZ 8 Oz. Universal Dye Cartridge Services Up to 64 Vehicles



Leak Detection Fluid

LeakFinder Coolant Dye (6) 1 Oz. Bottles

SKU 764995 TRALF3001

- 1 Oz. (30 ml) Bottle for All Conventional Coolants
- Find Leaks in Radiators, Hoses, Heater Cores, Water Pumps and Fittings
- Comes in Box of (6) 1 Oz. (30 ml) Bottles
- Services (1) Vehicle
- Works with all Leak Detection Flashlights

LEAK/FINDER"



LEAK/FINDER

- · Glows Green

LEAK/FINDER:

NEW

LeakFinder **Dve Oil** (6) 1 Oz. Bottles

SKU **764986 2499** TRALF2001

- 1 Oz. (30 ml) Bottle for
- Oil-Based Fluids • Find Leaks in Oil, Fuel. ATF
- and Power Steering Systems • Comes in Box of (6) 1 Oz. (30 ml) Bottles

1 Oz. Bottle Dye-Lite®

• Patented Formulation Works with any

All-In-One™ Oil Dye

Leak Detection Lamp

- Services (1) Vehicle
- Glows Yellow/Green
- Works with all Leak **Detection Flashlights**

(6 Pack)

SKU **291395**

TRATP3405

Big EZ 8 Oz.

LeakFinder

SKU **764997**

TRALF1800

Dye Cartridge

Caulking Guns

BigEZ™ 8 Oz.

SKU **291396** TRATP97700108 •

Universal Dye Cartridge

• Treats Up to 64 Vehicles

• Fits Most Caulking Gun Injectors Including TRATP9790

AC Dye Cartridge

• 8 Oz. (237 ml) Replacement

• Services up to 64 Vehicles

• Note: Cartridge Fits Most



TRACER PRODUCTS

LEAMFINDER:

NEW

LeakFinder **AC Dye 8 Oz. Bottle**

- SKU **764998 3** TRALF1008 • 8 Oz. (237 ml) Twin-Neck Bottle
- Universal A/C Dye • Find Leaks in A/C Systems; Compatible with R-134A, R-1234YF, and Other Refrigerants
- Services Up to 32 Vehicles
- Meets SAE J2297
- Glows Green
- Works with All Leak Detection Flashlights • Note: Not for Use in Hybrid Vehicles with
- Electrically Driven A/C Compressors

LEAKIFINDER: LeakFinder AC Dye (6) 1 Oz. Bottles

SKU 764990 3999





- Find Leaks in A/C Systems; Compatible with R-134A R-1234YF, and Other Refrigerants • Comes in Box of (6)
- 1 Oz. (30 ml) Bottles
- Services up to 4 Vehicles
- Meets SAF J2297
- · Glows Green • Works with All Leak Detection Flashlights

Note: Not for Use in Hybrid Vehicles with Electrically Driven A/C Compressors



TRATP38400601 **54**99

- Pourable Dye for Use with Many Dye Injectors or Simply Pour into an Open System
- Includes 4 Applications for Standard Sized Systems



Mastercool.

Universal Concentrated Dye Cartridge - 1 Oz. (5 Pack)

SKU **505040 9499** MSC53810-5

- 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle



Identifier

Refrigerant Identifier for RĬ34a

SKU 295556 69999

- Avoid Potential Damage from Refrigerant Contamination Automatically Provides
- Step-by-Step Indication of the Gas Sampling Process Accuracy: Pass/Fail -95% Pure R134a



DID YOU

KNOW? There are over 120 million vehicles on the road with TPMS and that equates to almost 500 million sensors

in the coming years. Contact Your AutoZone® Commercial Sales Manager

that will need to be replaced

for Details

Thermometers

-58 to 300° F Digital **Pocket Thermometer**

SKU 447147 **2599** 24351

- Accurate Readings from -58 to 300° F (±2°) and from -50 to 150° C (±1°)
- Digital Display Will Rotate 180° and Move Up and Down for Easy Viewing
- Comes with 1.5V Battery



Non-Contact Infrared Thermometer

SKU 951642 **3**199

25245

- STORE STOCK • Temp Range: -58°F to 716°F, (50°c
- Distance to Spot Ratio of 12:1
- Laser Pointer

OEM TOOLS

Tube Assortment

OEM TOOLS

Master Orifice Tube Assortment

SKU **851868 2499** 24564

- Covers Most Vehicles That Require Air Conditioning Orifice Tubes
- Includes: Chrysler Purple T-Top, Ford Black, Ford and Mazda Black, Ford Blue, Ford Brown, Ford Green and Chrysler Orange, Ford Red, GM Black T-Top, GM White, GM Yellow, Jeep Green-White, Volvo Yellow



Digital Scales

Digital Refrigerant Scale (240 Lb. Capacity)

SKU **752521** 24560

- High-Visibility .75" x 2.5" LCD Backlit Display
- · Automatic Shut-Off After 10 Minutes, Backlight Will Shut-off After 3 Minutes



OEM TOOLS

- (3) Units of Measure: kg/Oz./Lb.
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product In or Out of the Protective Case



OEM TOOLS

Electronic Charging Scale (220 Lb. Capacity)

SKU **481699** 24512 Heavy Duty Load Cell for

Years of Reliable Service Large LCD Control Box



Accu-Charge II™/ Electronic **Charging Scale 240 Lb. Capacity** SKU **290029**

MSC98210A • Programmable with Alarm









Leasing Terms Available! †

Ask Your AutoZone® Commercial Sales Manager

AIRSEPT.

Tool & Equipment Quarterly

A/C Hose and Line Repair

Line Splice Straight Repair Kit

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required) • High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough
- Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2600 PSI



SKU	Part#	Size	Price
SAE			
504140	AIR76003	5/16" Line	\$29.99
504138	AIR76002	3/8" Line	\$29.99
504136	AIR76001	1/2" Line	\$29.99
504143	AIR76011	5/8" Line	\$39.99
504145	AIR76012	3/4" Line	\$39.99
METRIC			
504132	AIR77008	8 mm Line	\$29.99
504155	AIR77010	10 mm Line	\$29.99
504156	AIR77012	12 mm Line	\$29.99
504133	AIR77015	15 mm Line	\$39.99
504117	AIR77016	16 mm Line	\$39.99

Smart Splice™ Straight Connectors

- When a Metal-to-Rubber A/C Line is Damaged, You Often Must Replace the Complete OE Line. If the Line is Not in Stock Locally, You Inconvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™
- Leak-Proof Line Splice[™] Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Works for Heater and Coolant Lines Also
- Install in 5 Minutes



SKU	Part#	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99

Line Splice Straight Repair Kit Reducer

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required)
- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough Automotive Applications
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2,600 PSI
- Works on Heater and Coolant lines





SKU	Part#	Size	Price
504141	AIR76004	3/8" to 5/16" Line	\$29.99
504095	AIR76005	1/2" to 5/16" Line	\$29.99
504142	AIR76006	1/2" to 3/8" Line	\$29.99

Line Terminator Rear A/C Blockoff Kits

- OE-Approved Rear A/C Block-Off Kits Block Damaged or Unused A/C Lines — No Line R and R. Save Time and Satisfy Customers. Leaking Rear A/C Components or Lines Can Result in High Operating or Repair Costs. Many Car Owners Would Rather Avoid That Expense and Operate the Front A/C Unit Only. With Airsept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or Replacement Labor.
- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part#	Size	Price
504150	AIR76503	5/16" Line	\$22.99
504149	AIR76502	3/8" Line	\$22.99
504146	AIR76501	1/2" Line	\$22.99
504152	AIR76504	5/8" Line	\$26.99
504154	AIR76505	3/4" Line	\$31.99

AIRSEPT.

Line Terminator SAE - 5 Pack

AIR76526



- · Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits





Line Terminator SAE/Metric - 10 Pack

AIR76530

SKU **504124 17999** · Quickly and Effectively Blocks A/C

- Lines at the Damage Point or at the Front System "Y" Block Off Leaking Rear Evaporators
- and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kits





Line Splice Straight SAE (5 Pack)

AIR76050

SKU **504101**

- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install No Special Tools
- Includes One Each: 5/16", 3/8" 1/2", 5/8" and 3/4" Line Splice Kits





Line Splice Straight SAE/ Metric - 10 Pack

AIR76051

SKU **504103 2**

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install No Special Tools
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Line Splice Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Line











- Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater Lines
- OEM Approved Line Repair Solution Installs in Five Minutes, on the Vehicle, without Special Tools or Adhesives
- Leak Free Up to 2600 PSI



Smart Splice™ **Multi-System Line Repair Tray** SKU 687973 **524**99

AIR76076

 Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4"
 Line Splice Straight SAE Repair Kits; 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits; 5/16", 3/8", 1/2" 5/8" Line Splice 45° SAE Repair Kits; 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE Repair Kits

• Top Tray in Master Cabinet



AIRSEPT

Smart Splice Line Terminator and Service **Tee Repair Tray**

SKU **687974 49999** AIR76077

• Everything Needed to Block Off A/C, Coolant and Heater Lines, or Add an A/C Service Port

- SAE Sizes (OD Metal Lines): 5/16", 3/8", 1/2", 5/8", 3/4" OD Metal Lines
- Metric Sizes (OD Metal Lines): 8 mm, 10 mm, 12 mm, 15 mm, 16 mm



Smart Splice[™] Hose to **Tube, Hose to Hose Repair Tray** SKU **687975**

AIR76078 • Everything Needed to Make Hose to Line or

- Hose to Hose Repairs on A/C, Coolant and Heater Lines
- SAE Sizes (OD Metal Lines): 5/16", 3/8",1/2", 5/8", 3/4" OD Metal Lines, SAE Sizes for # 6, # 8, # 10, #12 3/4"; A/C Reduced Barrier Hose





Smart Splice™ Aluminum Tube **Insert Service Tray** SKU **687989 2**

AIR76079 • Repair Long Sections of Damaged or Leaking

- A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater lines. of Aluminum Tubing
- for SAE and Metric Lines





5 Piece Smart Splice™ Tool Assortment SKU **688003**

AIR76080

 Includes: Deburring Tool, Tube Cutter, Caliper, Pex Crimper, Rubber Hose Crimper



Manual Style A/C Hose Crimper, Bench or Vise Mounted

SKU **290028** MSC71550

- The 71550 is Our "Manual Style" A/C Hose Crimper. The Dies Snap Quickly into Place Requiring No Pins or Screws. The Unit Can Be Easily Mounted to a Bench Using the Holding Fixture or Held Securely in a Vise. This Kit Comes with a Complete Set of Dies Covering Standard Hose Sizes #6, #8, #10 and #12.
- Includes: 71500 001 Yoke Assembly, 71550 002 Arbor Assembly, 71550 003 Holding Fixture Assembly, 71500 6 Die Set #6 (5/16 In.), 71500 8 Die Set #8 (13/32 In.), 71500 10 Die Set #10 (1/2 In.), 71500 12 Die Set #12 (5/8 In.), and 71500-PB Custom Mold Box Carrying Case





Hydra-Krimp A/C Hose Crimping Tool SKU **290027 74 999**

MSC71500 • Repair A/C Hoses On or Off the Vehicle • Includes a Complete Set of Dies Covering Hose Sizes: #6, #8, #10, #12; and

- Reduced Barrier: #6, #8, #10 and #12 • Dies Snap Quickly into the Press Fixture (No Pins or Screws Required)
- Patented, Lightweight, Portable • Ideal for Shop and Field Applications



✓ Mastercool:

Heavy Duty Ratcheting Hose Cutter

SKU **466311** 24522 · Smooth Action and High

- Quality Blade Provide Quick Clean and Accurate Cuts Cuts Rubber Hose and PVC Up to 1-1/2" OD
- · Ratcheting Action Makes it Faster and Easier to Use Than Other Cutters
- **Tubing Securely**

