

# SHOP EQUIPMENT

## Shop Heaters

### 1500W 120V Shop Heater

- SKU 814316 24823 **99<sup>99</sup>**
- Stainless Steel Heating Element
  - Adjustable Thermostat
  - Auto-reset Overheat Protection
  - Durable, Rust Resistant Powder Coating
  - Fan Mode
  - Carry Handle and 6' Cord
  - 120V Input



OEM TOOLS™

NEW

### 4800W 240V Wall Mount Heater

- SKU 814134 24824 **159<sup>99</sup>**
- Stainless Steel Heating Element
  - Wireless Remote Control
  - Auto-Reset Overheat Protection
  - Adjustable Thermostat with LED Display
  - Timer Mode 1-9 Hours
  - Fan Only Mode
  - Durable, Rust Resistant Powder Coated Finish
  - Convenient Handle with Built In Cord Storage
  - Includes Wall/Ceiling Mounted Bracket
  - 208-240V Input Power



OEM TOOLS™

NEW

### 40-60K BTU Liquid Propane Heater

- SKU 814143 24822 **169<sup>99</sup>**
- Adjustable Heating Output from 40-60K BTU
  - Built-in Overheating Protection
  - 115V AC Power Input for Multi Purpose Use
  - Piezo Ignitor
  - Adjustable Angle Base
  - Operates on Liquid Propane Gas
  - Includes Regulator and 10' Hose



OEM TOOLS™

NEW

## Kerosene Heaters

### 75,000 BTU Kerosene Forced Air Heater

SKU 546639 MTMMH0075M10 **299<sup>99</sup>**



Heats 1,700 Sq. Ft. up to 8.9 Hours



### 135,000 BTU Kerosene Forced Air Heater

SKU 546641 MTMMH0135M10 **399<sup>99</sup>**



Heats 3,100 Sq. Ft. up to 10 Hours



### 190,000 BTU Kerosene Forced Air Heater

SKU 546640 MTMMH0190M10 **449<sup>99</sup>**



Heats 4,300 Sq. Ft. up to 9.1 Hours



Model Number	Heat Output	Hot-Air Flow	Air Pump Pressure	AC Power	Motor Size	Fuel Tank Capacity	Fuel Consumption	Max. Operating Hours	Heating Area	Multi-Fuel Capable	Digital Temp. Read-Out	Error Indicator Read-Out	Parts Storage System	Dimensions (LxWxH)	Ship Wt.	Net Wt.
MTMMH0075M10	75,000 BTU	240 CFM	4.0 PSI	120V, 60Hz, 1.5 Amps	1/8 HP	5.0 Gal.	0.56 Gal./Hr.	8.9 Hours	1,700 Sq. Ft.	Yes	No	No	No	30x13x15 In.	33 Lbs.	28 Lbs.
MTMMH0135M10	135,000 BTU	540 CFM	5.0 PSI	120V, 60Hz, 2.3 Amps	1/5 HP	10.0 Gal.	1.00 Gal./Hr.	10.0 Hours	3,100 Sq. Ft.	Yes	Yes	Yes	Yes	37x22x25 In.	57 Lbs.	51 Lbs.
MTMMH0190M10	190,000 BTU	630 CFM	7.5 PSI	120V, 60Hz, 2.7 Amps	1/4 HP	13.0 Gal.	1.42 Gal./Hr.	9.1 Hours	4,300 Sq. Ft.	Yes	Yes	Yes	Yes	42x24x26 In.	65 Lbs.	58 Lbs.

Mi-T-M Kerosene-Fired Forced Air Heaters are Portable, Easy to Operate and Extend Heat Into Wide Areas Creating a Comfortable Work Environment Even in the Harshest Conditions

## Waste Oil Heaters // Use your waste oil to heat your shop for FREE!



Call today for sizing help!

COMPLETE SYSTEMS (includes furnace, tank and flue kit)					
		250 GALLON TANK			
FURNACE	BTUs	HEATS UP TO	SKU	PART NO.	PRICE
EL-140	140,000	3,500 Sq. Ft.	850048	ENL01140103	\$6,999.99
EL-200	200,000	5,000 Sq. Ft.	850047	ENL01200104	\$8,099.99
EL-350	350,000	8,500 Sq. Ft.	850049	ENL01350104	\$9,819.99

FURNACES ONLY					
FURNACE	BTUs	HEATS UP TO	SKU	PART NO.	PRICE
EL-140	140,000	3,500 Sq. Ft.	012654	ENLEL01140101	\$5,349.99
EL-200	200,000	5,000 Sq. Ft.	012653	ENLEL01200101	\$6,149.99
EL-350	350,000	8,500 Sq. Ft.	012656	ENLEL01350101	\$8,219.99

\*Includes Waste Oil Furnace and 250 Gallon Tank, Swing-Away Burner with Built-in Air Compressor, Low-fuel Cut Off, Draft Gauge, Fuel Gauge, Drain Valve and Class A Flue Kit. Also available with 130 and 200 gallon tank.



**IT JUST MAKES CENTS**  
1 gallon of used oil is equal to 1 hour of free heat



**ONBOARD AIR COMPRESSOR**  
You don't need to hook up shop air to our furnaces



**BURN MORE FUELS**  
Uses the widest range of oils, including synthetics



**GET WARMER FASTER**  
Our hotter flame produces double the heat rise



**MONEYBACK GUARANTEE**  
The industry's only moneyback guarantee



Flue kit included with complete systems

## Shop Heaters

### Lanair Value Package C

#### Thru-Roof Chimney

**150,000 BTU** SKU 988908 **5,699<sup>99</sup>**  
LAN9963C MODEL MX150C

**200,000 BTU** SKU 988916 **5,999<sup>99</sup>**  
LAN9964C MODEL MX200C

**250,000 BTU** SKU 988923 **6,999<sup>99</sup>**  
LAN9965C MODEL MX250C

**300,000 BTU** SKU 988926 **7,399<sup>99</sup>**  
LAN9966C MODEL MX300C



### Lanair Value Package D

#### Thru-Wall Chimney

**150,000 BTU** SKU 988912 **5,899<sup>99</sup>**  
LAN9963D MODEL MX150D

**200,000 BTU** SKU 988918 **6,199<sup>99</sup>**  
LAN9964D MODEL MX200D

**250,000 BTU** SKU 988924 **7,199<sup>99</sup>**  
LAN9965D MODEL MX250D

**300,000 BTU** SKU 988893 **7,599<sup>99</sup>**  
LAN9966D MODEL MX300D



**BONUS**  
**Strainer Pan**  
Part# MX  
**VALUE: \$135.99**  
With Purchase of:  
**Lanair Value Package (C or D)**

Offer Good Through March 31, 2018  
While Supplies Last

Free Delivery in 48 Continental United States  
Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.



Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*

### Inverter Generators



**2000 Watt Stackable Inverter Generator**  
 SKU 020739 **599<sup>99</sup>**  
 CHM735361

- Run/Start Watts 1700/2000
- Clean Power (<3% THD) - Clean Electricity for Powering Sensitive Electronics
- Operates at 53 dBA from 23 Feet
- Runs Up to 9.5 Hours on a Full Tank of Gas
- Parallel Capability - Connect with Another Inverter for Increased Power
- Space Saving Stackable Design with Carrying Handles

CARB Compliant



**3100 Watt RV Ready Portable Inverter Generator**  
 SKU 757074 **949<sup>99</sup>**  
 CHM755311

- Quiet, Lightweight and Portable - Operates at 58 dBA and Weighs Less than 99 Lbs. with Wheel Kit
- 3100 Starting Watts, 2800 Running Watts with up to 8 Hours Runtime on a Full Tank of Gas
- RV Ready Outlets - 120V 30A RV, (2) 120V 20A Household, 12V DC Outlets
- Champion Support - 3 Year Limited Warranty with Free Lifetime Technical Support

CARB Compliant



**73500i 30A Parallel Kit for Linking (2) Stackable Inverter Generators 1600 to 2000 Watts**  
 SKU 757076 **59<sup>99</sup>**  
 CHM735001



### Gas Powered Generators



**3500 Watt Portable Generator**  
 SKU 020730 **379<sup>99</sup>**  
 CHM46596

- Run/Start Watts 3500/4000
- 196cc Champion OHV Engine
- Fuel Tank - 3.8 Gallon
- RV Ready - Equipped with a Standard 30A RV Outlet
- Volt Guard™ Protects Your Appliances from Power Surges
- Runs Up to 12 Hours on a Full Tank of Gas
- Durable Steel Frame
- Voltmeter - Displays Power Output
- 49 State EPA Compliant

Not Available for Sale in California



**6500 Watt Portable Generator**  
 SKU 020745 **729<sup>99</sup>**  
 CHM100109



- Run/Start Watts 6500/8125
- Volt Guard - Protects Your Appliances from Power Surges
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals
- Runs Up to 11 Hours on a Full Tank of Gas
- GFCI Protected Outlets with Covers
- 120/240V Operation

CARB Compliant



**GP3250 Portable Generator**  
 SKU 973238 **439<sup>99</sup>**  
 GENG3250

- Rated Watts: 3,250
- Runtime at 1/2 Load: 9.7 Hours
- Outlets: (1) 120V 20A 5-20R Duplex Outlet; (1) 120/240V 20A L14-20R Twist-Lock Outlet
- Gas Tank: 3.5 Gallons
- Low Oil Level Shutdown Automatically Safeguards Engine

CARB Models Available

Not Available for Sale in California



**GP15000 Gas Powered Portable Generator**  
 SKU 568403 **2,899<sup>99</sup>**  
 GENG15000E



- 16 Gallon Fuel Tank Runs the Generator Continuously Up to 10 Hours at Half Load; Idle Control for Improved Fuel Efficiency
- OHVI Engine is Designed for Extended Runtimes for Use at Jobsites or for an Emergency Backup Power Source
- Circuit Breaker Protected Outlets for Added Safety

Not Available for Sale in California



### Gas Powered Electric Start Generators

**3500W with Wireless Remote Electric Start**  
 SKU 775503 **549<sup>99</sup>**  
 CHM46539

- RV Ready - Equipped with a Standard 30A RV Outlet, Enough Power to Start and Run a 15,000 BTU RV Air Conditioner
- 4000 Starting Watts, 3500 Running Watts with Up to 12 Hours Run Time on a Full Tank of Gas
- Powered by a Reliable 196cc Champion Engine with Wireless Remote Start, Up to 80 Ft. Away
- Outlets: 120V 30A Locking, 120V 30A RV, 120V 20A Household Outlets all Secured by Volt Guard™—Protects Your Appliances from Power Surges
- Champion Support - 3 Year Limited Warranty with Free Lifetime Technical Support

CARB Compliant



**GP6500E Gas Powered Portable Electric Start Generator**  
 SKU 568402 **919<sup>99</sup>**  
 GENG6500E

- Generac's 389 cc OHV Engine with Splash Lubrication Provides a Long Engine Life
- Low Oil Shutdown Automatically Safeguards Engine from Damage
- Hour Meter Tracks Maintenance Intervals

Not Available for Sale in California



**7500 Watt Portable Electric Start Generator**  
 SKU 020758 **899<sup>99</sup>**  
 CHM100219

- Run/Start Watts 7500/9375
- Touch Start - Battery Included for Push Button Electric Start
- 25' Power Cord Included
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 8 Hours on a Full Tank of Gas
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals

CARB Compliant



**9200 Watt Portable Electric Start Generator**  
 SKU 020759 **1,099<sup>99</sup>**  
 CHM100110

- Run/Start Watts 9200/11500
- 459cc - CARB Compliant for Use in All 50 States
- Touch Start - Push-Button Electric Start and Battery Maintenance Smart Charger
- Equipped with a Standard 50A RV Outlet
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 10 Hours on a Full Tank of Gas
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals

CARB Compliant



**12000 Watt Portable Generator with Electric Start**  
 SKU 757111 **2,099<sup>99</sup>**  
 CHM100111



- Touch Start - Push-Button Electric Start (Battery Included)
- 15000 Starting Watts, 12000 Running Watts with Up to 9 Hours Runtime on a Full Tank of Gas
- Powered by a Reliable 717cc Champion V-Twin Engine
- Durable Steel Frame with a Lift Hook for Safe and Easy Transport
- Covered Outlets - 120/240V 50A, 120/240V 30A Locking, 120V 30A Locking, (4) 120V 20A GFCI Protected Household Outlets All Secured by Volt Guard™—Protecting Your Appliances from Power Surges
- Champion Support - 3 Year Limited Warranty with Free Lifetime Technical Support

CARB Compliant



**GP17500E Gas Powered Portable Electric Start Generator**  
 SKU 626138 **2,999<sup>99</sup>**  
 GENG17500E



- 16 Gallon Fuel Tank Runs the Generator for Up to 10 Hours at Half Load
- 992 cc Engine Runs on Gasoline to Provide Dependable Power
- Circuit Breaker Helps Protect the Generator and Connected Appliances from Damage

Not Available for Sale in California



### Propane Powered Generators

**3800 Watt Dual Fuel Electric Start Generator**  
 SKU 020777 **599<sup>99</sup>**  
 CHM76533



- Run/Start Watts 3800/4750 (Gasoline)
- Runs on Gas or Propane Straight Out of the Box
- Touch Start - Battery Included for Push-Button Electric Start
- Equipped with a Standard 30A RV Outlet
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 9 Hours on a Full Tank of Gas or 10.5 Hours on a 20 Lb. Propane Tank

CARB Compliant



**5500W Dual Fuel RV Ready Portable Generator**  
 SKU 775501 **799<sup>99</sup>**  
 CHM100231



- Dual Fuel - Runs on Gas or Propane Straight Out of the Box
- 6900 Starting Watts, 5500 Running Watts with Up to 9 Hours Run Time on a Full Tank of Gas and up to 10.5 Hours on a 20 Lb. Propane Tank
- Powered by a Reliable 224cc Champion Engine with Touch Start, Push-Button Electric Start (Battery Included)
- Outlets: 120V 30A RV, 120V 30A Locking, (2) 120V 20A Household Outlets all Secured by Volt Guard™—Protects Your Appliances from Power Surges
- Champion Support - 3 Year Limited Warranty with Free Lifetime Technical Support

CARB Compliant



**7500 Watt Dual Fuel Generator with Electric Start**  
 SKU 020752 **999<sup>99</sup>**  
 CHM100165



- Run/Start Watts 7500/9375 (Gasoline)
- Runs on Gas or Propane Straight Out of the Box
- Touch Start - Battery Included for Push-Button Electric Start
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 8 Hours on a Full Tank of Gas or 5.5 Hours on a 20 Lb. Propane Tank
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals

CARB Compliant



# SHOP EQUIPMENT

## Pressure Washers

### 2,900 PSI Power Washer

- GEN6882 **349<sup>99</sup>**
- Clean Smarter - Up to 50% Faster
  - PowerDial™ Ergonomic Spray Gun Allows You to Easily Adjust the Pressure Needed between (4) Different Tasks - Car, Wood, Concrete and Soap
  - Soap Blaster for Soaping 3X Farther, Saving You Time and Steps
  - Generac 196cc OHV Engine Delivers Maximum Cleaning Performance
  - Includes 30' High Pressure Flex Hose

CARB Compliant



### 3,100 PSI Residential CARB Compliant Pressure Washer

- SKU 005720 **419<sup>99</sup>**  
GEN6923
- Powerful Generac Horizontal Shaft OHV Engines Feature Low Oil Shutdown, Engine Oil is Included
  - Easy Access Axial Cam Pump Means No More Kneeling on the Ground to Connect Hoses
  - Ergonomic Generac Spray Guns with Soft Grip and Easy-to-Pull Trigger Reduces Fatigue
  - 30' PVC Hose

CARB Compliant



### 3,800 PSI Commercial Pressure Washer

- SKU 570262 **819<sup>99</sup>**  
GEN6564
- Pro-Grade Triplex Pump Up to 4X Longer Life Than Axial Cam Pumps
  - Powerful 302 cc Generac OHV Engine Delivers Maximum Cleaning Performance and Reliability
  - Low Oil Shutdown Sensor Safeguards the Engine
  - 3/8" x 35' Steel Reinforced Rubber Hose

These Units are Not for Sale in California. Call for Pricing on CARB Compliant Models.



### 4,200 PSI Commercial Pressure Washer

- SKU 570263 **969<sup>99</sup>**  
GEN6565
- Powerful 420 cc Generac Horizontal Shaft Engine with Low Oil Shutdown
  - Professional Grade Triplex Pump with Ceramic Coated Pistons, Designed for Long Life
  - Pressure Control Valve Provides Complete Control of Water Pressure
  - 3/8" x 50' Steel Reinforced Rubber Hose

These Units are Not for Sale in California. Call for Pricing on CARB Compliant Models.



## Hot Water Pressure Washers

### HSE 1500 PSI 2.0 GPM

- SKU 597218 **2,799<sup>99</sup>**  
MTMHSE15020MM
- Features a Top-Fired Heat Exchanger and Totally Enclosed, Fan-Cooled Electric Motor
  - Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
  - Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance
  - 35' Power Cord
  - CSA Certified - US and Canada



### HSP 3500 PSI 3.3 GPM

- SKU 597220 **4,299<sup>99</sup>**  
MTMHSP35043MH
- Burner Utilizes a Patented Electro Magnetic Firing (EMF) System, Eliminating the Need for a 12V Battery
  - Pump Features a Low Pressure Detergent Injector
  - Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
  - Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance
  - CSA Certified - US and Canada



## Vacuums

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering instructions.

### 5 Gallon Stainless Steel Wet/Dry Vacuum Cleaner

- SKU 912310 **69<sup>99</sup>**  
BIG55274
- Wet & Dry Vacuum Cleaner
  - Provides Powerful Suction
  - Rugged Stainless Steel Construction
  - Features (4) Casters for Easy Transport
  - Includes: (1) 5' Hose, (3) Extension Wands, (1) Non-Woven Bag, (1) Sponge Filter, (1) Crevice Tool, and (1) Disposable Filter Bag
  - Replacement Filter Bags: Kubota® KUB54100 Filter Bags



### Kubota® 8 Gallon Wet/Dry Vacuum

- SKU OUTSIDE BUY/EPO **99<sup>99</sup>**  
KUB54102
- This 8 Gal Stainless Steel Vacuum is Perfect for the Garage, House or Office
  - Lock-On Hose System
  - Includes Accessories: 7 Ft. Flexible Hose, 2 Extensions Wands, Crevice Nozzle, Sofa / Seat Brush, Floor Brush with Switch, Wet Sponge Filter, Dry Cartridge Filter, Dust Bag



### Kubota® 14.5 Gallon Leaf Blower Wet Vacuum

- SKU OUTSIDE BUY/EPO **139<sup>99</sup>**  
KUB54104
- Multi-Functional Large 14.5 Gallon Drum with a Convenient Handheld Blower with Wand to Perform Any Job
  - Poly Tank
  - Includes Accessories: 5' Extra Large Hose, 2 Extra Wide Extension Tubes, Accessory Adaptor, Wet Floor Brush, Hepa Filter, Crevice Tool and Blower Tube



### Kubota® 12 Gallon Wet/Dry Vacuum

- SKU OUTSIDE BUY/EPO **149<sup>99</sup>**  
KUB54103
- This Large 12 Gallon Stainless Steel Push Vacuum Will Ensure All Your Large Jobs Get Done on Time
  - Stainless Steel Tank
  - Includes Accessories: 7' Flexible Hose, Metal Extension Tube, Floor Brush with Switch, Crevice Nozzle, Dry Cartridge Filter and Wet Sponge Filter



### Kubota® 3 Pack Vacuum Filter Bags

- SKU OUTSIDE BUY/EPO **14<sup>99</sup>**  
KUB54100
- Multi-Fit Disposable Filter Bag is Designed for Use with 4-12 Gallon Kubota Wet/Dry Vacuums



## Drill Presses

### 5 Speed Bench Drill Press

- SKU 462480 **129<sup>99</sup>**  
24825
- 1/2" Chuck Capacity
  - 1/3 HP, 120V, 2.3 Amp
  - 2" Stroke
  - 620 - 3,100 RPM
  - 8" Swing
  - 1/2" Max. Drilling Capacity
  - Threaded Depth Lock; Screwdriver Handle
  - 6-5/8" x 6-9/16" Table
  - 11-5/8" x 7-1/3" Base
  - 7" (W) x 16-15/16" (D) x 22-1/2" (H) Overall



### 16 Speed 15" Heavy Duty Floor Drill Press

- SKU 462481 **449<sup>99</sup>**  
24826
- 5/8" Chuck Capacity
  - 1 HP, 110VAC, 12 Amp
  - 3-11/64" Stroke
  - 240 - 3,200 RPM
  - 15" Swing
  - 3/4" Max. Drilling Capacity
  - Threaded Depth Lock; Screwdriver Handle
  - 12" x 12" Table
  - 17-15/16" x 10-5/8" Base
  - 15" (W) x 25-1/3" (D) x 63-1/3" (H) Overall



## Exhaust Hoses



### Crushproof Flarelock Hoses

- Made Exclusively for Cars and Small Trucks
- End is Flared to Permit Connection of Two or More Links at a Time

2.5" x 11' **99<sup>99</sup>**  
SKU 977557 ACSFLT250

3" x 11' **119<sup>99</sup>**  
SKU 977559 ACSFLT300

3.5" x 11' **169<sup>99</sup>**  
SKU 977589 ACSFLT350

4" x 11' **189<sup>99</sup>**  
SKU 977590 ACSFLT400

### Crushproof 2.5" Y-Assembly Kit with F250 Adapter

SKU 977549 **149<sup>99</sup>**  
ACSYA250

- Designed for Connecting a Single Hose to Vehicles with Dual Exhaust Systems



3" Y-Assembly Kit with F300 Adapter **169<sup>99</sup>**  
SKU 977550 ACSYA300

### Crushproof 2.5" Service Station Kit

SKU 977547 **219<sup>99</sup>**  
ACSDSS25

- Includes:
- (2) Each - 4' x 2-1/2" Hoses
  - (1) Each - 6' x 2-1/2" Hose
  - (1) Each - 2-1/2" Rubber "Y" Connector
  - (2) Each - Straight Tailpipe Adapter, Hook and Chain
  - (1) Each - Splice Connector



3" Service Station Kit **219<sup>99</sup>**  
SKU 977548 ACSDSS30

### Crushproof Door Port for 2-1/2" Hose (Rubber)

SKU 977551 **34<sup>99</sup>**  
ACSDF25

- Rubber Garage Door Port Adapter
- Designed for 2-1/2" ID



### Crushproof Door Port for 3" Hose (Aluminum)

SKU 977552 **39<sup>99</sup>**  
ACSADF30

- Aluminum Port Allows Hose to Be Vented Through the Door



### Crushproof Door Port for 4" Hose (Aluminum)

SKU 977554 **54<sup>99</sup>**  
ACSADF40



### Crushproof Bell Hose Adapters

- Designed for Easy Adapting to All Sorts of Tailpipes
- Connects with Ball and Snap

2-1/2" Adapter **37<sup>99</sup>**  
SKU 977544 ACSRA250



3" Adapter **39<sup>99</sup>**  
SKU 977545 ACSRA300



### Crushproof Straight Tailpipe Adapters with Hook and Chain

- Designed for Easy Adapting to All Sorts of Tailpipes



- 2.5" Straight Tailpipe Adapter with Hook and Chain.....SKU 977591 ACSF250..... **24<sup>99</sup>**
- 3" Straight Tailpipe Adapter with Hook and Chain.....SKU 977539 ACSF300..... **34<sup>99</sup>**
- 3.5" Straight Tailpipe Adapter with Hook and Chain.....SKU 977540 ACSF350..... **44<sup>99</sup>**
- 4" Straight Tailpipe Adapter with Hook and Chain.....SKU 977541 ACSF400..... **64<sup>99</sup>**
- 3" x 6" Oval Tailpipe Adapter .....SKU 977542 ACSF475..... **44<sup>99</sup>**
- 3.5" x 8.5" Oval Tailpipe Adapter .....SKU 977543 ACSF575..... **54<sup>99</sup>**



Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*

### Parts Washers

OEMTOOLS™ Parts Washers are a New Generation of Water-Based Parts Washers Providing All the Cleaning Power of Solvent While Using Cleaning Solutions That are Safe and Biodegradable.

#### Portable Bucket-Top Parts Washer

- SKU 24816 **39<sup>99</sup>**
- Fits Most Standard 5 Gallon Buckets
  - Includes a Submersible Pump, 40' Hose and Flow-Through Brush
  - Pumping Rate: 1 GPM
  - For Degreasing Small Parts and Tools

Does Not Include 5 Gallon Bucket



#### Bench Top Gallon Parts Washer

- SKU 300128 **69<sup>99</sup>**  
24800
- Water-Based Parts Washer with 325 Gallon per Hour Electric Pump
  - Steel Work Basin is 18"(L) x 13.5"(W) x 9"(H)

**Replacement Washer Pump**  
 SKU 462484 **39<sup>99</sup>**  
 24800-12

- Fits OEMTOOLS™ 24800 and OEMTOOLS™ 24801 Water-Based Parts Washer



#### Mobile Parts Washer

- SKU 546660 **129<sup>99</sup>**  
24804
- Solution Capacity (Gallons): Min. 2 - Max. 4
  - Use with Water Works™ Heavy-Duty Degreaser Concentrate
  - Not for Petroleum Based Solvents
  - Weight: 11 Lbs.
  - Dimensions: 26"(L) x 18"(W) x 9.5"(H)

Lid has Positive Seal and Latches for Mobility



#### 20 Gallon Parts Washer

- SKU 300117 **149<sup>99</sup>**  
24801
- Water-Based Parts Washer with 325 Gallon per Hour Electric Pump
  - Steel Work Basin is 31"(L) x 21"(W) x 34.5"(H)
  - Lid Includes Fusible Link for Fire Safety

**Replacement Washer Pump**  
 SKU 462484 **39<sup>99</sup>**  
 24800-12

- Fits OEMTOOLS™ 24800 and OEMTOOLS™ 24801 Water-Based Parts Washer



#### 40 Gallon Parts Washer

- SKU 300118 **279<sup>99</sup>**  
24803
- Use with Non-Flammable, Water-Based Degreaser or Cleaning Agent
  - Fully Flexible Nozzle and Fusible Link Which Automatically Closes the Lid in Case of Fire
  - Dimensions: 44.75"(L) x 20.5"(W) x 35"(H)

**Replacement Washer Pump**  
 SKU 462476 **39<sup>99</sup>**  
 24803-31

- Fits OEMTOOLS™ 24803 Water-Based Parts Washer



#### 16 Gallon Solvent Parts Washer

- SKU 479979 **449<sup>99</sup>**  
FOU62125-01
- Removable Screen Filter for Pump Protection
  - Flow Through Brush with Adjustable Fluid Control
  - Galvanized Drawn Sink Means No Leaks
  - Inside Sink Dimensions: 31"(L) x 21"(W) x 9"(D)

#### 30 Gallon CleanMaster Solvent Parts Washer

- SKU 479981 **759<sup>99</sup>**  
FOU54821-01

Includes Drum



#### RS500 Professional Spray Wash Cabinet

- SKU 902189 **3,689<sup>99</sup>**  
RANRS500
- Inside Height: 43"
  - Heavy-Duty Steel Construction
  - Removable Parts Tree
  - Brass Nozzles
  - Heavy-Duty Rubber Casters
  - Stainless Oil Skimmer
  - Removable Tank Screen



#### RS750 Truck Spray Wash Cabinet

- SKU 902197 **4,599<sup>99</sup>**  
RANRS750
- Inside Height: 54"
  - Heavy-Duty Steel Construction
  - Removable Parts Tree
  - Brass Nozzles
  - Heavy-Duty Rubber Casters
  - Stainless Oil Skimmer
  - Removable Tank Screen



#### 20 Lbs. Aluma-Klean Soap Bucket

- SKU OUTSIDE BUY/EPO **84<sup>99</sup>**  
RAN5155096

- Non-foaming
- Low pH
- Mild Alkali
- Water Soluble
- Powdered
- Removes Grease, Oil, Stains, Carbon, Protein, Some Paints



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering

#### Atlasta™ Parts Cleaning Brush

- SKU 342339 **19<sup>99</sup>**  
PBC50003
- A Tough Brush That Will Last and Last
  - Length: 9.75" (25 cm)



#### Oriflo Flow-Through Parts Brush

- SKU 342336 **24<sup>99</sup>**  
PBC50001
- Long Lasting, Stiff Trialoy® Polyester Filament Can Be Used with Either Petroleum or Water-Based Cleaning Solutions
  - Length: 10.25" (26 cm)



#### Flow-Through Brush with Hose

- SKU 459114 **26<sup>99</sup>**  
PBC50001H
- Oriflo Flow-Through Parts Washer Brush and High Quality Hose to Connect to Your Parts Washer



Parts Brush Division

#### Air Operated Sprayer

- SKU 222507 **49<sup>99</sup>**  
LIN5983
- 1/4" NPT (F) Inlet
  - Max. Operating Pressure: 150 PSI
  - Can Be Used with Solvents or Detergent Solutions



LINCOLN

#### EcoMaster Heated Aqueous Portable Brake Washer

- SKU 479988 **999<sup>99</sup>**  
FOU61840-02
- Heavy Duty Air Pump
  - Heavy Duty Drum Dolly with Two Locking Casters and Two Regular Casters
  - Prefilter Screen and Asbestos Sock Filter Designed to Ensure Clean Solution
  - Heater: 1,000W - Thermostatically Controlled to Hold at 115° F
  - Sink Dimensions: 24"(L) x 20"(W) x 7"(D)



#### EcoMaster Aqueous Portable Parts Washer

- SKU 479987 **849<sup>99</sup>**  
FOU61444-02

#### EcoMaster Heated Aqueous Parts Washer

- SKU 479983 **1,449<sup>99</sup>**  
FOU61330-02
- Capacity: 45 Gallons
  - Heater Thermostatically Controlled Preset to 110° F
  - Filter System Prolongs Fluid Life

#### Molded Cart for EcoMaster Heated Aqueous Parts Washer

- SKU 479985 **249<sup>99</sup>**  
FOU61332
- 500 Lbs. Capacity
  - High Density Polyethylene Molded Tray



#### Heavy Duty Degreaser Concentrate

- 5 Gallons (1) 5 Gallon Container  
 SKU 227558 **139<sup>99</sup>**  
 WWSHD-5G

Designed to Effectively Replace Hazardous Solvent in Water-Based Parts Washers

- Concentrated to Be Powerful and to Save You Money
- Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician



#### Storm Ultra Spray Wash Solution

- 5 Gallons (1) 5 Gallon Container  
 SKU 227559 **159<sup>99</sup>**  
 WWSU-5G

- Professional Wash Solution for Heated Spray Cabinet/Jet Cabinet Style Parts Washing Equipment
- Super Concentrated for Cost Effectiveness
- Quickly Blasts Away Grease, Oil, Carbon and Grime



### Vises

#### 4-1/2" Light Duty Bench Vise with Swivel Base

- SKU 751645 **29<sup>99</sup>** REG. \$39.99  
24216
- Machined Replaceable Steel Jaws
  - Machined Anvil, Permanent Pipe Jaws
  - Full 360° Swivel Base
  - Clamping Strength: 100 Lbs.

SAVE \$10

Offer Good Through March 31, 2018 - While Supplies Last



#### 4" Heavy Duty Bench Vise with Swivel Base

- SKU 751643 **49<sup>99</sup>**  
24217
- Machined Replaceable Steel Jaws
  - Machined Anvil, Permanent Pipe Jaws
  - Full 360° Swivel Base
  - Clamping Strength: 200 Lbs.



#### 6" Heavy Duty Bench Vise with Swivel Base

- SKU 751654 **89<sup>99</sup>**  
24218
- Machined Replaceable Steel Jaws
  - Machined Anvil, Permanent Pipe Jaws
  - Full 360° Swivel Base
  - Clamping Strength: 300 Lbs.



### Abrasive Blasting

#### Glass Bead Coarse Media, 25 Lbs.

- SKU 010136 **49<sup>99</sup>**  
SHA13077

- Ideal for Many Uses
- Prevents Surface Rust
- Paint and Body Applications
- For Use with OEM 24815 Abrasive Blast Cabinet

#### Glass Bead Medium Grit Media, 25 Lbs.

- SKU 010139 **49<sup>99</sup>**  
SHA13078



#### Abrasive Blast Cabinet (Bench Top)

- SKU 300119 **159<sup>99</sup>**  
24815

- Easily Remove Paint, Rust and Oxidation
- Fits on Bench or Cabinet
- Dimensions: 19.3"(H) x 19.3"(W)
- Cubic Inches: 28.6"



# SHOP EQUIPMENT

## Welding/Cutting

### MST 140i Welder

SKU 688017 **749<sup>99</sup>**  
THE1444-0870

- Includes: Firepower MST 140i Power Supply, Firepower 140 Amp MIG Gun, Firepower Argon/CO<sup>2</sup> Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and Contact Tips, 15-20 Amps Power Adapter, Shoulder Strap and Multi-Language Instructional CD



**Firepower**

\*TIG welding requires purchase of THEW4013802 Accessory Kit

### MST 180i Welder

SKU 688020 **999<sup>99</sup>**  
THE1444-0871

- Includes: Firepower MST 180i Power Supply, Firepower 180 Amp MIG Gun, Firepower Argon/CO<sup>2</sup> Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and Contact Tips, Standard 230V Plug, Shoulder Strap and Multi-Language Instructional CD



**Firepower**

### Plasma Cutter CUTMASTER® 42

SKU 301766 **1,399<sup>99</sup>**  
THE1-4200

- Includes: CUTMASTER 42 Power Supply, All New SL40 Torch, Safety Gloves and Glasses, Instructional Plasma Cutting DVD, Consumables Set, Heavy Duty Carrying Case and Power Plug Adapters



**THERMAL DYNAMICS**

## BONUS

WITH MAIL-IN REBATE  
Rebate Form Available at  
www.firepoweronline.com

### Welding Cart

SKU 849600 | Part# THE1444-0900

**VALUE: \$139.99**



Offer Good  
Through  
March 31, 2018  
While Supplies Last

with Purchase of:  
**MST 140i Welder, MST 180i Welder  
or Plasma Cutter CUTMASTER 42**

SKU 688017 | Part# THE1444-0870 or  
SKU 688020 | Part# THE1444-0871 or  
SKU 301766 | Part# THE1-4200

### TIG® Torch and Accessories

SKU 295859 **189<sup>99</sup>**  
THEW4013802  
(Required for TIG Welding)

- TIG Torch, 17V, 13", 8 Pin and Accessory Kit with 1/16", 3/32", 1/8" Thoriated Tungstens
- 1/16", 3/32", 1/8" Collets; 1/16", 3/32", 1/8" Collet Bodies
- No. 5, 6, 7 Alumina Nozzle; Short Back Cap; Long Back Cap

\*TIG welding  
requires purchase  
of THEW4013802  
Accessory Kit



**THERMAL DYNAMICS**

### 250 Series OxyFuel Medium Duty Acetylene Outfit

SKU 573205 **249<sup>99</sup>**  
THE0384-2571

- Cutting Torch and Handle are Ready for Multiple Gas Options: Oxy-Acetylene, Propane, Butane, Natural and LP Gases, and Propane
- Welds Up to 1/2" Steel
- High Capacity: Cut 1/8" (3.2 mm) to 5" (127 mm)
- Simple to Use High Contrast Gauges
- Ergonomic Color Coded Knobs (Acetylene and Oxygen)
- Includes Handle, Cutting Attachment, Gauges, Welding Nozzle, Cutting Tip, Eye Protection and Striker



**Firepower**

### FP-95 Flux Cored Welding System

SKU OUTSIDE BUY/EPO **499<sup>99</sup>**  
THE1444-0322

- Portable FP-95 MIG/Flux-Cored Wire Welder
- Operates from Standard Household Outlet and Delivers 90 Amps
- Includes Tweco® Gun, Return Cable and Clamp, and .035" Spool of Flux-Cored Wire
- Easy to Use Key Setup Chart
- Gas Solenoid Not Included



**Firepower**

### MST 220i Welder

SKU 687990 **1,399<sup>99</sup>**  
THE1444-0872

- Includes: Firepower MST 200i Power Supply, Firepower 220 Amp MIG Gun, Firepower Argon/CO<sup>2</sup> Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, 230V-115V Adapter Plug and Cable, Drive Roll and Contact Tips and CD with Multi-Language Operating Instructions
- Up to \$500 in Free Goods Available Visit [www.firepoweronline.com/promotions](http://www.firepoweronline.com/promotions) for Details



**Firepower**

Available via Outside Buy/EPO,  
Call 1-877-298-6651 for Ordering Instructions

**OEM TOOLS™**

### Auto Darkening Welding Helmet

SKU 362974 **49<sup>99</sup>**  
24357

- TIG Rated Variable Shade 9-13
- Viewing Area: 3.54" x 1.37"
- Battery Powered with Solar Assist
- Includes Replacement Cover Lenses



**OEM TOOLS™**

### Auto Darkening Welding Helmet with Grinding Function

SKU 347233 **79<sup>99</sup>**  
24358

- Variable Shade 9-13, Variable Sensitivity and Delay Controls
- Viewing Area: 3.62" x 1.65"
- Battery Powered with Solar Assist
- Includes Replacement Cover Lenses CE, ANSI Z87.1, CSA
- Z94.3, AS/NZS Approved



**Firepower**

### Stars and Stripes Darkening Welding Helmet

SKU 850068 **99<sup>99</sup>**  
THE1441-0087

- Variable Shade - Adjustable Welding Shade Levels from 9 to 13
- "Welding" or "Grinding" Selection for Process Mode
- Solar-Powered - So You Don't Have to Worry About Changing Batteries - Ever



**Firepower**

### 160 Amp MIG Spool Gun

SKU 434724 **329<sup>99</sup>**  
THE1444-0894

- Interfaces with Firepower MST 180i and 220i 3-in-1 Welders
- Rated 20% Duty Cycle and 160 Amps
- Includes Carrying Case



**SHARK USA**

### Pro-Tack Plastic Welder

SKU 255799 **329<sup>99</sup>**  
SHA17030

- Eco-Friendly Plastic Welder That is Great for Repairing Virtually Anything Made of Plastic
- Capable of Ironing Plastic to a Smooth Finish
- LED Read Out
- Rated to a Maximum of 65 Amps and Has 4 Power Settings
- Kit Includes: (4) Staple Styles, (2) Ironing Blades, Plastic Box for Staples and Plastic Storage Case



**SHARK USA**

### Core-Cut Staples (100 Pack)

**49<sup>99</sup> ea.**



Flat Square	SKU 255808	SHA17031
Outside Corner/Sm. Wave	SKU 255809	SHA17032
Outside Corner/No Wave	SKU 255820	SHA17033
Inside Corner/Sm. Wave	SKU 255839	SHA17034
Inside Corner/No Wave	SKU 255843	SHA17035
Flat Small Wave	SKU 255845	SHA17036
Flat "S" Type	SKU 255851	SHA17037

## RV Ready

### 3500 Watt Portable Generator

SKU 020730 **379<sup>99</sup>**  
CHM46596

- Run/Start Watts 3500/4000
- 196cc Champion OHV Engine
- Fuel Tank - 3.8 Gallon
- RV Ready - Equipped with a Standard 30A RV Outlet
- Volt Guard™ Protects Your Appliances from Power Surges
- Runs Up to 12 Hours on a Full Tank of Gas
- Durable Steel Frame
- Voltmeter - Displays Power Output
- 49 State EPA Compliant




**CHAMPION**  
POWER EQUIPMENT



Dependable Power for  
Home, Recreation,  
or Emergencies

12 HRS. RUNTIME

68 DBA



Not Available for Sale in California

## Dual Fuel

### 7500 Watt Dual Fuel Generator with Electric Start

SKU 020752 **999<sup>99</sup>**  
CHM100165


- Run/Start Watts 7500/9375 (Gasoline\*)
- 439cc Champion OHV Engine
- Runs on GASOLINE or PROPANE Straight Out of the Box
- Gasoline Fuel Tank - 6.1 Gallon
- Touch Start - Battery Included for Push-Button Electric Start
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 8 Hours on a Full Tank of Gasoline or 5.5 Hours on a 20 Lbs. Propane Tank
- Intelligauge to Monitor Power Output and Maintenance Intervals
- 50 State CARB Compliant



**CHAMPION**  
POWER EQUIPMENT

9 HRS. RUNTIME

68 DBA



CARB Compliant



Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*

### Welding Accessories

#### WIRE

<b>MIG Solid Wire E70S6 - .023 - 2 Lbs.</b>	SKU 459160	SHA12000	<b>16<sup>99</sup></b>
<b>MIG Solid Wire E70S6 - .023 - 11 Lbs.</b>	SKU 459162	SHA12001	<b>34<sup>99</sup></b>
<b>MIG Solid Wire E70S6 - .030 - 11 Lbs.</b>	SKU 459164	SHA12003	<b>29<sup>99</sup></b>
<b>MIG Solid Wire E70S6 - .035 - 33 Lbs.</b>	SKU 459173	SHA12007	<b>64<sup>99</sup></b>
<b>Flux Core Welding Wire - .030 - 2 Lbs.</b>	SKU 459175	SHA12008	<b>29<sup>99</sup></b>
<b>Flux Core Welding Wire - .035 - 2 Lbs.</b>	SKU 459180	SHA12009	<b>24<sup>99</sup></b>



#### TIPS (25 PACK)

<b>Lincoln MIG Contact .030 Tips</b>	SKU 343402	SHA12874	<b>24<sup>99</sup></b>
<b>Lincoln MIG Contact .035 Tips</b>	SKU 343403	SHA12875	<b>24<sup>99</sup></b>
<b>Miller MIG Contact .030 Tips</b>	SKU 343404	SHA12877	<b>24<sup>99</sup></b>
<b>Benzel and Tweco MIG Contact .023 Tips</b>	SKU 343399	SHA12937	<b>19<sup>99</sup></b>
<b>Benzel and Tweco MIG Contact .030 Tips</b>	SKU 343401	SHA12938	<b>24<sup>99</sup></b>



#### ELECTRODES

<b>E6011 1/8" Electrode 5 Lbs.</b>	SKU 988902	THE14400106	<b>19<sup>99</sup></b>
<b>E7018 1/8" Electrode 5 Lbs.</b>	SKU 988904	THE14400186	<b>19<sup>99</sup></b>



#### 250 Piece Welding Stud Assortment

- SKU 271198  
68130 **18<sup>99</sup>**
- 250 Piece, 2" x 3/40" Size
  - Use with Stud Welder or Stud Gun
  - Copper Coated Steel Construction



#### Leather Welder's Gloves

- SKU 972316  
THE14230051 **24<sup>99</sup>**



### Heat-Shrink Tube Sets

#### 171 Piece Heat-Shrink Tube Set

- SKU 420335  
68165 **19<sup>99</sup>**
- Protection and Insulation of Components and Wires
  - Protection Against Water and Moisture Ingress Preventing Corrosion
  - Color Coordinated Sizes
  - Quick and Simple to Shrink By Heat Gun



#### 106 Piece Waterproof Heat Shrink Tube Set

- SKU 420334  
68164 **29<sup>99</sup>**
- Tubes Shrink to Fit Over Cable Splices and Can Be Used for Wire Harnessing, Covering, Marking and Bundling of Wires
  - Adhesive Lined Inner Wall to Seal Out Moisture
  - 3:1 Shrink Ratio
  - Waterproof



#### 90 Piece Waterproof Heat Shrink Terminal Set

- SKU 462482  
68166 **79<sup>99</sup>**
- (30) Ring Connectors
  - (15) Female Disconnects
  - (15) Butt Connectors
  - (15) Male Disconnects
  - (15) Tin Butt Connectors
  - Re-Sealable Plastic Case



### Tubing Benders

#### Blue Bullet Tubing Bender

- SKU 015350  
BENBB1 **6,519<sup>99</sup>**
- Leg Operated Control Lever at Front Keeps Hands Free
  - Two Separate End Finishing Units at Rear for All Necessary Flaring and Expanding
  - Degree Plate Located Up Front for Easy Viewing
  - Comes Complete with Quick Release Bending and End Finishing Dies
  - Includes High-Speed Clampless Swager and Internal Expander
  - 3" Bending Capacity (Dies Optional)



**Lift Gate Service:**  
 SKU 262533  
 RANLIFTGATE **135<sup>00</sup>**

Free Delivery in 48 Continental United States  
 Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.

#### Card System Complete with Rotation Dial / Computer CD

- SKU 298074  
BENCS-1 **639<sup>99</sup>**
- Over 3,500 Cards on One CD
  - 10,000 Bending Applications
  - Includes: Rotation Dial for Standard and "Mirror Image" Bending



**3" Die Kit (Optional)**  
 SKU 095070  
 BEN300-1 **889<sup>99</sup>**



Please note that the CS-1 Card System does not ship with the Benders and must be purchased separately.

### Soldering

#### Mechanic's Mini Torch

- SKU 804655  
24353 **17<sup>99</sup>**
- Designed for Light Welding, Auto Repair and Heating Material in Confined Spaces
  - Adjustable Flame Lights Upside Down
  - Auto Ignition, Refillable
  - Safety Lock When Not in Use
  - Butane Not Included



#### Mechanic's Torch

- SKU 802236  
24354 **19<sup>99</sup>**
- Designed for Auto Repair, DIY Household Repair and Professional Soldering, Micro Welding and Brazing
  - Heavy Duty Piezo Ignition with Strong Flame
  - ABS Grip
  - CPSC Approved and Child Restraint Safety Latch
  - Butane Not Included



#### Professional 3-in-1 Butane Micro Torch Kit

- SKU 420339  
24356 **29<sup>99</sup>**
- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip
  - Easy to Set on Table Top with the Base After Operation
  - Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base
  - Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
  - Power Range: 30w - 125w



#### Professional 3-in-1 Soldering Iron Kit

- SKU 420338  
24355 **29<sup>99</sup>**
- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower
  - Soldering Iron Kit Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip



## INVERTER TECHNOLOGY DUAL VOLTAGE 115V / 230V



#### 180 AMP DUAL PROCESS MIG/FLUX/ARC WELDER

- SKU 554014  
41198 **899<sup>99</sup>**
- Welds 24 Gauge Up to 5/16" Mild Steel in a Single Pass
  - Flux-Cored (No Gas): Tackles the Biggest Jobs
  - MIG (Requires Shielding Gas): Weld Up to 5/16" Mild or Stainless Steel
  - DC Stick: Handles Up to 5/32" Stick Electrodes
  - Includes: 10 Ft. MIG Torch with .030 Tip, 10 Ft. ARC Lead, 10 Ft. Work Cable with Clamp, 115 / 230 V Power Adapter and Argon Flow Meter/Regulator

#### 30 AMP PLASMA CUTTER

- SKU 554022  
41199 **599<sup>99</sup>**
- Rated 1/4" Clean Cut on Mild Steel with 1/2" Rough Sever
  - Cuts Mild Steel, Stainless, Brass, Aluminum and Other Conductive Materials
  - Includes: 10 Ft. Work Cable with Clamp and 115 / 230v Power Adapter



## SOLAR POWERED AUTO DARKENING WELDING HELMETS



**PIN UP GIRLS**  
 SKU 102313  
 41288 **99<sup>99</sup>**



**GEAR HEAD**  
 SKU 102314  
 41290 **99<sup>99</sup>**

- Extra Large Viewing Area: 3.86" X 2.17"
- Automatically Darkens in 1/30,000 of a Second
- Ultra High Performance Filters Protects Against UV and IR
- Variable Shades from DIN 9 to DIN 13
- Outside Sensitivity Adjustments Provide Clear Vision Both Prior and During Welding
- Durable, Light Weight Material is Corrosion Resistant and Flame Retardant
- Special Turnover Headband Mechanism Allows for Greater Comfort and Reduces Fatigue
- Utilizes High Performance Solar Cells W/2 Built-In 3V Lithium Batteries as Power Back-Up
- Complies with DIN, ISO, EN Safety Standards and ANSI Z87.1-2003 Standards



"BIG" HVLS Fans					
AREA COVERED	DIAMETER	HANGING HEIGHT	PART NO.	SKU	PRICE
3,500 sq.ft.	12ft.	up to 20 ft.	ENLEL06000875	012679	\$3,399 <sup>99</sup>
6,700 sq.ft.	12ft.	up to 25 ft.	ENLEL06000948	012669	\$4,399 <sup>99</sup>
9,600 sq.ft.	16ft.	up to 25 ft.	ENLEL06000950	012700	\$4,399 <sup>99</sup>
15,000 sq.ft.	18ft.	up to 40 ft.	ENLEL06000887	012701	\$5,899 <sup>99</sup>
22,000 sq.ft.	24ft.	up to 40 ft.	ENLEL06000891	338826	\$6,649 <sup>99</sup>

**HVLS Fans**  
Available in: **6ft. – 24ft.**  
Includes: **50,000 Hour Warranty**

# STOP Paying to Haul Off Waste Oil

Burn it for **FREE Heat** in the winter  
with an **EnergyLogic Waste Oil Heater**.

Pair with our HVLS Fan and circulate your heat from ceiling to feet.



**LOWER ENERGY COSTS**

1 gallon of waste oil equals  
1-hour of FREE heat.



**MONEYBACK GUARANTEE**

Best warranty in the industry.



**GET HOTTER FASTER**

Double the heat rise than  
competitors.



**BURN MORE FUEL TYPES**

Used No.2 – 90w, and  
synthetic oils.



**ON-BOARD AIR COMPRESSOR**

Keep using your shop air for  
your shop.



**Complete Waste Oil Heater Systems** (Includes: heater, tank and flue kit)

			130 GALLON TANK			200 GALLON TANK			250 GALLON TANK		
Heater	BTU's	Heats up to:	Part No.	SKU	Price	Part No.	SKU	Price	Part No.	SKU	Price
EL-140	140,000	3,500 sq.ft.	ENL01140102	012662	\$6,499 <sup>99</sup>	ENLEL01140108	012663	\$6,829 <sup>99</sup>	ENL01140103	850048	\$6,999 <sup>99</sup>
EL-200	200,000	5,000 sq.ft.	ENLEL01200103	012665	\$7,549 <sup>99</sup>	ENLEL01200109	012657	\$7,799 <sup>99</sup>	ENL01200104	850047	\$8,099 <sup>99</sup>
EL-350	350,000	8,500 sq.ft.	-	-	-	-	-	-	ENL01350104	850049	\$9,819 <sup>99</sup>

**Waste Oil Heaters Only**

BTU's	Heats up to:	Part No.	SKU	Price
140,000	3,500 sq.ft.	ENLEL01140101	012654	\$5,349 <sup>99</sup>
200,000	5,000 sq.ft.	ENLEL01200101	012653	\$6,149 <sup>99</sup>
350,000	8,500 sq.ft.	ENLEL01350101	012656	\$8,219 <sup>99</sup>

\* EL-350 is only mountable on the 250 gallon tank.

Visit us at [EnergyLogic.com](http://EnergyLogic.com), or call us anytime  
for any reason: **1-877-AZTOOL1** (1-877-298-6651).





Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*



QUALITY - INNOVATION - VALUE

# INDUSTRIAL GRADE COMPRESSORS

- **No Start-Up Kit Required**
- **Full Two Year Warranty**
- **Nationwide Service Network**
- **ASME Tank and Safety Valves**
- **High-Flow Belt Guard**



**10 HP 120 Gallon  
 230V Air Compressor**  
 SKU 592204 26104 **2,699<sup>99</sup>**  
 • **Magnetic Starter Mounted and Wired**  
 • 3-Phase  
 • 35 CFM @ 100 PSI  
 • 175 PSI Max Pressure  
 • 2-Stage



**5 HP 80 Gallon  
 230V Compressor**  
 • **Magnetic Starter Mounted and Wired**  
 • **Heavy-Duty Low RPM Cast Iron Pump**  
 • 18 CFM at 100 PSI  
 • 175 PSI Max Pressure  
 • 2-Stage

**Single-Phase**  
 SKU 592257 26100 **1,699<sup>99</sup>**

**3-Phase**  
 SKU 592202 26101

**7.5 HP 80 Gallon  
 230V Compressor**  
 • 23 CFM @ 100 PSI  
**Single-Phase**  
 SKU 592252 26102 **2,099<sup>99</sup>**

**3-Phase**  
 SKU 592239 26103



**GAS POWERED**

**13 HP 30 Gallon  
 Honda Gas Powered**  
 SKU 592266 26105 **2,399<sup>99</sup>**  
 • **Heavy-Duty Low RPM Cast Iron Pump**  
 • 23 CFM @ 100 PSI  
 • 175 PSI Max Pressure  
 • Electric and Recoil Start



**Unbeatable Value**

**5 HP 60 Gallon  
 230V Air Compressor**  
 SKU 592262 26106 **1,099<sup>99</sup>**

- 5 HP
- 1 Phase
- 15.3 CFM @ 100 PSI
- 165 PSI Max Pressure
- 2-Stage