AUTOMOTIVE LIFTS

Dannmar^{*}

BendPak

2 Post Lifts

Brigadier D-10 ACX SKU186433 2 DAN1375647

Asymmetric

- Lifting Capacity: 10,000 Lbs. (4,546 Kg)
- Overall Height: 145" (3,683 mm)
- Overall Width (Outside of Base Plates): 143-1/2"
- Width Between Columns: 112-3/4"
- Rise: 69" (1,753 mm)
- Maximum Lifting Height (Pad and 6" Adapter):
- Drive-Thru Clearance: 100-1/2"
- Motor: 220 VAC 60Hz, 1Ph

Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

10,000 Lbs. Dual Width **Clearfloor 2 Post Lift, Screw Pad**

- Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configuration
- Double Telescoping Screw Pads Offer Increased Versatility
- Overall Height: 145"

Symmetric SKU **296968** | BENXPR-10S

Asymmetric SKU **297001 | BENXPR-10AS**

3,04999

Symmetric Low-Pro Arms SKU 296983 | BENXPR-10S-LP

• Inside Columns: 105-1/2"-118-1/2"

Asymmetric Low-Pro Arms

SKU 297003 | BENXPR-10ASLP

• Inside Columns: 104" - 112"

Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

2 Post Heavy Duty Lift SKU **344994**

CHLE12

• 2-Stage Telescoping Arms Provide

- Excellent Reach to Accommodate Vehicle Lifting Points • 13' 10" or 14' 7" Adjustable
- Column Height • Heavy-Duty Telescoping
- Screw Pads





Five Years (60 Months) Warranty on the lift structure

One Year (12 Months) Warranty

Two Years (24 Months) Warranty on the hydraulic cylinder(s) and power unit

One Year (12 Months) Labor Warranty

One Year (12 Months) Free-Shipping

on ground-freight charges related to warranty

*Free-shipping applies to direct shipping points within the 48 continental United States. Rural area shipping surcharge may apply for remote addresses. See BendPak.com for specific terms of warranty.

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Challenger CL12, 12,000 Lbs. Classifier Challenger Lifts 2 Post Symmetric Lift

SKU **750127** CHLCL12

- Lifts Small Sedans to Heavy Duty PU's
- 3 Stage Front and 3 Stage Rear Arms Provide Greater Extension and Retraction
- Rise Height: 84-3/4" (2153 mm)
- Ceiling Height Required: 13' 9"



CL'Challenger Lifts

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

E15 15.000 Lb. Symmetric 2-Post Lift SKU **814188**

- Heavy-Duty 2-Stage Telescoping Arms
- Adjustable Column Height
- Padded Overhead Shut Off System
- · Rubber Door Guards
- Plated Arm Restraints and Arm Pins



Price Does Not Include Installation or Optional Equipment as Shown

10,000 Lbs. F10 2 Post Lift

SKU **818779**

FORF10N100MBL

- Low Profile/Oversized Pads to Raise Most Vehicles
- Asymmetric Lifting

3-Stage Front Arms Allow You to • 3 Stage Front Arms for Symmetric and Symmetric or • Includes (4) 3-1/2" and 5" Adapter Extenders Ásymmetric • Warranty: 6 Months Labor, 18 Months Parts, Lifting 5 Years Structural

10,000 Lbs. 2 Post Lift

- SKU 499657 2,97999 • Low Profile 3-5/8" Min. Adapter Height
- Spot-Rite™ 3 Stage Front Arms for
- Symmetric and Asymmetric Lifting • Overall Height: 143-3/8"
- Overall Floor Width: 137"
- Maximum Lifting Height: 76" • Inside Column Width: 115"
- Drive-Thru Clearance: 105"
- Minimum Ceiling Height: 144"



Versymmetric*

Technology

Designed to Lift

Anything from a

Compact Car to a Full Size Truck.

-ORWARD

Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

10,000 Lbs. 2 Post Lifts

SKU **534581** | ROTSPOA10

- Made in Madison, IN
- 3 Position Flip-Up Adapters • 1 Year Labor and Parts Warranty

SKU **210371 |** ROTSP010

We Carry the Full Line of Rotary Lifts!

Call 1-877-AZTool1 for Details.

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown **CL** Challenger Lifts

10,000 Lbs. 2 Post Lift

SKU **298485**

CHLCL10V3 Versymmetric



- 11' 6-1/2" / 11' 11' • Floor to Overhead Switch: 134-1/2'
- Ceiling Height Required: 12
- Drive-Thru Clearance: 100" / 104 -1/2





- Drop-End Arms Provide a Lower Pad Height
- Triple-Telescoping Front and Rear Arms
- Height Overall: 170"
- Inside Columns: 120



Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

15.000 Lbs. 2 Post Lift. Clearfloor, Standard Arms

BENXPR-15CL **7,92999** Taller Column Height Provides Greater Overhead Clearance

- Versatile Drop-In Contact Pads with Stackable 8 Piece Truck and Van Adapters • Frame Cradle Pads Come Standard
- Two-Stage Telescoping Front and Rear Arms
- Overall Height: 170" • Inside Columns: 120"
- Truck Adapters Included



BendPak

Challenger E10 10,000 Lbs. 2 Post Lift SKU **435061 2_81999**

CHLLE10 • 3-Stage Front Arms and 2-Stage Rear Arms for Asymmetric or Symmetric Lifting


- Double Telescoping Screw Pads with Rubber Foot Pads • Rubber Door Guards Protect Vehicle
- from Door Damage • 11' 11-7/8" Standard Height Fits in
- Service Bay with 12' Ceiling Height



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



- Can Be Configured in Either the Symmetric or Asymmetric Position
- 3 Stage Front Arms Provide Greater Overall Arm Sweep
- Double Telescoping Screw Pads





CL Challenger Lifts

CL'Challenger Lifts

Offloading

Available

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Truck Adapters Included

10,000 Lbs. 2 Post Lift with 2n1 Lifting Arms

SKU **912314** AMM4TV21NSR1

• 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning

- Adjustable Height and Width Setting • Includes Door Bumper Guards
- and Lift Adapters • Premium US Made Power Unit
- ALI/ETL Certified • 148" Height

12,000 Lbs. 2n1 Lift

SKU **765526** AMM4T212NSR1

Offloading Service AMMOFFLOAD

Value: \$695 Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

12,000 Lbs. F12N300 2 Post Lift SKU **818751**

FORF12N300BL

- 2 Stage Arms Reach: 35" to 54" Accommodates Trucks and Many Cars
- Low Profile 4-3/4" Adapters
- Includes Four 3-1/2" and 5" Adapter Extenders Warranty: 6 Months Labor, 18 Months Parts,

5 Years Structural Height Configurations of 11'- 10", 12'-10", and 14'-10" are Available

Truck Adapters Included

Price Does Not Include Installation or Optional Equipment as Shown

12,000 Lbs. I12N300 2-Post Lift SKU **818755** FORI12N300BL 5





18.000 Lbs. 2 Post Lift. **Clearfloor, Standard Arms**

SKU **296884**BENXPR-18CL **8,91999** • Taller Column Height Provides Greater Overhead Clearance

• Versatile Drop-In Contact Pads with Stackable 8 Piece Truck and Van Adapters

- Frame Cradle Pads Come Standard • Two-Stage Telescoping Front
- and Rear Arms Overall Height: 170"



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown. • Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Sales Rep for Details. • Leasing Terms Available. † Ask Your AutoZone® Commercial Sales Manager.

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



Leasing Terms Available!†

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

2 Post Floor Plate Lifts

D-9/X 9.000 Lbs. 2 Post Lift

DAN1375646 **2,699**99 SKU **186430**

- Perfect for Shops and Garages with Height Restrictions • Truck and Van Adapter
- Set Included
- Overall Height: 113"



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Dual-Width, 9,000 Lbs. 2 Post Lift, Floor Plate

SKU **296950** BENXPR-9DS 4

- Adjustable Width Design Configures for Wide or Narrow Installation
- Direct-Drive Lifting System Eliminates Chains and Pulleys
- Large, 20" x 19" Steel Base Plates
- Overall Height: 145"
- Inside Columns: 105"-118"





Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Dual-Width, 9,000 Lbs. 2 Post Lift, Floor Plate, **Short Lift**

SKU **296813** BENXPR-9S

- Shorter Columns for
- Low-Ceiling Installations Adjustable Width Design Configures for Wide or Narrow Installation
- Large, 20" x 19" Steel Base Plates
- Overall Height: 113" • Inside Columns: 105"-118"

Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

BendPak FORMARD

Dannmar_{*}

Dual-Width. 9.000 Lbs. 2 Post Lift, Floor Plate, Short Lift

SKU **296927** BENXPR-9S-LP 3,0

- Shorter Columns for Low-Ceiling Installations • Adjustable Width Design Configures
- for Wide or Narrow Installation Telescoping Low-Pro[™] Arms Accommodate
- Lowered Sports Cars

Low-Profile Arms.

• Large, 20" x 19" Steel Base Plates







Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

9.000 Lbs. 2 Post Lift

SKU 499660 3

- Overall Height: 111-1/4" (2,826 mm)
- Minimum Ceiling Height: 113" • Overall Width: 138-1/2" (3,518 mm)
- Minimum Adapter Height: 3-1/2"
- Adapter Extenders Included
- ETL Certified



Truck Adapters Included

Price Does Not Include Installation or Optional Equipment as Shown

CL Challenger Lifts Challenger **CLFP9 9.000 Lbs. Floor Plate** 2 Post Lift

BendPak

SKU **851779** CHLCLFP9

- 3-Stage Front and Rear Arms Provide Excellent Reach to Lift a Variety of Vehicles
- Drive-Thru Clearance: 98-3/16"
- Minimum Ceiling Height: 121-7/8"
- Double Telescoping Screw Pads Adjust to Multiple Heights Minimizing the Need for Adapters



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

10K 2 Post Lift

BendPak 12.000 Lbs. Floorplate, Direct-Drive 2 Post Lift SKU **297199** BENXPR-12FDL

BendPak

- Open-Top Eliminates Overhead Obstruction
- Versatile Drop-In Contact Pads with Stackable 8-Piece Truck and Van Adapters
- Frame Cradle Pads Come Standard
- Triple-Telescoping, Low-Profile Arms • Overall Height: 144"
- Inside Columns: 118



Truck Adapters and Frame Cradle Pads Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Quick Rise 2 Post

CL10 Versymmetric® 10,000 Lbs. 2 Post Dual Pendant Controls QuickCycle™ Lift

Trucks and SUVs

CHL10V3DPCQC **5,429**99

- Featuring Dual Pendant Control System Operate Lift from Either Column
- Versymmetric 3 Stage Front and 3 Stage Rear Arms • Safely Lift Everything from Small Sedans to
- Comes Standard with a Full Set of Adapters and Adjustable Foot Pads

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown









Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

ROTSPOA10U705 **5,6**

• 5 HP Motor

SKU **765481**

- 110V DC Power with Built-In Battery Charger
- Spotline Laser with Motion Sensor to Aid in Centering Vehicle

Shockwave SPOA10SW

Baseplate Covers Included





2 Post Lift Accessories

Rubber 2 Post Lift Pad/ Slip Over/ Round - 1 Each

SKU 343396 1999





BendPak

BendPak

BandPak

• Slip Over Rubber Lift Pad for Use with BendPak 2 Post Lifts with Round Flat Contact Pads (Sold Individually)

Each

Square Rubber Arm Pads - 1 Each

SKU **898880 1999 REN5715365**



- 2 Post Lift • 5-5/8" Square
- 1-1/16" Thick



SKU **466304** BEN5215506 **4999**





Dannmar Frame Cradle Pad - 1 Each SKU **289999**NAN110527 **4999** DAN119527



I10 2 Post Carriage **Door Bumper Kit** SKU **568451** FORTPB10-D1 **599**

• Use with Forward FORI10



Round Rubber Lift Pad BendPak Assembly Drop-In - 1 Each

SKU 343397 4999 Works with Any BendPak

- 2 Post Lift 1 Lift Pad, Sold Individually • 5" Diameter for
- **Enhanced Stability** • Easy Drop-In Design



- F0R994105 • Use with Forward FORI10 Fliminates Metal to Metal
- Contact at Vehicle Lift Points • Includes (4) Pads and Attaching Hardware



FORMARD

I10 2 Post Lift

FORT100285 • Use with Forward FORI10

- Included Rubber Pad Eliminates Metal to Metal Contact Adapters Designed to Cradle Frames

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

Adjustable Adapters - Set of 4 SKU **568450**



Don't Let the Tire Make You Tired!

Omega Wheel Arm™

SKU 573207 8999 OMG92100



- or Take Off Tires Avoid Bending Over to Put Down or Pick Up a Tire
- Fits Most Lift Arms 3" - 5" Wide Set Includes (2) Wheel Arms and (2) Magnetic

Tool Trays



Price Does Not Include Tires or Rims as Shown



5999 BEN5700301 **Caster Wheel Set**

• For Use on HD-9 Series Lift Only

SKU **898905**

BEN5210997

2 Drip Trays

SKU **301768**

SKU 898714 34999





BendPak







• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown. • Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Sales Rep for Details. • Leasing Terms Available. † Ask Your AutoZone® Commercial Sales Manager.

AUTOMOTIVE LIFTS

AC HYDRAULIC ROLLING JACK WORKS WITH MOST LIFTS

SD26PHL Air-Hydraulic **Jacking Beam**

SKU **912323** ACHSD26PHL

- Reliable and Quiet Pump for Quick and Efficient Lift
- Closed Height: 7.09"

Must Purchase Support Arms - ACHSUPPARMS

- Flexible Top Support Beam Can Be Extended
- Unique Height Adjustable Support Arm System Designed to Fit All Current Lifts and Pits
- Two-Hand Lowering Operation with Dead
- Includes 3 Extension Sets and Rubber Cushion for Protection of Car Body
- Automatic Safety Locking Device and Overload Valve



Support Arms for SD26PHL Beam

ACHSUPPARMS 19999



BendPak

AC Hydraulic **

4 Post Lifts

Major D-12™ 12,000 Lbs. 4 Post Lift

SKU **343410 3,799**99 DAN1375681

- Single Hydraulic Cylinder Mounted Underneath Runway
- Internal "Anti-Sway" Slider Blocks in Each Column • Oversized Self-Lubricating Cable Rollers
- Multi-Position Safety Locks in Each Column
- Push-Button Safety Release • Runways Adjust for Different Tread Widths

Rolling Jacks Sold Separately

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

4 Post 6,000 Lbs. Rolling Bridge Jack DRJ-6 SKU **343411**

DAN1375901



- Heavy Duty Hydraulic Cylinder
- Single Point Latch Release System
- 78-3/4" Rise
- 18 Lock Positions



- High Performance Cable and Sheave System
- ETL Certified



Price Does Not Include Installation or Optional

Equipment as Shown 7,000 Lbs. Rolling Jack

SKU **568445**

With Purchase of a Forward Lift

Two 7,000 Lbs. Rolling Jacks





Dannmar^{*}

WELL WITH





14,000 Lbs. 4 Post Lift SKU **898152**

BENHDS14

- Overall Width: 130
- Overall Length: 241'
- Max. Rise: 70"
- Motor: 220 VAC/1 Ph



(Shown with Optional

Rolling Jacks Sold Separately

CL'Challenger Lifts

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

7,000 Lbs. Capacity Rolling Bridge Jack SKU OUTSIDE BUY/EPO BENRBJ7000

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering



Challenger 4P14 14,000 Lbs. 4 Post Lift

SKU **851781** SKU **851781 4,959 99**

- Louvered Approach Ramps for Positive Vehicle Traction
- · Adjustable Runways to Accommodate a Variety of Tread Widths
- Column Height: 90-1/2"



Rolling Jacks Sold Separately Price Does Not Include Vehicles, Installation or Optional

Equipment as Shown

7,500 Lbs. Rolling Jack SKU **264847**



Two 7,500 Lbs. Rolling Jacks

(Optional Equipment)

1/2 Price Includes (2) Air/Hydraulic Rolling Jacks with (4) 3" Stack Adapters



FORMARD

18,000 Lbs. 4 Post **General Service Lift** SKU **568426**

FORCR18 • Max. Wheelbase: 194'

- Durable Cable and Sheave System
- ETL Certified to ANSI/ ALI ALCTV: 2011

18,000 Lbs. Long Wheelbase 4 Post Lift SKU **568427**

FORCR18LW Max. Wheelbase: 230"

Rolling Jacks Sold Separately Price Does Not Include Vehicles, Installation or Optional

9,000 Lbs. Rolling Jack SKU 568446 2



SKU **898142**

(1,892 mm)

9,000 Lbs. 4 Post Lift

Overall Width: 116-3/4" (2,965 mm)

• Overall Length: 200" (5,080 mm)

• Column Height: 88" (2,235 mm)

• Max. Lifting Height: 74-1/2"

Includes (2) Air/Hydraulic Rolling Jacks with (4) 3" Stack Adapters



BendPak

WORKS WELL WITH

Storage Lifts

Commander D-7

SKU 186464 DAN1375643 Spring-Loaded Safety Locks on

Each Column • Self-Lubricating UHMW

Polyethylene Internal Slide Blocks • Single Safety Lock Release Handle

• 7,000 Lbs. Capacity Free Standing Design • Detachable Drive-Up Ramps Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Jack Platform

SKU **186438** DAN119442





(Optional

WORKS WELL WITH



FOREFP8P000M **2,749**99 Perfect for Home Use

- Includes: Steel Approach Ramps, Jack Tray, Wheel Caster Kit and Drip Trays • Wired to Plug into
- 115V Receptacle

Rolling Jacks Sold Separately Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

3.500 Lbs. RJ35BK Hand Pump Rolling Jack SKU **818764** FORRJ35BK

WELL WITH



Rolling Jacks Sold Separately Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

> 4,500 Lbs. Capacity **Rolling Bridge Jack** SKU OUTSIDE BUY/EPO BENRBJ4500



WORKS WELL WITH

CL Challenger Lifts

9,000 Lbs. 4 Post Lift SKU **499672** FOREFP9

 Includes: Steel Approach Ramps, Jack Tray, Wheel Caster Kit and Drip Trays • Single Point Lock Release

• Internal Lock System

ETL Certified

 Rolling Jacks Sold Separately Price Does Not Include Vehicles.Installation or Optional Equipment as Shown

4,500 Lbs. Rolling Jack SKU **568432**





9,000 Lbs. Free Standing or Surface **Mounted 4 Post Lift - Standard Height** SKU **264504**

CHLQ4P09H • Rise: 73-1/4"

- Overall Width: 112-3/4" • Overall Length (with Ramps Attached): 209-1/2 • Height of Columns: 84-1/2"
- Width of Runways: 20"
- Width Between Runways: 38" • Length of Runways: 164"

Rolling Jacks Sold Separately Price Does Not Include Vehicles, Installation

or Optional Equipment as Shown

4,500 Lbs. Hand/Hydraulic Operated Rolling Jack SKU **264841** CHLQRJ04H



Caster Set



(Optional



• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown • Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Sales Rep for Details. • Leasing Terms Available. † Ask Your AutoZone® Commercial Sales Manager.

Leasing Terms Available!†

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Lift Accessories

Air/Electric **Workstation for** 2 and 4 Post Lift

DAN1980999

· Add 20 Amp Outlets, Air Functionality and Tool/Line Holders by Attaching This Workstation to Your 2 and 4 Post Lift



BendPak

Air/Electric Workstation

SKU **898684 2999**

- Adds Air and Electric Capabilities to Any BendPak Lift Simple
- Safe and Extremely Easy-to-Use • (4) 110V GFI Outlets, Oiler, Air Supply, Pressure Gauge, Storage Hooks for Hose and Tools, Regulator/Filter, Air Inlet
- Fits 2 or 4 Post Lifts

You Will Need to Know BendPak Lift Model # When Ordering



CL Challenger Lifts Air/Electric **Workstation** for 2 and 4 Post Lifts

SKU **263294** CHL10310

- Convenient Power Source for Extension Lights and Other Tools
- Air Supply Will Always Be at Arms Reach for Facilities Using Pneumatic Tools Such as Impact Wrenches



Air/Electric Workstation

and Oiler

FORMARD.

SKU **568448** 500001359 F0R991359

• Use with Forward FORI10

• Air/Electric Workstation with Air Regulator

Does Not Include



FORWARD

Double Scissor

10.000 Lbs. **Dual Scissor Lift** SKU OUTSIDE BUY/EPO AMM4TS10SSOR1



- Min. Height: 8.3", Max. Height: 79.5" • Compact Footprint: 81.9" (W) x 160" (L)
- Minimum Ceiling Height: 10'
- Ideal for Compact Cars and Light Duty Trucks
- Low Profile Ramps



Offloading Service AMMOFFLOAD

15000

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Mid-Rise Lifts

Cadet-6000XL SKU **555446**

DANI375652 **1,739**99

- For Servicing Light-Duty Cars and Trucks
- Portable Motor Cart Serves as Tow Handle
- Adjustable Arm Assemblies
- Safety Bar with Multiple Lock Positions

Lift Gate Service

SKU 262534 10000

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



Move from Bay-to-Bay Adjustable Arms

Lift Gate Service SKU 262533 13500 RANLIFTGATE

Truck Adapters Included

Price Does Not Include Installation or Optional Equipment as Shown

Dannmar

BendPak

Power Unit Plugs

into 110v Outlet



- Width: 41"
- Rise: 52" • Length: 83"
- Multiple Locking Positions
- Truck Adapters Included

Lift Gate Service SKU **626137** FORLIFTGATE **95**00



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

6,000 Lbs. **Portable Mid Rise Lift** SKU 264835 2.0 CHLQMR6

• Rise Height: 53-1/4" • Includes Both 3" and 6-7/8" Adapters

Lift Gate Service

SKU **295540** OEMLIFTGATE

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

BendPak 6,000 Lbs. **Surface Mount**

Mid-Rise Pad Lift SKU **079537** BENMDS-6K Z

- For Servicing Passenger Cars, SUVs and Light-Trucks
- Lifting Height (Less Lift Blocks): 44"
- Comes with Four Rubber Contact Blocks Providing Fast Vehicle Set-Up



6,000 Lbs. Flush Mount Mid-Rise Pad Lift SKU **079653**BENMDS-6KF **2,319**

Fully Open Center Design for Servicing Passenger Cars, SUVs and Light-Trucks

- Lifting Height (Less Lift Blocks): 44" (4.25" for Sub Floor)
- Includes Four Rubber Contact Blocks Providing Fast Vehicle Set-Up

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

BD BendPak.

QUICKJACK

Low-Rise Lifts

6,000 Lbs. Low-Rise Pad Lift

SKU **210383** BENLR-60

- Max. Height: 26" • Overall Width: 70"
- Overall Length: 82

Lift Gate Service SKU 262533 13500

RANLIFTGATE Price Does Not Include

Vehicles, Installation or Optional Equipment as Shown



BandPak

Portable SKU **210384**



BENLR-60P

- Max. Height: 26"
- Overall Width: 70-1/2" Overall Length: 82'



7.000 Lbs.

Low-Rise Pad Lift SKU 568436 2,34999 FORTLO7

• Wired to Plug into 115V Receptacle

• Max. Rise: 24-3/4" Lift Gate Service

SKU **626137** FORLIFTGATE **9500**



Price Does Not Include Installation or Optional Equipment as Shown

10.000 Lbs. **Low-Rise Pad Lift**

SKU **479989**BENLR-5T **2,889 99**

• Max. Height: 23" - 32"

CL Challenger Lifts

• Lowered Height: 4" • Lift Blocks Included



Price Does Not Include Installation or Optional Equipment as Shown

QuickJack[™]

5,000 Lbs. QuickJack™ Car **Jack Support System**

SKU **850896** RANBL5000SLXA (110V AC)

 Complete Package Includes: (2) Jack Frame Assemblies, (2) 14" Aux. Hoses (2) Quick-Mount Handles, (4) 1.5" X 3" X 4" Rubber Lifting Blocks, (4) 3" X 3" X 4" Rubber Lifting Blocks, (1) Mini Hydraulic Power Unit

with Pendant Control



You get it all. (2) Ea. 150" Hydraulic Hoses (2) Ea. Jack Frame Assemblies

3,500 Lbs. QuickJack™ SKU **850894**

RANBL3500SLXA (110V AC)

7,000 Lbs. QuickJack™ RANBL7000SLXA (110V AC) **1,49999**

12V DC Option Available

QuickJack™ SUV and **Light Truck Adapters**

SKU **862288**

RAN5150561 Set of 12 Pieces

• Fits BL-5000 and BL-7000 Series

• Complete Kit Includes: (4) Low-Profile Round Polyurethane Contact Pads (4) Sliding Receivers Accommodate the Round Polyurethane Contact Pads (4) 3" Stackable Adapters

SPECIFICATIONS:	BL-3500SLX	BL-5000SLX	BL-7000SLX
Weight Capacity / Pair	3,500 Lbs. / 1588 kg.	5,000 Lbs. / 2268 kg.	7,000 Lbs. / 3175 kg.
Individual Frame Weight:	60 Lbs. / 27 kg.	76 Lbs. / 34 kg.	91 Lbs. / 41 kg.
Platform Lifting Height (Frame Only)	16.5" / 419 mm.	17.2" / 437 mm.	17.7" / 450 mm.
Platform Lifting Height (W/Blocks)	20" / 508 mm.	22.5" / 572 mm.	21.2" / 538 mm.
Minimum Collapsed Height	3" / 76 mm.	3" / 76 mm.	3.5" / 89 mm.
Rubber Block Position Min	26.7" / 678 mm.	31.5" / 800 mm.	31.5" / 800 mm.
Rubber Block Position Max	50.5" / 1283 mm.	60" / 1524 mm.	60" / 1524 mm.
Frame Width	10.5" / 267 mm.	11" / 278 mm.	12.5" / 318 mm.
Frame Length	62" / 1575 mm.	72.5" / 1841 mm.	72.5" / 1841 mm.
Lifting Time	10 seconds	15-30 seconds	15-30 seconds

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Motorcycle Lifts

Motorcycle FORM **Jack** SKU **568452**

 Use with Forward FOR100MCL

FORBJ10



1.000 Lbs.

Air Operated Motorcycle Lift

SKU **499659** SKU **499659** FOR1000MCL **1,04999**

 Includes Wheel Vise and Two 12" Extensions Making it Great for Motorcycles, ATVs, Lawn Mowers, Golf Carts, etc.

• Rise 33", Length 93", Width 24", Width with ATV Adapters 48" **Lift Gate Service** SKU **626137** FORLIFTGATE **9500**

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

1,000 Lbs. Droptail **Motorcycle Lift**

SKU **568439** FOR1000MCLDT

FORLIFTGATE

• FORBJ10 Included Rise 33" Length 93". Width 24" **Lift Gate Service**

Price Does Not Include Vehicles, Installation or Optional

Equipment as Shown



SKU 626137 9500

Motorcycle Lift SKU **626120** RANRML-1500XL


• Lifting Capacity: 1,500 Lbs. (682 kg)

- Power Supply: Air/Hydraulic
- Main Platform Length: 89" (2,286 mm) • Main Platform Length with
- Front Extension: 102" (2,591 mm) • Main Platform Width: 30" (762 mm) **Lift Gate Service**

SKU **262533** RANLIFTGATE Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



Ranger



FORWARD

AUTONOTIVE LIFTS



Lift Gate Service SKU **262534** | DANLIFTGATE

Available via Outside Buy/EPO, Call 1-877-298-6651 for ordering instruction



3-YEAR WARRANTY on STRUCTURE, PARTS & LABOR with purchase of an **ALI Certified lift.**

WHEEL SERVICE

T-100 SWING ARM **TIRE CHANGER**

SKU **547117** DAN1381202

- Ideal for Low Volume Shops
- Wear-Resistant Tool Head
- Steel Jaw-Clamp Provides Solid Turn-Table Base
- High Torque Electric Turn-Table

T-100 TOWER ASSIST TIRE CHANGER

OUTSIDE BUY/EPO 2

- Single Tower Assist Arm for Low-Profile and Run-Flat Tires
- Outside Clamp: 11" 24"

T-100 POWER ASSIST TIRE CHANGER

OUTSIDE BUY/EPO DAN1381206

• Single Swing Arm with Power Assist

Outside Clamp: 11" - 24"

1-Year Parts Warranty

DAN1381206

Price Does Not Include Tires or Rims as Shown

NEW

T-200 TILT BACK TIRE CHANGER OUTSIDE BUY/EPO

- Tilt-Back Tower Design
- · Assist Arm Aids in Changing Low-Profile and Run-Flat Tires
- Wear-Resistant Tool Head
- Steel Jaw-Clamp Provides Solid Turn-Table Base
- High Torque Electric Turn-Table Outside Clamp: 9" - 26"

T-200 TILT BACK TOWER ASSIST TIRE CHANGER OUTSIDE BUY/EPO

Power Assist Provides Additional Power When Mounting Difficult Tire Assemblies

• Outside Clamp: 9" - 26"



NEW

1-Year Parts Warranty

DAN1381209

B-100 WHEEL BALANCER SKU **547121** DAN1381201

• Excels in Low Volume Shops

- Touch-Display Panel
- Easy and Fast Mounting
- Power-Saving Mode
- Includes Data Acquisition and Quick Nut Mounting

Price Does Not Include Tires or Rims as Shown



B-200 DIGITAL WHEEL BALANCER OUTSIDE BUY/EPO

- LED Display Moniter
- Easy and Fast Mounting • Power-Saving Mode
- Automatic Measuring Wand
- Quick-Release Hub Nut

1-Year Parts Warranty

Price Does Not Include Tires or Rims as Shown



DAN1375648

PORTABLE LIFTS

MX-6

SKU **OUTSIDE BUY/EPO**DAN1375685

- Lifting Capacity: 6,000 Lbs.
- Perfect for Limited Space • 100% Portable
- 3-Year Warranty on Parts & Labor



SX-6

SKU **555446** DAN1375652

- Lifting Capacity: 6,000 Lbs.
- 100% Portable · Perfect for Body, Repair and
- Safety Bar with Multiple
- Lock Positions

1-Year Parts Warranty

DO-8 OIL DRAIN

• Adjustable Height 48" - 67"

DO-20 OIL DRAIN

SKU **343408** DAN122835

• 20-Gal Capacity

Self-Evacuating

• 15" Drainage Funnel

TJ-1000 .5 TON

SKU OUTSIDE BUY/EPO

• First Stage: 1,000 Lbs.

• Second Stage: 500 Lbs. • Heavy-Duty Steel Swivel Casters

• Min: 34" - Max: 71

• Includes Regulator and Gauge

• Height Adjusts from 45" to 72.5"

TRANSMISSION JACK

• Wide Drain Pipe for Draining Oil

SKU **186458**

• 8-Gal Capacity

SHOP EQUIPMENT



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

2-POST LIFTS

Price Does Not Include Vehicles, Installation or D-9/X Optional Equipment as Shown SKU **186430** DAN1375646

- Lift Capacity 9,000 Lbs.
- Floorplate Style
- Perfect for Shops and Garages with Height Restrictions
- Rise: 74"
- 3-Year Warranty on Parts and Labor



Truck Adapters Included

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

D-10/ACX

D-10/AC

SKU 186433 DAN1375647 **2,499**99

- Lifting Capacity: 10,000 Lbs. • Great for Passenger Cars and SUV's
- Overall Height: 145" • Rise: 69"
- Overall Width: 143-1/2"
- Asymmetric Wide
- DAN1375648 **2,499**99
- Overall Width: 130-1/2"

• Asymmetric Narrow **D-10/CX**

SKU **186432**

- Great for Lifting Light Duty Trucks
- Overall Width: 145'
- Symmetric Wide

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Truck Adapters Included

4-POST LIFTS

D-7

SKU 186464

- Lifting Capacity: 7,000 Lbs.
- Perfect for Parking and Storing Vehicles • Spring-Loaded Safety Locks on Each
- 36" Drive-up Ramps
- 3-Year Warranty on Parts and Lábor



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

D-7/X SKU OUTSIDE BUY/EPO

• Extended Height, Width and Rise





D-12 FOUR POST LIFT SKU **343410**

- Lifting Capacity: 12,000 Lbs • Multi-Position Safety
- Locks in Each Column Max Rise: 66"
- 3-Year Warranty on Parts & Labor



D-12/A ALIGNMENT LIFT SKU **579870** DAN1375682

- Lifting Capacity: 12,000 Lbs.
- · Alignment Ready • Turn Plates and Slip Plates Included
- 3-Year Warranty on Parts and Labor

D-12/A COMBO SKII 079778

Includes (2) DRJ-6 and AK-12





DRJ-6 ROLLING BRIDGE JACK SKU **343411 99999 999**

AIR LINE KIT

Perfect for Lifting Wheels Off the Runways



SKU **752035** DAN17057064 **21999** Neatly Route Your Bridge Jack to an Air Source



Works well with D12 and D-12/A

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown





Contact us at 877-866-5739 Prices Are Good January 1 Thru March 31, 2018 Promo Good While Supplies Last! Available thru Outside Buy/EPO



2,045⁰⁰

ATEATPK-90HSCSS-FPD 9,000 lb. Capacity **Overhead 2-Post Lift**

- 9,000 lb. capacityOverall height: 142" (11' 10")
- Super-symmetric arms
- 2 year warranty on material and workmanship
- Shipping weight: 1,450 lb.
- Freight pre-paid



ATEATTD-6MR-FPD 6,000 lb. Capacity Mid-Rise Scissor Lift

- 6,000 lb. capacity Lifting height: 53-1/2" (4' 5-1/2")
- 7 locking positions
- 2 year warranty on material and workmanship Shipping weight: 1,050 lb.
- · Freight pre-paid

Does not include Vehicles, Installation or Optional Equipment as shown

4,44500

ATEATTD-APEX14-FPD

14,000 lb. Capacity 4-Post Lift • Overall Height: 7' 8-1/2" • Overall Floor Width (w/o motor): 10' 11-2/3"

- Clearance Between Columns: 9' 8-1/2"
- Maximum Lift Height: 6' 4-1/2"
 ETL/ALI Certified
 Freight pre-paid

Price Does Not Include Installation or Optional Equipment as Shown

1,645⁰⁰



ATEATTD-APEX-AK-FPD Atlas APEX Alignment Kit for APEX14

- Complete kit to convert the APEX 14 into an alignment lift Includes turn tables, slip plates and covers
- Freight pre-paid



Price Does Not Include

ATEATAF7-FPD Air Force AF7 Two Stage, 5 HP/220 Volt Single Phase 80 Gallon Air Compressor w/Mag Starter

- Hands free tank drain extension
- Freight pre-paid








ATEATEDGE-601-P-FPD **Bluetooth® Wireless Alignment**

Machine With 3 Pt Clamps

- · No rollback compensation required
- Measure virtually anywhere with Bluetooth® wireless sensors
- Precision 8-camera CCD optical system
- · Wireless mobile app compatible
- Includes 10"-24" non-runout 3-pt FastClamp wheel clamps
 Deluxe cart style cabinet with printer, 19" LCD display and keyboard



2,34500



ATEXH-PRO8000-FPD

Atlas Garage Pro 8,000 Lb. Capacity 4 Post Lift

- Lifting Height: 72" (6')
 Lock Ladder Design Double Lock Safety System
- Includes: Caster kit w/ polyurethane wheels, steel approach ramps, jack tray and (4) plastic drip trays, (4) wheel stops
 2 Year Structural, 1 Year Hydraulic Warranty



ATEATTD-APEX9BP-FPD 9,000 lb. Capacity baseplate 2-post lift, ETL/ALI

- 9,000 lb. capacity Overall height:
- 111-1/8" (9' 3-1/8") Symmetric arms
- ETL/ALI Certified

Does not include Vehicles, Installation or Optional Equipment as shown



2,59500

A I EA I I D-APEX IU-FPD 10,000 LB. Capacity Extra Tall Overhead 2-Post Lift

- 10,000 lb. capacityOverall height: 139 7/8" (11' 7 7/8")
- or 135 7/8" (11' 3 7/8")
- Super-symmetric arms
 ETL/ALI Certified
- 2 yr warranty on material
- and workmanship



ATEATTD-APEX12-FPD 12,000 lb. Capacity Overhead 2-Post Lift, ETL/ALI

- 12,000 lb. capacity Overall height: 165" (13' 9") or 177" (14' 9")
- Symmetric armsETL/ALI Certified





10,14500

ATEATEDGE-5014P-FPD Edge 501 Wireless 8 Camera Alignment Machine

- With 4 Point Clamps Bluetooth ® Wireless Data Transmission
 Camera Optical System
 Standard Four Point Clamps Included
- Deluxe Cabinetry With Printer Drawer
 Lightweight (8 LB.) Sensor Heads
- Printer, LCD Monitor, Keyboard
- Lipless Wheel Adapters
- 2 Heavy Duty Turntables Included
 1 Brake Pedal Depressor
- 1 Steering Wheel Lock
- Wireless App CompatibleVast Vehicle Database
- Simple 4 Key Operation From Console Or From Any Sensor Head
- Spoiler Program For Low Air Dams

1,345⁰⁰ **ATEATWB11-FPD**

Computer **Wheel Balancer** Rim sizes: 10"-3

- Maximum wheel weight:
- 150 lb. 110 V/1-phase Display in standard
- or metric units Self-diagnosis/ self-calibration





1,545⁰⁰

ATEATTC229-FPD **Electric Pneumatic Wheel Clamp Tire Changer**

- With Beadblaster
 Clamping range: 9-3/4"-23-1/4"
 Beadblaster included

Price Does Not Include

- 1 year warranty on material and workmanship
- Shipping weight: 550 lb.







\$2,545⁰⁰ ATETC289LH-FPD

Atlas TC 289 Tire Changer with Left Hand Assist Arm Pneumatic Left-Hand Bead

- Pressing Arm with Integrated Bead Lifting Disk Ext. Clamping Range: 11' 7/8" - 28"
- Beadblaster included Bi-Directional 110 Volt Electric
- Turntable with Sealed Gear Box 1 year warranty on material and workmanship



Prices Subject to Change without Notice. Please Do Not Return Purchases to the Store. For Information Regarding Warranty or Repair and/or Any Questions or Concerns, Please Call 1-877-AZT00L1.

AUTOMOTIVE LIFTS



Tuxedo Distributors LLC is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price. With our 10 satellite warehouses strategically located across the US, we offer an unparalleled competitive advantage.

Call to place order! 817.558.9337 877.558.9337 Toll Free



TP9KACX 1,849⁹⁹
9,000lbs CAPACITY SKU **426138**

TP9KFX 1,84999 9,000lbs CAPACITY

SKU **426106**

- Overall Height: 143" (TP9KACX)
 Overall Width: 138" (TP9KACX)
- Overall Height: 112" (TP9KFX)Overall Width: 134.5" (TP9KFX)
- Chain Driven
- Dual cylinders with
- low friction chain rollers
- Low profile armsSpin Up Pads with 1-1/2" and 4" stac
- drop-in height adapters
- Padded over head shut off bar
- Powder-Coated Finish





TLT210-XT-B 10,000lbs CAPACITY SKU **426407**

- Overall Height: 149"
 Overall Width: Symm 137", Asymm 138"
- Heavy-Duty Arm Restraint System
 Adjustable Column Height
- · Adjustable Column Width
- Outer Hose Guards
 Stackable Foot Pad Extensions four 6" and four 3"
- 3 Stage Front Arms Rubber Door Guards
- Single Point Lock Release
- Standard or Rotated Asymmetric Arm Configuration
 Double Telescoping Screw Pads

*Available in red and blue




Standard Asymmetric



TP11KC-DX 2,59999

11,000lbs CAPACITY SKU **426140**

- Direct "Pull" Cylinders
- Overall Height: 145"Overall Width: 145-1/2"
- 3 Stage Front Arms, Low Profile Arms Asymmetric/ Symmetric Arm Configuration
- Single Point Lock Release
- Rubber Door Guards
- Spin Up Pads with 2" and 4" stackable drop in Height Adapters
- · Powder-Coated Finish
- Padded Overhead shut off bar



TP12KFX 12,000lbs CAPACITY SKU **426216**

- Overall Height: 121.5" · Overall Width: 147-7/8"
- Chain Drive
 Heavy Duty Arms and Base
- Low Profile Arms
- · Spin Up Pads with stackable Truck Adapters Included

Price Does Not Include



TUXED®

TP15KCX 15,000lbs CAPACITY **4,249**99

SKU **426389**

- Overall Height: 180'
 Overall Width: 148"
- Chaindrive · Padded Overhead shut-off bar
- Dual Point Lock Release
- · Large 2' x3' Base Plates for Stability
- Rubber Door Guards Hose Guards
- Low Pad Height 5"
 Spin-Up Pads w/ 3" and 5" Stackable
- Drop-In Adapters
- Heavy Duty Arm Restraints Powder-Coated finish

Price Does Not Include Installation or Optional Equipment as Shown

Price Does Not Include

Installation or Ontional

Equipment as Shown



STORAGE LIFT

FP9K-DX-XLT **9,000lbs CAPACITY** SKU **592191**

- Overall Height: 97
- Overall Length: 239"
- Adjustable Lock Ladders
- Slack Cable Safety
- Steel Ramps Poly Caster Kit
- (3) Drip Trays & Jack Tray
 Extended Length, Width & Rise

SERVICE LIFT

TUXED®



2,949⁹⁹



SKU **426438**

- Overall Height: 68-7/8"Overall Width: 136-3/4" · Overall Length: 250-1/2"
- Closed Front
- Single point pneumatic safety release
- 20" wide non-skid, diamond plate runways Mounting Hardware included





Bridge Jacks sold seperatel



RAJ-8K-L SKU **426452** Installation or Optional Equipment as Show **49**99

Price Does Not Include

4,749⁹⁹

Price Does Not Include

Installation or Optional Equipment as Shown

- Universal Roller Body Design w/dual 'spring loaded' precision roller bearing and Side Guide Wheels w/adjustable Height for Low, Medium, and High Jack Rail Configurations
- Rolls on top edge of Jack Rail for smooth maneuverability Dual Height Telescoping Support Arms
- Pneumatic operation w/adjustable Pressure Regulator • Stackable Pad and Height Adapters 1 5/16" and 5" (1 Pair each)
- Dual Air Bags

NEW ALIGNMENT COMBO PRICING!

Price Does Not Include Equipment as Shown 5,999⁹⁹

• Pneumatic Single Point

• 3 each Turntable Positions

Lock Release



Bridge Jacks sold seperately

IWA-60-1500-K

Image Wheel Aligner SKU **592176**

High Resolutions Cameras

Non-proprietary Windows PC

 Wireless Internet Connection German Engineered Alignment

Advanced Alignment Measurements

· Comprehensive Database 25+ Spec

· Mobile Multi-Bay Capable

Software

SKU **426440**

FP14KA-C

- Overall Length: 250-1/2" · Overall Width: 136-3/4"
- Width Between Post: 110"
 Column Height: 185"
- · Lifting Height: 68-7/8" Base Plate Dimensions: 12" x 12"

14,000lbs CAPACITY

- · Closed Front
- Cable Driven





· Works with multiple style alignment





RAJ-8K-L 8,000lbs CAPACITY

- Universal Roller Body Design w/dual 'spring loaded' precision roller bearing and Side Guide Wheels w/adjustable Height for Low, Medium, and High Jack Rail Configurations
 - · Rolls on top edge of Jack Rail for smooth maneuverability

	SAVINGS	\$1,249.97
sки 880176	COMBO PRICE	\$15,999.99
	Regular Price	\$17,699.97
sки 426452	(2) RAJ-8K-L Air Jack	\$1,449.99
sки 592176	IWA-60-1500-K Wheel Aligner	\$9,199.99
sки 426440	FP14KA-C Alignment Lift	\$5,149.99



Tuxedo Distributors LLC is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price. With our 10 satellite warehouses strategically located across the US, we offer an unparalleled competitive advantage.

Call to place order! 817.558.9337 877.558.9337 Toll Free

99999





TC-950 Tire Changer	\$1,499.99
WB-953 Wheel Balancer	\$1,099.99
Regular Price	\$2,599.98
COMBO PRICE	\$2499.99
SAVINGS	\$99.99
	WB-953 Wheel Balancer Regular Price COMBO PRICE



Additional Charges for lift gate delivery may apply

TUXED Equipment as Shown 1,09999 **WB-953** HighPerformance

SKU **426803**

WB-953-B

HighPerformance Wheel Balancer SKU **592171**

Optimization program

 Three centering cones · Hammer, speed nut

Optional motorcycle

and caliper come standard

Price Does Not Include

Static balancing

 Max Wheel Diameter: 39" • Rim Width: 1.5" - 20"
• Rim Diameter: 10" - 24"

Wheel Weight Capacity: 150 lbs
 Self-calibrating; Self-diagnosis

Max Wheel Diameter: 39"

• Rim Width: 1.5" - 20"
• Rim Diameter: 10" - 24"

Wheel Weight Capacity: 150 lbs
 Self-calibrating; Self-diagnosis
 Optional motorcycle

· Optimization program Price Does Not Include

TUXED@



Price Does Not Include

Installation or Optional

Equipment as Shown

Static balancing

· Three centering cones

· Hood, hammer, speed nut

SKU **592163**

Installation or Optional Equipment as Shown

Keypad Data Entry

Max Wheel Diameter: 44"
 Rim Width: 1.5" - 20"
 Rim Diameter: 8" - 28"

Whl Weight Cap: 150lbs

Accuracy: 1 gram
 Three centering cones

· Hood, hammer, speed nut

and caliper come standard

 Multi-Mode Balancing for SUV,Car & Motorcyle · Laser and Light indicators for unbalanced wheel

weight positions
• Foot Brake for accurate weight applications



TUXED@

MOBILE COLUMN

Screw Pads with 2-3/4" adjustable height!

FRAME MACHINES

Steel Plate / 18' **12,79999 FR-77-20**SKU **426651**

Steel Plate / 20' 13,799⁹⁹ SKU 592195

10,499⁹⁹ FR-77T-20 10,999⁹⁹ SKU 592193 Tubular / 18' SKU **592192**

Price Does Not Include Installation or Optional

Equipment as Shown

profile tires

Lifting Capacity: 7,700 lbs.
Deck Length: 18' / 20'
Deck Width: 82.6"

· Deck Height: 19.7

Pull Force Per Tower: 10 Ton
 Required Air Power: 100 - 120 PSI

Designed to accommodate

Full-frame or Uni-body type vehicle

· Hydraulic Tilt Deck operation

Universal Anchoring System

Clear Floor, 360 degree

Pulling Capability

Twin 10 Ton round Pull Towers w/telescoping Tower-Heads

TUXED@

99999 **CR-3000**

TUXED@

Car Rotissere SKU **426594**

• 3,000 lb. capacity

· Securely locks at any angle

Adjustable working height with hyrdaulic operation

Four 16" mounting arms

Three piece telescoping center bar
 Six 3" phenolic resin swivel casters

Powder coated finish

Price Does Not Include

MSC-6KLP 6,000 lbs Single Column Lift

SKU **426460**

Capacity: 6,000 lbs

Width Overall: 45-3/16"

Height Overall: 102-3/8'

Length Overall: 101-9/16"

than 4" minimum height!

Improved Low Profile design with less lift onto wheels

2,999

• Pallet Jack style hydraulics to raise

Improved 'double telescoping'

Single Point Lock Release

Pallet Style Operation

Powder coat paint finish

• 110VAC / PN

Price Does Not Include Installation or Optional Equipment as Shown

*20 and 25 Piece Tool Board Kit Sold Separately PAINT BOOTHS

PSB-AFCF23ASY PAINT SPRAY BOOTH SKU **799158**

22'L x 13'W x 8'6"H Inside Dimension: · Outside Dimension: 25'-4"L x 13'-4"W x 8'- 10"H

· High Quality UL Listed lighting

fixtures. (Bulbs Included)

Tilt Panel Design for optimal lighting coverage

• 5/16" Nut & Bolt Installation

High Quality Intake and

Exhaust Filters Heavy Duty 18 Gauge Panel Construction

· Personnel Door with Viewing Window

 Powder Coated Finish (Inside and Out) · UL Control Panel, limit switches and solenoid value included

· Detailed Instructions

Price Does Not Include Installation or Optional Equipment as Shown **IDEAL**



PSB-SDD26ASY-AK SIDE DOWNDRAFT PAINT SPRAY BOOTH SKU **592190**

· Inside Dimension: · Outside Dimension:

• Fan / Motor:

26'L x 14'W x 9'3"H 26'-4"L x 17'-8"W x 9' - 5"H (2x) 24" Tube Axial Fans 2HP-3PH-230/460VAC-60HZ

· High Quality UL Listed lighting

fixtures. (Bulbs Included) Hip Roof Design for Optimal Lighting

• 5/16" Nut & Bolt Installation • (2x8') Exhaust Chimney Stack

Assemblies Included

 High Quality Intake and Exhaust Filters

Heavy Duty 18 Gauge Panel

Tri-fold and Personnel Doors

with Viewing Windows Powder Coated Finish (Inside and Ou

• III Control Panel, limit switches and

 All hardware included Detailed Instructions Optional Plenon Kit Sold Seperately

DEAL Price Does Not Include Installation or Optional Equipment as Shown

