
JACKS AND HYDRAULICS



2 Ton **Low Profile Jack** SKU 757041 21999

The OEMTOOLS™ 2 Ton Low Profile Jack is capable of lifting up to 2 tons with minimal effort.

- Equipped with Rear Swivel Casters • Min Height: 3" - Max Height: 24"
- Low-Profile Professional Quality Floor Jack for Low Clearance Vehicles
- Weight: 101.2 Lbs.

3-1/4 Ton **Low Profile Jack** sku 757109 1999

The OEMTOOLS™ 3-1/4 Ton Low Profile Jack is capable of lifting up to 3-1/4 tons with

- Equipped with Rear Swivel Casters
- Min Height: 3-1/2" Max Height: 19-1/2" • Low-Profile Professional Quality Floor Jack for Low Clearance Vehicles
- Overload and Bypass Safety Valves
- · Weight: 94.8 Lbs.



6 Ton Jack Stands

SKU 757050 6499

6 Ton Jack Stands are designed to increase your productivity while maintaining safety. The self-locking ratcheting design allows guick and safe adjustments to the height of the stand.

- Min Height: 15-3/4" Max Height: 24-3/8"
- Recessed Saddle for a Secure Placement
- Sold in Pairs

3 Ton Jack Stands SKU 757122 **3999**

• Min Height: 12" - Max Height: 17-3/4"

1/2 Ton **Capacity Vehicle Dollys** SKU 757086 7999

OEMTOOLS™ Vehicle Dollys easily move vehicles for storage or work.

- 1000 Lbs. Capacity
- · Heavy Duty Swivel Casters for Easy Movement
- Durable Steel Construction
- Features Rails on Each Side for Easy Transport
- Sold in Pairs







Danish Made Quality

We care about the safety of your employees. We can guarantee 100% Danish Made quality and uncompromising product safety because we produce everything in our Danish factory.

Focusing on the everyday life of the mechanic, all products from AC Hydraulic are characterized by a strong focus on safety, quality and efficiency.

As a total supplier, our wide product range gives you the optimal equipment for all types of lifting tasks.



2.2 Ton Hydraulic Jack

SKU **765533 39999**

- Minimum Height: 3.15" • Durable High-Strength Steel Frame
- Manual Dead Man's Rele
- Safety when Lowering Built-In Safety Overload Valve
- Noiseless Wheels
- Equipped with Quick-Lift Pedal
- Maximum Height: 19.5"

DK13HLQ Long Reach Hydraulic Jack SKU **762485**

ACHDK13HLQ

- 2,900 Lbs. Capacity
- Ideal for Cars with Low Clearance
- Minimum Height of Only 3.15" • Durable High-Strength Steel Frame
- Equipped with Quick-Lift Pedal
- Manual Dead Man's Release
- Built-In Safety Overload Valve
- Noiseless Wheels • Maximum Height: 28.9"

DK20HLQ 2.2 Ton Long Reach Hydraulic Jack

SKU **762499** ACHDK20HLQ

- High-Lifting Jack Ideal for SUVs and Vans
- Minimum Height: 3.15"
- Durable High-Strength
- Steel Frame Equipped with Quick-Lift
- Pedal • Manual Dead Man's Release
- Built-In Safety Overload Valve
- Noiseless Wheels
- Maximum Height: 31.3"



Portable 11 Ton Air Hydraulic Jack

SKU **765557**

• Minimum Height: 6.38"; Weight: 60 Lbs. Hard Chromium Plated Piston Rod for Long Life

AC Hydraulic A/S

NO COMPROMISE

- Built-In Safety Overload Valve
- Hand-Operated Dead-Man's Control
- 2 Extensions (1.97"/3.94") for Max





WJN5 Hydraulic Workshop Crane SKU **804587 79999** ACHWJN5

- 1,200 Lbs. Capacity
- Foldable within Seconds for Quick and Easy Storage
- Hard Chromium Plated Piston Rod and Pump Piston for Long Life
- Built-In Safety Overload Valve
- Lifting Hook Pivots 360°
- Hand-Operated Dead-Man's Control

AC Hydraulic AS3 Gearbox Saddle SKU **804521** ACHAS3

- Capacity: 2200 Lbs.
- Dimensions: 21.34 x 15.16 x 4.33 ln.
- 10° Tilt in All Directions for Accurate Dismounting and Re-Mounting of Gearboxes
- Fitted with 2 Straps and 4 Magnetic Rubber Support Blocks
- Fits: GD-1, GGD, GDT, VL10, VLT6
- and VLT12







Tool & Equipment Quarterly

Floor Jacks

3-1/2 Ton Hydraulic Floor Jack SKU **746260 169**99 24836

- Min Height: 5-3/4'
- Max Height: 19-3/4"
- Features Foot Pedal for Quick Lift
- 360 ° Swivel Casters for Easy Maneuvering • Overload System Prevents Use Beyond
- Rated Capacity
- Weight: 81.6 Lbs.



OFM TOOLS

3-1/4 Ton **Low Profile Jack** SKU **757109** 19999

- Min Height: 3-1/2"
- Max Height: 19-1/2"
- Low-Profile Professional Quality Floor Jack for Low Clearance Vehicles
- Fast Action Dual Pump
- Overload and Bypass Safety Valves
- Weight: 94.8 Lbs.



AC Hydraulic"

2 Ton Low Profile Service Jack SKU **757041**

24838

- Min Height: 3"
- Max Height: 24"
- Professional Quality Low Profile Jack for Low Clearance Vehicles
- Weight: 101.2 Lbs.



DK20Q 2.2 Ton Hydraulic Jack SKU **765533**

ACHDK20Q

- Minimum Height: 3.15"
- Durable High-Strength Steel Frame
- Manual Dead Man's Release for Optimal Safety when Lowering
- Built-In Safety Overload Valve
- Noiseless Wheels
- Equipped with Quick-Lift Pedal
- Maximum Height: 19.5"



DK13HLQ Long Reach Hydraulic Jack SKU **762485** ACHDK13HLQ

• 2,900 Lbs. Capacity

- Ideal for Cars with Low Clearance
- Minimum Height of Only 3.15"
- Durable High-Strength Steel Frame
- Equipped with Quick-Lift Pedal
- Manual Dead Man's Release
- Built-In Safety Overload Valve
- Noiseless Wheels
- Maximum Height: 28.9"



DK20HLQ 2.2 Ton Long Reach **Hydraulic Jack**

SKU **762499**

ACHDK20HLQ 7999

- High-Lifting Jack Ideal for SUVs and Vans
- Minimum Height: 3.15" • Durable High-Strength Steel Frame
- Equipped with Quick-Lift Pedal
- Manual Dead Man's Release
- Built-In Safety Overload Valve
- Noiseless Wheels

AC Hydraulic"

Maximum Height: 31.3"



Air Hydraulic Jacks

20 Ton Air Hydraulic **Bottle Jack**

SKU **544795** 24850

• Can Be Operated with Air or Manually

• Height: 10.25" - 20" • Extension Screw



22 Ton Air Hydraulic OFM TOOLS **Truck Jack**

SKU **544796** 24851

- Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles
- Min. Height: 8-1/2"
- Max. Height: 17-3/4" • Ram Travel: 4-3/4"
- Extension Screw Adjustment: 4-1/2"



B25-2 Air-Hvdraulic Portable 11 Ton Jack

SKU **765557** ACHB25-2

- Minimum Height: 6.38"; Weight: 60 Lbs. Hard Chromium Plated Piston
- Rod for Long Life • Built-In Safety Overload Valve
- Hand-Operated
- Dead-Man's Control
- 2 Extensions (1.97"/3.94") for Max Height of 18.5"



Jack Accessory

OEM TOOLS **Garage Floor** Jack Crossbeam

SKU **544803 _099** 24833

 Compatible with Any Floor Jack That Has a 1-1/8" Diameter Saddle Stud

• Saddles Adjust from 23" to 32" on Center

• Weight Capacity at Min. - Max. Width: 3,000 Lbs. - 4,000 Lbs.



Transmission Jacks

1,100 Lbs. Telescopic **Transmission Jack** SKU **544786** 24840

- Lift Range: 51" 70"
- Adjustable Saddle with Tilt in Both Directions
- Durable Steel Casters
- Safety Tie-Down Chain to Secure the Load



Ranger Ranger

1,100 Lbs. High Lift **Transmission Jack** with Foot Pump SKU **750006**

24844

- Lift Range: 47" 77"
- Adjustable Saddle with Tilt • Spring-Loaded Release
- Valve Controls Lowering • Durable Steel Casters



Ranger Ranger

OEM TOOLS

1/2 Ton Capacity **Transmission** Jack

SKU **902481** RANRTJ1100 **33**

- Lifting Capacity: 1,100 Lbs
- Lowered Height: 45" • Raised Height: 72"



1 Ton, 2 Stage **Transmission Jack** SKU **544788**

24842

- Lift Range: 33.5" 72.5" • 3 Way Adjustable Saddle Slides and Tilts Both Directions
- Convenient Foot Pedal Pump and Release
- Safety Anchor Chain Included



AC Hydraulic"

10

OEM TOOLS

1 Ton Telescoping Transjak™

SKU **902478** RANRTJ1 • Capacity First Stage: 2,000 Lbs.

- Capacity Second Stage: 1,000 Lbs.
- Lowered Height: 37" • Raised Height: 71"



1-1/2 Ton Telescoping **Transmission Jack**

SKU **902484** RANRTJ3000 **74.9** • Capacity First Stage: 3,000 Lbs. • Capacity Second Stage: 2,000 Lbs.

• Lowered Height: 35-1/2" • Raised Height:

M TOOLS



VLT12 Hydraulic 1.3 Ton **Transmission Jack**

SKU **804510**

- ACHVLT12
- Designed for Lifting Heavy Truck Transmissions Pedal Operated Pump with Built-In Quick Lift for Hands-Free Use
- Precise Adjustment for Positioning of Transmission • Hand-Operated Dead-Man's
- Control for Optimal Safety While Lifting and Lowering Galvanized Support Saddle and
- Base Frame • Built-In Safety Overload Valve
- Raised Height: 75-1/2"

ACHVL6





AC Hydraulic AS3 Gearbox Saddle

SKU **804521** ACHAS3

- Capacity: 2200 Lbs. • Dimension: 21.34 X 15.16 X 4.33 In. • 10° Tilt in All Directions For Accurate
- Dismounting and Re-Mounting of Gearboxes • Fitted with 2 Straps and 4 Magnetic
- Rubber Support Blocks • Fits: GD-1, GGD, GDT, VL10, VLT6 and VLT12



Fuel Tank Adapter for Transmission Jacks SKU **222503** DOWJDI-FTA7 **18999**

• Safe and Convenient Adapter for Handling Vehicle Fuel Tanks Works with Most Transmission Jacks

Transmission Jacks

Floor Style

800 Lbs. Low Profile

SKU **544789 299** REG. \$349.99

• Fully Adjustable Saddle Adapts to Most

Offer Good Through March 31, 2018

While Supplies Last

Transmission Jack

• Lift Range: 8-1/4" to 30-1/2"

Transmission Pans

Swivel Saddle Adjusts

• (4) Swivel Ball Bearing Casters for Ease of Mobility

The Professional Choice for Safe Fuel Tank Removal and Fuel Pump Service. Mounts Easily on Most Transmission Jacks.



Bearing Separators

Bearing Splitter, 1/4" to 15/16"

SKU **514005** REG. \$29.99

Thread of Tapped Holes in Adapter: 5/16" - 18
Distance Between Adjusting Screws: 1-11/16"

Offer Good Through March 31, 2018 - While Supplies Last 5 Ton Bar-Type Puller/Bearing

Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs

Bearing Splitter, 1/2" to 4-5/8" SKU **514006** 27232

Razor Edges Wedge Between

Parts and Securely Holds Tool
• Thread of Tapped Holes in Adapter: 5/8" - 18

Distance Between Adjusting Screws: 4-3/8



OEM TOOLS **Separator Set** SKU 347218 0 0 99

• Set Includes: 2" and 3" Bearing Splitters, (4) Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw



OEM TOOLS

Bearing Splitter Combo Set SKU 087318 34

 Contains 4 of OTC's Most Popular Splitters Plus a Pulley Pulling Attachment in a Rugged Storage Case Includes 1121,1122,1123 and 1130 Bearing Splitters

• Also Includes 679 Pulley Attachment



OEM TOOLS

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

JACKS AND HYDRAULICS

Wheel Dollies

OEM TOOLS

Vehicle Dolly (Pair) SKU 757086 7099 24857

- 1000 Lbs. Capacity
- Heavy Duty Swivel Casters for Easy Movement
- Durable Steel Construction
- Features Rails on Each Side for Easy Transport
- Sold in Pairs



OEM TOOLS

Two 1,500 Lbs. **Vehicle Position Jacks** SKU **298098**

24855TW0

1999

- Hydraulic Ram Provides Stable Foot Pedal Lift in Seconds
- Rolls in Any Direction



OEM TOOLS

Vehicle Position Jack Storage Rack

SKU **544800** 24856

5999

- Neatly Secure and Store Up to (4) Vehicle Car Dolly Jacks
- Dimensions: 24-7/8" (L) x 31-7/8" (W) x 9-9/16" (H)
- 5" x 1" 360 Degree Swivel Ball Bearing Wheels for Easy Maneuvering



OEM TOOLS

Vehicle Position Jacks with Storage Cradle sku 696485 **549**99

68986

- Includes (4) Position Jacks with Storage Stand
- Move a Vehicle (up to 6,000 Lbs.) with Ease
- Adjusts 3.25"



Body Repair

4 Ton Porto Power Kit SKU **301327** 24820

- Long Handle Provides Low Pumping Effort
- Comes in a Blow Mold Case



OEM TOOLS

10 Ton Porto Power Kit SKU **301328** 24821

- Features a Faster (Double-Action) Hydraulic Pump Causing the Ram to Move with Both the Up and Down Strikes of the Arm
- Comes in a Blow Mold Case



Jack Stands



Max Height 79-7/8"
 Featuring Heavy-Duty Steel and High-Strength Welds for Safety in Mind
 ACME All Thread Rod

9999



Tri-Fold **High Position** Jack Stand

Max Height 83-3/4"

10999



High Position Stand with Foot Pedal

1500 lbs



10 Ton Round Tube Vehicle Support Stand

164⁹⁹



4 Ton Vehicle Support Stands



69⁹⁹



7 Ton Vehicle Support Stands



99⁹⁹ (Sold in Pairs)



7 Ton Square Tube Vehicle Support Stands





Jacks



3-1/2 Ton Quick pump Floor Jack

11199



6,500 lbs (3-1/4 Ton) Professional Garage Jack Lifting Range: 3-13/16" to 21-1/8" SKU 451485 TCE83508

19999











12-Ton Manual SKU 451480 TCE91207 **74**99

> 20-Ton Manual TCE92007 **99**99

12-Ton Air/Hyd 159.99



189.99

Transmission Jacks



1000 lbs



1000 lbs Double Ram Transmission Jack Lifting Range: 34" to 71'











1 TON Transmission Jack

Saddle Forward Tilt 68 Degree Saddle Reverse Tilt 15 Degree Rated Capacity: 2000 Lbs. Lifting Range: 8-1/4" to 30-5/8"

62999

TÊE.

Shop Presses



20 Ton Shop Press SKU 451481 TCE20021 Force: 40,000 lbs Bed Internal Dimension: 21-5/8" Working Range: 0" to 39-3/8"



30 Ton Shop Press SKU 451472 TCE30021 Force: 60,000 lbs Bed Internal Dimension: 21-5/8" Working Range: 2" to 44-1/2"



50 Ton Shop Press SKU 451473 TCE50021 Force: 100,000 lbs Bed Internal Dimension: 27-15/16' Working Range: 2-5/8" to 36-1/4"







40 Ton Shop Press Force: 80.000 lbs Bed Internal Dimension: 27.12" Working Range: 0" to 35.04" 79999 SKU 335338 TRD54003



Working Range: 0" to 34.06" SKU 103248 TRD54501

89999





OEM TOOLS

OEM TOOLS

Tool & Equipment Quarterly

Jack Stands

3 Ton Jack Stands (Pair) SKU **757122**

24852

- Min. Height: 12"
- Max. Height: 17-3/4"
- Recessed Saddle for a Secure Placement
- Self Locking Ratchet Allows Safe and Easy Adjustment

6 Ton Jack Stands (Pair) SKU **757050**

24853

- Min. Height: 15-3/4" • Max. Height: 24-3/8"
- Recessed Saddle for a Secure Placement
- Self Locking Ratchet Allows Safe and Easy Adjustment
- Large Base Resists Sinking into Asphalt and Similar Surfaces

Heavy Duty 22 Ton Axle Stands OFM TOOLS SKU **757098** 24854

- Min Height: 12-1/4"
- Max Height: 19-3/4" Adjustable Pin Design
- Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement

Under Hoist Stands

OEM TOOLS 1,250 Lbs. **High Reach Jack Stand** SKU **757043**

24848 9999

- Min. Height: 53-1/2"
- Max. Height: 80-1/4"
- Provides Added Support During Installation/Removal of Automotive Components
- Compact Design for Use in Limited Workspaces
- Durable Heavy Gauge Steel Construction

OEM TOOLS

1.250 Lbs. **High Reach Jack Stand** with Foot Pedal

SKU **757078** 24847

- 10999
- Min Height: 52-1/2"
- Max Height: 81-7/8"
- Provides Added Support During Installation/Removal of Automotive Components
- Foot Pedal Pump Saves Time Adjusting Load
- · Compact Design for Use in Limited Workspaces
- Durable Heavy Gauge Steel Construction

OEM TOOLS

2 Ton Underhoist **Jack Stand**

SKU**757084** 24849

- Min Height: 56-1/2"
- Max Height: 85-3/8"
- Provides Added Support During Installation/Removal of **Automotive Components**
- Adjustment Pin Securely Supports Load in 5 Positions
- Durable Heavy Gauge Steel Construction



2 Ton High Tripod **Jack Stands** SKU **901744**

- RANRJS2TH Perfect for Holding Drive Train or Exhaust Components
- in Position · Capacity: 4000 Lbs.
- Low Height: 55"
- Max Height: 87"



Press Support

Universal TOOLS **Press Support**

SKU **804487** 24809

- CNC Machined Anodized Aluminum
- Laser Etched Position Markings for Durability
- Black Oxide Coated Cr40 Steel Hardware



Shop Press

OEM TOOLS Shop Press Pin Set

Value: \$99.99 SKU 544794 PART# 24813

- ncludes Set of (8) Press Pins, 2 to 20 Ton Capacity, with 25 mm Ram Adapter
- Suitable for Use with Hydraulic Ram Style Shop Presses Which Have a Female Ram Assembly Diameter of 25 mm and are Secured with a Bolt
- Includes Mountable Bracket Works with OEMTOOLS™ 24811 and
- Not for Use with Bottle Jack Style Shop



With Purchase of 20 Ton Air/Hydraulic Shop Press w/ Gauge SKU 544793 | Part# 24812

2 Ton

20 Ton Air/ **Hydraulic Shop Press**

SKU **544793** 24812

- Press Blocks Pressure Gauge Provides Accurate
- Ram Moves Side to Side for Versatility
- Measurement 21 1/8'

0" - 40 1/2"

OFM TOOLS with Gauge

- Includes
- Pressure Readings
- Between Uprights: Working Range

Offer Good Through March 31, 2018

While Supplies Last

OEM TOOLS

Shop Presses

OM TOOLS 12 Ton **Hydraulic Shop Press** with Gauge SKU **544790**

24811

- Includes
- Press Blocks Pressure Gauge Provides Accurate
- Measurement Between Uprights: 20"
- Working Range 0" - 36 1/8'



20 Ton **OEM** TOOLS **Shop Press** SKU **300134** 24810

- Includes Press Plates
- Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys
- Multi-Position Bed for Work Height Adjustment
- Max. Height: 31.5"
- Max. Width 21.75

Super Duty **H-Frame** Weighs **Over 250 Providing**

> More and Durability Compared to Similar Lighter Weight Shop

> > 回於東亞

OEM TOOLS

Engine Lifts

2 Ton Capacity Engine Hoist SKU **123037** 80-900T

- 8 Ton Capacity Hydraulic Jack for Faster and Easier Raising Action • Large Diameter Ram to
- Withstand Side Loads • 4 Position Telescoping Boom is Adjustable from 1/2 Ton
- to 2 Ton Capacity • Legs are Over 55" Long for Greater Stability



- Heavy Duty Hydraulic Folding Engine Hoist with 8 Ton Capacity Ram is Perfect for Shops That Have Limited Space But Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement



OEM TOOLS

Ranger (

Duralast

SKU **544801 200999** 24830 • Foldable Design Makes for Convenient, Easy Storage • (6) Solid Steel Caster Wheels Add Mobility


Folding Shop Crane

• Fully Adjustable 4 Position Boom

WJN5 Hydraulic Workshop Crane SKU **804587**

ACHWJN5 • 1,200 Lbs. Capacity • Foldable within Seconds for Quick and

- Easy Storage Hard Chromium Plated Piston Rod and Pump Piston for Long Life
- Overload Valve





AC Hydraulic*

Engine Supports

Engine Leveler

SKU **544802** 24831

- Great for Use with Engine Hoist or Engine Crane Makes Engine
- Handling and

SKU **133617**

Positioning Easier Rated Capacity: 1600 Lbs



O=M TOOLS

GM Engine Moving Tool SKU **511006 THX419X**

- Fits GM Front Wheel Drive Vehicles with Engine Torque Struts
- Safely Holds Engine in Place
- Extra Bolt Holes Provide Fit on All Vehicles • Includes Adapter 419A





2 Hooks - 2 Chains

- 24951 • Makes Removal of Transaxle Easy by Supporting
- Engine of Front Wheel Drive Vehicles Width Expands from 34-1/2" to a Full 61
- (2) 14" Adjustable Hook Screws
- (2) 38" Braided Steel Cables • 700 Lbs. Capacity

1,100 Lbs. Engine Support SKU **512946**



24950 Twice the Adjustment Means Faster, Easier AND Safer • (2) Screw Adjusters for Precise Positioning - Makes Job Easier, Faster and Safer

• Rubber Feet to Prevent Damage to Vehicle and Ensure Stability • 1,100 Lbs. Capacity

OEM TOOLS



OEM TOOLS

Engine Stands

1,000 Lbs. **Engine Stand** SKU **757115** 24839

- Adjustable Mounting Arms to Fit Most
- Construction



1,250 Lbs. **Engine Stand** SKU **462493**

24829 • Easy-to-Move and Rotate

- Heavy Gauge Square Steel Tube Frame • Extra Wide 4 Wheel Base
- Provides Added Stability • 360° Rotation Lock Pin Locks Engine into Position
- Includes Tool Tray



1 Ton Folding **Engine Stand** SKU 544804 749

 Folds Upright to Conserve Valuable Floor Space • Sturdy, Wide Base

- Design to Prevent Tipping Under Load • Slotted Adjustable Saddle Permits
- Head Swivels 360° to Easily Position Engine

Quick and Easy

Installation



1,250 Lbs. **Rotating Engine Stand** SKU **757103** 6 PREG. \$319.9 24846

 Adjustable Mounting Arms to Fit Most Engine Configurations • Locking Head Plate with 360° Engine Rotation

- Tubular Steel Construction Folding Legs for
- Heavy Duty Worm Gear fo Effortless Rotation

Easy Storage

JACKS AND HYDRAULICS



CUSTOMER SERVICE (888)332-6419







PROVEN SAFETY AND PERFORMANCE



2 TON LOW PROFILE SERVICE JACK LAWN MOWER LIFT Extra Low Profile



PART #T-5355A

 Innovative Lawn Mower Lift not only lifts your riding mower but also serves as a maintenance stand.

 In to 23%" of clear working space. Ideal for routine maintenance jobs and cleaning.

5 GALLON AIR TANK

Portable design with easy carrying handle
 Maximum pressure up to 125 PSI

4 Foot rubber hose

44⁹⁹



PART #C-2800 **CREEPER SEAT AND** STOOL COMBO

- 2 in 1 Stool and Creeper for your
- 300 lbs rated weight capacity





SKU **000536761** PART #C-2036D **Z-CREEPER**

- Fasily transforms from creeper to shop seat

 Heavy duty 36" steel frame
- 300 lbs rated weight capacity

\$49⁹⁹

