OIL CHANGE



O=M TOOLS

Screen and Wide-Mouth Extension

Tank Pressure

Accessories

Super Transmission Drain Funnel

SKU **291377** LIS17902

- Extends the Catch Area of
- Any Lift Drain • Fits the Ford F 40D



- 87035 • Flexible Plastic Construction
- Fits on Top of Funnels of Most
- Built in Screen to Catch Debris, Parts and Tools
- Dimensions: 22-3/4" (L) x 23-3/4" (W) x 4-3/4" (H)

Replacement Funnel for OEM 8 and **18 Gallon Oil Drains**

SKU **526493** 25896-1





- Insert Pad in Funnel or Pan Before Oil Change to Eliminate Oil Splatter
- Porous Material Allows Fluid to Quickly Pass Through into Funnel or Pan



22 Inch Square SKU **080574** LIS38780



OEM TOOLS

15 Inch Round SKU **080548** LIS38750

Oil Drains

21 Gallon Oil Drain and **Vacuum Evacuator**

SKU **546658**

24862

• Designed for Collection of Motor Oil, Transmission Fluid and Coolant from Under Lift-Mounted Vehicles or By Evacuation from Fluid Reservoirs or Through Dipstick Tubes

Funnel Diameter: 15"

• Funnel Extension Adapter: 22" • Funnel Height Adjustment: 45" - 62"

OEM TOOLS

Extra Wide Funnel/Extension Oil Drain Funnel Diameter: 15" Includes (4) Extraction Tubes:

3/8" x 400 mm 6 mm x 760 mm 7 mm x 900 mm 6 mm x 600 mm

Offers Good Through March 31, 2018 **While Supplies Last**

VALUE: \$49.99

21 Gallon Oil Drain

and Vacuum Evacuator

SKU 546658 | Part# 24862

with Purchase of

21 Gallon

Waste Oil Drain

KU **544817** | Part# **24861**

21 Gallon **Waste Oil Drain**

SKU **544817** 24861 **449**99

• Large Diameter Funnel That Includes a Removable Filter Screen and Wide-Mouth Extension

• Funnel Diameter: 15"

• Funnel Extension Diameter: 22

• Funnel Height Adjustment:



OFM TOOLS

8 Gallon **Oil Drain**

SKU **383454** 25896

7999 Drain Adjusts from 48" to 67

• 2-1/2" Heavy

Duty Casters • 18" Diameter Funnel with Strainer



OFM TOOLS

18 Gallon Oil Drain with Pump

SKU **383453** 25897 14999

• Drain Adjusts from 48"- 71" Ťall

• 2-1/2" Heavy Duty Casters

• 18" Diameter Funnel with Strainer

Low Profile Oil Drains

LINCOLN



18 Gallon Rolling **Oil Drain**

SKU 988882 LIN3601

• All Steel Design Includes Reinforced Caster Supports • 14" Telescoping Bowl: Range of 45"- 72"

• Preset Air Regulator

(Up to 150 PSI) • Pressurized Self-**Evacuation Feature** Requires Only Shop Air and a Tire Chuck to

Discharge Fluids



LINCOLN

25 Gallon Used Fluid Combo Drain/Evacuator

SKU **543345** LIN3639

Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs

Includes Mercedes-Benz, BMW and VW Dipstick Tube Adapters and (6) Evacuation Wands of Varying Flexibility, Diameter and Length

• Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids



LINCOLN

LINCOLN

Oil Filter Sockets

32 mm and 36 mm Double **Sided Oil Filter Socket**

25421

SKU **020797**

• 3/8" Drive

 Applications: VW TDI [2011-2016], Touareg and VR6 Motors [2009-2016]; Audi Q3 and S3 with 2.0 T Gas [2015-2016]; Q7 [2007-2010] and A6 3.0T [2014-2016]; BMW 335d, X5 35d [2009-2011] and BMW 6 and 8 Cylinder Engines [1994-2005]; Volvo Models [2007-2014]; Chevy Cobalt, Impala and Malibu with 2.2 and 2.4 Liter Engines [2007-2014]; Porsche Models

3 Piece Low Profile Oil Filter Socket Set

SKU **094803**



- Includes 27, 32 and 36 mm
- · Comes in a Blow Mold Case

17 Gallon Low **Profile Truck Drain**



OEM TOOLS

sku **526486 36** LIN3665 • 6' Hose Extends from the Bottom of the Reservoir and Can Be Connected to a Pump to Evacuate Fluid from the Drain

17 Gallon Low **Profile Truck Drain**

with Hand Pump SKU **526485**

LIN3667 Hand Pump and a



LINCOLN

17 Gallon Low Profile Truck Drain with Electric Pump

SKU **526487** LIN3669 • Features a Durable 120V

Electric Pump Installed Below the Front of the Reservoir

• Pump Operates with a Standard Power Outlet and Discharges Fluid Through a 6' Hose with Steel J-Hook

14 Piece Drain Plug Socket Set



Transmissions, Transfer Cases, Differential Housings and More

• Includes: (Hex) 9, 10, 12, 14 and 17 mm; (Square) 7, 8, 11,

13 mm, 5/16", 3/8"; (Female Square) 10 mm; (Male Triangle)

7 Piece Oil Filter Removal

10 mm, (Tamper-Proof Triple Square) 16 mm

Wrench Set SKU **191682** 27197

• 3/8" Drive

• Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall/Vectra



SMART-(C

Oil Filter Wrenches

3-Jaw Adjustable Magnetic Oil Filter Wrench

SKU 908387 25101

3.6" (60mm to 93mm)

• Magnetic Attachment

tor Improved Grip

• Includes 3/8" to 1/2" Drive

















Professional

Filter Wrench

• Range: 2-1/2" to 4-1/2"

• Fits 3/8" Drive Ratchet

3 Legged

SKU **231212**

25413

14" Adjustable **Oil Filter Pliers** SKU **757057**

25324 • Removes Stubborn Oil Filters from Gas or

Diesel Engines • Suitable for Filters with 2.4" - 5"

Diameters • Long Reach Slip Joint Design

 Precision Machined Jaw Non-Slip Comfort Grip

Master Oil Filter Locking Pliers SKU **850037** 25323 • Capacity: 2-1/8" to 4-1/2" (55 to 120 mm)

OEM TOOLS

• Length: 10" (200 mm) · Provides Ability to Turn without Squeezing

• Removes Oil Filters in Hard-to-Reach

SKU **255627**

27199



Great for Stubborr Oil Filters

SKU **452624**

Adapter

Designed for

Tight Spaces Double-action Allows Use in Either Direction • Chrome Plated to

• Strong I-beam Handle

Tovota/Lexus Oil Filter Cap Wrench Set SKU **383457** 25409

• Sizes: 64 mm, 73 mm and 74 mm • Use in Conjunction with a 22 mm

or 7/8" Socket

10 Piece Cap Filter Wrench Set SKU **900828**

• (10) 3/8" Drive Cap Oil Filter Wrenches

• Includes: 65/67 mm - 14 Flutes, 80 mm – 15 Flutes, 68 mm – 14 Flutes, 86 mm - 16 Flutes, 74/76 mm - 15 Flutes, 93 mm - 15 Flutes, 76 mm - 14 Flutes, 93 mm - 36 Flutes 76 mm -

• (5) High Quality, Chrome Plated Aluminum Wrenches: 1 Adjustable, 63 mm to 83 mm Sizes and a Filter Wrench for Universal Applications

All Wrenches are Designed to Work with 3/8" Square Drive Tools

• (3) Forged Low Profile Socket Wrenches Included: 27 mm,

32 mm and 36 mm

Includes Application Chart



Drain Plugs SMART-O™ 38 Plug Starter Kit

SKU **404638** BRA38 • High Performance Seal and Lock for Fast and Foolproof Installation

- of Vehicles IT'S REUSEABLE!
- Unified Torque • Oil Loss Prevention
- Oil Pan and Engine Protection
- Eco-Protection



15" Chain Wrench

Resist Rust

Construction



100 mm -15 Flutes

Part

27196

Oil Filter Cap **Wrenches**



	383456	25408	2006 BMW Series (E90) and All 1999 - 2005 Volvo Cars (Except 2005 40 and 50 Series)	86.5 mm, 16 Flutes	14.9
	255634	25451	2005 Toyota on Cartridge Style or 2006 Lexus on Cartridge Style - Fits 4 and 6 Cylinder Engines	64.5 mm, 14 Flutes	14.9
	255669	25452	BMW (M44 Engine), Mercedes-Benz (M102, M103 Engines), Porsche (924, 928), VW, Audi	74.2 mm, 14 Flutes	14.9
9	255675	25453	BMW (N52, N54, N55, N63 Engines - 2006 to 2012), Volvo (All Models except 2005 40 and 50 Series)	64.5 mm, 14 Flutes	19.9
4	255659	25454	Hyundai, Kia	88.8 mm, 15 Flutes	19.9
_					



Tool & Equipment Quarterly

Refilling Bar Attachment

Durable Aluminum Construction

• Easily Refill ATF in Vehicles with

Narrow Access (Especially

Acura, Hyundai and Kia)

Includes Hose

SKU 749915 **94**99

87029

Fluid Management

Oil Drain Pan Clear with Level Scale SKU **568469** 87013

• Great for Transmission Fluid Changes

• Built-In Level Scale Lets You See Fluid Levels

4 Gallon Oil

Drain Pan

SKU **908389**

Construction

No-Splash Lip

SKU 908382

• Heavy-Duty Polyethylene

• Features a Pour Spout and

Transport and Easy Pouring

Dimensions: 18" (Ø) x 5-1/2 (H)

• (3) Ergonomic Handles for Efficient

Green

87034

Black

87033

• Built-In Shelf for Draining Filters





Pour Spout

SKU **568473** • Pour Spout and 2 Handles to

2.8 Quart

SKU **568474**

2.8 Quarts

• Low Profile Oil Drain Pan

• Dimensions: 15.9"(L) x

8.5"(W) x 2.68"(D)

87017

Allow for Easy Spill-Free Work • Anti-Splash Lip Capacity: 4 Gallons

OEM TOOLS

OEM TOOLS

Low Profile Oil Drain Pan

• 17.7" Diameter



OEM TOOLS **Drum Drain Basin for**

SKU **568471** 87014

4 Piece Oil Drain

• Oil and Transmission Funnel

• 850 cc Square Oil Funnel

13.8" x 12.6" x 4.3"

• Drain Pan with Level Scale

• 2.8 Quart Low Profile Oil Drain

5 to 8 Gallon Bucket

and Funnel Set

SKU **754740**

68985

Includes:

- Fits on Top of Standard Size 5 to 8 Gallon Drums
- Ribbed Drainage Channels • Filter Gate to Catch
- Foreign Objects • Size: 13.8" Diameter
- Capacity: 3.2 Quarts

*Bucket not

Drum Drain Basin for 55 Gallon Drum

SKU **568472**

OEM TOOLS

87015 • Fits on Top of Standard

- Size 55 Gallon Drums Ribbed Drainage Channels
- Filter Gate to Catch Foreign Objects Size: 26" Diameter
- Capacity: 21 Quarts



OHM TOOLS

OEM TOOLS

OEM TOOLS

Residual **OEM** TOOLS **Fluid Collector** SKU **764971**

87030 • Captures Residual Fluid from Up to 3 Bottles

10L

87018

Oil Jug

- · Collects Residual Lubricants Including Engine Oil, ATF, Brake Fluid, Power Steering Fluid and More
- Minimizes Oil Remaining in the Bottle Before Recycling Set Includes
- (2) 2-Liter **Empty Bottles** • Wall-Mount





OEM TOOLS

SKU 605325 **2499**

· Safe for Automotive

Oils and Fluids

Carry and Pour

Spill Proof Caps

Convenient

Handles

Pumps

OEM TOOLS Multi-Use Fluid Transfer Pump

SKU **094647** 25713

- Small and Lightweight • Intake and Discharge
- Includes: (2) 50" (127 cm) Long Hoses



• Pumps Air into Inflatables



Fluid Siphon Pump

SKU **568475** 24863

- Transfers Fluids Easily
- Use to Transfer Gas, Water, Oil and Other Non-Corrosive
- Hose Reaches 6 Ft. with 1/2" Diameter



⊘≡M TOOLS **Battery-Operated Liquid Transfer Pump**

SKU **471071** 25712

- Move Liquids Safely and Easily with This Convenient Handheld Pump
- Pumps Gas, Water, Oil and Other Non-Corrosive Liquids
- Pumps Up to 6 Quarts of Liquid per Minute



OEM TOOLS

Polypropylene Lever-Action Pump SKU 688036 **7999**

• Ideal for Diesel Kerosene Lubricants and Other Oils

24471

• Not for Gasoline, Water-Based



OEM TOOLS

OEM TOOLS

OEM TOOLS **Polypropylene Lever-Action Pump with Stainless Steel Rod** SKU **688038**

24472

• Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids

• Not for Gasoline or DEF



Hand Oil Pump SKU **462495**

24381 • Oil Pump for Use with Oil-Based Fluids, Heating

- Oils, Motor Oils, Heavy and Light Oils, Diesel and Kerosene • Built-In 1-1/2" and 2" Bung
- for Use on 16 to 55 Gallon Drums with Either Opening
- Not for Gasoline



OEM TOOLS

Ryton® **Lever-Action Pump** with Stainless

> Steel Rod SKU **688037** 24473 • Ideal for Pumping Diesel, Oils, Kerosene,

Water-Based Chemicals, Bases and Acids Including DEF · Not for Gasoline

⊘≡M TOOLS **Rotary Barrel Pump** SKU **462486**

24382 • Fluid Transfer Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, ATF, Diesel and

Kerosene • Not for Gasoline

Polypropylene **Rotary Drum Pump** SKU **688035**

24470 · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based

Chemicals, Bases and Mild Acids • Not for Gasoline or DEF



Lever-Action Barrel Pump

SKU **970530 10**99 LIN1340

- Fluids, Not for Gasoline • Telescoping Tube for
- Removable Non-Drip Spout Allows for Threaded Hose Connection

LINCOLN





Manual Gear Lube Dispenser SKU **174166 7**099

LIN1293 • 5 Ft. Hose, 13" Pump Tube

• Delivers 1 Oz.

 Fits 25 - 50 Lbs. 5 Gallon Container per Stroke



Manual Rotary Pump with Hose for 55 Gallon Drums* SKU **265089** LIN1385H

• Includes: 8 Ft. x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger; Seal Tight Telescoping Pick-Up Tube with Strainer for 16 - 55 Gallon Drums with 2" Bung and H.D. Manual Rotary Pump for 55 Gallon Drums**

SKU **462977** 4099 LIN1385

*Drum Not Included **Hose and Drum Not Included **LINCOLN**



BONUS 5 Qt. Measuring Can VALUE: \$44.99 with Purchase of:

> **Manual Rotary** Pump with Hose SKU **265089** | Part# LIN1385H Offer Good Thru March 31, 2018 While Supplies Last

Manual Rotary Fuel Pump with Hose for 55 Gallon Drums

LIN1387

SKU 265088 24999

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline, Diesel, Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids. Hydraulic Oils and ATF

* Drum Not Included



12V Fuel Transfer Pump SKU 754742 36000

LIN1550 • Delivers Fuel at a Rate of 15 Gal/Min.

- 13' (4 m), Heavy Duty, Anti-Static Hose That is Kink Resistant
- for Operator Convenience Applications: Diesel, Kerosene or Mineral

Spirits from Both Mobile and Stationary Tanks



NEW

Grease Pump Package

SKU **110259 92999** I IN6917

 Portable 50:1, Air Operated, Double-Acting Grease Pump Ensures High-Output Grease Delivery Lube Fitting with Control Valve and

Universal Swivel Standard Follower Wipes 120 Lbs. Drum Sides Clean and Keeps the Pump Primed



Grease Service

Lever Action Grease Gun

Textured Rubber Non-Slip Grip

Extra Heavy-Duty

SKU 094656 7099



Professional Pistol Grip **Grease Gun** SKU **094654 9099**

• 12" Heavy Duty Nylon Hose with Coupler 5.5" Extension with 1/8" NPT

Male Threads • Working Pressure: 4,500 PSI

25892



OEM TOOLS

PowerLock Coupler SKU **824876 2099**

LIN5900 • Lever Activated for Quick Attachment and Release from Fitting

- Comfortable, Ergonomic Design with Protective Grip
- Secure Attachment Enables Single-Handed Use of Grease Gun
- Protective Sleeve Prevents Hose Wear • Durable All-Steel Construction
- Max Pressure: 7500 PSI • Works with Most Grease Guns • 1/8" NPT Fitting
- **Bearing Packer**

• Works on Bearings Up to 3-1/2" O.D.


25073



Air Grease Gun TOOLS LINCOLN SKU 125116 4 99 25818

> • Great for Automotive, Workshop and Marine Use • Operating Pressure:

30 - 150 PSI • Delivery Pressure 1,200 - 6,000 PSI





25893

• 18" Whip Hose • Includes Rigid Pipe • Jam Proof Handle





LINCOLN

7 Piece Grease Fitting Adapter Kit SKU 978118 **999**

25711

• Includes: Press-On 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-On 90° Coupler, Rubber Tip Nozzle, Needle Nozzle, 360° Coupler



OEM TOOLS SKU **900799**

 Forces Old Grease Out and New Grease In



20V Li-Ion PowerLuber Kit SKU 751676 32999

LIN1884 • Delivers Grease at Up to 10,000 PSI • Built-In LED Illuminates the Work Area

• Multi-Function LCD Display • Includes: Grease Gun, 2 Batteries, Charger

and Case, 36 In. Flex Hose 12V Li-Ion PowerLuber Kit



SKU 605324 LIN1264

LINCOLN

OIL CHANGE



Oil Funnels

No-Spill Oil Funnels TOOLS



- Funnel Screws Directly into Filler Neck
- Threaded to Fit a Range of Import and Domestic Vehicles, Older and Current Models
- Transparent Lower Chamber to Monitor Oil Flow
- Wide Passage for Rapid Refilling

NEW • Threaded to Fit a Range of GM, BMW and Other Makes/Models,



Funnel Sold



- Designed to Pierce Seal on Oil Bottles
- Securely Holds Bottle Upright—Allowing Hands-free Refilling
- Fits All OEMTOOLS™ No-Spill Funnels: 87019, 87020, 87021, 87022, 87023, 87024, 87036
- Mesh Screen Keeps Seal Fragments and Debris from Entering Filler Neck









87027

- Threaded to Screw Directly onto the 87022 Honda No-Spill Öil Funnel
- For Vehicles with Angled Filler Necks in Narrow Spaces
- Fits Honda Odyssey and Pilot; Acura MDX, RDX and ZDX



NEW

8 Qt Galvanized **Steel Funnel**

SKU **824875 9499** 87040

- Capacity: 8 Quarts (2 Gal, 7.57 L) • Bottom of Funnel and Stem are Fluted to Reduce Swirling
- Includes Mesh Screen to Help Filter Large Debris from Passing Through the Funnel
- Dimensions: 9.5" (Mouth Diameter) x 12" (Overall Height) x 1" (Stem Diameter)
- Weight: 1.2 Lbs.



Oil Funnel SKU **825017** 87037

- Universal Oil Funnel Automatically Adjusts to Filler
- Securely Clamps into Filler Neck; No Need to Hold Funnel in Place During the Refilling Process
- Transparent Lower Chamber to Monitor Oil Flow
- Clamp Can Be Used with Standard Funnels











SKU **824884 7**099

• Set Includes: Universal Oil Funnel, Chrysler (87019), Ford/Mazda (87020), GM (87021), Honda (87022), Toyota/Lexus (87024), Subaru Adapter, Toyota/Lexus Adapter, and 150° Extended Adapter



SKU **824879** 87021

See Manual for Full Listing



Fiat

SKU **824887** 87036

 Threaded to Fit Fiat and Lancia Vehicles, See Manual for Full Listing



Ford, Mazda and Mercury

SKU **824885** 87020

• Threaded to Fit a Range of Ford, Mazda and Mercury Vehicles, See Manual for Full Listing



Chrysler, Dodge and Jeep

SKU **824892 7 7 99** 87019

• Threaded to Fit a Range of Chrysler, Dodge and Jeep Vehicles, See Manual for Full Listing



Toyota, Lexus, VW and Mercedes-Benz

SKU **824886 9099** 87024

• Threaded to Fit a Range of Toyota, Lexus, VW, Mercedes-Benz and More, See Manual for Full Listing



Subaru

SKU **824888** 87023

 Threaded to Fit Subaru Vehicles. See Manual for Full Listing



Honda, Acura and Nissan

SKU **824890** 87022

• Threaded to Fit a Range of Honda, Acura, Nissan and Other Makes/Models, See Manual for



JohnDow Industries

Filter Crushers

Industrial 10-Ton Oil Filter / Can Crusher

SKU **990215** RANRP20FC

- Reduces the Size of Used Oil Filters to 1/4 of the Original Size • Save on Disposal Costs and Storage
- 12-1/2" Diameter Cylinder Provides 20,000 Lbs. Crushing Power at 175 PSI
- 100% Air Operated Very Low Maintenance





Oil Filter Crusher Stand

SKU **079789** RAN5150068

- For Use with the Ranger RP-20FC Oil Filter Crusher
- Accommodates 5 55 Gallon Storage Tank
- Dimensions: 42"(H) x 27-3/4"(W) x 17-3/7"(D)



Automotive Oil Filter Crusher SKU OUTSIDE BUY/EPO

DOWAFC10094

· Specifications:

- Height: 28-1/2"
- Width: 12-3/4"

- Depth: 12-3/4" • Filter height: 7-1/2"
- Filter diameter: 6" • Crushing force: 10 tons
- Pump/Type: Air/hydraulic
- Weight: 111 Lbs



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

OEM TOOLS

Oil Dispenser SKU **544816**

• Translucent White Material Enables the User to See the Liquid Level



8 Quart Dispenser Lid and Cap SKU **080078**

LIS19702 • Spout Cap and Lid to Keep Out Contaminants

Many Large SUVs and Trucks Now Require More Oil



Flexible Spout Measuring Cans

• 14" Flexible Spout with Tapered Tip

• Rolled-Edge Top Helps Prevent Spilling **5** Quart

8 Quart SKU **298473** LING528

SKU **298486**



Oil Drains

18 Gallon **Pneumatic** Oil Drain SKU **988738**






229⁹⁹



Dispensers

5 Quart Translucent







LINCOLN



LING525

