



Contact Us:
1-877-AZTool1 Phone
 (1-877-298-6651) *Hablamos Español*

Measuring Tools

Feeler Gauge

SKU 001927 **6⁹⁹**
 25025

- STORE STOCK**
- 26 Blades Laser Etched with SAE and Metric Sizes



6" Digital Caliper

SKU 013642 **12⁹⁹**
 24680

- STORE STOCK**
- Easy-to-Read LED Display
 - 0-6 In. Range (0-150 mm)
 - Zeroing Feature



X-Tread® Digital Tire Gauge

SKU 186495 **19⁹⁹**
 FOW74225500

- For Tire Tread Thickness Measurement
- Reads in Inch, Metric and Fractions



Magnetic Angle Finder

SKU 042343 **19⁹⁹**
 CEN6494A

- Magnetic Base
- 1/2 Degree Graduations



Disc Brake Rotor Micrometer

SKU 607071 **49⁹⁹**
 25367

- STORE STOCK**
- .001" Accuracy, .0005" Reading
 - Large LCD Display with SAE or Metric Reading
 - Manual Power Off/On



Dial Indicator Set

SKU 186500 **59⁹⁹**
 FOW72522101

- Includes 1" Indicator, Magnetic Base, Plus Rods, Swivel Clamp and Case
- 2-1/4" Dial, .001" Increments



RotoCal® with Twin Conical Anvils

SKU 186492 **64⁹⁹**
 FOW74150004

- Range 0 to 5.5"
- Reads in Inch, Metric and Fractions
- 3.5" Jaw Depth for Large Rotors



Mini MAG Protractor

SKU 186501 **64⁹⁹**
 FOW744224501

- Embedded Magnets with 35 Lbs. Pull
- Uses Standard 9V Battery
- 360 Degree Measuring Range
- Accuracy ±0.2 Degrees



Rotor/Drum Measuring Kit

SKU 186504 **59⁹⁹**
 CEN3K301

- Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors
- 8" to 13" Range
- 0 to 6" Digital Caliper Included



Disc Brake/Ball Joint Gauge

SKU 186496 **84⁹⁹**
 FOW72520757

- Checks Ball Joint Wear and Disc Rotor Run-Out
- Checks Gear Backlash and Valve Guide Wear
- 0 to 1" Travel and .001" Graduations



Straight Edge 24" x 1/4"

SKU 404660 **89⁹⁹**
 CEN6429

- Measure Head, Block and Flywheel Straightness
- Precision Ground to ±.001"



3 Piece Micrometer Set

SKU 186503 **99⁹⁹**
 CEN3M113

- 0 to 3" Range
- 3m101: 0 - 1"; 3m102: 1 to 2"; 3m103: 2 to 3"
- Set Includes Calibration Tools



Torque Adaptors

3/8" Drive Digital Torque Adapter

SKU 362559 **44⁹⁹**
 25684

- Range 27 - 135 Nm (238.9-1,194.8 In/Lbs.)

Turn Any Ratchet or Breaker Bar into a Digital Torque Wrench!
 Offer Good Through March 31, 2018 - While Supplies Last



1/2" Drive Digital Torque Adapter

SKU 900805 **54⁹⁹**
 25682

- Range 40 - 200 Nm (29.5-147.5 Ft/Lbs.)
- Buzzes When Target Torque is Reached

Offer Good Through March 31, 2018 - While Supplies Last



Torque Wrenches

3/8" Drive Torque Wrench

SKU 133657 **39⁹⁹**
 25685


- 45 Tooth Round Head Ratchet
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counterclockwise Operation



3/8" Drive Torque Wrench

SKU 133658 **44⁹⁹**
 25686


- 45 Tooth Round Head Ratchet
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counterclockwise Operation



3/4" Drive Professional Micrometer Torque Wrench

SKU 850046 **349⁹⁹**
 33627309

- Range: 86-400 Ft/Lbs.
- Torques in Both Directions
- Positive Lock with Spring-Loaded Pull Down Lock Ring




Great for 2004-2008 Ford F150 Brake Rotor and Hub Assembly Replacement

1/2 Inch Drive Torque Wrench

SKU 25689 **54⁹⁹**


- Click-Style Torque Wrench Produces Audible Click at the Preset Torque
- High-Visibility Scale Features Ft/Lbs. and N•m Measurements
- Steel Construction with Durable Green Coating
- Reversible Ratchet Head
- Includes Blow Mold Storage Case



1/2" Drive Professional Micrometer Adjustable Torque Wrench

SKU 133659 **54⁹⁹**
 25687


- Heavy Duty 24 Tooth Pear Shaped Ratchet Head
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counterclockwise Operation



3/4" Drive Professional Micrometer Torque Wrench

SKU 217376 **349⁹⁹**
 25688

- Right Hand Direction



Micrometer Click Style

Torque Multipliers

3/4" Drive Torque Multiplier

SKU 191056 **249⁹⁹**
 25683

- Converts Low Torque (Max. 650 Ft/Lbs.) to High Torque (2,200 Ft/Lbs. / 3,000 Nm) with Planetary Gear Set for Heavy Duty Tightening and Loosening
- Input Drive: 3/4", Output Drive 1"
- Comes with a 3/4" Drive 2 Way Quick Release Ratchet



Torque Screwdriver

1/4" Drive Torque Screwdriver

SKU 695088 **59⁹⁹**
 33627172

- Range: 10 - 50 In/Lbs.
- Great for Low Torque Applications
- Easy-to-Read Window Scale



Offer Good Through March 31, 2018 - While Supplies Last

Sensor Sockets

Oil Pressure Switch Socket

SKU 141490 **11⁹⁹**
 25254

- STORE STOCK**
- Fits Most 1" and 1-1/16" Switches
 - Accepts Oil Pressure Sending Units Up to 2-5/8" Long



3/8" Drive Oxygen Sensor Socket

SKU 047738 **12⁹⁹**
 25001

- STORE STOCK**
- For Use with 3/8" Drive Ratchet or 1" Wrench
 - Removes and Installs Oxygen Sensors on All Domestic and Imported Computerized Engine Controlled Vehicles
 - Cutaway Slot Provided in the Side for Sensor Wire Clearance
 - Durable Alloy Steel Construction



Water Sensor Wrench

SKU 459101 **16⁹⁹**
 LIS34910

- Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 - 2011 6.6L Duramax Diesel Engines



Water Sensor Wrench

SKU 459099 **16⁹⁹**
 LIS34900

- Removes and Installs the Water Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines



IPR Socket

SKU 912334 **19⁹⁹**
 25280

- Remove / Replace IPR Without Damaging the Connector
- Applications: Ford 6.0 L and Other Diesel Engines
- 3/8" Drive



Oxygen Sensor Socket Set

SKU 695125 **25⁹⁹**
 33627110

- Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors
- 3/8" and 1/2" Drive, 22 mm / 7/8"



Oxygen Sensor Wrench

SKU 947305 **29⁹⁹**
 33625246

- STORE STOCK**
- Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines
 - 7/8" / 22 mm Used in SUVs and Light Trucks



7 Piece Sensor Socket Set

SKU 900823 **59⁹⁹**
 27189

- For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



SERVICE TOOLS

FREE
OVERNIGHT
SHIPPING
WITH MOST ORDERS
SEE PAGE 3 FOR DETAILS

Exhaust Tools

Exhaust Manifold Spreader Set

SKU 504028 **22⁹⁹**
25253TWO

- Used for Reinstalling the Manifold on Small-Block Chevrolets
- Simple Way to Expand Warped Manifold to Align Bolt Holes
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalignment



Pipe Stretcher Kit

SKU 080137 **269⁹⁹**
LIS17350


- Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
- Use with Impact Wrench to Quickly Stretch Pipes



Tailpipe Cutter

SKU 695599 **50⁹⁹**
33627045

- Use to Cut Tailpipe
- Range 3/4" to 3-1/4" (19 - 83 mm)



1-1/2" x 2-7/16" Tailpipe Expander

SKU 695615 **25⁹⁹**
33627027

2-1/8" x 3-7/16" Tailpipe Expander

SKU 695614 **35⁹⁹**
33627028

- Expands Tail Pipes So Mufflers and Tail Pipes Can Be Fitted to the Exhaust System



Thread Repair

2 Piece External Thread Repair Set 5/32" - 1-1/2"

SKU 343361 **199⁹⁹**
NES1000*

- Includes the NES1A and NES2
- Restores Inch or Metric, Right or Left Handed Fastener Threads



*NES Set Comes with Extra Blades

External Thread Repair 5/32" - 1/2"

SKU 343360 **39⁹⁹**
NES6040

- Restores Inch or Metric, Right or Left Handed Fastener Threads



External Thread Repair 5/32" - 11/16"

SKU 343365 **74⁹⁹**
NES1A

- Also Repairs Damaged Threads on Pipes Up to 7/16"



External Thread Repair 11/16" - 1-1/2"

SKU 343366 **99⁹⁹**
NES2

- Restores Inch or Metric, Right or Left Handed Fastener Threads



Internal Thread Repair

5/16" - 7/16"
SKU 343367 **84⁹⁹**
NES21

1/2" - 5/8"
SKU 343369 **84⁹⁹**
NES22



Scan the QR Code for More Info on NES Thread Repair Products

Refractometers

UREA DEF Refractometer

SKU 471112 **99⁹⁹**
OTC5025

- Def-Unique Calibrated Scale with 32.5%
- Enables Operators to Clearly Determine if the Def in Their Vehicle Consists of a 32.5% Urea / Water Solution
- 15-40% Variance on Scale
- 0.5% Line Graduations
- Complete Kit Provides Operators Everything They Need to Calibrate and Use Def Refractometer



Thread Chasers

Spark Plug Hole Thread Chaser

SKU 070109 **6⁹⁹**
25124

STORE STOCK

- Double End for 14 mm and 18 mm
- For Use with 13/16" Deep Sockets
- Cleans Spark Plug Threads of Dirt and Carbon Build-Up



Limited Access Spark Plug Chaser

SKU 607068 **12⁹⁹**
25155

STORE STOCK

- Narrow Profile and Long Length Allows Access to Spark Plug Holes in Confined Spaces
- Use with a 3/8" Ratchet or Extension
- Size: M14 x 1.25



Oxygen Sensor Thread Chaser

SKU 607067 **13⁹⁹**
25255

STORE STOCK

- Use with 3/8" Hex Socket or 3/8" Square Drive
- Size: M18 x 1.5



DID YOU KNOW?

AutoZone® offers a full line of bulk replacement hose clamps.

Contact Your AutoZone Commercial Sales Manager for Details

Spark Plug Installation

Heavy Duty Spark Plug Boot Pliers

SKU 390900 **9⁹⁹**
25542

STORE STOCK

- Designed to Remove Hard-to-Reach Spark Plug Boots
- Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
- Vinyl Coated Grips for Comfort
- Do Not Use When the Engine is Running



3/8" Drive 9/16" Spark Plug Socket

SKU 265110 **22⁹⁹**
25259

- 10" Long with Thin Wall Design to Reach into the Cylinder Head
- Fits 2004-Newer Ford F-150 Pick-Up Trucks with 5.4L 3-Valve Triton V-8 Engines
- Chamfered Ends
- Chrome Plated to Resist Rust



Tubing

Mini Tubing Cutter

SKU 532507 **8⁹⁹**
25058

STORE STOCK

- Capacity: 1/8" to 7/8"
- Cutter is Capable of Turning on a 1-7/8" Radius
- Lightweight for Easy Handling



Tubing Cutter

SKU 141489 **7⁹⁹**
25299

STORE STOCK

- Cuts Tubes Capacity: 1/8" to 1-1/8"
- Die Cast Frame with Reamer
- Alloy Steel Cutting Wheel
- Large, Easy Grip Knob with 1/8" to 1-1/8" Two Facing Flare Groove Rollers



Multi-Purpose Tubing Bender

SKU 390889 **14⁹⁹**
25179

STORE STOCK

- Works on 1/4", 5/16" and 3/8" (4, 6, and 8 mm) O.D. Copper, Aluminum and Stainless Steel Tubing
- Used to Make Left, Right and Offset Bends Up to 90 Degrees



Double Flaring Tool

SKU 864647 **21⁹⁹**
25358

STORE STOCK

- Includes Five Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2" (4.8 mm Through 12.7 mm)



In-Line Flaring Tool Kit

SKU 238197 **24⁹⁹**
24364

STORE STOCK

- Use on Thin-Walled Steel and Copper Tubing
- Low Profile Design Allows for Use On or Off the Vehicle
- 3/16" and 4.75 mm Tubing
- Double Clamp and Hex Screw Keeps Tubing Locked Tightly in Position



Create a Perfect Flare Every Time!

Double Flaring Tool

SKU 695622 **30⁹⁹**
33627015

- Produces Single and Double Flares in Soft Steel



Bubble Flaring Tool Kit

SKU 592261 **39⁹⁹**
27214

- Designed for Metric Soft Steel Brake Lines Where an "ISO" or Bubble Style Flare is Required
- Flaring Bar and All the Adapters Needed for ISO Bubble Flaring
- Includes Four Dies 4.75, 6, 8, and 10 mm



Fuel

Fuel Pump Module Spanner Wrench

SKU 110278 **24⁹⁹**
25156

- Removes and Installs the Fuel Pump Retaining Ring



Fuel Tank Lock Ring Tool

SKU 751721 **49⁹⁹**
24398

- For 2004 - Newer Ford F150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango; 2004-Newer Chevy 1/2 Ton and 3/4 Ton Trucks
- Works with 1/2" Drive Ratchet or Breaker Bar



Ratcheting Tubing Cutter

SKU 466309 **24⁹⁹**
24520

STORE STOCK

- Ratcheting Action Ideal Where Space is Limited
- Cuts 1/4" to 1-1/8" Tubing



Die and Adapter Flare for GM Transmission Cooling Line

SKU 300785 **49⁹⁹**
MSC71099-TC

- Die and Adapter Flare for GM Transmission Cooling Line



Universal Hydraulic Flaring Tool Set

SKU 390927 **429⁹⁹**
MSC71475

- Fabricates Push to Connect Flares: 1/4", 5/16" and 3/8"
- GM Fuel Line Flares: 5/16" and 3/8"
- Double Flares: 3/16", 1/4", 5/16", 3/8" and 1/2"
- Metric Bubble Flares: 4.75, 6, 8 and 10 mm

