SHOP EQUIPMENT

Parts Washers

OEMTOOLS™ Parts Washers are a New Generation of Water-Based Parts Washers Providing All the Cleaning Power of Solvent While Using Cleaning Solutions That are Safe and Biodegradable.

Portable Bucket-Top Parts Washer

SKU **003759 3999** 24816 24816

- Fits Most Standard 5 Gallon Buckets
- Includes a Submersible Pump, 40" Hose and Flow-Through Brush
- Pumping Rate: 1 GPM • For Degreasing Small Parts

and Tools



Does Not Include 5 Gallon Bucket

OEM TOOLS **Bench Top Gallon Parts Washer** SKU 300128 6999

24800

• Water-Based Parts Washer with 325 Gallon per Hour Electric Pump Steel Work Basin is

18"(L) x 13.5"(W) x 9"(H) Replacement Washer Pump

SKU **462484**

24800-12 • Fits OEMTOOLS™ 24800 and OEMTOOLS™ 24801 Water-Based Parts Washer



OEM TOOLS

Mobile Parts Washer SKU **546660** 24804 • Solution Capacity (Gallons):

- Min. 2 Max. 4
- Use with Water Works™ Heavy-Duty Degreaser Concentrate
- Not for Petroleum Based Solvents
- Weight: 11 Lbs.
- Dimensions: 26"(L) x 18" (W) x 9.5"(H)

Lid has Positive Seal and Latches for Mobility



OEM TOOLS

CLEANMASTER

CLEANMASTER

20 Gallon Parts Washer SKU **300117** 24801

- Water-Based Parts Washer with 325 Gallon per Hour Electric Pump
- Steel Work Basin is 31"(L) x 21"(W) x 34.5"(H)
- Lid Includes Fusible Link for Fire Safety

Replacement Washer Pump SKU 462484 3999 24800-12

• Fits OEMTOOLS™ 24800 and OEMTOOLS™ 24801 Water-Based Parts Washer



40 Gallon Parts Washer SKU 300118 27999 24803

- Use with Non-Flammable, Water-Based Degreaser or Cleaning Agent
- Fully Flexible Nozzle and Fusible Link Which Automatically Closes the Lid in Case of Fire Dimensions:
- 44.75"(L) x 20.5"(W) x 35"(H)

Replacement Washer Pump SKU 462476 3999 24803-31

• Fits OEMTOOLS™ 24803 Water-Based Parts Washer



16 Gallon Solvent Parts Washer

FOU62125-01 44999

- Removable Screen Filter for Pump Protection
- Flow Through Brush with Adjustable Fluid Control
- Galvanized Drawn Sink Means No Leaks
- Inside Sink Dimensions: 31"(L) x 21"(W) x 9"(D)

30 Gallon CleanMaster Solvent Parts Washer

SKU **479981** F0U54821-01



RS500 Professional **Spray Wash Cabinet**

SKU **902189** RANRS500

- Inside Height: 43" • Heavy-Duty Steel Construction
- Removable Parts Tree
- Brass Nozzles
- Heavy-Duty Rubber Casters
- Stainless Oil Skimmer • Removable Tank Screen




Ranger.

RS750 Truck Spray Wash Cabinet

SKU 902197 RANRS750 4,5 SKU **902197**

- Inside Height: 54"
- Heavy-Duty
- Steel Construction • Removable Parts Tree
- Brass Nozzles
- Heavy-Duty Rubber Casters
- Stainless Oil Skimmer





Ranger

Parts Brush

Division

Ranger.

Inside

Height

Call 1-877-298-6651 for Ordering

12 Gallon CleanMaster Low-Profile Solvent Brake Parts Washer

SKU **479982** F0U57429-01

- Flow-Through Brush System for Efficient Cleaning
- Durable, Baked-On Powder Coated Epoxy Finish
- Easy-Roll Swivel Casters (2 Locking)

SKU **222507**

• 1/4" NPT (F) Inlet

LIN5983



20 Lbs. Aluma-Klean Soap Bucket SKU OUTSIDE BUY/EPO

RAN5155096

- Non-foaming Low pH
- · Mild Alkali
- Water Soluble
- Removes Grease, Oil. Stains, Carbon, Protein, Some Paints

Powdered



Available via Outside Buy/EPO,



Air Operated Sprayer



Atlasta™ Parts **Cleaning Brush** SKU **342339**

PBC50003

• A Tough Brush That Will Last and Last • Length: 9.75" (25 cm)

EcoMaster Heated Aqueous

Portable Brake Washer

SKU **479988**

F0U61840-02

SKU **479987**

F0U61444-02

Heavy Duty Air Pump

and Two Regular Casters

EcoMaster Aqueous

Portable Parts Washer



• Heavy Duty Drum Dolly with Two Locking Casters



or Water-Based Cleaning Solutions Lenath: 10.25" (26 cm)

FOUNTAIN

Oriflo Flow-Through Parts Brush





• Oriflo Flow-Through Parts Washer Brush and High Quality Hose to Connect to Your Parts Washer



FOUNTAIN

Heavy Duty Degreaser Concentrate

5 Gallons (1) 5 Gallon Container SKU **227558** WWSHD-5G

Designed to Effectively Replace Hazardous Solvent in Water-Based Parts Washers

• Concentrated to Be Powerful and to Save You Money • Quickly Removes Grease, Oil, Carbon



Safe for the Technician **Storm Ultra Spray Wash Solution**

and Grime While

5 Gallons (1) 5 Gallon Container SKU **227559** WWSSU-5G

 Professional Wash Solution for Heated Spray Cabinet/Jet Cabinet Style Parts Washing Equipment

• Super Concentrated for Cost Effectiveness • Quickly Blasts Away Grease, Oil,

Carbon and Grime

SHARK



OEM TOOLS

WATER WORKS

• Prefilter Screen and Asbestos Sock Filter Designed to Ensure Clean Solution • Heater: 1,000W - Thermostatically Controlled to Hold at 115° F Sink Dimensions: 24"(L) x 20"(W) x 7"(D)



Preset to 110° F Filter System Prolongs Fluid Life **Molded Cart for EcoMaster** Heated Aqueous Parts Washer

• Heater Thermostatically Controlled

EcoMaster Heated

SKU **479983** F0U61330-02

Capacity: 45 Gallons

Aqueous Parts Washer

SKU **479985 9** F0U61332



• 500 Lbs. Capacity • High Density Polyethylene Molded Tray

KNOW?

AutoZone® has instrument clusters available.

> Contact Your AutoZone Commercial Sales Manager for Details



SKU **010136** SHA13077 • Ideal for Many Uses

• For Use with OEM 24815 Abrasive

Prevents Surface Rust

Blast Cabinet

· Paint and Body Applications

SKU 010139 4999 SHA13078



Abrasive Blast Cabinet (Bench Top) SKU **300119**

24815

• Easily Remove Paint, Rust and Oxidation • Fits on Bench or Cabinet

• Dimensions: 19.3"(H) x 19.3"(W)

Cubic Inches: 28.6"







Tool & Equipment QUARTERLY

Shop Press

Value: \$99.99

Shop Press Pin Set SKU **544794** | PART# 24813



With Purchase of: 20 Ton Air/Hydraulic Shop Press w/ Gauge SKU 544793 | Part# 24812

Offer Good Through June 30, 2018 While Supplies Last

OEM TOOLS

20 Ton Air/ Hydraulic **Shop Press with Gauge**

SKU **544793** 24812

- Includes Press Blocks
- Pressure Gauge Provides
- Accurate Pressure Readings • Ram Moves Side to Side for Versatility
- Measurement Between Uprights: 21 1/8"
- Working Range



OEM TOOLS

Shop Press

12 Ton Hydraulic Shop Press with Gauge

SKU **544790 34 999** 24811

- Includes Press Blocks
- Pressure Gauge Provides Accurate Pressure Readings
 - Measurement Between Uprights: 20"
- Working Range



OEM TOOLS

20 Ton Shop Press SKU **300134** 24810

- Includes Press Plates
- Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys
- Multi-Position Bed for Work Height Adjustment
- Max. Height: 31.5"
- Max. Width: 21.75"

Super Heavy Duty H-Frame Press Weighs Over 250 Lbs. Stronger Compared to Similar Lighter Weight Shop Presses on the Market



Press Support

OEM TOOLS

Universal Press Support SKU **804487 77099** 24809

- CNC Machined Anodized Aluminum
- Laser Etched Position Markings for Durability
- Black Oxide Coated Cr40 Steel Hardware



KNOWP

AutoZone® offers a full line of bulk replacement hose clamps

Contact Your AutoZone Commercial Sales Manager for Details

Vises

4-1/2" Light Duty Bench **Vise with Swivel Base**

SKU **751645** 24216 REG. \$39.99

• Machined Replaceable Steel Jaws

- Machined Anvil, Permanent Pipe Jaws
- Full 360° Swivel Base
- Clamping Strength: 100 Lbs.

with Swivel Base

SKU **751654**

24218

6" Heavy Duty Bench Vise

• Machined Replaceable Steel Jaws

Machined Anvil, Permanent Pipe Jaws

Offer Good Through June 30, 2018 - While Supplies Last



4" Heavy Duty Bench **Vise with Swivel Base**

- Full 360° Swivel Base · Clamping Strength:

200 Lbs



OFM TOOLS

SKU **751643**

- Machined Replaceable Steel Jaws
- Machined Anvil, Permanent Pipe Jaws



OEM TOOLS

Bearing Separators OEM TOOLS

Bearing Splitter, 1/4" to 15/16" SKU **514005 1999** REG. \$29.99

- Thread of Tapped Holes in Adapter: 5/16" 18
 Distance Between Adjusting Screws: 1-11/16"

Offer Good Through June 30, 2018 - While Supplies Last

OEM TOOLS

5 Ton Bar-Type Puller/Bearing Separator Set

📆 Kubola

SKU **347218** 27236

Separator Tools are Used with Bar Puller and Legs for a Wide

Variety of Pulling Jobs Set Includes: 2" and 3" Bearing Splitters, (4) Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw



Bearing Splitter, 1/2" to 4-5/8"

sku **514006** 27232 • Razor Edges Wedge Between Parts and Securely Holds Tool

- Thread of Tapped Holes in Adapter: 5/8" 18
- Distance Between Adjusting Screws: 4-3/8"



OEM TOOLS

OIC

Bearing Splitter Combo Set

SKU **087318**

34999 OTC1183

• Contains 4 of OTC's Most Popular Splitters Plus a Pulley Pulling Attachment in a Rugged Storage Case

• Includes 1121,1122, 1123 and 1130 Bearing Splitters

 Also Includes 679 Pulley Attachment



Vacuums

• Full 360° Swivel Base

• Clamping Strength: 300 Lbs.

Available via Outside Buy/EPO, Call 1-877-298-

5 Gallon Stainless Steel Wet/Dry Vacuum Cleaner SKU 912310 6999

BIG55274 Wet & Dry Vacuum Cleaner

- Provides Powerful Suction
- Rugged Stainless Steel Construction
- Features (4) Casters for Easy Transport • Includes: (1) 5' Hose, (3) Extension Wands, (1) Non-Woven Bag, (1) Sponge Filter, (1) Crevice Tool, and (1) Disposable Filter Bag
- Replacement Filter Bags: Kubota® KUB54100 Filter Bags



BigVac

Kubota® 8 Gallon **Wet/Dry Vacuum** SKU OUTSIDE BUY/EPO

KUB54102

Perfect for the Garage, House or Office

• Lock-On Hose System

• Includes Accessories: 7 Ft. Flexible Hose, 2 Extensions Wands, Crevice Nozzle, Sofa / Seat Brush, Floor Brush with Switch, Wet Sponge Filter, Dry Cartridge Filter, Dust Bag

⊕ Kubala



Drill Presses

5 Speed Bench Drill Press SKU **462480** 24825

• 1/2" Chuck Capacity • 1/3 HP, 120V, 2.3 Amp

- 2" Stroke
- 620 3,100 RPM
- 8" Swing
- 1/2" Max. Drilling Capacity • Threaded Depth Lock; Screwdriver Handle
- 6-5/8" x 6-9/16" Table
- 11-5/8" x 7-1/3" Base
- 7" (W) x 16-15/16" (D) x 22-1/2" (H) Overall



OEM TOOLS

Kubota® 14.5 Gallon **Leaf Blower Wet Vacuum**

SKU OUTSIDE BUY/EPO

KUB54104 Multi-Functional Large 14.5 Gallon Drum with a Convenient Handheld Blower with Wand to Perform Any Job

• Poly Tank

· Includes Accessories: 5' Extra Large Hose, 2 Extra Wide Extension Tubes. Accessory Adaptor, Wet Floor Brush, Hepa Filter, Crevice Tool and Blower Tube



⊕ Kuboba

Kubota® 12 Gallon Wet/Dry Vacuum SKU OUTSIDE BUY/EPO

KUB54103 • This Large 12 Gallon Stainless Steel Push Vacuum Will Ensure All Your Large Jobs Get Done

• Includes Accessories: 7' Flexible Hose, Metal Extension Tube, Floor Brush with Switch, Crevice Nozzle, Dry Cartridge Filter and Wet Sponge Filter

Stainless Steel Tank



○ Kuboba **Kubota**® **3 Pack Vacuum Filter Bags** SKU OUTSIDE BUY/EPO KUB54100 499

 Multi-Fit Disposable Filter Bag is Designed for Use with 4-12 Gallon Wet/Dry



16 Speed 15" Heavy Duty Floor Drill Press SKU **462481**

24826

- 5/8" Chuck Capacity
- 1 HP, 110VAC, 12 Amp • 3-11/64" Stroke
- 240 3,200 RPM • 15" Swing
- 3/4" Max. Drilling Capacity
- Threaded Depth Lock; Screwdriver Handle • 12" x 12" Table
- 17-15/16" x 10-5/8" Base
- 15" (W) x 25-1/3" (D) x 63-1/3" (H) Overall



SHOP EQUIPMENT

Welding/Cutting

Spot Welder 120V SKU **814396** 24819

• 120V AC Input Power

• Spot Welds Uncoated Mild Steel

Including Galvanized and Stainless • Includes 6" Tongs and Replacement Tips

Stick Welder 115V 70 Amp SKU 814387 19999

- Convenient 120V AC Input
- DC Inverter Powered for Improved Efficiency and Control
- Lightweight and Portable Welds Mild Steel, Stainless
- Includes: Welder, 5' Ground Cable and Clamp, 6.5' Electrode Cable and



Plasma Cutter 120/230V **40** Amp SKU **819234** 24814

• Dual Voltage Compatible

• Includes Torch, Ground Cable 120V Adapter Cord, Wire Brush

· Cuts Mild Steel, Copper, Brass, Stainless and Aluminum Works with 120 a 230V AC • Compact and Portable

*TIG welding requires purchase of THEW4013802 Accessory Kit

250 Series OxyFuel Medium Duty Acetylene Outfit

SKU **573205** THE0384-2571

- Cutting Torch and Handle are Ready for Multiple Gas Options: Oxy-Acetylene, Propane, Butane, Natural and LP Gases, and Propane
- Welds Up to 1/2" Steel
- High Capacity: Cut 1/8" (3.2 mm) to 5" (127 mm)
- Simple to Use High
- Contrast Gauges • Ergonomic Color Coded Knobs (Acetylene and Oxygen)
- Includes Handle, Cutting Attachment, Gauges, Welding Nozzle, Cutting Tip, Eye Protection and Striker



<u>Firepower</u>

• Operates from Standard Household Outlet and Delivers 90 Amps • Includes Tweco® Gun,

THE1444-0322

Wire Welder

Return Cable and Clamp, and .035" Spool of Flux-Cored Wire

FP-95 Flux Cored

Welding System

SKU OUTSIDE BUY/EPO

- Easy to Use Key Setup Chart
- Gas Solenoid Not Included



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

<u>Firepower</u> MST 140i Welder

SKU **688017** THE1444-0870 **74.999** Includes: Firepower MST 140i Power Supply, Firepower 140 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge



<u>Firepower</u>

<u>Firepower</u>

OEM TOOL

MST 180i Welder

SKU **688020** THE1444-0871

• Includes: Firepower MST 180i Power Supply, Firepower 180 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and Contact Tips, Standard 230V Plug, Shoulder Strap and Multi-Language Instructional CD



<u>Firepower</u> MST 220i Welder

SKU **687990** THE1444-0872

• Includes: Firepower MST 200i Power Supply, Firepower 220 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose Electrode Holder and Ground Clamp, 230V-115V Adapter Plug and Cable, Drive Roll and Contact Tips

and CD with Multi-Language Operating Instructions • Up to \$500 in Free Goods

Available Visit www.firepoweronline.com/promotions for Details

<u>Firepower</u>



SKU **301766** THE1-4200

Cutter CUTMASTER® 42

Plastic Welder

Pro-Tack Plastic Welder

Virtually Anything Made of Plastic

Capable of Ironing Plastic to a Smooth Finish

• Kit Includes: (4) Staple Styles, (2) Ironing Blades,

Core-Cut Staples (100 Pack)

Plastic Box for Staples and Plastic Storage Case

• Eco-Friendly Plastic Welder That is Great for Repairing

• Rated to a Maximum of 65 Amps and Has 4 Power Settings

SKU **255799**

• LED Read Out

SHA17030

Plasma

Adapters

• Includes: CUTMASTER 42 Power Supply, All New SL40 Torch, Safety Gloves and Glasses, Instructional Plasma Cutting DVD, Consumables Set, Heavy Duty Carrying Case and Power Plug



Welding Accessories

TIG® Torch and Accessories THEW4013802 18999 SKU **295859**

(Required for TIG Welding)

- TIG Torch, 17V, 13', 8 Pin and Accessory Kit with 1/16", 3/32", 1/8" Thoriated Tungstens • 1/16", 3/32", 1/8" Collets; 1/16", 3/32",
- No. 5, 6, 7 Alumina Nozzle; Short Back Cap; Long Back Cap

*TIG welding requires purchase of THEW4013802 Accessory Kit



<u>Firepower</u>

160 Amp MIG Spool Gun

SKU **434724** THE1444-0894

- Interfaces with Firepower MST 180i and 220i 3-in-1 Welders
- Rated 20% Duty Cycle and 160 Amps • Includes Carrying Case

250 Piece Welding Stud Assortment SKU **271198** 68130

1/8" Collet Bodies

- 250 Piece, 2" x 3/40" Size
- · Use with Stud Welder or Stud Gun • Copper Coated Steel Construction



MACHINERY

Leather **Welder's Gloves** SKU **972316** THE14230051




<u>Firepower</u>

E6011 1/8" Electrode 5 Lbs. SKU **988902**

THE14400186 2499



power



Flat Square SKU **255808** SHA17031 Outside Corner/Sm. Wave SKU **255809** SHA17032 Outside Corner/No Wave SKU **255820** SHA17033 Inside Corner/Sm. Wave SKU **255839** SHA17034 **Inside Corner/No Wave** SKU **255843** SHA17035 **Flat Small Wave** SKU **255845** SHA17036 Flat "S" Type SKU **255851** SHA17037

WIRE MIG Solid Wire E70S6 - .023 - 2 Lbs.

MIG Solid Wire E70S6 - .023 - 11 Lbs. MIG Solid Wire E70S6 - .030 - 11 Lbs. MIG Solid Wire E70S6 - .035 - 33 Lbs. Flux Core Welding Wire - .030 - 2 Lbs.

Flux Core Welding Wire - .035 - 2 Lbs.

TIPS (25 PACK)

Lincoln MIG Contact .030 Tips Lincoln MIG Contact .035 Tips Miller MIG Contact .030 Tips **Benzel and Tweco MIG Contact** .023 Tips

Benzel and Tweco MIG Contact .030 Tips

SKU **459160** SHA12000 SKU **459162** SHA12001 SKU **459164** SHA12003 SKU **459173** SHA12007 SKU **459175** SHA12008 SKU **459180** SHA12009

SKU **343402** SHA12874

SKU **343403** SHA12875

SKU **343404** SHA12877

SKU **343399** SHA12937

SKU **343401** SHA12938









ELECTRODES

THE14400106

E7018 1/8" Electrode 5 Lbs. SKU **988904**



OEM TOOLS

Tool & Equipment QUARTERLY

Welding Helmets

Auto Darkening Welding Helmet

SKU 362974 1999

- TIG Rated Variable Shade 9-13
- Viewing Area: 3.54" x 1.37"
- Battery Powered with
- Includes Replacement Cover Lenses



OEM TOOLS **Auto Darkening Welding Helmet** with Grinding Function

SKU **347233** 24358

- Variable Shade 9-13, Variable Sensitivity and Delay Controls
- Viewing Area: 3.62" x 1.65"
- Battery Powered with Solar Assist
- Includes Replacement Cover Lenses CE, ANSI Z87.1, CSA
- Z94.3. AS/NZS Approved



Soldering

Mechanic's Mini Torch SKU **804655** 24353

- Designed for Light Welding, Auto Repair and Heating Material in Confined Spaces
- Adjustable Flame Lights Upside Down
- Auto Ignition, Refillable
- Safety Lock When Not in Use
- Butane Not Included



Mechanic's Torch

SKU **802236** 24354

- Designed for Auto Repair, DIY Household Repair and Professional Soldering, Micro Welding and Brazing
- Heavy Duty Piezo Ignition with Strong Flame
- ABS Grip
- CPSC Approved and Child Restraint Safety Latch
- Butane Not Included



Stars and **Stripes Darkening Welding Helmet**

SKU **850068** THE1441-0087

- Variable Shade Adjustable Welding Shade Levels from 9 to 13
- "Welding" or "Grinding" Selection for Process Mode
- Solar-Powered So You Don't Have to Worry About Changing Batteries - Ever



<u>Firepower</u>

Professional 3-in-1 Butane Micro Torch Kit SKU **420339**

24356 • 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip

- Easy to Set on Table Top with the Base After Operation
- Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base
- Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
- Power Range: 30w 125w



Heat-Shrink Tube Sets

171 Piece Heat-Shrink Tube Set SKU **420335**

68165

 Protection and Insulation of Components and Wires • Protection Against Water and Moisture Ingress

• Color Coordinated Sizes • Quick and Simple to Shrink By Heat Gun

106 Piece Waterproof Heat Shrink Tube Set

Preventing Corrosion

- Tubes Shrink to Fit Over Cable Splices and Can Be Used for Wire Harnessing, Covering, Marking and Bundling of Wires
- Waterproof





SKU **420334 1099** 68164

- Adhesive Lined Inner Wall to Seal Out Moisture
- 3:1 Shrink Ratio



90 Piece Waterproof Heat Shrink Terminal Set SKU 462482 **7999**

68166

- (30) Ring Connectors
- (15) Butt Connectors • (15) Tin Butt Connectors
- (15) Female Disconnects
- (15) Male Disconnects
- Re-Sealable Plastic Case



BendPak.

Tubing Benders

Blue Bullet Tubing Bender SKU **015350** BENBB1

- Leg Operated Control Lever at Front Keeps Hands Free
- Two Separate End Finishing Units at Rear for All Necessary Flaring and Expanding • Degree Plate Located Up Front for Easy Viewing
- Comes Complete with Quick Release Bending and End Finishing Dies
- Includes High-Speed Clampless Swager and Internal Expander • 3" Bending Capacity (Dies Optional)

Lift Gate Service:

SKU **298074**

SKU **262533** RANLIFTGATE



- Over 3,500 Cards on One CD
- 10,000 Bending Applications
- · Includes: Rotation Dial for Standard and "Mirror Image"Bending

Please note that the CS-1 Card System does not ship with the Benders and must be purchased separately.



Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.

SKU **095070**




1-Phase Free Delivery in 48 Continental United States





Professional 3-in-1 Soldering Iron Kit SKU **420338**



 Soldering Iron Kit Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/ Soldering Tip



OEM TOOL

Variable Speed **Evaporative Cooler**

14,700 CFM Variable Speed **Evaporative Cooler**

SKU **949551**

















SHOP EQUIPMENT

Inverter Generators

2000 Watt Stackable Inverter Generator SKU 020739 59999

CHM735361

- Run/Start Watts 1700/2000 • Clean Power (<3% THD) - Clean Electricity
- for Powering Sensitive Electronics • Operates at 53 dBA from 23 Feet
- Runs Up to 9.5 Hours on a Full Tank of Gas
- Parallel Capability Connect with Another Inverter for Increased Power
- Space Saving Stackable Design with Carrying Handles

CARB Compliant



RV Ready Portable Inverter Generator SKU **757074** CHM75531I

3100 Watt

- Quiet, Lightweight and Portable -Operates at 58 dBA and Weighs Less than 99 Lbs. with Wheel Kit
- 3100 Starting Watts, 2800 Running Watts with up to 8 Hours Runtime on a Full Tank of Gas
- RV Ready Outlets 120V 30A RV, (2)120V 20A Household, 12V DC Outlets
- Champion Support 3 Year Limited Warranty with Free Lifetime Technical Support

CARB Compliant



73500i 30A Parallel Kit for Linking (2) Stackable Inverter Generators 1600 to 2000 Watts

SKU **757076** CHM73500I





Gas Powered Generators

3500 Watt Portable Generator

SKU **020730** CHM46596

- Run/Start Watts 3500/4000
- 196cc Champion OHV Engine Fuel Tank - 3.8 Gallon
- RV Ready Equipped with a Standard 30A RV Outlet
- Volt Guard[™] Protects Your Appliances from Power Surges
- Runs Up to 12 Hours on a Full Tank of Gas
- Durable Steel Frame • Voltmeter - Displays

6500 Watt

SKU **020745**

CHM100109

Power Output

Portable Generator

• Run/Start Watts 6500/8125

 Volt Guard™ - Protects Your Appliances from Power Surges

Intelligauge to Monitor Power Output and

Maintenance Intervals

• Runs Up to 11 Hours

on a Full Tank of Gas

with covered outlets

Outlets: 120/240V Operation 30A

locking, 120V 30 amp GFCI duplexes

• 49 State EPA Compliant



GP3250 **Portable Generator** SKU **973238** GENGP3250

• Rated Watts: 3,250

- Runtime at 1/2 Load: 9.7 Hours
- Outlets: (1) 120V 20A 5-20R Duplex Outlet; (1) 120/240V 20A L14-20R Twist-Lock Outlet
- Gas Tank: 3 5 Gallons
- Low Oil Level Shutdown Automatically Safeguards Engine

CARB Models Available

Not Available for Sale in California



GENERAC

GENERAC **GP15000 Gas Powered Portable Generator** SKU **568403**

GENGP15000E • 16 Gallon Fuel Tank Runs the Generator Continuously Up to 10 Hours at Half Load; Idle Control for Improved Fuel Efficiency

 OHVI Engine is Designed for Extended Runtimes for Use at Jobsites or for an Emergency Backup Power Source Circuit Breaker

Protected Outlets for Added Safety



CARB Compliant

Gas Powered Electric Start Generators

3500 Watt with Wireless **Remote Electric Start** SKU **775503 54999** CHM46539

CHM46539

- RV Ready Equipped with a Standard 30A RV Outlet, Enough Power to Start and Run a 15,000 BTU RV Air Conditioner • 4000 Starting Watts, 3500 Running Watts with up
- to 12 Hours Run Time on a Full Tank of Gas
- Powered by a Reliable 196cc Champion Engine with Wireless Remote Start, Up to 80 Ft. Away
- Outlets: 120V 30A Locking, 120V 30A RV, (2) 120V 20A Household Outlets all Secured by Volt Guard™—Protects Your Appliances from Power
- Champion Support 3 Year Limited Warranty with Free Lifetime Technical Support





CARB Compliant

GP6500E Gas Powered Portable Electric Start Generator SKU **568402** GENGP6500E

- Generac's 389 cc OHV Engine with Splash Lubrication Provides a Long Engine Life
- Low Oil Shutdown Automatically Safeguards Engine from Damage
- Hour Meter Tracks Maintenance Intervals

Not Available for Sale in California

GENERAC

7500 Watt Portable Electric Start Generator SKU **020758**

CHM100219

- Run/Start Watts 7500/9375 • Touch Start - Battery
- Included for Push Button Electric Start • 25' Power Cord Included
- Volt Guard™ Protects Your Appliances from Power
- Surges
- Runs Up to 8 Hours on a Full Tank of Gas
- Intelligauge to Monitor Power Output and Maintenance Intervals



CARB Compliant

GENERAC

9200 Watt Portable Electric **Start Generator**

CHM100110

SKU **020759**

- Run/Start Watts 9200/11500
- 459cc CARB Compliant for Use in All 50 States
- Touch Start Push-Button Electric Start and Battery Maintenance Smart Charger
- Equipped with a Standard 50A RV Outlet
- Volt Guard™ Protects Your Appliances from Power Surges
- Runs Up to 10 Hours on a Full Tank of Gas
- Intelligauge to Monitor Power Output and Maintenance Intervals
- Champion Support -3 Year Limited Warranty with Free Lifetime Technical Support

CARB Compliant



12000 Watt Portable Generator with Electric Start

SKU **757111 2,099**99

- Touch Start Push-Button Electric Start (Battery Included)
- 15000 Starting Watts, 12000 Running Watts with Up to 9 Hours Runtime on a Full Tank of Gas • Powered by a Reliable 717cc Champion V-Twin Engine
- Durable Steel Frame with a Lift Hook for Safe and Easy Transport • Covered Outlets - 120/240V 50A,
- 120/240V 30A Locking, 120V 30A Locking, (4) 120V 20A GFCI Protected Household Outlets All Secured by Volt Guard™— Protecting Your Appliances from Power Surges
- Champion Support 3 Year Limited Warranty with Free Lifetime

CARB Compliant



GP17500E Gas Powered Portable Electric Start Generator

SKU **626138** GENGP17500E

- 16 Gallon Fuel Tank Runs the Generator for Up to 10 Hours at Half Load
- 992 cc Engine Runs on Gasoline to Provide Dependable Power
- Circuit Breaker Helps Protect the Generator and Connected Appliances from Damage



Not Available for Sale in California

Dual Fuel Powered Generators

3800 Watt Dual Fuel **Electric Start Generator** SKU **020777**

CHM76533

- Run/Start Watts 3800/4750 (Gasoline)
- Dual Fuel Runs on Gas or Propane Straight Out of the Box • Touch Start - Battery Included for Push-Button Electric Start
- Equipped with a Standard 30A RV Outlet
- Volt Guard™ Protects Your Appliances from Power Surges
- Runs Up to 9 Hours on a Full Tank of Gas or 10.5 Hours on a 20 Lb. Propane Tank

CARB Compliant



5500 Watt Dual Fuel Portable Generator SKU **775501**

CHM100231

- Dual Fuel Runs on Gas or Propane Straight Out of the Box
- 6900 Starting Watts, 5500 Running Watts with Up to 9 Hours Run Time on a Full Tank of Gas and up to 10.5 Hours on a
- 20 Lb. Propane Tank Powered by a Reliable 389cc
- Champion Engine Outlets: 120V/240V 30A Locking, (2) GFCI 120V 20A Duplex Outlets all Secured by Volt GuardTM—Protects Your Appliances from Power Surges
- Champion Support -3 Year Limited Warranty with Free Lifetime Technical Support

CARB Compliant



7500 Watt Dual Fuel **Generator with Electric Start** SKU **020752**

CHM100165

- Run/Start Watts 7500/9375 (Gasoline)
- Dual Fuel Runs on Gas or Propane Straight Out of the Box
- Touch Start Battery Included for Push-Button Electric Start • Volt Guard™ Protects Your Appliances from Power Surges
- Runs Up to 8 Hours on a Full Tank of Gas or 5.5 Hours on a 20 Lb. Propane Tank
- Intelligauge to Monitor Power Output and Maintenance Intervals



CARB Compliant



Tool & Equipment Quarterly

Pressure Washers

2,900 PSI **Power Washer** SKU 004110 GEN6882 34999

• Clean Smarter - Up to 50% Faster

- PowerDialTM Ergonomic Spray Gun Allows You to Easily Adjust the Pressure Needed between (4) Different Tasks - Car, Wood, Concrete and Soap
- Soap Blaster for Soaping 3X Farther, Saving You Time and Steps
- Generac 196cc OHV Engine Delivers Maximum Cleaning Performance
- Includes 30' High Pressure Flex Hose

CARB Compliant

3.800 PSI **Commercial Pressure Washer** SKU **570262**

GEN6564 • Pro-Grade Triplex Pump Up to 4X Longer Life Than Axial Cam Pumps

- Powerful 302 cc Generac **OHV Engine Delivers** Maximum Cleaning Performance and Reliability
- Low Oil Shutdown Sensor Safeguards the Engine
- 3/8" x 35' Steel Reinforced

Rubber Hose These Units are Not for Sale in California. Call for Pricing on CARB Compliant Models. GENERAC

GENERAC



- Powerful Generac Horizontal Shaft OHV Engines Feature Low Oil Shutdown, Engine Oil is Included
- Easy Access Axial Cam Pump Means No More Kneeling on the Ground to Connect Hoses
- Ergonomic Generac Spray Guns with Soft Grip and Easy-to-Pull Trigger Reduces Fatigue

• 30' PVC Hose

CARB Compliant

GENERAC

4.200 PSI Commercial **Pressure Washer** SKU **570263 96999** GEN6565

- Powerful 420 cc Generac Horizontal Shaft Engine with Low Oil Shutdown
- Professional Grade Triplex Pump with Ceramic Coated Pistons, Designed for Long Life
- Pressure Control Valve Provides Complete Control of Water Pressure
- 3/8" x 50' Steel Reinforced

These Units are Not for Sale in California. Call for Pricing on CARB Compliant Models.

GENERAC **Hot Water Pressure Washers**

> **HSE 1500 PSI 2.0 GPM** SKU **597218** MTMHSE15020MM

- Features a Top-Fired Heat Exchanger and Totally Enclosed, Fan-Cooled Electric Motor
- Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
- Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance
- 35' Power Cord

. CSA Certified - US and Canada



HSP 3500 PSI 3.3 GPM эми **ээг/220** МТМНSP35043МН **4,299**99

 Burner Utilizes a Patented Electro Magnetic Firing (EMF) System, Eliminating the Need

- for a 12V Battery • Pump Features a Low Pressure Detergent Injector
- Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
- Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance
- CSA Certified US and Canada



Mi-T-M



OEM TOOLS

energylogic

Shop Heaters

OEM TOOLS

1500W 120V Shop Heater SKU **814316**

24823

- Stainless Steel Heating Element
- Adjustable Thermostat
- Auto-reset Overheat Protection • Durable, Rust Resistant
- Powder Coating • Fan Mode
- Carry Handle and 6' Cord

• 120V Input



4800W 240V Wall Mount Heater

SKU **814134** 24824

REG. \$159.99

- Stainless Steel Heating Element • Wireless Remote Control
- Auto-Reset Overheat Protection • Adjustable Thermostat with LED Display
- Timer Mode 1-9 Hours
- Fan Only Mode
- Durable, Rust Resistant Powder Coated Finish
- Convenient Handle with Built In Cord Storage
- Includes Wall/Ceiling Mounted Bracket
- 208-240V Input Power

Offer Good Through June 30, 2018 - While Supplies Last







Propane Heater SKU **814143** 139 REG. \$169.99

40-60K BTU Liquid

• Adjustable Heating Output from 40-60K BTU

- Built-in Overheating Protection
- 115V AC Power Input for
- Multi Purpose Use • Piezo Ignitor
- Adjustable Angle Base
- Operates on Liquid
- Propane Gas
- Includes Regulator and 10' Hose



Kerosene Heaters

190.000 BTU **Kerosene Forced Air Heater**

мтммно190м10 44999

- Stainless Steel Heating Element • Adjustable Thermostat
- Auto-reset Overheat Protection • Durable, Rust Resistant
- Powder Coating

• 120V Input

• Fan Mode • Carry Handle and 6' Cord

9.1 Hours

4,300 Sq. Ft. up to



Waste Oil Heaters

MX-150 Heater Package C SKU **988908**

LAN9963C

- Up To 150,000 BTU's • Galvanized (Rust-Resistant) Cabinet
- Adjustable Locking Louvers to
- Direct Air Flow • UL Listed

ACSYA250

- 215 gallon tank and 6" Chimney Kit
- Not Available in California or New York City
- Heats up to 3,500 sq. ft.



Energylogic EL 140H Waste Oil Heater Complete System With 250 Gallon Tank

SKU **850048** ENL01140103

- Heats Up To 3,500 Sqft Or Approximately 1-4 Service Bavs
- BTU Input: 140,000 BTU (41.6 Kw) Per Hour • Fuel Flow Rate: 1.0 Gallons/Hour
- Heat Rise Over Input Air: 100-120° F • Airflow: 1000 Cfm
- Exhaust Flue Diameter: 6" Or 8"
- Includes: Waste Oil Furnace and Tank, Swing-Away Burner With Built-In Air Compressor, Accutemp Preheater, Side-Suction Metering Pump With Elevated Fuel Pick-Up, Low-Fuel Cut Off Manometer, Fuel Gauge, Drain Valve and Class A Flue Kit
- Carry Handle and 6' Cord

2.5" Service Station Kit

SKU **977547 91 999**

• 2 Each - 4' x 2-1/2" Hoses

3" Service Station Kit

• 1 Each - 6' x 2-1/2" Hose

• 1 Each - 2-1/2" Rubber

'Y" Connector

• 120V Input

Crushproof

ACSDSS25

Includes:



xhaust Hoses



Crushproof Flarelock Hoses Made Exclusively

for Cars and

Small Trucks 3" x 11'

SKU **977590**

ACSFLT400

SKU **977559**

• End is Flared to

Permit Connection

for 3" Hose (Aluminum)

SKU 977552 ACSADF30 **3999**

Aluminum Port Allows

Hose to Be Vented Through the Door

ACSADF30

of Two or More

Links at a Time

ACSFLT300 4" x 11'

Crushproof 2.5" Y-Assembly Kit with F250 Adapter SKU **977549**

 Designed for Connecting a Single Hose to Vehicles with Dual Exhaust Systems



Crushproof Door Port for 4" Hose (Aluminum)



SKU **977550**

ACSYA300 Crushproof Door Port

> SKU **977554** ACSADF40



SKU **977548** ACSDSS30

Crushproof Straight Tailpipe Adapters with Hook and Chain



4" Straight Tailpipe Adapter with Hook and Chain....... SKU 977541

• 2 Each - Straight Tailpipe

Adapter, Hook and Chain

1 Each - Splice Connector

.. SKU **977542** ACSF475..... **44**99 3" x 6" Oval Tailpipe Adapter. .SKU **977543** ACSF575..... **54**99 3.5" x 8.5" Oval Tailpipe Adapter.

2.5" x 11'

SKU **977557** ACSFLT250

3.5" x 11' SKU **977589**

ACSFLT350

for 2-1/2" Hose (Rubber) SKU 977551 3499 ACSDF25

Crushproof Bell

Hose Adapters

· Designed for Easy Adapting

· Connects with Ball and Snap

to All Sorts of Tailpipes

Crushproof Door Port


• Rubber Garage Door Port Adapter • Designed for 2-1/2" ID

> 2-1/2" Adapter SKU **977544** ACSRA250



SKU **977545** ACSRA300





3" Straight Tailpipe Adapter with Hook and Chain.......SKU 977539 ACSF300.....3499 3.5" Straight Tailpipe Adapter with Hook and Chain....SKU 977540 ACSF350.....4499

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-298-6651.