SERVICE TOOLS



Harmonic Balancer

Harmonic Balancer Puller Retrofit Kit for GM

SKU **695100**

- Use with OEM 33627019. 27019 and 25053 Harmonic Balancer Pullers and Many Other Popular Balancer Pullers
- The 3 Bolts Fit Through the Slotted Holes in the Balancer and Screw into the Threads of the Balancer on GM 3300 and 3800 V6 Engines
- Shoulders on the Bolts Prevent Damage to the Crank Sensor That Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft

Harmonic Balancer Puller Kit SKU **818738** 25090

- Includes: Puller Body, 3 Jaw Puller, (3) Jaw Retaining Pins, (3) Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- Used on Many GM, Mitsubishi and Chrysler Engines

OEM TOOLS Harmonic **Balancer/Steering** OEM TOOLS **Wheel Puller** SKU **532440**

25053 STORE STOCK

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



OEM TOOLS Harmonic

Balancer Puller SKU 695619 **2099** 33627019

- Set Includes: Yoke, Pressure Screw, and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Comes in a Sturdy
- Blow Mold Storage Case • Yoke Features 4 Slots

⊘≡M TOOLS

• Heat-Treated for Strength and Durability



Harmonic Balancer

• Time Saving Harmonic Balancer Puller

• Clip-in Compact Design (No Bolts

• Suitable for: GM, 5.3L, 5.7LS1, 6.0LS2, 6.2LS3, 7.0L

• Radiator Removal Not Required

Also Fits: Chrysler/Dodge/Jeep 3.5L

& 3.6L V6s and 4.7L, 5.7L, & 6.1L V8s

Remover

SKU **596957**

Required)

GGT180

19 mm Harmonic **Balancer Socket** for Honda SKU **011632**

LIS77080 • More Than 3X Standard

- Socket Mass
- For Use with 19 mm **Applications**
- Made with Heat-Treated Alloy Steel



♠ G & G Technics

Alternator

27261

Decoupler Pulley Tool Kit SKU 300124

- · Set Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off the Vehicle
- Comes in a Blow Mold Case

Alternator **Decoupler Tool Set**

SKU **255865** LIS57650

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Comes in a Blow Mold Case

Alternator

Service Kit

SKU **695085**

Removed

33627275

Decoupler Pulley

Allows Alternator Shaft to Be

Held While the Pulley Retainer is



Specialty Pullers

Steering Wheel Puller Leg Kit

- For Pontiac Lemans; Newer GM Cars, Subs, Light Trucks; Newer Ford Subs and Light Trucks; Newer Jeep Grand Cherokee; Newer Jeep Liberty; Newer Dodge Sprinter Van
- Use with OEM Steering Wheel Puller #27017 and Other Popular Steering Wheel Pullers to Expand Coverage

M14x1.5 – Dodge, Chrysler, Jeep; M12x1.75 – Dodge, Chrysler, Jeep; M112x1.5 – Ford; Nut /

Long Reach Harmonic

SKU **544785 4499**

Includes: M16x2.0 – GM;

Bearing Assembly

Balancer Pulley Installer

Install Crank Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines

⊙≣M TOOLS **Steering Pivot** Pin Remover

SKU **265106** 25135

• Works on 1969 to Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



OEM TOOLS **Timing Gear and**

Pulley Set SKU **695623**

33627009 • Services Crankshaft

Pulleys and Timing Gears on Gasoline and Diesel Powered Engines

VW®/Audi® Diesel

Injector Puller Kit



OEM TOOLS

 Includes a Special Set of Spline and Star Socket Bits for Removal of Bosch Type Alternator Free-Wheel Drive Pulleys



OEM TOOLS

OEM TOOLS

SKU **793567**

• Useful During Steering Wheel Removal When There are No Tapped Holes in the Assembly

OEM TOOLS

Unique Jaw and

for Easy Positioning of the Puller

Power Steering Pulley Puller/Installer Kit SKU 141495 **2299** 25298

STORE STOCK

• Fits Pulleys with Hub Diameters Measuring 1-1/8", 1-1/4", 1-5/16" and 1-3/8"



⊙≡M TOOLS

Steering Wheel and **Lock Plate Puller Kit** SKU 900821 4999 27182

- Use to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel

OEM TOOLS



- SKU **548566 5999**
 - · Applications: VW, Audi TDI Engine

• Remove Diesel Injectors from 1996 to Current VW and Audi Vehicles

Slide Hammer Pullers

9 Way Slide Hammer Puller Set SKU **900825** 27191

- Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two- and Three-Way Cross Blocks
- and a Dent Puller Attachment

- Includes a Grip Wrench Adapter



OEM TOOLS 9-Way Slide Hammer Puller Set SKU **087303**

- Pulls Flange-Type Rear Axle and Most Front Wheel Drive Hubs
- Internal and External Jaws for Pulling Bearings, Gears and Seals
- 5 Lb. Slide Hammer

• Includes Storage Case

- Two and Three-Way Cross Blocks and Cone Provide Perfect Jaw Configuration for Most Jobs
- · Includes a Grip Wrench Adapter and Dent
- Designed for Use with Other OTC 5/8" -18 Thread Slide Hammer Attachments



Blind Hole

Puller Set SKU **695118**

• Pull Blind Hole Bearings, Bushings and Sleeves with



C-Frame

Pullers

2 Jaw 5 Ton **Gear Puller** SKU **141513 999**

25914

- STORE STOCK • Reversible
- Maximum Reach: 3-1/4'
- Maximum Spread: 6"

MITMVA660

Design



SKU **070134** 25901

- Maximum Reach:
- 3-1/2"
- 4-3/4" • Center Forcing Screw:
- STORE STOCK
- Maximum Spread:
- 3/8" 24" x 4-7/8"

OFM TOOLS Pilot **Bearing Puller** SKU **775523**

- 25089 • Used to Pull Pilot Bearing from End of Crankshaft
- Restriction Plate Prevents the Jaws from Spinning When Force is Applied
- Min/Max Reach: 3/16" to 1-1/4"



- SKU **231202** 25919
- STORE STOCK • Reversible
- · Maximum Reach: Maximum Spread: 7'

Bearing and **Pulley Puller Set** SKU **900824** 27190

• Use on Pitman Arms, Timing Gears, Carrier Side earings Crankshaft Pulleys and More

Makes Up to Eighteen Different **Pullers!**



OEM TOOLS

SKU **012659** 24537 • For the Installation and Removal of Driveline and Non-Driveline Parts Compatible Socket Drives: 1/4", 3/8 and 1/2"

Socket Press Set

• Set Includes Flat Anvil Attachments for General Pressing Jobs



Power Steering

Universal mituvac Air Bleed Adapter SKU **751699**

- Helps Remove Trapped Air in the Power Steering System • Rubber, Cone-Shaped
- Seals Pump Necks Ranging from 5/8" Up (16 to 41 mm) Internal Diameter
- Works with a Hand Vacuum Pump

Mityvac:... Air Bleed **Adapter for Ford** SKU **751704**

MITMVA662 • Helps Remove Trapped Air in the

- Power Steering System • Seals Ford Power Steering Pump Necks Having an Internal Diameter of (32 or 50 mm)
- Works with a Hand Vacuum Pump

SKU 751710 2499 MITMVA665

90 Degree Air Bleed Adapter

Mityvac:.. Air Bleed **Adapter for GM** SKU **751698** MITMVA661

- Helps Remove Trapped Air in the
- Power Steering System Designed for Sealing GM Power Two-Tab Cap Design
- Works with a Hand Vacuum Pump



Bleeder Kit SKU **434716** REG. \$29.99

Changes

Power Steering

Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid
Characteristics

- Includes 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump Includes Blow Mold Case

OEM TOOLS

Power THEXTON **Steering** Vacuum Pump SKU **463254** THX212

• Bleeds Trapped Air from Power Steering System

Allows Use on Most Makes and Models

Tapered Adapter



Offer Good Through June 30, 2018 - While Supplies Last



Tool & Equipment Quarterly

Measuring Tools

• 26 Blades Laser Etched with SAE and Metric Sizes

Feeler Gauge

SKU **001927**

STORE STOCK

SKU **013642**

STORE STOCK

24680

Torque Wrenches

3/8" Drive **⊘**≡M TOOLS **Torque Wrench 25-250 In/Lbs. Range** SKU 133657 3999

25685

1/2" Drive

25689

Coating

10-150 Ft/Lbs.

Torque Wrench

SKU 012651 5499

and Nm Measurements

• Reversible Ratchet Head

• Includes Blow Mold

Storage Case

• Click-Style Torque Wrench Produces

Audible Click at the Preset Torque

• High-Visibility Scale Features Ft/Lbs.

• Steel Construction with Durable Green

- 45 Tooth Round Head RatchetAudible Click When Desired
- Torque is Reached Both Clockwise and



OEM TOOLS

OEM TOOLS 3/8" Drive **Torque Wrench 10-100 Ft/Lbs. Range** SKU **133658** 25686

• 45 Tooth Round Head Ratchet • Audible Click When Desired

Torque is Reached Both Clockwise and Counterclockwise Operation

1/2" Drive

25687

Professional

Torque Wrench

SKU 133659 1999

• Heavy Duty 24 Tooth Pear

• Audible Click When Desired

Shaped Ratchet Head

Torque is Reached

Both Clockwise and Counterclockwise

Operation



Micrometer Adjustable

OEM TOOLS 3/4" Drive **Professional Micrometer Torque Wrench 80-400 Ft/Lbs. Range**

SKU **850046** 34999

- Range: 86-400 Ft/Lbs.
- Torques in Both Directions

3/4" Drive


25688

Micrometer

Click Style

Professional

• Right Hand Direction



Micrometer Torque Wrench

100-600 Ft/Lbs. Range

SKU 217376 34999

· Easy-to-Read LED Display X-Tread® Digital

6" Digital Caliper

Tire Gauge SKU 186495 F0W74225500

- For Tire Tread Thickness Measurement
- Reads in Inch, Metric and Fractions



• Zeroing Feature

• 0-6 In. Range (0-150 mm)

Magnetic Angle Finder SKU **042343** CEN6494A

• Magnetic Base

SKU **607071**

or Metric Reading

SKU **186500**

SKU **186492**

F0W74150004

• Range 0 to 5.5"

F0W72522101

Clamp and Case

• Manual Power Off/On

Dial Indicator Set

Base, Plus Rods, Swivel

• 2-1/4" Dial, .001" Increments

RotoCal® with Twin Conical Anvils

• Includes 1" Indicator, Magnetic

• 1/2 Degree Graduations



Central TOOLS, Inc.

OEM TOOLS

OEM TOOLS

OEM TOOLS

Fowler]

24" Straight Edge SKU **949552 9099** 25355

• Constructed 1/4" Thick Cold Rolled Steel

- Durable Powder Coat Finish with Precision Ground Edge
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge

Disc Brake Rotor Micrometer



25367 STORE STOCK • .001" Accuracy, .0005" Reading • Large LCD Display with SAE

OEM TOOLS

3/8" Drive Digital **Torque Adapter**

SKU **362559 4 799** 25684 REG. \$49.99

Torque Adaptors

• Range 27 - 135 Nm (238.9-1,194.8 ln/Lbs.)

OEM TOOLS

1/2" Drive Digital **Torque Adapter** SKU 900805 **5999** 25682

- Range 40 200 Nm (29.5-147.5 Ft/Lbs.)
- Buzzes When Target Torque is Reached



OEM TOOLS

OEM TOOLS

OEM TOOLS

Turn Any Ratchet or Breaker Bar into a Digital Torque Wrench! Offer Good Through June 30, 2018 - While Supplies Last

Torque Multipliers

OEM TOOLS

3/4" Drive **Torque Multiplier**

SKU **191056** 25683

- Converts Low Torque (Max. 650 Ft/Lbs.) to High Torque (2,200 Ft/Lbs. / 3,000 Nm) with Planetary Gear Set for Heavy Duty Tightening and Loosening
- Input Drive: 3/4", Output Drive 1" • Comes with a 3/4"
- Drive 2 Way Quick Release Ratchet



1/4" Drive **Torque Screwdriver** SKU 695088 **70**99

33627172 • Range: 10 - 50 In/Lbs.

 Great for Low Torque Applications

• Easy-to-Read Window Scale

Torque Screwdriver

NEW

OEM TOOLS

25-250 Ft/Lbs.

U-Joint Tools

Automotive U-Joint Puller

SKU **949561** 24539

- Easily Removes Seized U-Joint Cups on Most Passenger Vehicles and Light-Duty Trucks
- Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups

SKU **949571**

 Bearing Cup Outside Diameter: 1" to 1.25"

Intermediate U-Joint Puller SKU **949565** 24548

• Bearing Cup Outside Diameter: 1.25" to 1.7

Heavy Duty U-Joint Puller SKU **041474** 24538

• Bearing Cup Outside Diameter: 1.5" to 2.2"



Automotive Bearing Cup Installer

24549 • For the Installation of Bearing Cups on Light- and Medium-Duty U-Joints

• Efficiently Install (2) Bearing Cups in One Process • Contact Points Feature Magnets to Retain Bearing Cups During Operation



SKU **186501**

Mini MAG Protractor

• Reads in Inch, Metric and Fractions

• 3.5" Jaw Depth for Large Rotors

FOW744224501 **8999**

• Embedded Magnets with 35 Lbs. Pull • Uses Standard 9V Battery

- 360 Degree Measuring Range
- Accuracy ±0.2 Degrees

CEN3K301



Fowler]

Central TOOLS, INC.

Fowler

Fowler

Fowler

Rotor/Drum Measuring Kit SKU 186504 CENSKSO1 5999

• Attaches to Any Caliper on the

Lower Jaws • Outward Facing Anvils to Inspect Drums

• Inward Pointing Anvils to Measure Rotors • 8" to 13" Range

• 0 to 6" Digital Caliper Included

Disc Brake/Ball Joint Gauge SKU **186496** F0W72520757

• Checks Ball Joint Wear and

Disc Rotor Run-Out • Checks Gear Backlash and Valve

Guide Wear • 0 to 1" Travel and .001" Graduations

3 Piece Micrometer Set SKU 186503 0 99

CEN3M113

• 0 to 3" Range • 3m101: 0 - 1"; 3m102: 1 to 2" 3m103: 2 to 3'

• Set Includes Calibration Tools



SERVICE TOOLS

OEM TOOLS

O=M TOOLS

VI TOOLS

OEM TOOLS

Tubing Cutter

SKU **141489**

STORE STOCK

25299



OEM TOOLS

Exhaust Tools

Exhaust Manifold Spreader Set

25253TW0

SKU **504028 7799**

- Used for Reinstalling the Manifold on
- Small-Block Chevrolets • Simple Way to Expand Warped Manifold to Align Bolt Holes
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalignment

Pipe Stretcher Kit SKU 080137 26 LIS17350

- Expands All Types of Exhaust Pipe
- Stretch Pipes



Tailpipe Cutter

SKU **695599** 33627045

33627027

- Use to Cut Tailpipe
- Range 3/4" to 3-1/4" (19 83 mm)

1-1/2" x 2-7/16" Tailpipe Expander

2-1/8" x 3-7/16" Tailpipe Expander

SKU 695614 3599 33627028 • Expands Tail Pipes So Mufflers and Tail Pipes

Can Be Fitted to the Exhaust System

Sensor Sockets

Oil Pressure Switch Socket SKU **141490**

25254

- STORE STOCK
- Fits Most 1" and 1-1/16" Switches
- Accepts Oil Pressure Sending Units Up to 2-5/8" Long



OEM TOOLS

3/8" Drive Oxygen **Sensor Socket**

SKU **047738** 25001

STORE STOCK

- For Use with 3/8" Drive Ratchet or 1" Wrench
- Removes and Installs Oxygen Sensors on All Domestic and Imported Computerized Engine Controlled Vehicles
- Cutaway Slot Provided in the Side for Sensor Wire Clearance
- Durable Alloy Steel Construction

Water Sensor Wrench Fits Aftermarket Sensors

SKU **459101**

LIS34910 • Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 - 2011 6.6L Duramax Diesel Engines



LIS34900 • Removes and Installs the Water Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax



OEM TOOLS

EM TOOLS

O≡M TOOLS

OEM TOOLS

OEM TOOLS

Fuel Pump Module

• Removes and Installs the Fuel

Spanner Wrench

Pump Retaining Ring

SKU **110278**

25156

IPR Socket

SKU **912334** 25280

- Remove / Replace IPR Without Damaging the Connector
- Applications: Ford 6.0 L and Other Diesel Engines

Oxygen Sensor Wrench

• 3/8" Drive

SKU **947305**

STORE STOCK

33625246

OEM TOOLS

OEM TOOLS

Socket Set SKU **695125**

33627110

Oxygen Sensor

- Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors
- 3/8" and 1/2" Drive, 22 mm / 7/8'

Diesel Engines



7 Piece Sensor Socket Set SKU **900823** 27189

• For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and

Thermal Sensor Switches



Spark Plug Installation

Heavy Duty Spark Plug Boot Pliers

SKU **390900** 25542

STORE STOCK

- Designed to Remove Hard-to-Reach
- Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
- Vinyl Coated Grips for Comfort
- Do Not Use When the Engine is Running

3/8" Drive 9/16" Spark Plug Socket

SKU 265110 **7799** 25259

- 10" Long with Thin Wall Design to Reach into the Cylinder Head
- Fits 2004–Newer Ford F-150 Pick-Up Trucks with 5.4L 3-Valve Triton V-8 Engines
- · Chamfered Ends
- Chrome Plated to Resist Rust

• Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines • 7/8" / 22 mm Used in SUVs and

Thread Chasers

Spark Plug Hole OMMTOOLS **Thread Chaser**

SKU **070109** 25124



- Double End for 14 mm and 18 mm • For Use with 13/16" Deep Sockets
- Cleans Spark Plug Threads of Dirt and
- Carbon Build-Up

Limited Access Spark Plug Chaser

SKU **607068** 25155

STORE STOCK

• Narrow Profile and Long Length Allows Access to Spark Plug Holes in Confined Spaces

OEM TOOLS

- Use with a 3/8" Ratchet or Extension
- Size: M14 x 1.25

OEM TOOLS Oxvaen Sensor

Thread Chaser SKU 607067

25255

- STORE STOCK Use with 3/8" Hex Socket
- or 3/8" Square Drive • Size: M18 x 1.5

Refractometers

UREA DEF Refractometer

OTC5025

- Def-Unique Calibrated Scale with 32.5%
- Enables Operators to Clearly Determine if the Def in Their Vehicle Consists of a 32.5% Urea / Water Solution

Multi-Purpose Tubing Bender

SKU **390889** 25179

STORE STOCK

- 15-40% Variance on Scale
- 0.5% Line Graduations

OEM TOOLS

• Complete Kit Provides Operators Everything They Need to Calibrate and Use Def Refractometer

Tubing

Mini Tubing Cutter

SKU **532507 299**



- STORE STOCK • Capacity: 1/8" to 7/8" · Cutter is Capable of
- Turning on a 1-7/8" Radius
- · Lightweight for Easy Handling



25358

STORE STOCK

 Includes Five Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2" (4.8 mm Through



OEM TOOLS

24364

Tool Kit SKU **238197**

• Cuts Tubes Capacity: 1/8" to 1-1/8"

• Large, Easy Grip Knob with 1/8" to

• Die Cast Frame with Reamer

• Alloy Steel Cutting Wheel

STORE STOCK

- Use on Thin-Walled Steel and Copper Tubing Low Profile Design Allows for Use On
- or Off the Vehicle • 3/16" and 4.75 mm Tubing
- Double Clamp and Hex Screw Keeps Tubing Locked Tightly in Position





MSC71099-TC 4



In-Line Flaring TOOLS

33627015 • Produces Single and Double

Flares in Soft Steel



Double TOOLS Flaring Tool

• Works on 1/4", 5/16" and 3/8" (4, 6, and 8 mm) O.D.

Copper, Aluminum and Stainless Steel Tubing

• Used to Make Left, Right and Offset Bends

SKU **695622**



Bubble Flaring Tool Kit

SKU **592261** 27214

- · Designed for Metric Soft Steel Brake Lines Where an "ISO" or Bubble Style Flare is Required
- Flaring Bar and All the Adapters Needed for ISO Bubble Flaring
- Includes Four Dies 4 75 6, 8, and



✓ Mastercool *



SKU **751721** 24398 • For 2004 - Newer Ford F150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango;

Lock Ring Tool

Fuel Tank

2004-Newer Chevy 1/2 Ton and 3/4 Ton Trucks • Works with 1/2" Drive Ratchet or Breaker Bar



Ratcheting **Tubing Cutter** SKU **466309** 24520

STORE STOCK



OEM TOOLS

Cooling Line SKU **300785**

· Die and Adapter Flare for GM Transmission Cooling Line



Universal Hydraulic Flaring Tool Set

SKU **032798 39999** MSC72485 • Fabricates 1/4", 5/16" and 3/8" Push Connect

- Metric Bubble Flare: 4.75, 6, 8 and 10mm
- Includes GM Fuel Line and Transmission Cooling Line Flares



Tool & Equipment Quarterly

Disconnect Tools

Fuel Line Disconnect Tool SKU **246367**

25043 STORE STOCK

 Fits Any 5/16" or 3/8" Fuel Line Found on GM, Ford and Chrysler Vehicles



Line Disconnect Tool Set SKU **246366** 25042

A/C and Fuel

STORE STOCK

• Range: A (3/4"), B (5/8"), C (1/2") and D (3/8")



A/C and Fuel Line **Quick Connect Tools** SKU 002356 099

25052 STORE STOCK

• Easily Disconnects Air Conditioning Lines and Quick Connect Fuel Lines



Ford Clutch Disconnect Tool SKU **695116** 33627130

• Works on 1988 to Present Ford Vehicles and Light-Trucks with Hydraulic Clutches



OEM TOOLS **Quick Connect Tools**

SKU **363869** 25184

STORE STOCK

• Sizes: 3/8", 1/2", 5/8" and 3/4"

• Enables Quick and Easy Disconnect of Air Conditioning Couplings



Over-Tank Fuel Pump Disconnect Set

SKU **695115** 33627131

• Provides Easy Access to Hard to Reach Fuel Line Quick Connectors Found Under the ABS Unit on '92 and Newer GM "W" **Body Cars**

• Red Tool Fits 5/16" Return Lines; Blue Tool Fits 3/8" Fuel Inlet Lines

 Also Works on 1988 and Newer Ford F-Series Pickups to Disconnect the Fuel Lines from the Fuel Sendina Unit



OEM TOOLS

4 Piece

OEM TOOLS **Disconnect Set** SKU **864648** 25150

STORE STOCK

• Sizes: 1/4", 5/16", 3/8" and 1/2'



OEM TOOLS 6 Piece **Disconnect Set**

SKU **013603** 24681

STORE STOCK

• Separates Fittings on Fuel Lines, Fuel Filters, and Fuel Tank Return Lines

 Oil Cooler Line Disconnect Tool Separates Automatic Transmission Oil Cooler Lines on Ford Taurus and Escort with AXPD and ATX Transmissions

• Unique Offset Design Allows for Access in Confined or Obstructed Areas

• Sizes: 5/16", 3/8", 1/2", 5/8", 3/4", and 7/8"

Heater Hose Disconnect Tool SKU **695607** 33627106

• Removes Heater Hoses with 1/4" or 5/8" Quick Disconnect Couplings on '86 to Current Ford Aerostar Vans and '01s to Current Full Size Ford Vans

 Works on Rear Heater Hose Couplings on '87 to Current Chrysler and Plymouth



3 Piece 1/2" Oil Line **Disconnect Set** sku**094653 26** 25187

 Used to Remove and Replace Oil and Transmission Cooler Lines on GM, Ford, Nissan and Toyota



OEM TOOLS

OEM TOOLS

15 Piece Master **Disconnect Set** SKU **900807** 3999 27195

 Includes Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line Disconnect Tool



<u>⊙≡M</u> TOOLS

22 Piece **Disconnect Master Set** SKU **900817** 27177

• Includes Quick Connects Set, Air Conditioning and Fuel Line Disconnect Tools



OEM TOOLS

Master Disconnect Set SKU **821445 900** 33627318

• Easily Disconnects A/C Lines, Fuel Lines and Transmission Cooler Lines

• Includes: Hydraulic Clutch Line Disconnect for GM, 5/16" and 3/8" Fuel Line Retaining Clips for GM, Air Conditioning/Fuel Line Disconnects: 5/16", 3/8", 1/2", 5/8", 3/4", and 7/8

• Scissor Disconnects: 5/16", 3/8" and 1/2" 3/8"

• Ford: Fuel Line, Oil Cooler Line and Clutch Coupling Remover

Coupler Disconnects



⊘≡M TOOLS

4 Piece **Disconnect Set** SKU **948999**

25183 STORE STOCK



Fuel Module Disconnect

SKU **291418** LIS37500

• Fits Both 3/8" and 5/16" Connectors and Applications Tool Can Be Clipped





LIS37000 • Set Includes (6) Sizes: 5/16",



Angled **Disconnect Set** SKU **291416 7799**

LIS39400

• Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines

· Works on Fuel Lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles

• (6) Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Fuel and AC Disconnect Pliers

SKU **343391**

Extra Leverage When Disconnecting Quick Connect Coupling Air Conditioning and



Fuel/Transmission Line Disconnect Tool Set SKU **526503**

WLMW89330 • Fuel Line Disconnect Tools in Sizes: 1/4", 5/16", and 3/8" Inches

• Fuel Line Coupling Tool • Ford and Mercury Oil Cooler Line Disconnect Tool

• Ford and GM Quick Disconnect Tool

While Supplies Last



NAVISTAR® MAXXFORCE® Fuel **Line Disconnect Tool** Set - 4 Piece

SKU 004112 3499 25031

• 4 Piece Disconnect Tool Set for Navistar® MaxxForce® Series 11 and 13 Engines

· Sized to Depress Fuel Release Tabs for

Efficient Fuel Line Removal • (1) Straight and (1) 90° Tool for 11.8mm Fuel

lines; (1) Straight and (1) 90° Tool for 16mm Fuel Lines

OEM TOOLS **Master Disconnect**

Tool Set SKU **291413** LIS39900

• Contains (8) Tools for A/C and Fuel Lines

• Comes in a Blow Mold Case



Low Profile Jiffy-Tite® Disconnect SKU **011609**

LIS22990 • Disengages Jiffy-Tite

Quick-Connect Fittings No Need to Remove Retaining Clips

 Includes Four Sizes: 3/8 1/2", 5/8"-30% and 5/8"-39%



Coolant Hose Removal Tool Set SKU **383214** CAL244TNZ

• Used to Completely Fill the Void in the Connector to Release the Fastener

• 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces





*NES Set

Comes with

Extra Blades

al-Van

Airsept Smart Splice Multi **System Line Repair Tray** SKU **68/9/3**

AIR76076 • Includes: 1 Each 5/16", 3/8", 1/2", 5/8", 3/4" Line Splice Straight SAE Repair Kits; 1 each 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits; 1 each 5/16", 3/8" 1/2", 5/8" Line Splice 45° SAE Repair Kits; 1 each 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE Repair Kits

• Covers All Standard Automotive Line



Airsept Smart Splice **Ultimate Line Repair Kit** SKU **68/9/6**

AIR76057 Everything Needed to Repair A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater Lines

 OEM Approved Line Repair Solution Installs in Five Minutes, on the Vehicle, without Special Tools or Adhesives

• Leak Free Up to 2,600 PSI



Thread Repair

2 Piece External Thread Repair Set 5/32" - 1-1/2" SKU **343361**

NES1000* • Includes the NES1A and NES2

• Restores Inch or Metric, Right or Left Handed





External Thread Repair 5/32" - 1/2" SKU 343360 2099 NES6040 · Restores Inch or Metric,

Right or Left Handed Fastener Threads



External Thread Repair 5/32" - 11/16" SKU **343365** NES1A

• Also Repairs Damaged Threads on Pipes Up to 7/16"



External Thread Repair 11/16" - 1-1/2" SKU **343366** NES2

· Restores Inch or Metric, Right or Left Handed Fastener Threads



SKU **343369** NES22



Nes[®]

The Thread Repair Experts

Scan the QR Code for More Info on **NES Thread Repair Products**