ONDITIONING



Recovery Machines

COMMANDER1000 Semi-Automatic R134a R/R/R Machine

SKU **471051** MSC1000

- R134a
- Wi-Fi Capable
- Vacuum Leak Test
- Cylinder Heater • 3 CFM Vacuum Pump
- Dust Cover



COMMANDER2000 Fully Automatic R134a R/R/R Machine

SKU **471040** MSC2000

- R134a
- · Wi-Fi Capable
- Vacuum Leak Test
- · Cylinder Heater
- 6 CFM Vacuum Pump
- Dust Cover
- Automatic Oil Injection



COMMANDER3000 R134a and **Hybrid R/R/R Machine**

SKU **471054** MSC3000

- R134a and Hybrid
- Wi-Fi Capable
- Vacuum Leak Test
- Refrigerant Database
- Cylinder Heater
- Dust Cover
- · Hose Flushing



COMMANDER4000 R1234yf and **Hybrid R/R/R Machine**

✓ Mastercool[®]

SKU **471061** MSC4000

- R1234yf and Hybrid
- Wi-Fi Capable
- Vacuum Leak Test
- · Refrigerant Database • Cylinder Heater
- 6 CFM Vacuum Pump
- Dust Cover
- · Hose Flushing
- Built-in Identifier

Also Available SKU **471058** MSC4000X

• Same as MSC4000 but without Identifier



SKU **199675** MSCCOM2FLTRPK 159

MAHLE

· Replacement Filter Pack Kit for the Commander 1000, 2000 and 3000



SKU **199681** MSCCOM1FLTRPK 13





Replacement filter for Commander 4000 and 4000X

MAHLE

MAHLE

CDS.

R134a A/C Refrigerant Handling System

SKU **850570**

MSSACX1120H **2,859**⁹⁹

• ECO LOCK® Quick Couplers • Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles

• High Performance Vacuum Pump to **Ensure Faster Service Times**

Hybrid Ready



Set-Up and Training Included

A/C Recovery Filter Kit

MSS268077600 **99**⁹⁹

MAHLE

R134a A/C Refrigerant **Handling System**

SKU **850571**

MSSACX1150H

- Designed for Servicing All Passenger Cars, Trucks and Hybrid Vehicles
- 4.3" Color TFT Touch Screen • Included Database
- **Hybrid Ready**

Revised Software



Training



MSS268077600 **99**99

Handling System

MAHLE

R134a ArticPro **Refrigerant Handling System**

SKU **850566**

SKU **850566**MSSACX1180 **3,899** Completely Recover, Recycle

- or Recharge R134a Air Conditioning Systems
- Quicker Service Times Automatic Air Purge
- Fully Automatic



A/C Recovery **Filter Kit** SKU **818739**

RTI3608213300



ALL MAHLE RECOVERY MACHINES ARE FULLY AUTOMATIC AND INCLUDE A 2-YEAR WARRANTY

MIRHLE

R134a ArticPro Refrigerant Handling System

SKU **850567**

MSSACX-1180H • Fully Automatic or Manual Operation

- Easy to Use Control Panel with Large Face Pressure Gauges Provides Exceptional Charge Accuracy (+/-15 G)
- Certified to Meet All J2843 Productivity

Standards **Hybrid Ready**



MARKLE

MAHLE

SKU **764988**



R1234yf A/C Refrigerant

- Recycle and Recharge Machine Compatible with R1234yf Refrigerant
- Meets SAE J2843 Standard • ECO LOCK® Quick
- Couplers High Performance Vacuum Pump to Ensure Faster Service Times

Hybrid Ready



A/C Recovery Filter Kit MSS268069600

MAHLE

CDS.



R1234YF ArticPro **Refrigerant Handling System with Printer** and Identifier

SKU **850569** SKU **850569 5,799 99**

- · Completely Recover, Recycle or Recharge R1234YF Air Conditioning Systems in Conventional and Hybrid Vehicles
- Fully Automatic
- Quicker Service Times
- Automatic Air Purge



Replacement Filter for ACX1280

MSS3608273900

MAHLE

R134a Refrigerant/ Recover/Recharge

Machine with Printer

RTI3608213300

A/C Recovery Filter Kit

SKU **695135**

CPSFX134A • On-Board Vehicle A/C Data: 1994-2015

- 10 Ft. Charging Hoses
- 6 CFM Vacuum Pump • 50 Lb. Tank
- · Includes Heater Blanket, Printer and Oil Injection Kit





CDS. 12324YF Recovery/ Recycle/Recharge with Printer

CPSFX1234 Patented Oilless Compressor

- 6 CFM Vacuum Pump/ 50 Micron Rated
- Patented Motor-Controlled **Ball Valves** AC Systems Capacity
- Database Included • 1-2-5 Warranty **Hybrid Ready**

SKU **850568**





Dual Gas Recovery/ Recycle/Recharge **Machine with Printer**

CPSFX3030 • Convertible Between R134a

- and R1234yf · Built-in Refrigerant Identifier Vehicle Refrigerant Capacity
- Database Included • Includes 2 Tanks and 2 Sets
- 1-2-5 Warranty **Hybrid Ready**

SKU **850572**





FX Recovery Machine Filter Kit

SKU **OUTSIDE BUY/EPO** CPSFX3030X1

• For use with CPS FX series A/C Recovery Machines

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

877-AZTOOL1 / 877-298-6651 Hablamos Español

AZtool1.com

Recovery Machines

Economy R-134A Recover, Recycle, **Recharge Machine**

SKU **OUTSIDE BUY/EPO** R0B34288NI

- Automatic Oil Drain
- Automatic Air Purge Eliminates Damaging Air
- 4.3" Full Color Graphics Display

Premium R134a

Recovery Machine

Fully-Automatic Function: Program to

Recover, Vacuum, Leak Test and Charge without Operating Panel Valves

Automatic Dye Inject: Gives the User the Ability to Use the Machine to Inject UV

Oil Inject: Automatically Inject Oil Back into the Vehicle's A/C Systems – Two Oil

Dye into a Vehicle's A/C System

Bottles and One UV Dye Bottle

Available via Outside Buy/EPO,

SKU **OUTSIDE BUY/EPO**

ROB34988NI

Programmable Vacuum Function



POBINAIR.

OBINAIR.

Premier R134a Refrigerant Recovery, Recycling and Recharging Machine

SKU **OUTSIDE BUY/EPO** R0B34788NI

- Fully Automatic Function
- Automatic Oil Drain
- Oil Inject: Auto Oil Injection
- · Save and Print Before and After Service Data
- Vacuum Leak Testing
- · Refrigerant Charging

Premier R134a Refrigerant Recovery, Recycling and Recharging Machine for Hybrid and Non-Hybrid

SKU **OUTSIDE BUY/EPO** R0B34788NI-H



SKU **OUTSIDE BUY/EPO** ROBAC1234-4

- Fully Automatic Operation Program For Service, Walk Away and Return When Complete
- Programmable Vacuum Operation
- System Leak Test To Identify Gross Leaks In A System
- Automatic Oil Drain & Air Purge
- Integrated Refrigerant Identifier (Meets SAE J2927)
- · Automatic Internal Tank Refill

1234YF Recover, Recycle, Recharge Machine

SKU **OUTSIDE BUY/EPO** ROBAC1234-6

* 34988NI Has (2) Oil Bottles for Injection, Giving the Technician the Large Full Color Display (34988 has Monochrome Display)

Option to Choose Between Two On-Board Oils to Service the Vehicle • 34988NI Meets SAE J2788 Requirements, Consistently Meets 98.5% Recovery Performance vs 95% on the 34988

ROBINAIR.

Portable Recovery Systems

🚺 Mastercool: 🛣 R1234yf Twin Turbo **Complete Recovery Machine**

Call 1-877-298-6651 for Ordering Instructions

MSC69360-YF **1,299**99 • Revolutionary Double Piston

- Oil-less Compressor Largest Volume Recovery
- Rate on the Market • Includes: 30 Lb. DOT Tank, Sight-Glass, R1234yf Low Side Coupler, Oil Drain Bottle and R1234yf Blue and Yellow Hoses



Portable R134a Recovery System

SKU **290024** MSC69100

High Performance Oil-Less

- Compressor Includes an Oil Separator and
- Filter Dryer to Clean Refrigerant **During Recovery** · Recovers All Refrigerants,
- 30 Lb. DOT Recovery Tank Included



Portable A/C Recovery Machine SKU **504026**

CPSTRA21

• SAEJ2810 Approved, Fastest Recovery Recycle Machine in the Industry

 Oil Separator and Filter Includes 30 Lb Tank and Manifold Set with 60" Hoses and Manual Couplers

CDS.



A/C Recovery Machine Accessories

Spin-On Filter-Drier

SKU OUTSIDE BUY/EPO R0B34724

- Fits Current Models: ROB34288, ROB34788, R0B34988, R0B34700Z • Genuine Robinair Spin-On Filter with the Proper
- Serial Number to Input for Easy Installation
- High Quality Filter Protects Your Investment • Easy to Install

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions



Recycling Filter-Drier SKU OUTSIDE BUY/EPO R0B34430

• For Older 17700A, 34450, 34700 (1997), AC375, AC375A, AC375C, and 34134Z Robinair Recovery Machines



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

AR2788/2788S Recovery **Machine Filter**

SKU **186483** CPSARXF5

- Filter Removes Moisture and Contaminants Before the Refrigerant is Returned to the System
- · Designed for Use on the AR2788S



A/C Recovery **Machine Maintenance Kit**

SKU **752703** R0B13172

- Contains: (1) Quick Change Filter-Drier to Be Used on Both R-12 and R-134a Stations and (1) 16 Ounce Bottle of Our Premium High Vacuum Pump Oil
- For Models Using 34724 Filter/Drier 17700A, 17700-2K, 34700, 34700-2K, 34800, 34800-2K, 34900 Series



✓ Mastercool[®]

POBINAIR

A/C Recovery **Machine Vinyl Dust Cover**

SKU **OUTSIDE BUY/EPO** R0B17492

- Medium Gray Color with Cool-Tech Logo
- Fits All 342000, 17700-2K, 34700-2K, 34134Z, 34/UUZ, 34711-2K, AC375, AC375A, 17700Z, 34702Z

Available via Outside Buy/EPO. Call 1-877-298-6651 for Ordering Instructions



FOBINAIR

Vinvl Dust Cover for A/C Recovery Machine

SKU **751574** R0B17499

- · Protect Your Investment with a Heavy-Duty Vinyl Dust Cover
- 34788NI-H Models

ROBINAIR.



Replacement **High/Low Filter Set**

SKU **389222** MSC69788FLTPK **139**

· Replacement Filter Pack Kit for Mastercool's MSC69788-A, MSC69789 and MSC69789 Recharge-Recover-Recycle All-in-One Units





ZOBINAIR

AIRSEPT.

A/C Capacities Database - 2017

SKU **OUTSIDE BUY/EPO** R0B34412-B

- Charge Amounts and Component Oil Capacities for Vehicle Model Years 1997-2017
- Compatible with Robinair 34288NI, 34788NI, 34788NI-H and 34988NI

AIRSEPT.

• Increases Technician Productivity by Eliminating the Need to Search Charge Capacities



A/C Capacities Database - 2017 SKU **OUTSIDE BUY/EPO**

R0B34411-G

- Charge Amounts and Component Oil Capacities for Vehicle Model Years 1997-2017
- Compatible with Robinair 34788, 34788-H and 34988 Recovery Machines

• Increases Technician Productivity by Eliminating the Need to Search Charge Capacities Available via Outside Buy/EPO,

AIRSEPT. **Dual Automatic Recycle**

Guard™ for R134a with (2) 36" Service Hoses SKU 504091 38999

- · High- and Low-Side Protection from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- Traps Metal Shavings, Desiccant Particles and Other
- . Maintains Refrigerant Flow

A/C Recycle Guard Accessories

Guard™ R12 Adapter Kit, 1/4" Flare SKU **504086**

Recycle

AIR72138

Recycle Guard[™] for R134a - 1/2" ACME Fittings with 36" **Service Hose**

SKU **504082** AIR72101

- Protect Your Recovery Equipment from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- Works with All A/C Service Equipment



Call 1-877-298-6651 for Ordering Instructions


AIRSEPT.

Recycle Guard™ for 1/4" SAE Flare with 36" Service Hose SKU **504083** AIR72102

- Protect Your Recovery Equipment from Debris, Sealant, Dye, Excess Lubricant and Other Contaminants
- Works with All A/C Service Equipment







ONDITIONING

Vacuum Pump Kits

A/C Service Set with Air **Vacuum Pump - R134a**

SKU **850564** 68991

- Complete Kit for Diagnosing and Charging R134a A/C Systems
- Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve and

Large Diameter Dual Scale

A/C Starter Kit -R134a

SKU **695127** 68987

- 1.8 CFM, 100 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability
- Ensures Moisture Removal
- Kit Includes: Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter

 R134a Can Tap Connects to Any ACME Threaded R134a Can



3 Piece High **Performance A/C Kit**

SKU **626121** 68989

- 6 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reducing Evacuation Time
- Kit Includes: Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce

• 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL - Male Ports



A/C Professional Set - R134a

68988

SKU 695129 **299**99

- 4 CFM, 75 Micron Single Stage Vacuum Provides Fast, Thorough Evacuation and Provides Powerful, Quiet, High Vacuum Capability, Ensuring Moisture Removal and Reducing Evacuation Time
- Kit Includes: Professional Quality Extruded Aluminum Manifold with Sight Glass, 72" Hoses, Manual Couplers and Easy-to-Read Spring Dampened Gauges to Reduce Flutter

• 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL -Male Ports

AC Refrigerant Leak **Detector** is Sensitive to 0.1 Oz./Year and Responds to All Halogenated Refrigerants



⋘ Mastercool:゚

OEM TOOLS

Manifold Gauges

OEM TOOLS



R134a Brass Manifold Gauges Set

SKU **752520** 24563

- High Quality Brass Body with Sight Glass
- Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" 3,000 PSI Burst, 600 PSI Working Pressure Hoses
- Snap Style Quick Couplers

OEM TOOLS



R134a Manifold Gauge Set with Sight Glass

SKU **466319** 24527

- Easy-to-Read Spring Dampened Gauges to Reduce Flutter
- 72" Hoses with Manual Couplers

OEM TOOLS



R1234YF Manifold Gauge Set

SKU 752518 **149**99 24559

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses

Gauge High Side for A/C Manifold

• High Quality 6-Ball Manual Couplers

🛂 Mastercool:ື



R134a Aluminum Manifold Kit with **Dye Injector**

SKU **290023** MSC89660UV

Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector

R134a Aluminum Manifold Kit with Dye Injector

SKU **290022** MSC89661UV

OEM TOOLS


Includes: R134a Aluminum Manifold, 60" Hoses, Manual Couplers and 10 Application Mini Dye Injector

Manifold Gauge Repair

Replacement Gauge Low Side for A/C Manifold

SKU **481709** 24531

- Low Compound Gauge for OEMTOOLS $^{™}$ Service A/C Systems on Cars
- Reads 0-120 PSI and 0-30" Hg





OEM TOOLS

- and Other Brands of A/C Manifold Sets Used to







96" R134a

Systems on Cars

• 1/8" NPTF Male Threads • Reads 0-500 PSI Hose

Replacement

SKU **481705**

24530

SKU **489151** MSC84961

1/2" Acme-F and 14 mm-M Auto A/C Fittings - 96"



OEM TOOLS



OEM TOOLS

1/4" Hose Set 72" SKU **752515**

24557 • 72", 1/4" SAE 3 Hose Set

Color Coded: Red, Yellow and Blue



R134a Hose Set 72"

24558

Coded: Red, Yellow and Blue



96" R134a **Red Hose**

SKU **489152** MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"

🛂 Mastercool: 🛣

Blue Hose

Replacement High Side Gauge Fits OEMTOOLS™ and Other Brands of A/C Manifolds Used to Service A/C



1/4" Hose Set **SAE 60"**

SKU **347260** 24390

• Maximum Working / Burst

- Pressure 300PSI / 3000PSI Solid Brass Fittings
- 60" Long



OEM TOOLS

OEM TOOLS

OEM TOOLS

1/4" SAE **Hose Set**

SKU **512962** 27230

• High Pressure Hose Length: 6'

• Low Pressure Hose Length: 6

• Freon Hose Length: 8'



Thermal Camera



Thermal Imaging Camera

- MSC52325 • Displays Thermal Image Overlays and Temperature – Designed for Automotive Applications
- Measurement Range:
 -4 to 662°F (-20 to 350°C)

SKU **034435**

 Accuracy: ±2% of Reading, or 4°F (2°C) Image Storage (SD Card): Stores Up to 25,000 Images,

BMP Format

• 3.7V Li-lon Rechargeable Batterv Provides 3 Hours of Continuous Run Time



Digital Scales

Digital Refrigerant Scale (240 Lb. Capacity)

24560 • High-Visibility .75" x 2.5" LCD Backlit Display

SKU **752521**

- (3) Units of Measure: kg/0z/lbAutomatic Shut-Off After 10 Minutes,
- Backlight Will Shut off After 3 Minutes • Fully Enclosed and Removable Metal Scale Platform Enables Use of Product In or Out of the Protective Case



Electronic Charging Scale 240 Lb. Capacity SKU **290029**



Thermometers OEM TOOLS

-58 to 300° F **Digital Pocket Thermometer** SKU 447147 **12**99

24351 • Accurate Readings from -58 to 300° F (±2°) and from -50 to 150° C (±1°)

 Digital Display Will Rotate 180° and Move Up and Down for Easy Viewing · Comes with 1.5V Battery

Non-Contact Infrared Thermometer

25245

SKU **951642 31**99

- Temp Range: -58°F to 716°F, (50°c
- Distance to Spot Ratio of 12:1 Laser Pointer



SKU **752516**

• 72" R134a 3 Hose Set Color



OEM TOOLS



OEM TOOLS

Master Orifice Tube Assortment

• Covers Most Vehicles That Require Air

SKU **851868 24**99 24564

Conditioning Orifice Tubes • Includes: Chrysler (Orange, Purple T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow), Jeep (Green -White) and Volvo (Yellow)



877-AZTOOL1 / 877-298-6651 Hablamos Español

OEM TOOLS

AZtool1.com



Vacuum Pump Oil (8 Oz.)

. Increases Life Span of the Pump

Vacuum Pump Oil That You Use

· Compatible for Use in Pumps Made

on Regular Service and the Quality and Purity of the

by Most Manufacturers

• Performance of Your Pump Depends

OEM TOOLS

Vacuum Pumps

Air-Operated Vacuum Pump

SKU **544730**

24533

- Includes 1/2" ACME (R134a) and R12 Connectors
- Air Pressure Range: 75 - 180 PSI
- · Air Consumption:
- 4.2 CFM @ 90 PSI

Vacuum Pump

• 1/3 HP, 110V Motor

• Internal High Volume

ACME - 1/4" Flare

330 mL. Included

Cooling Fan for Extended Use

• Inlet Ports: 1/2

Oil Capacity:

SKU **466305**

• 75 Microns

24501

• Vacuum Capacity: 28.3" of Mercury @ 90 PSI

4 CFM Single Stage OFM TOOLS

1.8 CFM Single **Stage Vacuum Pump**

SKU **466312** 24500

- 1/4 HP, 110V Motor
- 100 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME

Vacuum Pump

• 1/3 HP. 110V Motor

• Internal High Volume

ACME - 1/4" Flare

• Oil Capacity: 330 mL,

Cooling Fan for Extended Use

• Inlet Ports: 1/21

· Oil Capacity: 200 mL, Included

SKU **466306**

• 75 Microns

24502



OEM TOOLS

1.8 CFM Single 🗫 Mastercool:ື **Stage Vacuum Pump** SKU **OUTSIDE BUY/EPO**

MSC90059-B

- Pump Motor: 1/4 HP
- Pump Speed: 1,720 RPM Ultimate Vacuum Rating:
- · High Volume Fan Provides Cool

Air to Motor and Pump

Available via Outside Buy/EPO Call 1-877-298-6651 for Ordering Instructions

6 CFM 2 Stage **Vacuum Pump**

SKU **942618** MSC900662V-B

- 1/2 HP Motor
- 15 Microns







STORE STOCKED

Pump Oil 1 Quart Bottle

SKU **517580** CPSVP0Q12

SKU **363429**

24399

 Compatible with Most Pumps Increases Life Span of the Pump

Premium Vacuum

 Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



OEM TOOLS

A/C Couplers

R134a **Refrigerant Tank Adapter**

SKU **850565** 24554

- Male Low-Side R134a to Female 1/2" ACME
- Attaches to Virgin Tank and Low-Side Service Coupler



R134a **High Side Manual** Coupler

SKU **347267** 24395

▼ Mastercool:

- · All Metal Construction for Extra Durability
- 6 Ball Coupler for Secure Grip · Includes an





R134a **Low Side Manual** Coupler

SKU **347266** 24394

6 CFM Single Stage **CHATCOLS**

 All Metal Construction for Extra Durability . 6 Ball Coupler for Secure Grip

✓ Mastercool∴

· Includes an Adapter for Use with R12 Hoses



R134a High and Low Side Coupler Set SKU **362980**

24396

- Change Your Old R12 Manifold Set to R134a with This Set of Manual Couplers
- All Metal Construction for Extra Durability
- 6 Ball Coupler for Secure Grip
- Includes Adapter for Use with R12 Hoses

STORE STOCKED



R134a **Extra Long Coupler** SKU **752517 24556**

• Used on BMW E60

(2003 - 2009 5 Series) and Some Volvo Models Allows for A/C Service



Coupler Set R134A to HFO-1234YF SKU **752527**

24561

Conversion

• HF0-1234YF Manual Couplers with



 Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter

A/C Flush

Total A/C Quick Flush Kit

SKU **695646** MSC91051

• Includes: 17 Oz. Pressurized A/C Flush, Hose and Rubber Tipped Blow Gun with

- Thumb Control Pressurized to 150 PSI
- Non-Toxic
- · Self-Evaporating

• Single Use Disposable Cans



MSC91050 6 Pack

SKU **695649** MSC91050-6



A/C Flush 32 Oz. Bottle

SKU **695650** MSC91049-32

6 Pack SKU **695652**

MSC91049-32-6



A/C Flush Solvent (1 Gallon)

SKU **695653**MSC91049-128 **44 99**


- Non-Toxic, Quick Evaporating A/C Flush
- Effectively Removes Debris and Sludge from A/C Components • Solvent-Based, Leaves No Residue
- · Professional Use Only • Flush Any A/C System

Case of 4

SKU **695654 MSC910491284 159 99**



▲ Mastercool.*



 Includes: Canister, Hose, Blow Gun, Rubber Tip and Cylinder Cap

A/C System

Flush Kit

SKU **466308**

24515



OEM TOOLS

A/C Flush Machine SKU **217370** CPSAFM100

· Air Operated

- 8 Foot Hoses to Reach Any System
- · Forward or Reverse Flush without **Changing Hoses**
- 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
- Universal Couplers Allows Connection to Virtually All Types of Connections Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter





SKU **034468** MSC69900 • Designed to Flush All HVAC/R and

- Automotive Systems • Pump Power: 0.4 HP; Flow Rate:
- 4 Gal/Min. • Stainless Steel Ball Valve Controls
- 1/4" SAE Connection
- Pump Equipped with Mechanical Seal and PTFE Gasket





Can Taps

OEM TOOLS

R134a Can **Tap Valve** SKU **466315** 24524

 Connects ACME Threaded R134a Manifold Gauge

Charging Hose



Refrigerant and Oil Property **Charge Can Tap** SKU **466313**

· Fits 1 Lb. Cans of R134a,

and 1/4" FL Male Ports with

Safety Valve

24523

R12 and 2" Oil Charge Cans • Plier Type Grip with Positive Lock • Includes: 1/2" ACME Male



R1234yf 1/2" ACME-LH **Thread Piercing Can Tap Valve**

SKU **034453** MSC85510-YF

- For Use with R1234vf Pierce-Designed Cans
- · Gasket Assures Leak-Proof Operation
- Works with SAF J2844 Fittings



✓ Mastercool[®]

✓ Mastercool[®] R1234yf 1/2" ACME-LH Thread Self-Sealing **Design Can Tap Valve** SKU **034448**

MSC85512-YF • For Use with R1234yf Self-Sealing/Reusable Designed Cans



 Gasket Assures Leak-Proof Operation • Works with SAE J2844 Fittings




⋘ Mastercool:

Valve Tools

No Gas Loss A/C Valve Core Remover/Installer SKU **466321**

of Refrigerant





Recharge Kits

OEM TOOLS R134a DIY **Refrigerant Recharge Kit**

R134a Systems Includes High Pressure Hose and Quick

• Will Service Most



• Includes: (85512-YF) R1234yf Can Tap Valve, (67534) R1234yf Low Side Quick Coupler and (83181) R1234yf 18" Blue Hose





MSC85525-YF



(83181) R1234yf 18" Blue Hose • R1234yf Low Side Quick Coupler Threading: 12mm-F x 14mm



24529 • Remove and Install Standard R134a Valve Cores without the Loss

- Built-in Ball Valve Retains Charge and Allows Access to A/C System
- Low Service Ports



OEM TOOLS



SKU **466316** 24525

Disconnect Coupler







CONDITIONING

THE MOST INNOVATIVE 3-IN-1


sku **591153** 24609

• 5 Hr. Run Time

• Length: 13.4"

on High

13.4" Multi-Use Rechargeable Diagnostic Under-the-Hood Work Light





Leak Detection Lights

UV Pen Light SKU **695128**

- 24610
- Convenient Pocket Clip
- Maximum Continuous Run Time is 4.5 Hours



OEM TOOLS

Mini UV Flashlight - 12 LED

MSC53512-UV **34**99

- 25,000 Hour Bulb Life
- 3 AAA Batteries / Operates for 22 Hours Under Normal Work Conditions
- Comparable to 50 Watt Illumination
- UV Goggles Included

Mechanic's 500 Lumen Rechargeable Flashlight and 450 Lumen Ultra Slim Wand with UV Inspection SKU **344835** 24607


★ Mastercool:

GreatLite

- 500 Lumen Flashlight Will Cast a 170 Meter Beam • Ultra Slim 450 Lumen Inspection Light Casts a 30 Meter Beam
- 3 Powerful, UV LED Lights on Inspection Light Detect Leaks Quickly and Easily
- Detachable 180 Degree Swivel Hook with Magnets
- Battery Lasts 3.5 Hours at 100% and Fully Charges in 5 Hours
- 5 Light Modes

1 UV Light

OEM TOOLS





Professional UV Leak Detection

Kit with 12V/50W UV Light

• 1 Oz. Coolant Dye, 1 Oz. Oil/ATF/Fuel Dye,

• 12 Volt / 50 Watt UV Leak Detector

• Mini Dye Injector (10 Applications

of Universal A/C Dye)

Compatible with R134a and

 UV Enhancing Safety Glasses

• 12 Service Labels

R12 Adapter

SKU **290041**

MSC53351

Rattery USB Charging Hook AC Adapter

OEM TOOLS

1 Handle/3 Lights

(3) Slim Wand





★ Mastercool:

▲ Mastercool *

★ Mastercool:

Compact UV Flashlight - 17 LED

SKU **300783** MSC53517-UV

- 25,000 Hour Bulb Life • 3 AAA Batteries / Operates for 22 Hours Under Normal
- Work Conditions • Comparable to 75 Watt Illumination
- UV Goggles Included



✓ Mastercool:

USB Rechargeable UV Light with Glasses SKU **626122**

EXPE93-E02 • 1W Bulb That Casts a Beam Up to 5 Meters

• 0.8 Lumens • 3 Light Modes: 25%, 50%

SKU **466307**

24510

- and 100% • Run Time: 12 Hours
- USB Cord



Leak Detection

Complete A/C and Fluid Leak Detection Starter Kit

SKU **291378** TRATP8621

- 50 Watt 6 LED Lamp
- Syringe A/C Dye Injector • 1 Oz. (30ml) Bottle of Dye-Lite® All-in-One™ Standard Dye for All Oil-Based Fluids
- 1 Oz. (30ml) Bottle of Dye-Lite® Coolant Dye
- 1 Oz. (30ml) Bottle of Fluoro-Lite®
 Universal / Ester A/C Dye

RACERLINE'



TRACERLINE'

- 8 Oz. (237ml) Spray Bottle of GLO-AWAY™ Dye Cleaner
- R-134a Hose/ Coupler With Purge Fitting
- Fluorescence-Enhancing Glasses and Rugged Carrying Case

Offer Good Through September 30, 2018 - While Supplies Last

A/C Refrigerant Leak Detector

• Detects All Types of Halogenated Refrigerants

Single Color LED Display with 7 Level Leak Alarm

Reach Almost Any Space

• Flexible Stainless Steel Probe to

• Sensitive to 0.1 Oz. /Yr.

4 REG. \$79.99

A/C Dye Injection Kit SKU **568718 159 99 TRATP8616**

Cordless, Economical, Violet Light LED Leak Detection Flashlight

• EZ-Shot A/C Dye Injection Gun • 8 Oz. (237 ml) BigEZ™ Universal/Ester A/C

Dye Cartridge R-134a Hose/Coupler with Purge Fitting

• Includes Fluorescence-EnhancingGlasses and Rugged Carrying Case





Raptor Refrigerant Leak Detector

- Features (3) Sensitivity Levels and
- · Detects Leaks as Small as
- 1/10 Oz. per Year
- (CFC, HCFC, HFC)

Leak Detection Kit SKU **765000**

TRATP8617 F7-.lect™ A/C Dve Injector

OPTI-PRO™

- R-134A Hose/Coupler with Purge Fitting EZ-Ject[™] Universal/Ester A/C
- Dye Cartridge for Servicing Up to 14 Vehicles 1 Oz. (30 ml) Bottle of Dye-Lite®
 All-In-One™ Dye for All
 Oil-Based Fluid System
- 1 oz (30 ml) bottle of Dve-Lite® Coolant Dve
- Includes Fluorescence-Enhancing Glasses and Rugged Carrying Cases



Inspector 2-in-1 Electronic/UV

SKU **916553** MSC56200

- Pin-point Leaks as Small as 1/10 Oz. (3 gr) Per Year
- Built-in Ultra-Bright UV Light at End of Probe – Allowing Easy Access into Tight Areas



▲ Mastercool:

IntellaSense II Refrigerant Leak Detector

SKU **695639** MSC55900

- Detects: Combustible Gases, Hydrogen, Refrigerants (All CFCs, HCFCs and HFCs)
- Includes Leak Test Vial and Replacement Filters in a Blow Molded Box
- Meets and Exceeds SAE J2791 and J2913



SKU **916550** MSC56100

- (5) Detection Levels
- · Detects all Refrigerants
- Flexible 16" Probe for Hard-to-Reach Areas



Leak Detector

▲ Mastercool * **Nitrogen Leak Test Kit**

MSC53010

SKU **295560** • T-Handle for Ease of Pressure

- Adjustment Kit • Includes Leak Testing Gauges
- and Hoses



877-AZTOOL1 / 877-298-6651 Hablamos Español

AZtool1.com



Iniectors

OEM TOOLS

In-Line Dye and Oil Injector

- SKU **466322 39** 24532 Add Up to 2 Oz. of Oil or Dve
- to a System Under Vacuum or While Adding Refrigerant • 1/2" ACME Fittings to Fit Most
- R134a Systems • Use with TRATP38400601 Bottle Fluoro-Lite®



OEM TOOLS

R12 and R134a Hand Turn Dye Injector

SKU **466320** 24528

- Injects Dye or Oil into R12 or R134a Systems
- Refillable, Capacity: 2 Oz.
- Includes R134a Quick Coupler
- Use with Pourable Dyes



TRACERLINE'

EZ-Ject™ R-1234vf/PAG A/C Dye Injection Kit

SKU **568721** TRATP9844

- Multi-Dose Cartridge Pre Filled with R-1234Yf/PAG A/C Fluorescent Dye
- Easily Overcomes System Pressure, Dye Can Be Injected While System is Off or Running
- EZ-Ject R-1234Yf/PAG A/C Dye Cartridge Services Up to 14 Vehicles



▲ Mastercool *

Refillable Universal Dye Injector for R1234YF

SKU **764999** MSC53123-YF

- · Heavy Duty Aluminum Construction
- Injects Dye or Oil into R1234YF Systems
- · Refillable, Any Dye or Oil Can Be Used
- Easy Twist
- Injection System Precise Injection Controlled



TRATP9790 EZ-Shot Quickly Introduces Dye into a Vehicle's A/C System

EZ-Shot™ Universal

SKU **568723**

A/C Dye Injection Kit

- BigEZ™ Cartridges are Pre Filled with Co-Solvent Free A/C Dye, Certified to Meet SAE J2297 and Calibrated for **Exact Dosing**

TRACERLINE'

• BigEZ 8 Oz. Universal Dye Cartridge Services Up to 64 Vehicles



Refrigerant Identifier for R134a

SKU **295556**

- Avoid Potential Damage from Refrigerant Contamination
- Automatically Provides Step-by-Step Indication of the Gas Sampling Process
- Accuracy: Pass/Fail 95% Pure R134a



MSC69134-A

LeakFinder Coolant Dye (6) 1 Oz. Bottles

SKU **764995**

TRALF3001

- (6) 1 Oz. (30 ml) Bottles for All Conventional Coolants
- Find Leaks in Radiators, Hoses, Heater Cores, Water Pumps and Fittings
- Glows Green
- Works with All Leak Detection Flashlights

Comes In Box of (6) Oz. (30 ml) Bott



LEAKIFINDER

LEAKIFINDER! **Dve Oil** (6) 1 Oz. Bottles

• (6) 1 Oz. (30 ml) Bottle for Oil-Based Fluids

- · Find Leaks in Oil, Fuel, ATF
- · Glows Yellow/Green
- · Works with All Leak **Detection Flashlights**



LeakFinder

LEAK-FINDER' **AC Dye 8 Oz. Bottle**

SKU **764998 34 99 TRALF1008** • 8 Oz. (237 ml) Twin-Neck Bottle

- Universal A/C Dye • Find Leaks in A/C Systems; Compatible with R-134A,
- Glows Green
- Note: Not for Use in Hybrid Vehicles with Electrically Driven A/C Compressors

R-1234YF, and Other Refrigerants • Services Up to 32 Vehicles • Meets SAE J2297 • Works with All Leak Detection Flashlights

LeakFinder

LEAK-FINDER' AC Dye (6) 1 Oz. Bottles

SKU **764990 39 7RALF1001**



- (6) 1 Oz. (30 ml) Bottle Universal A/C Dye
- Find Leaks in A/C Systems; Compatible with R-134A R-1234YF, and Other Refrigerants
- Services up to 4 Vehicles Meets SAF J2297
- Glows Green
- Works with All Leak Detection Flashlight.
- Note: Not for Use in Hybrid Vehicles with



Big EZ 8 Oz. LeakFinder

SKU **764997** TRALF1800

- 8 Oz. (237 ml) Replacement Dye Cartridge
- Services Up to 64 Vehicles Note: Cartridge Fits Most Caulking Guns

BigEZ™ 8 Oz.

TRATP97700108

• Treats Up to 64 Vehicles

• Fits Most Caulking Gun

Injectors Including

Cartridge

SKU **291396**

TŔATP9790

Universal Dye



TRACERLINE'

1 Oz. Bottle Fluoro-Lite® **Universal/POE A/C Dye** (6 Pack)

Includes 4 Applications for Standard Sized



TRACERLINE'

Universal

SKU **505040** MSC53810-5

- 5 Pack of Dye for 53585 Leak Detector Kit • 10 Applications per Bottle



A/C Service Tools

Deluxe A/C Clutch Hub Puller and Installer

SKU **695099** 33627150 · For Removal and Installation



OEM TOOLS

Radiator/Condenser Cleaning Wand

SKU **514015** THX467A

M TOOLS

 New, Improved High Pressure Air/Water Cleaning Wand Reaches 24 Inches Between Radiator and Condenser,

- Under Mowing Decks, etc. to Clean Away Dirt and Debris • Made of Zinc-Plated Steel with Adjustable Valve Assembly
- Special Tips Deliver Air or Water at a 90 Degree Angle

OEM TOOLS



A/C Compressor **Pulley Removal Tool**

SKU **695609** 33627001

- Makes AC Compressor Pulley Removal Jobs Fast and Easy
- Can Be Used with 0EMT00LS™ 27008 Clutch Puller Jaws

Orifice Tube Remover Set

SKU **752530** 24562

- To Use, Simply Turn into Orifice
- Tube for Grip Then Turn Out • Includes Auger for Removing Broken Orifice Tubes

SKU **695628** 33627005 • Removes Club Hub from Ford **ES-6 Compressors**

AIRSEPT.

Turner Tool SKU **504135** AIR67700

Compressor

- OEM-Approved Compressor Start-up Assistance
- Prevent New Compressor Seizure at Startup
- Fits Most Hex-less Clutch Hubs



OEM TOOLS

OEM TOOLS

OEM TOOLS

A/C Clutch **Hub Plate Remover** SKU **695626**

A/C Clutch Hub

Remover

33627006



- from the Compressor • For Use with Chrysler C-171, A590, 6C17 and Tecumseh HR-980
- Compressor Clutches

OEM TOOLS

OEM TOOLS

A/C Clutch **Puller Jaws**

A/C Clutch

SKU **695625**

33627007

Hub Installer

and Tecumseh HR-980

Compressor Clutches

A/C Clutch

SKU **695102**

33627000

Holding Tool

• Holds Compressor Clutch in Place

When Removing Holding Bolt

· Adjust Pins to Fit Holes in Clutch

SKU **695624** 33627008



Additional Jaws for



OEM TOOLS

A/C Orifice Tube Tool

33627004

Fits Many GM and Ford Models

OEM TOOLS

Fin Comb



- 24526 • Clean and Straighten Condenser and Evaporator Coils
- **Confined Spaces** • Includes (6) Clearly
- Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch

OEM TOOLS

A/C Clutch Plate **Remover Shoe Tool**

SKU **695630** 33627002

• Used for GM A6 and R4 Compressor · Simply Screw into Clutch and Turn Pressure Screw to Remove







Large Bore R134a and R12 Cores




AC Dye Cartridge



SKU **291398**

TRATP38400601 • Pourable Dye for Use with Many Dye Injectors or Simply Pour into an Open System

★ Mastercool:





A/C Condenser

Straightener/Cleaner SKU **466317**

· Compact Design for



OEM TOOLS




Identifier

Leak Detection Fluid

• Services (1) Vehicle

LeakFinder

SKU **764986** TRALF2001



TRACERLINE' 1 Oz. Bottle **Dve-Lite®** AĬI-In-One™ Oil Dve

(6 Pack) SKU **291395** TRATP3405

· Patented Formulation Works with Any Leak Detection Lamp



LEAKIFINDER!

Concentrated Dye Cartridge -1 Oz. (5 Pack)

\$34.99 ON AIRSEPT AIR5PKCOMBO -

A/C Hose and Line Repair

FIX or TERMINATE a Line in 5 MINUTES!





UP TO 2600 PSI OE-APPROVED REPAIR SOLUTION INSTALLS IN MINUTES NO SPECIAL TOOLS, NO GLUE

SAVE TIME & MONEY!

Line Splice Straight Repair Kit AIRSEPT.

- Effective, Durable Leak Repair with No Line Removal
- 5 Minute Install with a Wrench (No Special Tools, No Adhesives Required)
- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough **Automotive Applications**
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area • Burst Tested to 2600 PSI



SKU	Part #	Size	Price
SAE			
504140	AIR76003	5/16" Line	\$34.99
504138	AIR76002	3/8" Line	\$34.99
504136	AIR76001	1/2" Line	\$34.99
504143	AIR76011	5/8" Line	\$44.99
504145	AIR76012	3/4" Line	\$44.99
METRIC			
504132	AIR77008	8 mm Line	\$34.99
504155	AIR77010	10 mm Line	\$34.99
504156	AIR77012	12 mm Line	\$34.99
504133	AIR77015	15 mm Line	\$44.99
504117	AIR77016	16 mm Line	\$44.99

Line Splice Straight Repair Kit Reducer

SKU	Part #	Size	Price
504141	AIR76004	3/8" to 5/16" Line	\$34.99
504095	AIR76005	1/2" to 5/16" Line	\$34.99
504142	AIR76006	1/2" to 3/8" Line	\$34.99

Smart Splice™ Line To Hose

When a Metal-to-Rubber A/C Line is Damaged, You Often Must Replace the Complete OE Line. If the Line is Not in Stock Locally, You Inconvenience Your Customer by Waiting for a Replacement Line. Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line Using AirSept's Smart Splice Line-to-Hose Connector™

- Leak-Proof Line Splice™ Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- . Works for Heater and Coolant Lines Also Install in 5 Minutes



SKU	Part#	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$34.99
504128	AIR76702	3/8" Line to #6 Hose	\$34.99
504129	AIR76703	5/16" Line to #6 Hose	\$34.99
504130	AIR76704	5/8" Line to #10 Hose	\$44.99
504131	AIR76705	3/4" Line to #12 Hose	\$44.99

Line Terminator Rear A/C Blockoff Kits

OE-Approved Rear A/C Block-Off Kits Block Damaged or Unused A/C Lines — No Line R and R. Save Time and Satisfy Customers.

Leaking Rear A/C Components or Lines Can Result in High Operating or Repair Costs. Airsept's Line Terminator, You Can Give Your Customers an Affordable (Yet Still Profitable) Alternative to the High Cost of Repair or Replacement Labor.

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part#	Size	Price
504149	AIR76502	3/8" Line	\$24.99
504146	AIR76501	1/2" Line	\$24.99
504152	AIR76504	5/8" Line	\$29.99
504154	AIR76505	3/4" Line	\$34.99

AIRSEPT.

Line Splice Straight SAE 5 Pack and Line Terminator SAE 5 Pack Combo

SKU **032916** AIR5PKCOMBO



Line Terminator SAE - 5 Pack

SKU **504122** AIR76526

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y" **Block Off Leaking Rear Evaporators**
- and Failed System Components
- Include One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits



Line Splice Straight SAE - 5 Pack

SKU **504101** AIR76050

- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install No Special Tools
- Includes One Each: 5/16", 3/8",1/2", 5/8" and 3/4" Line Splice Kits



AIRSEPT

Line Terminator SAE/Metric · 10 Pack

SKU **504124** AIR76530 Quickly and Effectively Blocks A/C

- Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kits



AIRSEPT

Line Splice Straight SAE/Metric· 10 Pack

SKU **504103 279 99**

- Effective, Durable Leak Repair with No Line Removal
- 0E Approved
- 5 Minute Install No Special Tools
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Line Splice Kits;
- Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Line Splice Kits







RI34a/RI2 Charging **Hose Repair Kit**

MSC91334-A 44⁹⁹

• 55 Piece Assortment of Replacement Gaskets, O-rings, Depressors for

Charging Hoses and Adapters





- OEM Approved Line Repair Solution Installs in Five Minutes, on the Vehicle, without Special Tools or Adhesives
- Leak Free Up to 2600 PSI

AIRSEPT

Smart Splice™ Multi-System **Line Repair Tray**

SKU **687973 479 99**

Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4" Line Splice Straight SAE Repair Kits: 8 mm, 10 mm, 12 mm, 15 mm, 16 mm Line Splice Straight Metric Repair Kits: 5/16", 3/8", 1/2" 5/8" Line Splice 45° SAE Repair Kits: 5/16", 3/8", 1/2", 5/8" Line Splice 90° SAE Repair Kits

• Top Tray in Master Cabinet



AIRSEPT

Smart Splice™ Line Terminator and Service Tee Repair Tray

- • SAE Sizes: OD Metal Lines I 5/16", 3/8",
- 1/2", 5/8", 3/4" OD Metal Lines
- Metric Sizes: OD Metal Lines): 8 mm, 10 mm, 12 mm, 15 mm, 16 mm



AIRSEPT

Smart Splice™ Hose to Tube, Hose to Hose Repair Tray

SKU **687975 579 99 AIR76078**

- Everything Needed to Make Hose to Line or Hose to Hose Repairs on A/C, Coolant and
- SAE Sizes: OD Metal Lines) 5/16", 3/8",1/2", 5/8", 3/4" OD Metal Lines, SAE Sizes for #6, #8, #10, #12 3/4", A/C Reduced Barrier Hose



AIRSEPT.

Smart Splice™ Aluminum **Tube Insert Service Tray**

SKU **687989 229 99** AIR76079

- Repair Long Sections of Damaged or Leaking A/C, Power Steering Return, Transmission, Trans Oil Cooler, Engine Oil, Engine Oil Cooler, Coolant and Heater lines
- Includes 12" Lengths of Aluminum Tubing for SAE and Metric Lines



AIRSEPT.

5 Piece Smart Splice[™] **Tool Assortment** SKU **688003**

AIR76080


Includes: Deburring Tool, Tube Cutter, Caliper, Pex Crimper, Rubber Hose Crimper



Manual Style A/C Hose Crimper, Bench or Vise Mounted

MSC71550

SKU **290028 244 99 MSC71550**




- Mount to Bench Using Holding Fixture or Place in Vise
- Includes: 71500 001 Yoke Assembly, 71550 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly,

71500 - 10 Die Set - #6 (5/16"), 71500 - 8 Die Set - #8 (13/32"), 71500 - 10 Die Set - #10 (1/2"), 71500 - 12 Die Set - #12 (5/8"), and 71500-PB Custom Mold Box Carrying



🚺 Mastercool 🕻

Hydra-Krimp A/C Hose Crimping Tool SKU **EPO/OUTSIDE BUY** MSC71500-A



- . Dies Snap Quickly into the Press Fixture (No Pins or Screws Required)
- · Patented, Lightweight, Portable • Ideal for Shop and Field Applications

Available via OUTSIDE BUY/EPO, Call 1-877-298-6651 for Ordering



🚺 Mastercool 🕻

OEM TOOLS **Heavy Duty Ratcheting Hose Cutter** SKU **466311**

24522

 Smooth Action and High Quality Blade Provide Quick Clean and Accurate Cuts

- Cuts Rubber Hose and PVC Up to 1-1/2" OD · Ratcheting Action Makes it
- Faster and Easier to Use Than Other Cutters
- Wide Hooked Jaws Hold **Tubing Securely**

