# **HEAVY DUTY**

877-AZTool1 **877-298-6651** *Hablamos Español* 

**AZtool1.com** 

### **HD Diagnostics**

#### **AL529HD Heavy Duty Code Reader**

SKU **868468** AULAL529HD

- Easy-to-Use Handheld Tool to Read and Erase Codes on Heavy Duty Vehicles
- Supports J1939 and J1708 Heavy Duty Communication Protocols
- One-Press I/M Readiness (Emissions) Key
- Code Breaker for Detailed Repair Help
- Auto Vin for Manufacturer-Specific Codes
- Free Software Updates



AUTEĽ

AUTEL

NOREGON.

NOREGON

NOREGON

#### **Full Color Heavy Duty Truck Code Scanner** with Caterpillar Coverage and OBDII

CDOHDCODEII 449<sup>99</sup>

- Extensive Class 4-8 HD, Medium & Light Duty Truck and Caterpillar Coverage
- Includes CAT Power Equipment, CAT Construction and CAT Industrial, International, Hino, Isuzu & Hybrid HD Trucks plus OBDII Vehicles
- Access Engine, Transmission & Brakes
- Read/Clear Codes
- DPF Reset & Regeneration for Fuso, Cummins and Detroit
- View/Graph Live Data
- Easy Updates Via Web
- Coverage for J1939/J1708 and OBDII Protocols



**Extensive Class 4-8 HD. Medium and Light Duty Truck and Caterpillar Coverage** 

### **Heavy Duty MaxiSYS® Diagnostic Tablet**

SKU **596888** AULMS908CV

- Performs Enhanced System Diagnostics on More Than 60 Commercial Vehicles
- 9.7" LED Capacitive Touch Screen, Android-Based Tablet
- MaxiFlash Elite, Bluetooth-Enabled VCI/J2534 Device
- WiFi and Bluetooth Enabled Tablet
- Read and Clear Codes, View and Graph Live Data
- Perform Tool-Guided Maintenance Services
- Diagnoses Manufacturer-Specific Systems Including Allison Transmissions, Bendix ABS Brake Systems, and **Detroit Diesel Engines**
- · One-Year Software Updates



#### **HD Mobile**

SKU **868469** 

CDOHDMOBILE 49999 . Works with iOS and Android

**MLT PRO Light to Medium Duty Truck Scan Tool** 

- Class 4-8 Coverage
- Live Data

SKU **201993 CDOMLTPRO** 

- Read & Clear Codes
- DPF Resets and Regens for Cummins, Detroit, Fuso and Volvo
- Includes: 6, 9, 16-pin, CAT Connectors, and Free Updates



Can Do

Mobile Devices Not Included

### **DLA+ 2.0 Adapter Kit**

SKU OUTSIDE BUY/EPO NRS122061

- Includes: DLA+ 2.0 Adapter
- 9-Pin and 6-Pin Cables • Type-B OBDII Cables (Ford, GM,
- Sprinter/Hino/Isuzu, Mack & Volvo) • USB Computer Cable
- Adapter Kit Carry Case



Available via Outside Buy/EPO.

Call 1-877-298-6651 for Ordering Instructions



• Read and Clear Codes, View Live Data Stream, Read System ID and Info, Activation Tests and More

 Extensive HD Coverage Including Class 4-8 Trucks and Industrial Equipment

 Powerful Special Functions: 0EM-level Regenerations, Cylinder Cutout, Injector Programming, DPF Activation, Regeneration and Reset, Reset Parameters, DPF/NOX Reset, SCR/DEF Coverage,

• Diesel Hybrid Access

**HD Pro Tab** 

**CDOHDPROTAB** 

and Systems

Bluetooth Capability

• Open Android Operating System

SKU **757077** 

• 8" TFT Touch Screen Color Display



### **HD Pro II**

Stream with Graphing

• Includes 2 Years of Free Software

SKU **597204** 

CDOHDPROII **4,299** 99

• Coverage for Power Stroke, Duramax, Dodge

• True IP65 Drop Test and Water Resistant Rating

Coverage for J1939/J1708 and OBDII Protocols

• OBDII Generic: Read/Clear Codes and Live Data

Cummins, Hino, Isuzu, UD and All Types of Sprinter Vans • DPF Aftertreatment Leak Test & Reset Functions



- Service Resets and More

. IP65 Rating, Drop-Tested and Water Resistant

• Easy-to-Use Interface for All Manufacturers

• Powerful 1.8GHz Quadcore Processor • Includes: Multiple Connectors, Docking Station and 2 Years of Free Software



Can Do

### **Trailer Diagnostic Adapter Kit w/Power Cable**

SKU **OUTSIDE BUY/EPO** NRS122511

· Required to Test, Diagnose, and Initiate Repair on a Heavy Duty Trailer ABS

· Allows Connection Directly to Trailer Using Secondary Power Source


 Includes: Noregon Trailer Diagnostic Adapter 7-Pin J560 T-Connector Cable 15' USB Computer Cable Adapter Carrying Case J-560 Power Supply



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

## JPRO® Professional Diagnostic Software &

SKU OUTSIDE BUY/EPO NRS232125-NS



NextStep<sup>™</sup> Service & Repair Information

Adapter Kit with NextStep™

- DLA+ 2 0 Adapter
- 9-Pin and 6-Pin Cables
- Type-B OBDII Cables (Ford, GM, Sprinter/Hino/Isuzu, Mack & Volvo)

**Connects Heavy Duty Vehicles to a** PC via USB Port for Diagnostics, Reprogramming or Parameter Adjustment

**JPRO® Professional Diagnostic Software and Adapter Kit** 

SKU **OUTSIDE BUY/EPO** NRS232125



### JPRO® Professional Diagnostic **Toolbox with NextStep**

SKU **OUTSIDE BUY/EPO** NRS263025-NS

- JPRO Professional Diagnostic Software (Annual Subscription) NextStep<sup>™</sup> Service & Repair Information
- (Annual Subscription) Panasonic Semi-Rugged Toughbook
- DLA+ 2.0 Adapter
- 9-Pin and 6-Pin Cables
- Type-B OBDII Cables (Ford, GM, Sprinter/Hino/Isuzu, Mack & Volvo)
- USB Cable

Available via Outside Buv/EPO. Call 1-877-298-6651 for Ordering Instructions



# **HEAVY DUTY**

### **Heavy Duty Diagnostics**

### **Navigator TXTs HD Diagnostic System**

SKU **767357 TEXTXHDTBKTAB** 

- Turn-Key Set Up, No Registration Required
- Coverage for All Major HD Engine Manufacturers
- Fast Multi-System Scan with DTC Report and Broadcast DTC Clearing Capability
- Data Graphing
- Advanced Programming Functions
- Integrated Wiring Diagrams and Component Locator
- With I-Support

### **Off-Highway Basic Kit with AXONE**

SKU **908268**TEXTXOHWBKAX

- Off-Highway Diesel Coverage for Agriculture, Construction, and Industrial Engines
- Advanced Activations and Settings Coverage
- Integrated Scalable and Printable Wiring Diagrams
- Durable Design Features Gorilla Glass and IP67 Water-Resistance Rating
- 256GB Solid State Drive
- Includes 1 Year of Updates, Technical Bulletins and DTC Repair Help
- Diagnostic Cables Not Included

### **Off Highway Cables with Case**

SKU **OUTSIDE BUY/EPO** TEXS049C5

### **HD Truck Package with AXONE**

SKU **908271** TEXTXHDTBKAX

- Comprehensive Vehicle Coverage—from Light Diesel Pickups to Class 8 Vehicles
- Subsystem Coverage Including ABS/EBS, Trailer ABS/EBS, Automatic Transmission, Central Gateway, Body Controller, Sonar Systems, Suspension Systems, and Many More
- Quad Core Processor with 8GB RAM
- 256GB Solid State Drive
- Durable Design Features Gorilla Glass and IP67 Water-Resistance Rating
- Includes 1 Year of Updates, Technical Bulletins and DTC Repair Help



### **We Offer A Full Line of TEXA Products**

### **AC Hydraulic™**



### **WTA500 Hydraulic Wheel Trolley**

SKU **762501** SKU **762501 1,299 99** 

- 1,100 Lbs. Capacity
- Flexible Wheel Trolley for the Removal of Wheels and Brake Drums
- Adjustable Lifting Arms for Wheel Sizes: 10.63" 51.18"
- Lifting Arms with Roller Bearings Allow Easy Wheel Rotation into Correct Position
- Pedal Operated Pump for Hands-Free Use
- Safety Bracket Secures Wheel for Transport
- Hand-Operated Dead-Man's Control for Optimal Safety
- (2) 360° Swivel Wheels





### 25-2 Air-Hydraulic 11 Ton Jack SKU **804467 ACH25-2**

- Minimum Height: 7.20"
- Designed for Heavy Duty, Intensive Commercial Use
- Hard Chromium Plated Piston Rod for Long Life
- Built-in Safety Overload Valve
- Hand-Operated Dead-Man's Control for Optimal Safety
- (2) Extensions (1.97"/3.94") Max Height: 14.84"



### Lifting Equipment

### **CWL-10 10 Ton Wheel Lift Pair**

SKU **161271 MSS4858008900 6** 

- Perfect for Shops with Low Ceiling Heights Built-in Vehicle Support Stand Feature Allows Complete Open Access Under the Vehicle
- Small Wheel Adapters
- Dual Trigger Control Valve Allows Synchronized Raising and Lowering of Vehicle
- · Easily Handles Wheel Sizes from 16" to 24.5" with Included Small Wheel Adapters

### MAHLE

TEXA

**CCL-300 300LB Clutch Jack** SKU **752063 MSS4858004400** 

- 360° Rotating Head Allows Flexibility During
- Installation and Removal of Clutches • Fold Back Feature Lets Technicians Easily Remove the Jack
- 300 Lbs. Lifting Capacity
- Minimum Start Height 15" (38 cm)
- Maximum Lift Height 39" (99 cm)





BendPak.

### Scorpion Jacks™

### TJ12S 24.000 Lbs. **Capacity Service Jack**

SPNTJ12S

SKU **765477** • Low Minimum Height of 7.5

- Maximum Height: 19" Two Contact Points for
- Safer Lifting • Air/Hydraulic Design --No Pumpina!
- Full Floating Casters for Easy Transport • Lifts the Entire Front End or
- to Lift One Corner at a Time • Built-in 3-Stage Safety Locking Mechanism

**TJ14 14-Ton Service Jack** 

SPNTJ14

SKU **765528** 



## 27,000 Lbs. Standard Length Lift SKU OUTSIDE BUY/EPO **14,719**99 BENHDS27

- Runways Include Rail-Kit for Optional Accessories • Runways Adjust for Different Tread Widths
- Electric / Hydraulic Power System
- Fully Enclosed Lifting Cables, Safety Locks, and Sheaves
- Pneumatic Push-Button Safety Release

### **Extended Length Lift**

SKU OUTSIDE BUY/EPO BENHDS27X

• Extended Capacity Lift Features 323" Length Runways

### **30,000 Lbs. Lift**

- Heavy Duty Steel Sheaves and Cables
- 71.75" Rise Height
- · Heavy Duty Cylinder • Single Point Air Actuated Lock Release
- Multiple Locking Positions

CHL4030SFX

Durable Non-Skid Louvered Approach Ramps

SKU OUTSIDE BUY/EPO

#### **HD Alignment Lift** SKU OUTSIDE BUY/EPO CHL4030SAX

· Turntables Not Included

Available via Outside Buv/EPO. Call 1-877-298-6651 for Ordering Instructions Price does not include vehicles, installation or optional equipment as shown **CL** Challenger Lifts

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions Price does not include vehicles, installation or optional equipment as shown

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

## **FOR FINANCING** PROGRAMS SEE PAGE 2

877-AZTool1 **877-298-6651** *Hablamos Español* **AZtool1.com** 

HOFMANN 3

CEMB<sup>®</sup>
BALANCING MACHINES

### **Wheel Balancers**



### **Super-Duty Truck Wheel Balancer with Drive-Check™**

SKU **255750** RANRB24T

- Shaft Size 40 mm.
- Maximum Tire Diameter 50", Max Tire Weight 400 Lbs., Max. Wheel Diameter 30", Wheel Width Capacity 2"- 20"
- Includes: Centering Cones Included 5 Standard Cones / 1 Dual Tapered Cone, Wheel Calipers
- Voltage 208-240V 50/60HZ 1Ph.

### **Lift Gate** Service

SKU **262533 RANLIFTGATE** 



Price does not include tires or rims as shown

#### **C206 Portable Hand Spin Wheel Balancer**

SKU **543153 CMBC206** 

- Portable Wheel Balancer with Automatic Distance and Diameter Entry (2D)
- Dual Voltage Power Supply 12VDC 110VAC
- Easy Hand Spin System Requires Minimum Effort for Spinning
- Manual Lifting System Can Easily Handle Wheel Up to 550 Lbs. (250 Kg)
- Split Program and Optimization Program
- · Wheels for Easy Portability • Battery Pack for Use When

Power is Not Available **Lift Gate Service** 

SKU **765535 60**00



CEMB A BALANCING MACHINES

Price does not include tires or rims as shown

### geodyna® 980L Truck **Wheel Balancer**

SKU **OUTSIDE BUY/EPO** HOFEEWB710BW

• Motor: 1 HP. 115VAC

- Pneumatic Wheel Lift Aids in Proper Wheel Mounting and Eliminates Need to Manually Lift Heavy Tires
- . Operator Can Recalibrate the Balancer in Two Easy Steps, Ensuring Accuracy and Saving Costly Service Calls
- Semi-Automatic Parameter Entry Maximum Wheel Assembly
- Width: 25'
- Rim Diameter: 8" x 30'
- Maximum Wheel Weight: 500 Lbs.
- Includes Automotive Cones

**Lift Gate Service** 

SKU **290017 95**00



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions Price does not include tires or rims as shown

### **Tire Changers**

#### **Super-Duty Truck Tire Changer**

SKU **544552** 

RANR26FLT

- Portable Control Unit
- · Self-Centering Hydraulic Clamping Chuck
- Spreader Jaws
- Max Rim Diameter: 14" 26"
- Max Tire Diameter: 63" • Max Tire Width: 31-1/2'
- **Lift Gate Service**

RANLIFTGATE 135



**CM27T Universal Tire Changer for Trucks and Bus Wheels** 

SKU **OUTSIDE BUY/EPO** CMBCM27T

- Clamping Range: 13" 27"
- Mobile Control Unit
- Bi-Directional Rotation
- · Self-Centering Universal Wheel Chuck

#### **Lift Gate Service**

SKU **765535** CMBLIFTGATE



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions Price does not include tires or rims as shown

REDLINE

### **Smoke Leak Detectors**

#### **Air Brake NanoLeak Finder**

SKU **743984** 

RED95-0121A

- · Professional Grade Equipment Comes with All Accessories Needed • Runs on Compressed Air and 12V DC
- Weighs Only 18 Lbs.
- Utilizes Test Pressure Up to 9.3 Bar (135 PSI)



### **PowerSmoke Pro™ Leak Detector**

SKU **743985** 

RED95-0170

- Specifically for Light to Medium Duty Vehicles with Forced Induction Engines
- Variable Pressure Variable Flow
- 40X Typical EVAP Pressure
- · Compact, Rugged Design • Professional Grade Strong
- Made with Steel and Billet Aluminum
- · Not for Use on EVAP
- Runs on Compressed Air
- Powered By 110-250V AC or 12V DC • 2-20+ PSI Range



REDLINE

### 3.9" Intake Bladder

SKU OUTSIDE BUY/EPO RED95-0083

• Expandable Bladder Seals Off Intake and/ or Exhaust During Diagnostic Tests on Heavy



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

## **Specialty Tools**

**OEM** TOOLS


#### **Heavy Duty U-Joint Puller** SKU **041474** 24538

- Easily Removes Seized U-Joint Cups on Most Class 7 and 8 Trucks
- Safely Disassemble Drivelines without Hammering or Heating Components
- Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups



#### **OEM** TOOLS **NAVISTAR® MAXXFORCE®** Fuel **Line Disconnect Tool Set - 4 Piece**

SKU **004112** REG. \$34.99 25031



Line Removal (1) Straight and (1) 90° Tool for 11.8mm Fuel lines; (1) Straight and (1) 90° Tool for 16 mm Fuel Lines

• Sized to Depress Fuel Release Tabs for Efficient Fuel



### A/C Recovery Machines

#### R134a Handling **System for Heavy Duty** A/C Servicing

SKU **19239** MSSACX1180C

· Fully-Automatic Program to Recover,

- Vacuum, Leak Test and Charge
- 50 Lbs. Internal Tank
- 5 CFM 2-Stage Vacuum Pump • Integral Paper Printer and Print to USB



MAHLE

### **Alignment Diagnostic**





### **Fleet Glove Handheld Laser Tire and Alignment Tool** SKU **751989**

TPIGG003 Captures All Necessary Data for Tire Alignment, Tread

- Depth, and Rotation Diagnostics • Touch Screen Allows Easy Data Capture From Tire To Tire
- · Built In Inertial Sensor Software Makes Scanning Tires Fail-Safe
- No Space Requirements For Performing An Alignment Diagnosis

# DID YOU KNOW?

AutoZone® has multiple financing options for large tool or equipment purchases to include Leasing and/or interest free **Extended Payment options.** 

> **Contact Your AutoZone® Commercial** Sales Manager for Details