



WER AND PERFORM AT THE RIGHT PRIC

RECHARGEABLE PROFESSIONAL SERIES

ALL THE TOOLS YOU NEED - 1 BATTERY PLATFORM

20V MAX* Li-ion Heavy Duty 1/2" Drive Impact Wrench

SKU **818594 159 99**

- Speed: 0-2,200 RPM and 0-2,900 IPM
- Nut Busting Torque: 300 Ft/Lbs.
- Tightening Torque: 260 Ft/Lbs.
- Battery: 4.0Ah Li-ion • Weight: 8 Lbs.
- 4 Battery Light Indicators: 100% (4), 75% (3), 50% (2) and 25% (1)
- Charge Time: 2 Hours
- Includes Li-ion Battery with Charging Station



20V MAX* Li-ion

1/2" Brushless Impact Wrench

SKU **592251** 24486

- Anvil: 1/2" Square Drive
- Variable Speed: 0-2,600 RPM; 0-3,000 IPM
- Nut Busting Torque: 300 Ft/Lbs.
- Tightening Torque: 260 Ft/Lbs.
- Battery: 4.0Ah Li-ion • Charge Time: 2 Hours
- Weight: 9.28 Lbs.
- Includes: 20V MAX* Li-ion Brushless 1/2" Drive Impact Wrench, Rechargeable 4.0Ah Li-ion Slide **Battery and Charging Station**



20V MAX* Li-ion

1/4" Brushless Impact Driver

SKU **592213 24487**

- Drive: 1/4" Quick Release
- Variable Speed: 0-3,000 RPM; 0-3,000 IPM
- Nut Busting Torque: 300 Ft/Lbs.
- Tightening Torque: 260 Ft/Lbs.
- Battery: 2.0Ah Li-ion
- Charge Time: 1 Hour • Weight: 7.17 Lbs.
- Includes: 20V MAX* Li-ion Brushless 1/4" Drive Impact Driver, Rechargeable 2.0Ah Li-ion Slide Battery and Charging Station



20V MAX* Li-ion

Heavy Duty 1/2" 2 Speed Cordless Drill

SKU **818593** 24482

- Chuck Size: 1/2"
- 2 Speed Gear Box: 0-600 RPM and 0-2,000 RPM
- 4 Battery Light Indicators: 100% (4), 75% (3), 50% (2) and 25% (1)
- Electric Brake
- Clutch: 21 + 1 Torque Clutch Setting
- LED Work Light
- · Charge Time: 1 Hour
- Includes Li-ion Battery with Charging Station




20V MAX* Li-ion

1/2" Brushless Drill SKU **592256**

24484

- Chuck Size: 1/2" Keyless Jacob's Chuck • Variable Speed: 0-600 RPM and 0-2,000 RPM
- Max. Torque: 310 In/Lbs.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Battery: 2.0Ah Li-ion
- Charge Time: 1 Hour • Weight: 7.63 Lbs.





20V MAX* Li-ion

1/2" Brushless Hammer Drill SKU **593469**

- Chuck Size: 1/2" Keyless Jacob's Chuck
- Variable Speed: 0-600 RPM and 0-2,000 RPM
- Max. Torque: 310 In/Lbs.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Battery: 2.0Ah Li-ion
- · Charge Time: 1 Hour • Weight: 7.65 Lbs.
- Includes: 20V MAX* Li-ion 1/2" Brushless Hammer Drill, Rechargeable 2.0Ah Li-ion Slide Battery and Charging Station



20V MAX* Li-ion

Reciprocating Saw SKU **592353**

- Variable Speed: 0-3,000 SPM
- . Length of Stroke: 1"
- Max. Cutting Capacity (Wood with 12" Blade): 3-1/8"
- Max. Cutting Capacity (Pipe): 3/4"
- Overall Length: 14-1/4"
- Battery: 2.0Ah Li-ion
- · Charge Time: 1 Hour
- Weight: 7.29 Lbs. • Includes: 20V MAX* Li-ion Reciprocating Saw, (1) High-Quality, Multi-Purpose Bi-Metal Reciprocating Saw Blade, Rechargeable 2.0Ah Li-ion Slide Battery and Charging Station



20V MAX* Li-ion

Cordless Angle Grinder SKU **598786**

- Speed: 0-10,000 RPM
- Max. Disc Diameter: 4-1/2"
- Spindle Thread: 5/8"
- Spindle Lock: Yes Battery: 4.0Ah Li-ion
- . Charge Time: 2 Hours

20V MAX* Li-ion

• Orbital Positions: 3

• Stroke Length: 3/4"

· Battery: 2.0Ah Li-ion

• Charge Time: 1 Hour

• Weight: 6.39 Lbs.

Variable Speed: 0-2,500 SPM

Includes: 20V MAX* Li-ion Jig Saw, (1) High-Quality Blade for Wood, Rechargeable

2.0Ah Li-ion Slide Battery and Charging Station

• Bevel Capacity: 45 Degrees

Jig Saw

SKU **592269 24489**

• Includes: 20V MAX* Li-ion Cordless Angle Grinder, (1) Grinding Disc, (1) Assist Handle, Rechargeable 4.0Ah Li-ion Battery and Charging Station



20V MAX* Li-ion

6-1/2" Circular Saw SKU **592349**

- 24488 • No-Load Speed: 3,800 RPM
- Arbor Size: 5/8"
- Depth of Cut at 45 Degrees: 1-9/16"
- Depth of Cut at 90 Degrees: 2-1/8"
- Battery: 4.0Ah Li-ion
- Charge Time: 2 Hours Weight: 10.35 Lbs.
- Includes: 20V MAX* Li-ion Circular Saw, 6-1/2" Blade, Edge Guide, Rechargeable 4.0Ah Li-ion Slide Battery and Charging Station





20V MAX* Li-ion Replacement **Battery 4.0Ah** SKU **824772**



20V MAX* Li-ion Fast Battery Charger

SKU **824773** 27314B Charges Both 2.0Ah and 4.0Ah Batteries



20V MAX* Li-ion Replacement **Battery 2.0Ah** SKU **824777**

WORK WITH:

*With respect to 20V MAX, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

NOW AVAILABLE IN STORES

20V MAX* Li-ion 3/8" Drive Cordless **Impact Wrench**

SKU **52379** 24661



- 3/8 In. Drive Ball Detent, Heat-Treated Anvil
- Variable Speed: 0-2,400 RPM and 0-2,900 IPM • Max. Torque: 200 Ft/Lbs. (Forward) and

AZtool1.com

- 240 Ft/Lbs. (Reverse)
- Battery: 1.5Ah Li-ion
- Electric Brake
- Battery Charge and Capacity Indicator Lights
- Charge Time: 1 Hour

STORE STOCKED

• Contents: (1) 3/8 In. Cordless Impact Wrench, (1) 1.5Ah Lithium-ion Slide Battery and (1) Diagnostic Fast Battery Charger



20V MAX* Li-ion 3/8" Drive Cordless Drill SKU **52383**

- No-Load Variable 2 Speed Gear Box: 0-350 RPM and 0-1,150 RPM
- Max. Torque: 250 Ft/Lbs
- Max. Drilling Capacity: 5/16" (Metal) and 3/4" (Wood)
- Keyless, Auto Spindle Lock Chuck Size: 3/8"
- Clutch: 16 + 1 Torque Clutch Setting

Heavy Duty 1/2" Drive

• 1/2" Square Drive with Hog Ring Retainer

• No-Load Speed: 0-2,200 RPM and

- Electric Brake
- Forward and Reverse Switch
- Battery Charge and Capacity Indicator Lights
- Charge Time: 4-6 Hours

Impact Wrench

SKU **52388 79**99

• Input Power: 8.5 Amp

• Motor: 120V, 60Hz

• Max. Tightening Torque: 320 Ft/Lbs.

• Replaceable Carbon Brushes

Max. Nut Busting Torque:

0-3.000 IPM

400 Ft/Lbs.

• Contents: (1) 3/8" Cordless Drill/Driver, (1) 1.5Ah Lithium-ion Slide Battery and (1) Battery Charger



20V MAX* Li-ion 1/2" Drive Cordless Impact Wrench

- 1/2: Drive Ball Detent, Heat-Treated Anvil
- Variable Speed: 0-2,200 RPM and 0-2,900 IPM Max. Torque:
- 240 Ft/Lbs. (Forward) and 300 Ft/Lbs. (Reverse)
- Battery: 2.0Ah Li-ion
- Electric Brake
- Forward and Reverse Switch
- Battery Charge and Capacity Indicator Lights
- Charge Time: 1 Hour

STORE STOCKED

20V MAX* Li-ion

SKU OUTSIDE BUY/EPO

· Charges in 30 Minutes

Battery Charger

SKU OUTSIDE BUY/EPO

• Charges 24662A Batteries

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

· Heavy Duty, Cast Aluminum Gear Head for Strength and Durability

Contents: (1) 4-1/2" Compact Angle Grinder, (1) Grinding Wheel, (1) Spanner Wrench and (1) Disc Guard

4-1/2" Compact Angle Grinder

• Interchangeable Handle for Left or Right Hand Use

20V MAX* Li-ion

SKU **52382**

• Motor: 6 Amp

• 6 Ft. Cord

· Voltage: 120V, 60Hz

Speed: 10.500 RPM

Battery

24662A

24662B

24663

• Fits 24662

• Contents: (1) 1/2 In. Cordless Impact Wrench, (1) 2.0Ah Lithium-ion Slide Battery and (1) Diagnostic Fast Battery Charger



• 8 Ft. Cord STORE STOCKED 🖊

Dual Temp Heat Gun

SKU **52387** 24665



- Motor: 120V, 60Hz
- Temperature Settings: 482° F / 842° F
- Trigger: 3 Position Rocker
- . Hanging Loop for Storage
- 6 Ft. Cord

STORE STOCKED 🖊

3/8" Drill SKU **52385**

24669

- Input Power: 4.0 Amp
- Voltage: 120V, 60Hz
- No-Load Speed: 0-3,000 RPM
- 3/8" Keyless Chuck
- Lock-On Button to Reduce User Fatigue
- · Belt Hanger for Convenience and Safety
- 6 Ft. Cord

Individual Battery and Charger Available

20V MAX* Li-ion

SKU **029415** 24660A

- Fits 24660, 24661
- · Charges in 30 Minutes

20V MAX* Li-ion **Battery Charger** SKU 029418 **9099** 24660B



• Charges 24660A Batteries

4V MAX** Li-ion **Cordless Screwdriver**

SKU **339037 24 99 24667**

- 1/4" Hex Drive with Auto Lock
- No-Load Speed: 230 RPM
- Trigger Activated LED Work Light Toggle Switch for Easy Forward / Reverse Change
- Battery Charge Indicator Lights
- on Tool Contents:
- (1) 4V Cordless Screwdriver, (4) 1/4" Hex Bits and (1) Charger



STORE STOCKED

Rotary Tool with 35 Piece Accessory Kit

SKU **339082** 24664

- Input Power: 1.2 Amp
- Voltage: 120V, 60Hz • No-Load Speed:
- 10,000 35,000 RPM • Collet Capacity:
- 1/8" to 3/32' • Spindle Lock for
- Easy Bit and Accessory Change • 6 Ft. Cord
- Includes Grinding Stones, Wheels, Brush, Sanding Bands and Disks, plus Grinding, Cloth, and Cut Off Wheels

STORE STOCKED

Flexible Shaft Rotary **Tool Extension** SKU **003483**

· Easily Attaches to Many Popular Rotary Tools



STORE STOCKED

MORE FROM OEMTOOLS™ POWER TOOLS

6" Bench Grinder with Lamp

SKU **412598**



- Shaping and Sharpening Hardened Steel 6" Wheels with Tool Rests
- Tool Rests Adjust to 45° or 90° Position • Includes: Coarse and Fine 6" Grinder Wheels, Goose Neck Lamp, Adjustable Eye Guards and Spark Breakers





SKU **818596 80173**





13-3/8" Tool Tray



Engraver SKU **339060**

33624668 Motor: 0.2 Amp

- Voltage: 120V, 60Hz
- Max. Continuous Operating Time: 5 Minutes • Replaceable, Tungsten Carbide Engraving
- . Max. Depth Adjustment Dial: 9 Positions
- Weight: 0.8 Lbs.
- 6 Ft. Cord



SKU **592258 79**

• No-Load Speed: 1,000 - 3,000 RPM

• Spindle Thread: 5/8" · Spindle Lock: Yes • Power Cord Length: 6 Ft.

• Power: 11 Amp

• Weight: 8 Lbs. • Includes:

7" Variable Speed Polisher (1) Sanding Paper

(1) Sanding Pad (1) Terry Bonnet (1) Wool Bonnet (1) Foam Piece and 6 Ft. Power Cord



14" Chop Saw

SKU **592253**

 Power: 15 Amp • No-Load Speed: 3,700 RPM

• Disc Diameter: 14" · Clamping Vise: Yes

• Max. Cutting Depth: 4.72" Round Pipe • Power Cord Length:

• Arbor: 1"

· Weight: 33 Lbs.

• Includes: 14" Chop Saw, 8 mm Hex Wrench, Cutting Blade and 6 Ft. **Power Cord**

Dual Temp Heat Gun

SKU **592200 20***99*

 Powerful 1500 Watts Heating Power

• 3 Position Trigger Switch for On/Off and Temperature Setting

• Temperature: 482° F to 842° F (250° C to 450° C) Built-in Aluminum Stand


Dual Temp Heat Gun, Nozzle Deflectors, 3 Interchangeable Scraper Blades, Scraper Handle, Scraper and Blow Mold Case



Oscillating Tool SKU **592331 24495**

- Variable Speed: 11,000 20,000 OPM • Power: 2.3 Amp
- Oscillating Angle: 3.2 Degrees • Overall Length: 14-1/2"
- Power Cord Length: 6 Ft.
- Weight: 4.1 Lbs.
- Includes: Quick Release Oscillating Tool, (1) 3-1/2" Semi-Circle Wood Saw Blade, 1) 2" Rigid Scraper, (1) 1-1/4" Wood Plunge Blade, (1) Standard Sanding Pad, (3) 60/80/120 Grit Sandpapers and 6 Ft.







Tankita

Thakita





Makita

Makita

Inakita

Makita



SKU **847089 MAKCT226**

134⁹⁹

- 3/8" Driver Drill with 210 In/Lbs. of Max Torque
- 1/4" Impact Driver with 970 In/Lbs. of Max Torque
- Includes (2) 12V Slide Batteries
- Batteries Charge in 25 Minutes
- Built-in LED Light



makita



SKU **949560 MAKXWT12RB**

 Compact Design Measures 5-5/8" Long • Variable Speed: 0-1,300/0-2,400 RPM; 0-2,000/0-3,600 IPM

 BL™ Brushless **Motor Delivers** 130 Ft/Lbs. of Max Torque



7" Variable Electric Polisher and Sander Kit - Corded

SKU **555414 MAK9237CX2**

• 0 - 3000 RPM Variable Speed

- Constant Speed Control Maintains Speed Under Load
- · Soft Start Feature for Easy Startups · Externally Accessible Brushes for Easy Serviceability
- Includes a Foam Pad and Heavy Duty Tote Bag and (2) Bonnets





GET ITEM BELOW \$54.99 VALUE!

12V max CXT™ Li-ion Compact Job Site Radio SKU **434581 MAKRM02**

nakita

GET ITEM BELOW \$79.99 VALUE!

18V Lithium-ion 2.0Ah Battery SKU **555436** MAKBL1820

Offer Good Through March 31, 2019 - While Supplies Last



GET ITEM BELOW

18V LXT® Li-ion Cordless 12 LED Flashlight (Tool Only) SKU **849456 MAKDML801 'DP ORDERS**

Offer Good Through March 31, 2019 - While Supplies Last

Offer Good Through March 31, 2019 - While Supplies Last

BUY EITHER OF THE TOOLS BELOW - GET THIS

5" Dual Action Random Orbit Polisher SKU **762481 Makp05000CX1**

• 7.8 AMP Motor

562

• 7/32" Orbit Diameter Provides a Swirl-Free Finish

 Variable Speed Control Dial (1,600 - 6,800 OPM)

 Electronic Controller **Provides Constant** Speed Control

18V Tool Kits



18V LXT® Li-ion Cordless Combo Kit

SKU **696478 MAKLXT320**

• 3/8" Impact Wrench Provides 155 Ft/Lbs. of Max Torque

• Impact Driver Provides 1,420 In/Lbs. of Max Torque • Extra Bright 12 LED Flashlight Has 240 Lumens

and Rotates Left to Right (2) 18V LXT® Li-ion 3.0 Ah Batteries that Reach Full Charge in 30 Minutes

• Rapid Optimum Charger Optimize Battery Life By Actively Controlling Current,

Voltage, and Temperature Tool Bag



Makita

\$134.99 VALUE!

12V Lithium-ion Cordless Combo Kit SKU 847089 MAKCT226



18V (36V) LXT[®] Li-ion Brushless Blower Kit w/ 4 Batteries (5.0Ah)

SKU **004135 MAKXBU02PT1 379** *99*

Kit Includes X2 LXT® Li-ion Brushless Blower, **Dual-Port Charger and (4) 18V LXT® 5.0Ah Batteries**

- Delivers Up to 28 Minutes of Run Time at Mid-Speed (15,800 RPM) Using (2) 18V LXT® 5.0Ah Batteries
- BL™ Brushless Motor Delivers Up to 120 MPH Air Velocity and 473 CFM of Air Volume
- Sound Pressure Rating of 60.2 dB
- Zero Emissions and Reduced Maintenance No Need for Gas or Oil
- Features Extreme Protection Technology (XPT™) to Provide Increased Dust and Water Resistance in Harsh Job



18V X2 (36V) LXT[®] Li-ion Brushless Cordless 14" Chainsaw Kit w/ 4 Batteries

SKU **004152 MAKXCU03PT1 439 99**



- BLTM Brushless Motor Direct-Drive System Provides High Power Efficiency Equivalent to a 32cc Gas Chainsaw
- Variable Speed Trigger and High Chain Speed (0-3,940 FPM) for Improved Cutting Performance
- Low Noise Level and





Tools Only

Site Conditions

18V LXT® Li-ion Cordless Recipro Saw (Tool Only)

MAKXRJ04Z 119⁹⁹

- Variable Speed Motor Delivers 0-2,800 Strokes per Minute with a 1-1/4" Stroke Length for Faster Cutting
- Tool-less Blade Change System
- · Variable Speed Trigger
- Extreme Protection Technology (XPT[™]) Improved Dust and Water Resistance



Tool Only, Does Not Include Battery or Charger

ORKS WITH MAKITA 18V BATTERIES

18V LXT® Li-ion Cordless 1/2" Driver Drill (Tool Only)

SKU **004137** MAKXFD10Z

• 4-Pole Motor Delivers 480 In/Lbs. of Max Torque and 290 In/Lbs

Variable 2-Speed Motor (0-400 & 0-1,500 RPM)

of PTI Torque

- Built-in LED Light
- Rubberized Soft Grip Handle
- Equipped with Star Protection Computer Controls™



18V LXT® Li-ion Cordless 1/4" Die Grinder (Tool Only)

SKU **004153**

MAKXDG01Z 19 • Delivers 25,000 RPM for Faster Grinding


- Weighs Only 4.4 Lbs. with Battery (Battery Not Included)
- Vent Slots Direct Exhaust Air Away from the User Round-Shaped Collet Nut Reduces
- the Possibility of Damage
- Stepped Neck for Working in Tight Spaces



Tool Only, Does Not Include Battery or Charger

18V LXT® **Li-ion Brushless** 3/4" Dr Impact Wrench (Tool Only)

SKU **004146** MAKXWT07Z • BL[™] Motor Delivers 780 Ft/Lbs.



- 3/4" Anvil with Friction Ring and Thru-Hole Retention System
- Efficient BL[™] Brushless Motor for Up to 50% Longer Run Time
- Built-in Dual LED Lights



Tool Only, Does Not Include Battery or Charger

18V Batteries

18V 4.0Ah Li-ion Battery

SKU **849464 | MAKBL1840B** With Charge Indicator Light

18V 5.0Ah Battery SKU **849454 | MAKBL1850B**• With Charge Indicator Light

18V LXT® Li-ion 3.0Ah Battery

SKU **949575 | MAKBL1830B** With Charge Indicator Light

18V 3.0Ah Li-ion Battery SKU **262507 | MAKBL1830**

18V 2.0Ah Li-ion Battery SKU **849432 | MAKBL1820B**

. With Charge Indicator Light

SKU **555436 | MAKBL1820**

Makita

18V 2.0Ah Li-ion Battery

FOR FINANCING PROGRAMS SEE PAGE 2

877-AZTool1 **877-298-6651** *Hablamos Español*

AZtool1.com

BONUS TOOL OFFERS VIA MAIL-IN REBATE • OFFERS VALID JANUARY 1, 2019 THROUGH MARCH 31, 2019 All Mail-in Rebate Requests Must Be Postmarked No Later Than APRIL 15, 2019 • While Supplies Last for Rebate Form, Go to WWW.DEWALT.COM/FAQS.ASPX and Type "AUTOZONE" in the Search Field

BUY ANY ONE OF THE TOOLS BELOW - GET THIS

20V MAX* XR Brushless High Torque 1/2" Impact Wrench Kit with Detent Pin

SKU **850035 364 99 DWTDCF899P1**

- 1200 Ft/Lbs. of Breakaway Torque
- Max Torque: 700 Ft/Lbs.
- Includes: 20V MAX* XR Brushless High Torque 1/2" Impact Wrench with Detent Pin Anvil, 5.0Ah Battery, (1) Multi Voltage Charger



20V MAX* Li-ion 1/2" High Torque **Impact Wrench Kit**

SKU **559064 DWTDCF889HM2 384** • 400 Ft/Lbs. of

- Maximum Torque Variable Speed Trigger with
- Flectric Brake Hog Ring Anvil



20 V MAX

20V Max* 1/2" **Brushless High Torque Impact Wrench Kit**

- SKU **803108 464 99 DWTDCF899HP2** • 1200 Ft/Lbs. of Break
- Away Torque
- 700 Ft/Lbs. of Max Torque
- Hog Ring Anvil
- · LED Light for Visibility



DEWALT

20V MAX* XR 1/4" 3-Speed Impact Driver (Tool Only) SKU **305937 DWTDCF887B**

Tool Only, Does Not Include Battery or Charger



20V MAX* Li-ion Compact Drill / Driver Kit

SKU **559076** DWTDCK280C2 2 • Includes DCD780 1/2 In. Drill/Driver and DCF885

 High Speed Transmission Delivers 2 Speeds (0-600 and 0-2,000 RPM)



20V MAX* Li-ion **Compact Drill/Driver Kit**

SKU **559042** DWTDCD780C2 Includes DCD780 1/2 In.

Drill Driver and (2) 20V Max Lithium-ion Battery Packs Fast Charger High Speed Transmission Delivers 2 Speeds

(0-600 and 0-2,000 RPM)



20V MAX* Brushless Drill/Impact Kit (2.0Ah) SKU **850655**

DWTDCK283D2 Brushless Motor Delivers Up to 57% More Run Time Over Brushed

XR Li-ion Batteries Provide 33% More Capacity Over Standard



GET ITEM BELOW VIA MAIL-IN REBATE††

20V MAX* LED Area Work Light (Tool Only)

SKU **695139 DWTDCL050**



Tool Only, Does Not Include Battery or Charger

20V MAX* Li-ion Grease Gun

SKU **559072 DWTDCGG571M1 27**

• 3 LED Lights

Provide Visibility

· Compact, Lightweight



20 V MA

20V MAX* Li-ion 3/8" **Impact Wrench Kit**

SKU **559059 DWTDCF883M2 289** · Compact (5.70" Front to Back),

Lightweight (3.4 Lbs.) Design • Three (3) LED Lights with 20 Second Delay After Trigger Release



E TOOLS BELO

20v.

20V MAX* Li-ion 1/2" **Impact Wrench Kit**

SKU **559056 0WTDCF880HM2 309**

- GET THIS

Compact (5.70" Front to Back), Lightweight (3.4 Lbs.) Design

• Three (3) LED Lights with 20 Second Delay After Trigger Release

Hog Ring Anvil



GET ITEM BELOW VIA MAIL-IN REBATE††

20V MAX* XR 1/4" 3-Speed Impact **Driver (Tool Only)**

SKU **305937** DWTDCF887B



BUY ANY ONE OF THE TOOLS BELOW - GET THIS

12V MAX** 1/4 Screwdriver Kit

SKU **559050 DWTDCF610S2**

Tight Areas • 3 LED Lights



12V MAX Cordless Li-ion Drill/Driver/Impact Driver Combo Kit**

SKU **559074 DWTDCK211S2**

• DCD710 12V MAX* 3/8" Drill/Driver Features 2 Speed Transmission (0-400 and 0-1,500)

DCF815 12V MAX* 1/4" Impact Driver Features (3) LED Lights



12V MAX** 3/8" **Impact Wrench Kit** SKU **559053 DWTDCF813S2**

• 3/8" Hog Ring Anvil

• 1,150 In/Lbs. of Torque

• Three (3) LED Lights

· Compact, Lightweight Design



GET ITEM BELOW

12V MAX** LED Work Light (Tool Only)

SKU **559080 DWTDCL510**

Tool Only, Does Not Include Battery or Charger

DEWALT

Corded Tools

4-1/2" Small Angle Grinder with One-Touch™ Guard

12,000 RPM



20 V MAX

6" Bench Grinder

SKU **559118 DWTDW756**

• Powerful 5/8 HP Induction Motor

• Industrial Cast Iron Base and



DEWALT

20y N

4-1/2" Angle Grinder

SKU **695136 DWTDWE402**

Removal

• 7.0 Amp AC/DC, 11,000 RPM Motor • 2-Position Side Handle

 Quick-Change[™] Wheel Release Allows Tool Free Wheel



12.0 Amp Compact Reciprocating Saw

SKU **559121**

DWTDWE357

• Keyless Lever Action Blade Clamp

with 4 Positions for Additional Versatility Variable Speed Trigger

12v MAX

20 V MA

7" / 9" Variable Speed Polisher

SKU **559123 DWTDWP849**

• Electronic Control Maintains Specified Speed Under Load

12V MAX**/20V MAX*

Li-ion Battery Charger

DWTDCB115 6999

Charges Current DEWALT

12V MAX**/20V MAX*



Lighting

20V MAX* Li-ion LED Work Light (Tool Only) SKU **559079**

DWTDCL040

54⁹⁹ • Bright LED Output - 110 Lumens

20V MAX* 20 V MAX **Jobsite LED Spotlight (Tool Only)**

Tool Only, Does Not Include Battery or Charger

SKU **012639** DWTDCL043 • 3 Bright LEDs, 1 Red



Tool Only, Does Not Include Battery or Charger

Work Light (Tool Only) SKU **695139** DWTDCL050 • 3 Bright LED Bulbs

20V MAX⁷

LED Area

• 2 Brightness Settings · Pivoting Head

LED Work Light (Tool Only) SKU **695140**

DWTDCL061

Tool Only, Does Not Include Battery or Charger

 1.500 Lumens . Compatible with 18V or 20V Battery AC Outlet for

Additional Power

Adjustable

Light Head Tool Only, Does Not Include Battery or Charger

Batteries and Chargers

12V MAX** **Li-ion Battery Pack**

 Compact, Lightweight Design Quick 40 Minute Charge Time

อกบ **ออษบรีรี** DWTDCB127 **59**99

20V MAX* Battery Packs

SKU **559035 | DWTDCB201**

SKU **559034 | DWTDCB200**

109⁹⁹

• No Memory and Virtually No Self-Discharge

• Compatible with Current Line of DEWALT 20V MAX* Tools

2 Packs SKU **850656** DWTDCB127-2 64

· Charges in 1 Hour or Less

12v MAX

20 V MAX

Premium XR[™] 5.0 Ah sku 559037 | DWTDCB205

SKU **559036 I DWTDCB204**

Premium XR™

14999

5.0 Ah 2 Pack SKU **850488 | DWTDCB205-2**

FLEXVOLT™ **20V/60V MAX**

Li-ion Batteries

SKU **559032**

Lithium-ion Battery Pack

2 Pack SKU **912327**

SKU **762502**

DWTDCB606

DWTDCB606 - 2 **2** 1 Pack

DEWALT 7.2V-18V

Li-ion Fast Charger SKU **559031** DWTDC9310

NiCad/NiMH/





DEWALT

18V XRP™ **Battery Pack**

SKU **559029** DWTDC9096 • Powers Current DEWALT Line

of 18V Tools High Capacity





tt For Rebate Form, Go to WWW.DEWALT.COM/FAQS.ASPX and Type "AUTOZONE" in the Search Field. *With respect to 20V MAX, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18. **With respect to 12V MAX, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 18. Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.