# **Tire Service**

# Alignment

# **Geoliner 500 Imaging Alignment System**

SKU **514009** SKU **514009** HOFEEWA717ANB **9,4** 

- Compact Design Saves Shop Space
- Completely Portable from Bay to Bay
- Easy-to-use Alignment Software • Animated Adjustments Benefit Technicians
- OEM Software for Steering Angle Reset
- Made in the USA



**Lift Gate Service** SKU **290017** HOFLIFTGATE **9500** 



# Alignment

# **FWA 4630 Easy 3D Image Wheel Alignment System**

## CALI 1-877-298-6651 **FOR PRICING**

### BOSF00E900648

No Space Required In Front Or Behind The Lift.

- Easily Transfers From Bay To Bay
- 4 Wheel Alignment Measurements In Less Than 4 Minutes • Quick Audit Measurements Without
- An Alignment Rack • No Calibration Required;
- Compatibility To Driver Assistance Calibration Devices
- \*\*Note: Lift And Car Not Included



# Tire Repair

### **Euro Style Tire Patches for Passenger, SUV and Light Truck Tires**

<b>Mini Round, 1-3/8"</b> SKU <b>576765</b> 11-638	599
<b>Small Round, 1-5/8"</b> SKU <b>576762</b> 11-645	<b>5</b> 99
<b>Medium Round, 2"</b> .SKU <b>576763</b> 11-655	<b>6</b> 99
<b>Small Square, 1-1/2"</b> .sku <b>576754</b> 11-307/30	<b>7</b> 99
<b>Medium Square, 1-7/8"</b> SKU <b>576778</b> 11-309/25	<b>B</b> 49



699

### **Radial Repair Units**

Passenger Radial, 1-5/8" x 2-7/8"......sku 625155 .....11-413 ....... 

# **String-Type Repair Inserts**

**String-Type Insert, 4" Fat Brown** . . . . . . . SKU **576776** .......12-361... 



### **Combination Repair Units**

Large Patch-Plug for 1/4" Injuries......sku 576779 ....13-382....

# **Tire Repair Chemicals and Mounting Lubricants**

Vulcanizing Cement, 8 oz	.sku <b>576761</b>	14-008	. <b>6</b> 99
Rubber-Prep Cleaner, 32 oz	.SKU <b>576766</b>	14-100	949
Bead Sealer, 32 oz.	.SKU <b>576770</b>	14-101	999
Euro Paste Mounting Lube, 6-1/2 Lbs	.SKU <b>605764</b> .	14-700	299
Liquid Mounting Lubricant, 1 Gallon			

# **Tire Valves**

1 0	
TR#412, 7/8", 0.453 Rim Hole SKU 07804817-412-10	<b>4</b> 99
TR#413, 1-1/4", 0.453 Rim Hole	<b>  1</b> 99
TR#413 with Chrome Sleeve & Cap SKU 07804917-413-1-10	<b>6<sup>99</sup></b>
TR#414, 1-1/2", 0.453" Rim Hole	1599
TR#415, 1-1/4", 0.625" Rim Hole SKU 57678317-415-50	<b>15</b> 99
TR#418, 2", 0.453" Rim Hole	<b>15</b> 99
TR#572, Brass Truck Valve, 3-3/4"SKU 07805117-572T-10	<b>2</b> 99
<b>1-1/4" High Pressure Valve</b>	<b>5</b> 99

### **Tire Valve Accessories and Tools**

Valve Core, High Temp (Red)	
<b>Valve Cap, Black Plastic</b> SKU <b>576757</b> 17-492	129
Tread Depth Gaugesku 60580117-607	199

# Alignment

# Tru Align Wheel Alignment Adapter Kit

SKU **289907** TRU001

- Takes The Wheel Out Of The Alignment Equation
- Mount Alignment Heads To Any Diameter Wheel • Eliminates The Need For Adapters And Extensions
- Mounts The Head Without Touching The Wheel Preventing Damage To The Wheel
- Adapts To Wheels That Do Not have A Lip Surface Available
- Works With All Current Alignment Machines, New Or Old



# 😁 Tru Align



# **Tire Service Tools**

## **3 Piece Wheel Protector Impact Socket Set** 1/2" Drive

SKU 972769 24222

 Includes Sizes 17mm. 19mm and 21mm Outer Sleeve Keeps Wheels and Lug Nuts

Damage Free While Supplies Last



### 3 Piece 1/2" Drive **Extra-Thin Wall Wheel/ Nut Protector Impact Socket Set**

SKU **094646 109** 25583

• 17mm / 11/16" - Blue

• 19mm / 3/4" - Yellow • 21mm / 13/16" - Red



## 9 Piece SAE & Metric Wheel Protector Impact Socket - 1/2" Drive Extra Thin Wall SKU **965856 7 0 99**

24224

- Durable Outer Sleeve and Insert Protects High Polished Wheels and Lug Nuts • Includes: 6 SAE Sockets in Sizes: 3/4" (Light Green), 7/8" (Green),
- 13/16" (Purple), 15/16" (Brown), 1" (Silver) and 1-1/16" (Black)
- 3 Metric Sockets in Sizes: 17mm (Blue), 19mm (Yellow) and 21mm (Red)



### **Tru Align Roll Around Storage Cart** SKU 289908 44000 **TRU002**

• Rated At Over 600Lbs Capacity

- Roller Bearing Drawers
- Heavy Duty Casters
- Single Point Lock For Both The Top And Drawers

Alignment and Adapter Kit Not Included



Tire Test Tank

Tire Tube Test Tank

• The Tank Features Reinforcement

• Will Handle Passenger Tire Sizes

To Wide Oval And Light Duty

SKU **291382 5999** I IS19822

Ribs For Extra Support

# Tru Align Storage Case

SKU **289891** TRU003

**137**00

• Organize And Inventory All Parts At A Glance

## 4 Piece SAE and Metric Impact Flip Socket Set - 1/2" Drive **Deep Thin Wall**

SKU **965857 2499** 24223

• Includes: 3/4' x 13/16" Flip Socket, 7/8 x 15/16" Flip Socket, 19mm x 21mm Flip Socket and 3" Extension



# **5** Piece Adapter and Universal Joint Set - 3/8" and 1/2" Drive

SKU 965864 **999** 24226

Includes: 3/8" Drive Universal Joint, 3/8" Dr. (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint. 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4" (M) Adapter



# 5 Piece Torque Limiting Extension Set -1/2" Drive

SKU **965858** 🚺 🚺 **99** 24220

• Includes Sizes: 65 Ft/Lbs Extension x 90 Nm, 80 Ft/Lbs Extension x 110 Nm, 100 Ft/Lbs Extension x 135 Nm, 120 Ft/ Lbs Extension x 160 Nm, 140 Ft/Lbs Extension x 190 Nm



# 10 Piece Torque Limiting Extension Set - 1/2" Drive

24221

• Includes Sizes: 17mm x 55 Ft/Lbsx 75 Nm 17mm x 80 Ft/Lbs x 110 Nm, 21mm x 80 Ft/ Lbs x 110 Nm, 19mm (3/4") x 100 Ft/Lbs x 135 Nm, 19mm (3/4") x 65 Ft/Lbs x 90 Nm, 19mm (3/4") x 80 Ft/Lbs x 110 Nm, 22mm (7/8") x 120 Ft/Lbs x 160 Nm, 22mm (7/8") x 140 Ft/ Lbs x 190 Nm, 3/16 x 100 Ft/Lbs x 135 Nm and 15/16 x 140 Ft/Lbs x 190 Nm



# 9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU **965865 4999** 24225

• Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch



# 31" X 12" X 12"

Truck Tires

• Dimensions

LIS19822

**? Ranger** 

Ranger.

**Tire Service** 

# **Tilt Back** 23" Capacity Tire Changer/NextGen™ Series

**Tire Changers** 

SKU 980172 2,08500 RANR23LT

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24
- External Rim Clamping
- Capacity 10" to 22 Maximum Tire
- Diameter 41'
- Turntable Mounting Capacities: 4" to 18'
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included





SKU **312817** RANR980XR **2** 

- Drive System: Electric / Air
- Wheel Clamping Capacity: 4 Internal / External Clamps
- Tire Width: 3" to 22" · Powerful bead seating system:
- TurboBlast
- Internal rim clamping
- capacity: 11.5" 24"
- External rim clamping capacity: 10" - 22
- Internal rim clamping capacity): 13" - 25-1/2

• External rim clamping capacity): 11-1/2" – 23-1/2"

**Lift Gate Service** SKU **262533** RANLIFTGATE 13500



SKU **289888** BOSF00E900183

- Powerful Bead Loosening Force
- With Pivoting Side Shovel Proven Swing Arm Design with
- The Mount/Demount Shaft Has a Rigid Hexagonal Design While Inflation Jets That Are Built Into Clamps Ensure Easy Bead Seating
- For a Safer Inflation Process, There is a Tire Pressure Inflation Limiter



**BOSCH** 

**BOSCH** 

**Lift Gate Service** SKU **298692**BOSLIFTGATE **50**00

NextGen™ RimGuard™ 33" **Double Bead Roller Power Assist Changer** 

SKU 312819 3,43500 RANR30XLT

- Wheel Clamping Method: 4 Internal / External Clamps
- Bead Breaking System: Pneumatic Blade
- Power Assist Towers: Integrated Center Post • Powerful Bead Seating System: Turboblast / Bead Seating
- Internal Rim Clamping Capacity: 13" - 33" / 330 mm - 838 mm
- External Rim Clamping Capacity:10" - 28" / 279 mm - 711 mm
- Turntable Tire Width Capacity Mount: 5" - 22" / 127 mm - 559 mm
- Bead breaker Tire Width Capacity Demount: 3 - 15" / 76 mm – 381 mm
- Maximum Tire Diameter: 50" / 1.270 mm

**Lift Gate Service** 

RANLIFTGATE 13500

SKU **262533** 

Ranger. **TREETERNS** 

HOFMANN"

# **TCE 4225 Swing Arm Tire Changer**

3,49500 **3,495**00

- Maximum Rigidity and Turntable Torque
- High Performance Mount/Demount Head With Tire Iron Slot
- Opposing Adjustable Jaws with Inflation Jets
- 3-Position Telescopic Bead Breaker

# • Visit Boschdiagnostics.com for Rebate Details TCE 4230

**Swing Arm Tire Changer** 

SKU **289885** B0SF00E900668 •

- Maximum Rigidity And Turntable Torque
- High Performance Mount/Demount Head with Tire Iron Slot, Ideal for Mounting Low Profile Tires
- · Non-Opposing Adjustable Jaws with Inflation Jets
- Ideal for Servicing Tire Pressure Monitoring Systems (TPMS) • Wheel Restraint Inflation System and
- Pressure Limiter for Safer Tire Inflation Visit Boschrebates.com for Rebate Details

**Lift Gate Service** SKU **298692**BOSLIFTGATE **50**00



Bosch Rebate Forms Available at www.boschrebates.com

# Wheel Balancers







• Motor 3/4 HP,110v/220v 50/60hz 1 PH

• Cycle Time: 6 to 9 Seconds

• Max Tire Weight: 145 Lbs

• Balancing Speed: 180 RPM

**Lift Gate Service** 

• Accuracy: <u>+</u> 1 gram / .035 Oz

• Max Tire Diameter 47"/1194mm

• Balance Increments: 0.25 or 0.01 Oz

SKU 262533 RANLIFTGATE 13500

Self Calibrating

• Balancing Modes: Dynamic/Static/ 3-Alloy

### **Digital Wheel** 2350 Wheel Balancer With 10 Balancing Balancer SKU **977528** RANDST2420 Modes

SKU **290002** HOFEEWB701D **2,7** 

- Maximum Wheel Width: 21"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 48"
- Max Wheel & Tire Assembly
- Weight: 150 Lbs • Motor: 1 HP (Acceleration HP)
- Accuracy: 1g or 0.05 oz
- Balancing Modes: 10
- Dimensions (DxWxH): 16.5"x29.5"x40"
- Power Requirements: 120V, 1Ph, 60HZ

**Lift Gate Service** SKU 290017 HOFLIFTGATE 9500



## **WBE 4110 Digital Compact** Wheel Balancer

SKU **289889** BOSF00E900660

2,99500

- Positioning Pedal Locks The Wheel During Weight Attachment
- Space Saving Hood Supplied Standard
- Quick Clamp Wingnut • Extended 40 Mm Shaft
- Standard Five Cone Passenger Care Cone Kit (44-130 mm) Lt (Light Truck) Spacer Ring

# **WBE 4140 LCD Monitor Compact Wheel Balancer**

SKU **289890**BOSF00E900661 **3,995**00

- Multiple Static and Dynamic Balance Modes
- Hidden Spoke Balancing Modes
- Positioning Pedal Locks Wheel During with Attachment
- Space-Saving Hood Included Standard • Quick Clamp Wingnut
- Extended 40 Mm Shaft
- Visit Boschrebates.com for Rebate Details

**Lift Gate Service** SKU 298692 BOSLIFTGATE 5000

**Bosch Rebate Forms Available at www.boschrebates.com** 





Manufacturer's Set-Up and Training

# **Model 1000 Wheel Balancer**

SKU **212808** AMM85009045

Model 775 **Wheel Balancer** 

SKU 210246 AMM85007775 **3,069**99 Model 875

**Wheel Balancer** SKU **210248 3,89999** AMM85008875

**Lift Gate Service** SKU **262529** AMMLIFTGATE **5500** 

# Leasing Terms Available.

Ask Your AutoZone Specialist for Details

# Questions? Call AutoZone® **Tool & Equipment Customer Service:** 1-877-AZTool1 (1-877-298-6651)

SKU **262529**AMMLIFTGATE **5500** 

# **Tire Service**

# **Tilt Back** 23" Capacity Tire Changer **NextGen<sup>™</sup> Series** with Single **Assist Tower**

SKU 980171 3,05500 RANR23AT

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22" • Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearence • Wheel Protection Package Included

**Lift Gate Service** 

SKU **262533** RANLIFTGATE **13500** 



# 1520 Tire Changer with 10"-20" Clamping

SKU **290001** H0FM1520110 **2,888**99

- Overall Wheel Clamping Diameter 10" 20"
- Inner-Wheel Clamping Diameter: 12" 20"
- Outer-Wheel Clamping Diameter: 10" 18" Bead Breaker Range: 2" - 13"
- Bead Loosening Power: 6,000 Lbs
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40" • Work Area Dimensions:
- (DxWxH) 72"x68"x85" • Air Requirements: 100 to 175 PSI @ 5 CFM
- Power Requirements: 120V, 1Ph, 60HZ

**Lift Gate Service** SKU **290017** HOFLIFTGATE **95**00



**Model 5035E Tire Changer** 

SKU **988892 3,19999** AMM8047106

- Electric Drive Turntable for Reduced Noise
- Rim Diameter External: 12"-19" External
- Rim Diameter Internal: 15"-22" Internal • Rim Width: 10" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator. Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator

**Lift Gate Service** SKU **262529** AMMLIFTGATE 5500





- 10"-21' • Rim Diameter Internal: 12"-24'
- Rim Width: 10.5" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator

**Lift Gate Service** AMMLIFTGATE 5500 SKU **262529** 

<u>Coats</u>

**Model 70X Rim Clamp** Tire Changer with Robo-Arm®

SKU **979911 (Air)** SKU **979917 (Electric)** AMM80070XAF3 AMM80070XEF3 7,969<sup>99</sup> 7,969<sup>99</sup>

Robo-Arm<sup>™</sup> Assists in Top Bead Mounting for Stiff Sidewalls, Low

Profiles and Run Flat Tires • Rim Diameter

- External: 6" to 22" • Rim Diameter
- Internal: 8" to 24"
- Rim Width: 14" Max • Bead Loosening: Hand or Foot

Controlled

Baseline



# **Tire Tools**



# **5** Gallon **Bead Seating Tool**

SKU 972321 **9 4 Q** 99 TSICH05

- The Ch-5 Cheetah™ Bead Seater™ Makes Seating the Most Difficult Bead not Only Safe but Simple, Fast and Economical
- Designed for Commercial Use on All Tires ATV to 24-1/2" Truck Tires, the Ch-5
- Cheetah Bead Seater Takes the Work Out of Seating Tire Beads

# **Low Profile Bead Tool**

SKU **080065 5 999** DIL5500-BP

- Easy Grip Ergonomically Designed Handle Gives Needed Leverage for Toughest Of Sidewalls
- Longer Design to Eliminate Knuckle Busting on the Face of the Wheels
- Angled Handle Gives User Better

# **Starter Kits with**



Storage

### **Bench Top Rack with Coated Steel Weight** Assortment

SKU **383181** AMM5202125 **60** 

- Louvered Rack Can be Placed on Top of Any Workbench
- Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, 5 Styles Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, 40 Plastic Bins: 8 Each of Yellow, Grey, Black, Red and Orange



**Metal Floor Rack** with Steel Wheel **Weight Assortment** SKU **383179** 

AMM5202075

• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE, INFE

**Steel Roll Weights** SKU 382953

AMM5528930025 **Steel Roll Weights with** Dispenser Bracket

SKU **382828** AMM5280025



BADA ---

# **4 Piece Plastic Scrapers** SKU 900802 **24**99

25513 • Use to Remove Moldings

Works Like a Chisel

Types of Clip-on Wheel

Weights

• Won't Scratch Paint



**OEM** 



# Wheel **Weight Tool**

# SKU **217378** 25690 1499

# BASELINE 6-Month Parts Warranty

# **BL225** Wheel Balancer

SKU **510978** AMM85002225

,99<sup>5</sup>00

- Integrated LED Display
- Space-saving Design • 40mm Shaft with Three
- Standard Cones • Up to 100lb Wheels and 34"
- Diameter Tires
- 110 Volt • User Set Up Required

Leasing Terms Available.

• 110 Volt

**BL200** 

**Tire Changer** 

• External Rim Clamp: 11" - 20"

• For Steel and Alloy Wheels

• Inflation Jets in the Table

• Lubricated for Long Life

• User Set Up Required

SKU **510977** AMM85607372 **1,895**00

• Designed and Assembled in the USA

• Service by Coats Service Partners Available