



Air Conditioning and Heating

Shop Heaters



Specifications:	MX-150	MX-200	MX-250	MX-300
Heat Range (BTU H)**	to 150,000	to 200,000	to 250,000	to 300,000
Fuel Input (GPH)	1.07	1.44	1.79	2.14
Heating Area (sq. ft.)*	to 5,000	to 7,000	to 12,000	to 15,000
Power Supply (AC)	120V/60Hz	120V/60Hz	120V/60Hz	120V/60Hz
Max Electrical Draw	19.5 Amps	19.5 Amps	22.2 Amps	22.2 Amps
Cabinet Dimensions (H-W-L)	24" x 40" x 48"	24" x 40" x 48"	36" x 46" x 48"	36" x 46" x 48"
Hanging Weight (Lbs.)	413	413	630	630
Axial Fan (CFM)	2,400	2,600	3,975	4,750
Chimney Pipe***	6" Class A	6" Class A	8" Class A	8" Class A
Compressed Air****	2CFM -15 PSI	2CFM -15 PSI	2CFM -18 PSI	2C.FM -18PSI
Combustion Chamber	12GACRS	12GACRS	10GACRS	10GACRS
Chimney Location	Top/Left Side	Top/Left Side	Top	Top

Reduce Your Heating Bill and Save on Hauling Oil Off-Site. Will Pay for Itself in 12-18 Months.

Leasing Terms Available.
 Ask Your AutoZone® Commercial Sales Manager.
Free Delivery!
 in 48 Continental United States

Not Available In California or New York

Value Package C *Thru-Roof Chimney

- 150,000 BTU** SKU 988908 **5,099⁰⁰**
LAN9963C MODEL MX150C
- 200,000 BTU** SKU 988916 **5,199⁰⁰**
LAN9964C MODEL MX200C
- 250,000 BTU** SKU 988923 **5,999⁰⁰**
LAN9965C MODEL MX250C
- 300,000 BTU** SKU 988926 **6,199⁰⁰**
LAN9966C MODEL MX300C

Value Package D *Thru-Wall Chimney

- 150,000 BTU** SKU 988912 **5,299⁰⁰**
LAN9963D MODEL MX150D
- 200,000 BTU** SKU 988918 **5,399⁰⁰**
LAN9964D MODEL MX200D
- 250,000 BTU** SKU 988924 **6,199⁰⁰**
LAN9965D MODEL MX250D
- 300,000 BTU** SKU 988893 **6,399⁰⁰**
LAN9966D MODEL MX300

Thermometers



Infrared Thermometer With Target Laser

SKU 290019 **54⁹⁹**
 MSC52224ASP

- Target Laser Accuracy
- Range From -4 to +932F Degrees Non Contact Reading
- Constant Maximum Temperature Displayed



Instant Read Dual Thermometer

SKU 447151 **7⁹⁹**
 24352

- Temperature Range of 0° F to 220° F and -18° C to 105° C in 2° Increments
- Extra Large 1-3/4" Diameter Dial with Dual Scale



Non-Contact Infrared Thermometer

SKU 951642 **29⁹⁹**
 25245

- Temperature Range: 35° to +365° C, -31° to +689° F
- Distance to Spot Ratio of 8:1
- Laser Pointer



Digital Pocket Thermometer

SKU 447147 **19⁹⁹**
 24351

- Accurate Readings from -58 to 300° F (±2°) and from -50 to 150° C (±1°)
- Digital Display will Rotate 180° and Moves Up and Down for Easy Viewing



Instant Read Pocket Thermometer

SKU 447141 **7⁹⁹**
 24350

- Temperature Range of -40° to +160°F
- Easy-To-Read One Inch Dial Face
- Pocket-Clip Carrying Case For Protection And Easy Access

Exhaust Hoses

Crushproof 2.5" x 11' Flarelock Hose

SKU 977557
 ACSFLT250

112⁰⁰

- Made Exclusively for Cars and Small Trucks
- Each End is Flared to Permit Connection of Two or More Links at a Time



Crushproof 2.5" Y-Assembly Kit with F250 Adapter

SKU 977549
 ACSYA250

169⁰⁰

- Designed for Converting Single Hose into Dual Exhaust System Vehicle Purposes



Crushproof 3" Y-Assembly Kit with F300 Adapter

SKU 977550 ACSYA300 **204⁰⁰**

2-1/2" Crushproof Bell Hose

SKU 977544
 ACSRA250 **41⁰⁰**

- Designed for Easy Adapting to All Sorts of Tailpipes
- Connects with Ball and Snap



3" Crushproof Bell Hose SKU 977545 ACSRA300 **41⁰⁰**

Crushproof 2.5" Service Station Kit

SKU 977547
 ACSOSS25

245⁰⁰

- Includes:
 (2) Each - 4' x 2-1/2" Hoses
 (1) Each - 6' x 2-1/2" Hose
 (1) Each - 2-1/2" Rubber "Y" Connector
 (2) Each - Straight Tailpipe Adapter, Hook and Chain
 (1) Each - Splice Connector



Crushproof 3" Service Station Kit
 SKU 977548 ACSOSS30 **297⁰⁰**

Crushproof Door Port for 2-1/2" Hose (Rubber)

SKU 977551
 ACSDF25

33⁰⁰

- Rubber Garage Door Port Adapter
- Designed for 2-1/2" ID



Crushproof Door Port for 3" Hose (Aluminum)

SKU 977552
 ACSADF30

43⁰⁰

- Aluminum Port Allows Hose to be Vented Through the Door



Crushproof Door Port for 4" Hose (Aluminum)

SKU 977554 ACSADF40 **59⁰⁰**

Crushproof 2.5" Straight Tailpipe Adapter with Hook and Chain

SKU 977591
 ACSF250 **28⁰⁰**

- Designed for Easy Adapting to All Sorts of Tailpipes



Crushproof 3" Straight Tailpipe Adapter with Hook and Chain.....SKU 977539 ACSF300 **35⁰⁰**

Crushproof 3.5" Straight Tailpipe Adapter with Hook and Chain.....SKU 977540 ACSF350 **53⁰⁰**

Crushproof 4" Straight Tailpipe Adapter with Hook and Chain.....SKU 977541 ACSF400 **70⁰⁰**

Crushproof 3" x 6" Oval Tailpipe Adapter.....SKU 977542 ACSF475 **47⁰⁰**

Crushproof 3.5" x 8.5" Oval Tailpipe Adapter.....SKU 977543 ACSF575 **59⁰⁰**

A/C Disconnect Tools



15 Piece Master Disconnect Set

SKU 900807 **39⁹⁹**
 27195

- Includes Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line Disconnect Tool



Quick Connect Tools

SKU 363869 **11⁹⁹**
 25184

- Sizes: 3/8", 1/2", 5/8" and 3/4"
- Enables Quick and Easy Disconnect of Air Conditioning Couplings

Can Taps



Refrigerant Can Tap

SKU 217375 **22⁹⁹**
 CPSTLCT1234

- 3-in-1 Can Tap for R12, R134A and Oil
- Everything Included for Any Refrigerant Can



3-in-1 Side Mount Can Tap Valve

SKU 290033 **17⁹⁹**
 MSC85530

- 3 in 1 Side Mount Can Tap with Valve
- Covers 2 7/8" (R134A), 2 1/2" (R12) and 2" (Oil) Charge Cans
- Includes 1/2" ACME-M and 1/4" FL-M Ports

Air Conditioning Service Tools



A/C Clutch Pulley Puller

SKU 472357 **45⁰⁰**
 27001

- Makes AC Compressor Pulley Removal Jobs Fast and Easy



Clutch Puller Jaws

SKU 472506 **23⁰⁰**
 27008

- Additional Jaws for Use with the OEM 27001 AC Pulley Puller



A/C Clutch Tool Kit

SKU 948077 **100⁰⁰**
 27150

- For Removal and Installation of AC Compressor Clutches for Ford, GM and Chrysler

A/C Clutch Holding Tool

SKU 150540 **25⁰⁰**
 27000

- Holds Compressor Clutch in Place



A/C Clutch Hub Remover

SKU 472381 **30⁰⁰**
 27005

- Removes Club Hutch from Ford ES-6 Compressor



A/C Clutch Plate Remover

SKU 159079 **21⁰⁰**
 27002

- Used for GM A6 and R4 Compressor Clutches



A/C Clutch Installer

SKU 472415 **17⁰⁰**
 27007


- For Use in Conjunction with OEM 27006, A/C Clutch Hub Plate Remover to Install Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches



6 Sided Fin Comb

SKU 125741 **15⁹⁹**
 CPSTLFC6

- Repair Bent Condenser Fins
- For Use on 8, 9, 10, 12, 14 & 15 Fins Per Inch



A/C Clutch Hub Plate Remover

SKU 472407 **23⁰⁰**
 27006

- Removes Club Hutch from the Compressor
- For Use with Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches



Air Conditioning

Recover / Recycle / Recharge

ROBINAIR
AN SPX BRAND



FREE Setup & Training

Cool-Tech 34288
SKU 221185 34288 **2,895⁰⁰**



FREE Setup & Training

Cool-Tech 34788
SKU 221210 34788 **3,575⁰⁰**



FREE Setup & Training

Premium A/C Recover, Recycle and Recharge Machine
SKU 249512 34988 **4,199⁰⁰**



Combining Simple Operation With Superior Accuracy: Whether it's the fully-automatic 34988, 34788 or the semi-automatic 34288, these machines will test, recover, and recharge R-134a automotive AC systems quickly and accurately.

Filters



Recycling Filter-Driers
SKU 414883 34724 **51⁹⁹**

- Specially Blended for Maximum Acid and Moisture Removal
- Spin-on filter for 17700-2K, 34134A, 34134-2K, 342000, 34234, 34300-2K, 34700, 34700-2K, 34800, 34800-2K, 34900 Series

NEW **ROBINAIR**
AN SPX BRAND



Tank Fill Inline Filter Fitting
SKU 997030 19740 **68⁷⁵**

- This Special Filter Fitting is Used Inline Between the Tank Fill Hose and the Virgin Refrigerant Tank to Help Prevent Any Tank Debris from Getting Inside The A/C RRR Machine
- Simply Screw the Filter Fitting Onto the Tank, and Then Connect the Tank Fill Hose to End of the Fitting
- Instructions are Included that Tell the User How to Install the Fitting and How to Clean the Filter When Necessary

Questions? Call AutoZone®
Tool & Equipment Customer Service:
1-877-AZTool1 (1-877-298-6651)

Vacuum Pumps

cps



4 CFM Single Stage Pump
SKU 436054 CPSVPC4SU
• 1/4 HP with 75 Microns **168⁹⁹**

2 CFM Single Stage Compact Pump
SKU 436051 CPSVPC2SU **148⁹⁹**



6 CFM Vacuum Pump
SKU 217357 CPSVP6S **153⁹⁹**
• 1/3 HP

Mastercool
"World Class Quality"



6 CFM Vacuum Pump
SKU 290025 MSC90066A **239⁹⁹**

3 CFM Vacuum Pump
SKU 853190 MSC90062A **154⁹⁹**
• 1 Stage - 3 CFM Free Air Displacement
• 1/4 HP Motor - 1720 RPM

cps



Vacuum Pump Oil
SKU 517580 CPSVPOQ12 **14⁹⁹**

Mastercool
"World Class Quality"



Air Operated Vacuum Pump
SKU 369456 MSC91200 **54⁹⁹**
• Requires 90 Lbs. PSI Shop Air
• 1.3 CFM Air Displacement
• Achieves 29" of Vacuum

Couplers

cps



Manual Coupler Set SKU 110255
CPSQC134SET (Red and Blue)..... **36⁹⁹**




High Side Manual R134a..SKU 290034
MSC82834 **29⁹⁹**



Low Side Manual R134a..SKU 290037
MSC82934..... **29⁹⁹**



Snap Coupler Set SKU 217374
CPSQC13490SET (Red and Blue). **26⁹⁹**
• 14mm Thread • Push On Snap



High Side Snap Coupler ... SKU 110253
CPSQCH13490 (Red)..... **16⁹⁹**



Low Side Snap Coupler SKU 110273
CPSQCL13490 (Blue) **16⁹⁹**

Mastercool
"World Class Quality"

Manifold Gauges

OEM



Manifold Gauge
SKU 512961 27229 **149⁹⁹**

- 3000 PSI Burst
- 600 PSI Max
- SAE J2196/ R134a
- Hi and Lo Hoses: 72" Freon Hose: 96"

cps



Solid Brass Manifold with Couplers and 6' Hose
SKU 217359 CPSMB1234 **84⁹⁹**

- 68mm Steel Gauges
- Snap-N-Seal R134A Couplers and Tank Adapter

Mastercool
"World Class Quality"



R134a Brass Manifold Set
SKU 290026 MSC66661 **99⁹⁹**

- Anti Flutter Gauges
- 60" Nylon Barriers Hoses With Couplers
- Extra Access Port For Vacuum Line
- Gauges Can Be Calibrated for Accuracy

Mastercool
"World Class Quality"



R134a Aluminum Manifold Set
SKU 290023 MSC89660UV **149⁹⁹**

- Aluminum Manifold with 60" Hose Set, Couplers and Sight Glass
- Free 10 Application Mini Dye Injector

Mastercool
"World Class Quality"



R134a Gauge Set
SKU 290022 MSC89661UV **169⁹⁹**

- Aluminum Manifold with 60" Hose Set, Couplers and Sight Glass
- Free 10 Application Mini Dye Injector
- Flutter Free Silicone Dampened 2-1/2" Gauges

cps



Vortech Manifold with Couplers and 6' Hose
SKU 217361 CPSMV71A6Q **169⁹⁹**

- Aluminum Extruded Durable Body with Vortech Sealing System
- Parker Manual Couplers

cps



Chrome Racing Style Manifold
SKU 217360 CPSMAID8QCZ **199⁹⁹**

- 68mm All Chrome
- (3) 6' Black Widow Premium Hoses, Chrome Fittings

Oil Injectors

Mastercool
"World Class Quality"

Manual R134a Oil Injector
SKU 369458 MSC82375 **39⁹⁹**

2 Oz. In Line Oil and Die Injector
SKU 436034 CPSTLJ4 **49⁹⁹**

- 2 Oz. In Line Oil and Die Injector with 1/2" ACME Fittings
- Connects to the Low Side of any Manifold

1/4 Oz. Oil and Die Screw Injector with 1/4" SAE Fitting
SKU 436039 CPSUVNJ2 **69⁹⁹**

- 1/2 oz. Oil and Die Screw Injector with 1/4" SAE Fitting
- Connects to the Low Side of A/C System

1/4 Oz. Oil and Die Screw Injector with 14mm Fitting
SKU 436047 CPSUVNJ34 **71⁹⁹**

- Connects to the Low Side of A/C System

Aluminum Manifold with Couplers and 6' Hose
SKU 436027 CPSMAIA6Q **138⁹⁹**

- R-134a Refrigerant Aluminum Manifold With 6 Foot Hoses
- 2-1/2" (68mm) No Flutter Gauges and Manual Couplers



R12 & R134A Aluminum Manifold, Hose Set and Service Couplers
SKU 112477 49134B **116²¹**

- 90° Manual Couplers
- 60" R134a & R12 Hose Set
- Blow-molded Case



Replacement Hoses



Freon Charging Hose Set
SKU 512962 27230 **69⁹⁹**
Hi and Lo Hoses: 72" Freon Hose: 96"

OEM



1/4" SAE Hose Set 6'
SKU 110271 CPSHP6 **49⁹⁹**

cps

1/2" Hose Set 6'
SKU 110272 CPSHA6 **54⁹⁹**





Air Conditioning

Recover / Recycle / Recharge

ACS 620 Digital A/C Refrigerant Handling System

SKU 289886
BOSF00E900655 **3,899⁰⁰**

- Upgradeable Software Via USB Port
- Fully Compliant with SAE J2788 Standard
- Innovative 180° Swivel Control Turret Houses Easy-To-Read 4" Gauges, Large 4X20 Character LCD Display
- Fully-Automatic Programming
- 2-Year Manufacturer Warranty

ACS 625 Advanced System

SKU 289894
BOSF00E900685 **4,749⁰⁰**

- SAE 2788 Certified with Integrated Micron Sensor
- On-Board Ambient Temperature and Humidity Measurement
- Fully Automatic Programming & Standard, Integrated Printer Kit
- Temp. Probes Allow Before and After Temp. Measurement
- Externally Mounted Oil Drain Bottle
- USB Port for Optional Database and Future Software Upgrades

ACS 620 Digital System with Factory Installed Printer

SKU 289892
BOSF00E900680 **4,349⁰⁰**

ACS 620 Digital System with Factory Installed Printer and Refrigerant Identifier

SKU 289893
BOSF00E900681 **5,449⁰⁰**



BOSCH



Portable A/C Recovery System

SKU 290024
MSC69100 **1,299⁹⁹**

- Hi-Performance Oil-less Compressor
- Includes an Oil Separator and Filter Dryer to Clean Refrigerant During Recovery
- Recovers all Refrigerants, 30 Lbs. DOT Recovery Tank Included

Setup & Training Provided by
Factory Representative

Leasing Terms Available.
Ask Your AutoZone® Commercial Sales Manager.
Free Delivery!
in 48 Continental United States

YOUR CHOICE | SAME PRICE

Refrigerant Recover / Recycle / Recharge Machine

2,599⁹⁹



Ships Today!

SKU 290018
MSC69788

- Includes Refrigerant Capacity Database for Over 1,000 Vehicles Through 2010
- Auto Vacuum Leak Test, Auto Oil Discharge, Auto Air Purge
- Internally Mounted 30 Lbs. DOT Tank
- HD 6 CFM Vacuum Pump

Replacement Filter

SKU 389222
MSC69788FLTPK **115⁹⁹**

2,599⁹⁹



Ships Today!

SKU 186593

- Fully Automatic with Gear Reduction Ball Valves
- SAE J2788H Approved for High Voltage A/C System
- 2 Yr Warranty, 1st Parts and Labor, 2nd Parts

41 Cubic Ft. Replacement Filter Drier

SKU 186483
CPSARXF5 **65⁹⁹**

BONUS
CPSLS790B
Leak Detector
with Purchase of
CPSAR2788S SKU 186593
Retail Value \$155.99

Electronic Leak Detectors

GENERAL



HVAC-R Refrigerant Leak Detector

SKU 186422
GTCRLD102 **99⁹⁹**

- 14" Stainless Probe
- Detects all Freon Gasses
- Sensitivity Adjustment Dial

cps



Electronic Refrigerant Leak Detector

SKU 217364
CPSLS790B **155⁹⁹**

- Patented Ion-Pump Sensor with Built-in Filter Housing
- 100+ Tones Varying in Intensity with Leak Size
- 10 High Intensity Bar Graph Display

TAT



Hydrogen (HC) Refrigerant Gas and Combustible Gas Leak Detector

SKU 222502
TNOD540 **349⁹⁹**

- Numeric Leak Indicator Alarm
- Automatic Calibration
- 3 Sensitivity Levels
- Low Battery Indicator

Detects Combustible Gas

cps



Electronic Refrigerant Leak Seeker with E-MOS Technology

SKU 290000
CPSLDA1000 **165⁹⁹**

- Meets the New J2791 for R134a and the J2913 for HFO-1234yf Gases
- 50 Hour Battery Life On 3 "C" Alkaline Batteries
- Made In The USA

Mastercool
World Class Quality



Electronic Leak Detector with 3 Sensitivity & 5 Detection Levels

SKU 290030
MSC55100 **169⁹⁹**

- 3 Levels of Sensitivity (5 Levels of Detection)
- Visual Leak Level Indicator
- Detects all Refrigerants (CFC's, HCFC's, HFC's)

TIF
AN SPX BRAND



Leak Detector

SKU 110445
TIFRX-1A **179⁰⁰**

- Microprocessor Controlled Circuit with Advanced Digital Signal Processing
- Certified to SAE J1627
- Variable Frequency Audible Alarm
- 14" (35.5 cm) Flexible Stainless Steel Probe with Teflon Liner
- Tactile Keypad Controls with One Touch Reset and Adjustable Sensitivity
- Six-Segment Visual Leak Size Indicator

GENERAL



High Performance Refrigerant Leak Detector

SKU 186420
GTCRLD380L **218⁹⁹**

- Multi-Colored Display
- High-Low Sensitivity Selector
- 15" Flexible Stainless Probe
- Detects all Freon Gasses
- Alarm Buzzer with Tricolor Bar Indicator

Mastercool
World Class Quality



"Inspector" 2-in-1 Electronic UV Leak Detector

SKU 290031
MSC55200 **229⁹⁹**

- Ultra Bright UV/Blue LED Light
- 6 Levels of Sensitivity (15 Levels of Detection)
- Tri-Colored Visual Leak Level Indicator
- UV Enhancing Safety Glasses

TIF
AN SPX BRAND



Leak Detector

SKU 221225
TIFZX-1 **275⁰⁰**

- Patent Pending Heated Pentode™ Sensor Technology
- Refrigerant Specific Detection
- Detects All Halogenated Refrigerants at Levels Below 0.1 Oz./Yr, as Low as 0.05 Oz./Yr for R-12
- Sensor Failure Indication
- Tactile Keypad Controls with One Touch Reset and Adjustable Sensitivity

cps



Clip-On UV Light

SKU 436037
CPSUVMINI **24⁹⁹**

- Small in Size Large in Design UV Leak Detector Light can be Clipped on to any 1/4" to 3/8" Probe
- A true UV-A (Long Wave UV) to Detect the Smallest Die Leaks
- Compatible with all UV Leak Dyes- Small Size only 2 1/2" Long by 1/2"

UV Leak Detection

EZ-Shot™ A/C Leak Detection Kit with OPTI-Lite™

SKU 291402
TRATP8626 **154⁹⁹**

- Quick to Install and Runs Fast Through System
- Services Up to 64 Vehicles
- EZ-Shot Injector is Caulking Gun Type
- 50 Watt 6 LED Flashlight



Professional UV Leak Detection Kit with 12V/50W UV Light

SKU 290041
MSC53351 **64⁹⁹**

- High Intensity Mini Light 12V/50W UV Light
- 1 oz. Oil/ATF/Gas and Diesel Fluorescent Dye and 1 oz. Engine Coolant Dye
- 25 Service Information Labels and UV Safety Glasses



TRACER PRODUCTS
A Division of Spectronics Corporation



Complete A/C and Fluid Leak Detection Starter Kit

SKU 291378
TRATP8621 **71⁹⁹**

- 50 Watt 6 LED Lamp
- Pinpoints A/C, Oil Systems and Coolant Leaks
- EZ-Ject Dye Injector with 3 1 Oz. Bottles of Dye

7 LED UV Inspection Light

SKU 217367
CPSUVPRO **44⁹⁹**



5 LED and UV Light Magnifier Glass

SKU 191688
25465 **12⁹⁹**

- Compact Magnifier with 5 LED Lights and a Super Bright UV Light
- UV Light Detects Dyes



Crimpers/Cutters

Mastercool
World Class Quality



Hydra-Krimp Hydraulic A/C Hose Press Kit

SKU 290027
MSC71500 **539⁹⁹**

- Lightweight Hand-Held Portable Press
- Comes with a Complete Set of Dies: #6, #8, #10 and #12
- Dies Snap Quickly Into Press Fixture, No Screws Or Pins Needed

Manual A/C Hose Crimper

SKU 290028
MSC71550 **224⁹⁹**

- Comes with a Complete Set of Dies Covering #6, #8, #10 and #12 Hoses
- Dies Snap into Place, No Screws or Pins Needed
- Can be Bench or Vise Mounted

Smart Spring Mini Tubing Cutter

SKU 512959
27227 **19⁹⁹**

- Capacity: 3/16" to 7/8" (4-22MM) diameters

Smart Spring Tubing Cutter

SKU 512960
27228 **39⁹⁹**

- Capacity: 1/8 - 1-1/8" (4-28MM) O.D.