



Specialty Tools

Spark Plug Thread Repair for Ford Triton



Ford Cylinder Repair Set

SKU 104283 24200 **249⁹⁹**

Comes with Instructional Video

- Repair of Ford Triton Modular Engines is Going to Be a Large Issue in Next 5 Years. Ford Triton Engines 1996 – 2003 Have a Problem with Spark Plug Thread Erosion, Resulting in Spark Plug Threads Coming Out During Tune-Up or Shooting Spark Plugs Out During Operation
- Current Repair Takes About 10 Labor Hours, This Tool Cuts Time to 30 Minutes to an Hour
- Works on Ford 4.6, 5.4, 6.8V10 Engines
- Individual Inserts Available as Part Number 389-100. The Patented Replacement Insert is a Permanent Fix That Does Not Have to Be Replaced with Every Tune-Up
- Patented Guide Makes Drilling and Tapping in a Straight Line Easy

Ford Triton Repair Insert

SKU 104287 24203 **34⁹⁹** each



Ford Spark Plug Extractor Set

SKU 104286 24201 **84⁹⁹**

- Works to Extract Frozen and Broken Off Spark Plug Sleeves in 2004 to Present Ford Triton Engines
- Specially Machined Guide Works with Extra Long Tap and Extractor to Make Sure the Job is Done Right



Ford Spark Plug Porcelain Extractor Set

SKU 104290 24202 **27⁹⁹**

- Used to Extract the Broken Porcelain from Broken Spark Plugs in 2003 to Current Ford Triton Engines
- In Some Cases the Porcelain Will Break Off in the Sleeve and Will Need to be Extracted in Order for the 39100 to Function Effectively
- Unlike Other Tools That Tell You to Push the Porcelain Through the Sleeve (Ford Says Specifically Not to Do This). This Tool Adheres to the Porcelain Using a Special Adhesive and Then Allows a User to Extract the Broken Porcelain from the Sleeve

Loctite 608005ml Replacement Adhesive

SKU 248475 24204 **9⁹⁹**

Replacement Pins

SKU 248476 24205 **11⁹⁹**

Ford Spark Plug Socket

SKU 110450 6900 **19⁹⁵**

- Use on 2004–Newer Ford Vehicles with 5.4L, 4.6L, 5.4L, 3-Valve Triton V8 and 6.8L Triton V10 Engines
- Socket End is 9/16". Soft Rubber Insert Holds and Protects Spark Plug During Removal and Installation
- Socket Has a 3/8" Drive for Use with a Ratchet or Breaker Bar



3/8" Drive 9/16" Spark Plug Socket

SKU 265110 25259 **19⁹⁹**

- Made with Chrome Vanadium steel for strength



FIX-A-THRED®

Ford Triton Plug-Saver® Kit

SKU 094873 25124 **149⁹⁹**

- Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines

Inserts (Pack of 8)

SKU 110263 25155 **27⁹⁹**

SKU 110263 25155 **27⁹⁹**



Spark Plug Thread Repair

OEM®

14mm Tapered Spark Plug Thread Repair Kit

SKU 141511 25647 **29⁹⁹**

- Replaces Threads for 14mm Tapered Spark Plug



14mm Replacement Inserts

SKU 141512 25648 **9⁹⁹**

- 6 Pieces in Sizes M14 – 1.25
- Drill Size: 14.25mm; 9/16"



M14-1.25 Spark Plug Thread Repair System

SKU 557108 25643 **29⁹⁹**

- Replaces Threads for 14mm Spark Plug



14mm Thread Inserts

SKU 557140 25644 **9⁹⁹**

- 10 Pieces in Sizes M14 – 1.25 x 3/8", 1/2", 3/4"
- Drill Size: 14.25mm; 9/16"



14mm Cylinder Head Rethreader Kit

SKU 265137 25649 **16⁹⁹**

- Tap is Designed for Aluminum Heads Only
- Set Includes Combination Tap, Reamer and Locking Compound
- And 3/8", 7/16", 1/2" and 3/4" Inserts



Thread Restoring File, Tap and Die Kit

SKU 391372 27142 **90⁰⁰**

- Thread File Metric Pitches: .75, 1, 1.25, 1.50, 1.75, 2, 2.5, and 3mm #2 Thread File Pitches: 11, 12, 13, 14, 16, 18, 20, and 24 Threads Per Inch #3 Thread File Pitches: 9, 10, 12, 16, 20, 27, 28 and 32 Threads Per Inch Taps: 1/4" - 9/16" Popular Sizes (Course and Fine); 6-14mm | Popular Sizes Pitches Dies: 1/4" - 9/16" (Course and Fine)

Thread Chasers

OEM®

Spark Plug Hole Thread Chaser

SKU 070109 25124 **6⁹⁹**

- Size: 14mm x 18mm



Limited Access Spark Plug Chaser

SKU 607068 25155 **8⁹⁹**

- Size: M14 x 1.25



Thread Repair

OEM®

UNC (Coarse) Series Kits - SAE

*STORE STOCK

SKU	Part No.	Size	Price
516462	25600	UNC 10 - 24	19.99
557009*	25602	UNC 1/4" - 20	21.99
557017*	25604	UNC 5/16" - 18	21.99
557090*	25606	UNC 3/8" - 18	21.99
516464*	25608	UNC 7/16" - 14	29.99
516467*	25610	UNC 1/2" - 13	29.99



UNC (Coarse) Series Kits - Metric

*STORE STOCK

SKU	Part No.	Size	Price
466584	25624	M5 - .8	29.99
516472*	25626	M6 - 1	29.99
516474*	25628	M8 - 1.25	29.99
516477*	25632	M10 - 1.15	29.99



UNF (Fine) Series Kits

*STORE STOCK

SKU	Part No.	Size	Price
516469	25612	UNF 10 - 32	27.99
466578	25614	UNF 1/4 - 28	29.99



Thread Repair Inserts

UNC (Coarse) Series - SAE

*STORE STOCK

SKU	Part No.	Size	Price
516463	25601	UNC 10 - 24	7.99
557116*	25603	UNC 1/4" - 20	6.99
557124*	25605	UNC 5/16" - 18	6.99
557132*	25607	UNC 3/8" - 16	7.99
516465*	25609	UNC 7/16" - 14	7.99
516468*	25611	UNC 1/2" - 13	9.99



UNC (Coarse) Series - Metric

*STORE STOCK

SKU	Part No.	Size	Price
516473*	25627	M6 - 1	5.99
516475*	25629	M8 - 1.25	7.99
466587	25631	M10 - 1.0	7.99
516478*	25633	M10 - 1.5	7.99
978102	25635	M12 - 1.75	9.99



UNF (Fine) Series - SAE

*STORE STOCK

SKU	Part No.	Size	Price
516470	25613	UNF 10 - 32	3.99
978101	25623	UNF 1/2" - 20	9.99



Oxygen Sensors

FIX-A-THRED®

Oxygen Sensor M18 Repair Kit

SKU 094872 25124 **99⁹⁹**

- Contains All Tools Necessary to Repair Damaged Oxygen Sensor Threads in the Exhaust Manifold



Oxygen Sensor Thread Chaser

SKU 607067 25255 **9⁹⁹**

*STORE STOCK



OEM®

Specialty Tools

Rivet Tools

Air Over Hydraulic Powered Rivet Tool
 SKU 222750 MARAK-175 **449⁹⁹**
 • Sets 1/8" - 1/4" Steel Rivets with Up to 3500 Lbs of Pull Capacity
 • Unique Jaw System Accommodates 1/8" - 1/4" Rivet Sizes by Simply Changing the Nose Assembly (No Tools Required)

360° Rotating Head Riveter
 SKU 291357 25920 **24⁹⁹**
 • 360° Rotating Hand Riveter
 • Comes with Rivet Nozzles in Sizes: 3/32" (4mm), 1/8" (3.2mm), 5/32" (4.0mm) and 3/16" (4.8 mm)

Professional Riveter HP2®
 SKU 094876 29920 **29⁹⁹**
 • Sets Up to 3/16" Steel Rivets
 • Mounted Nosepieces: 3/32", 1/8", 5/32" and 3/16"

Klik-Turn Sp-1 Hand Rivet Tool
 SKU 094881 MAR39005 **37⁹⁹**
 Patented Positive-Ratchet Locking Feature Allows the Swivel Head to Turn 360° and Hold in Place in any of 40 Positions
 • Includes: 3/32", 1/8", 5/32" and 3/16" Nosepieces

Professional Riveter HP3®
 SKU 094878 MAR39002HP3 **43⁹⁹**
 This Multi-Functional Hand Rivet Tool Offers Long, Ergonomically Designed Handles to Increase Leverage, and to Secure the Rivet in the Nosepiece While the Tool is in Use, in Any Position
 • Includes: 4 Standard Nosepieces to Set 3/32", 1/8", 5/32" and 3/16". Blind Rivets in All Alloys

Industrial Riveter
 SKU 291353 25921 **49⁹⁹**
 • For Use with Steel and Aluminum Rivets Noses: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)
 • 18" Overall Size with Long Handle Provide More Leverage

Deluxe Riveter Kit
 SKU 094877 MAR39001Kit **37⁹⁹**
 The Choice of Professionals
 • Kit Includes HP2 Riveter. (Sets Up to 3/16" Diameter Rivets), 200 Rivets and Molded Case
 • 39003 Same as 39001 but Contains 200 Assorted Klik-Fast Stainless Steel Rivets

Big Daddy® Hand Riveter
 SKU 094886 MAR39031 **139⁹⁹**
 The Big Daddy is the Most Versatile and Powerful Hand Riveter. Sets Large Diameter Blind Rivets
 • Double Gear Reduction System Easily Sets from 1/8" to 1/4" Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets
 • Comes with 5/32", 3/16" and 1/4" Nosepieces Stored in the Body

KLIK-LOK Plastic Rivet Setter
 SKU 222531 MAR48005 **59⁹⁹**
 • Includes a Universal Nosepiece That Sets All Plastic Rivets

Snips

Aviation Snips GreatNeck
 SKU 914011 TA10L (Left Cut) **7⁹⁹**
 STORE STOCK

SKU 914012 TA10R (Right Cut) **7⁹⁹**
 STORE STOCK

SKU 231330 TA10S (Straight Cut) **9⁹⁹**
 STORE STOCK

• Straight Cut, 1-5/8" Serrated Blades
 • Cuts Up to 18 Gauge Metal

Windshield Tools

Window Molding Clip Remover
 SKU 265130 25338 **9⁹⁹**
 • Use to Release Body Molding Clips
 • The Double-Sided Design Works on a Variety of Clip Configurations

Window Holder
 SKU 191670 25309 **9⁹⁹**
 • Works on All Cars and Trucks with a Top Door Frame
 • Loop Cable Over Door Frame and Attach Suction Cups to Each Side of Glass

Windshield Wiper Arm Puller
 SKU 191681 25319 **10⁹⁹**
 • Easily Removes Wiper Arms on Most Domestic and Foreign Vehicles

Windshield Wiper Puller
 SKU 112554 4676 **10⁹⁹**
 • Removes Wiper Arms on Many Foreign and Domestic Cars and Light Trucks
 • Will Not Damage Wiper Arm or Hood Cowling During Removal

Universal Wiper Arm Puller
 SKU 265136 25339 **29⁹⁹**
 • Prevents Damage to Wiper Arm
 • Cross-Piece Special for Wiper Featuring a Nozzle

Double Head Suction Cups
 SKU 291351 24246 **12⁹⁹**
 • Twin Head Suction Cups Help Remove Windshields
 • ABS Rubber Cups Grab Hold to Glass
 • Flexible Handle Bends to Windshield

Hood Prop

Universal Lift Support Adjuster
 SKU 191671 25307 **10⁹⁹**
 • Holds Weak Gas-Charged Lift Supports Open on Hoods, Tailgates, Hatchbacks and Trunks

Hood Prop with Adapter
 SKU 291352 LIS46170 **39⁹⁹**
 • Includes a Support To Help Prevent Slipping
 • Three Piece Telescoping Shaft Locks in Any Position to Hold Hood to Desired Height-Telescopes from 20" to 4-1/4"

Spring Compressors

StrutTamer™ Extreme Spring Compressor
 SKU 110446 6592 **874⁹⁹**
 Simply the Most Effective Compressor for Virtually Any Straight, Conical, or Offset Spring.
 • Extreme Duty Design to Handle the Heavier Springs Found on Mid- and Some Full-Size Truck Strut Assemblies
 • 2:1 Reduction Gearbox - Standard. Allows for a 2:1 Torque Compression Increase When Compressing Struts
 • The Arms Adjust In and Out, Up and Down, to Accept Many Sizes of Springs. (2-1/2" to 10" Diameter) (2-1/2" to 24" Vertical Stroke)

• Lock Rings to Hold Arms in Position - Standard. This Eliminates Arms from Spreading or Sliding When Compressing Offset or Unique Strut Configurations
 • Four-Point Locking Jaws Securely Hold the Spring in Place
 • Extra Long 3-Bar Handle Gives User the Leverage Needed to Compress Heavier Strut Springs
 • Comes With No. 6583 Bridge Accessory to Be Used on Springs That Cannot Be Compressed Enough to Remove the Retaining Nut

Includes StrutTamer Spring Compressor, No. 6587 Gear Box, No. 6583 Bridge Accessory and No. 6582 Mobile Stand

StrutTamer Extreme
 SKU 112537 6591 **749⁹⁹**
 • Handles Heavier Springs Found on Mid- and Some Full-Size Truck Strut Assemblies
 • Frame Includes Cross Bracing at Arm Mount Locations Eliminating Frame Flex When Compressing Heavier Springs
 • 2:1 Reduction Gearbox - Standard
 • Lock Rings Hold Arms in Position Eliminating Spreading When Compressing Offset or Unique Strut Configurations
 • Extra Long 3-Bar Handle Gives User the Leverage Needed to Compress Heavier Strut Springs

GM Torsion Bar
 SKU 099289 27235 **99⁹⁹**
 • Built for GM's K-3500 Series Trucks with the Heavy-Duty Chassis
 • Also Works on 1988 and Newer GMC and Chevrolet 1/2- 3/4- and 1-Ton Pickups; S-10 Blazers S-15 Jimmys 4WD Pickups with 4.3L V-6 Engines; and 1991 to 2001 Oldsmobile Bravada

Strut Spring / Coil Spring Compressor Kit
 SKU 094802 27203 **79⁹⁹**
 • Used to Compress Most Sizes of Macpherson Springs and Coil Springs

Coil Spring Compressor
 SKU 555573 27035 **50⁰⁰**
 STORE STOCK
 • Used to Compress the Coil Spring in the Installation of Coil Spring Spacers

W-Body Strut Service Kit
 SKU 069343 27034 **110⁰⁰**
 STORE STOCK
 • Used to Remove and Replace the Strut Cartridge on GM W-Body Vehicles

MacPherson Strut Spring Compressor
 SKU 070135 25550 **34⁹⁹**
 STORE STOCK
 • The Macpherson Strut Spring Compressor is Used to Compress Strut Spring During Cartridge Replacement
 • Forged Hook
 • Heat Treated Forcing Screw
 • Safety Latches

Wall Mount Strut Spring Compressor
 SKU 534403 BRA7400 **899⁹⁹**
 • 24" Stroke Compresses to 2"
 • Double-Start, Heavy-Duty ACME Threads
 • Handles Heavy Coil Spring Shocks, Extra Long, Narrow or Angled Springs and F-150 and Toyota RAV4 Without Additional Adapters
 • Three-Point Lower Hook Increments Adjust for Uniform Spring Compression; "Common Center" Compression Hooks Fit Between Tightly Wound Coil Springs

Sensor Sockets

IPR Socket
 SKU 080593 LIS68210 **28⁹⁹**
 • Used to Remove and Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and Other Diesel Engines
 • Built to Bottom Out on the Hex So it Does Not Put Torque on the Connector in Case it Can Be Reused

7 Piece Sensor Socket Set
 SKU 900823 27189 **59⁹⁹**
 • For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches

Oil Pressure Switch Socket
 SKU 141490 25254 **9⁹⁹**
 STORE STOCK
 • Fits Most 1" and 1-1/16" Switches
 • Accepts Oil Pressure Sending Units up to 2-5/8" Long

3/8" Drive Oxygen Sensor Socket
 SKU 047738 25001 **10⁴⁹**
 STORE STOCK
 • For Use with 3/8" Drive Ratchet or 1" Wrench

Oxygen Sensor Wrench
 SKU 948079 27162 **25⁰⁰**
 STORE STOCK
 • Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines
 • 7/8"/22mm Used in SUVs and Light Trucks

Water Sensor Socket
 SKU 607072 25369 **6⁹⁹**
 STORE STOCK
 • Remove Water Sensor When Changing the Fuel Filter on GM 6.6L Duramax Diesel Engines
 • 3/8" Square Drive

Oxygen Sensor Socket Set
 SKU 272729 27110 **25⁰⁰**
 STORE STOCK
 • Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors
 • 3/8" and 1/2" Drive, 22mm/7/8"



Specialty Tools

Shop Tools

4 Piece Stud Remover Set

SKU 391368 **30⁰⁰**
 27136 (SAE)
STORE STOCK
 SKU 391371 **30⁰⁰**
 27140 (Metric)
STORE STOCK



- SAE: Used to Remove and Install 1/4", 5/16", 3/8" and 7/16" Studs
- Metric: Used to Remove and Install 6, 8, 10 and 12 mm Studs

Mechanic's Stethoscope

SKU 070131 **9⁹⁹**
 25210
STORE STOCK
 • Locate Troubles in Engines, Bearings and Other Moving Parts Fast and Easy



Professional Snap Ring Plier Set

SKU 141502 **16⁹⁹**
 25356
STORE STOCK
 • 180°, 90° and 45° in One
 • Tip Size: 0.8mm, 1.2mm, 1.4mm, 2.0mm



5 Piece Utility Tool Set

SKU 094662 **29⁹⁹**
 25944
STORE STOCK
 • Includes Short Blade Scraper, 1/2" Carbon Scraper, Long Blade Scraper, Cotter Key Puller and Pick and Hook



Bushing Driver Set

SKU 391369 **50⁰⁰**
 27137
STORE STOCK
 • Used to Install and Remove Small and Medium Sized Bushings



Extended Scraper

SKU 070133 **9⁹⁹**
 25500
STORE STOCK
 • Removes Carbon and Old Gasket Materials from Engine Parts



10 Piece Snap Ring Plier Set

SKU 900819 **61⁹⁹**
 27180
STORE STOCK
 • Operates Both Internal and External Rings



4 Piece 15" Jumbo Pick Set

SKU 094658 **29⁹⁹**
 25940
STORE STOCK
 • Includes: Straight Pick, 90° Pick, Offset Pick and Hook Pick



Angle Tip Lock Ring Pliers

SKU 191055 **12⁹⁹**
 25354
STORE STOCK
 • Used to Spread Snap Rings Found on Brakes, Pedal Shafts, Clutch Shafts, Transmissions, Machine Tools and Some Piston Rings
 • Jaws are Scored on the Outside for Secure Gripping
 • Spring Loaded Jaws
 • Spread: 3/4"
 • Length: 8 1/4"



Razor Blades (100 Pack)

SKU 070127 **9⁹⁹**
 25181
STORE STOCK



100 Piece Utility Blades

SKU 447105 **17⁹⁹**
 12282
STORE STOCK
 • Resealable Safety Dispenser Holding 100 #9 Razor Blades



27" Magnetic 2-in-1 Pick-Up Tool

SKU 989264 **9⁹⁹**
 25292
STORE STOCK
 • 4 Claw for Easy Pick-Up
 • Magnetic End with Extra Strong Hold



4 Piece Scraper Set

SKU 915392 **11⁹⁹**
 25514
STORE STOCK
 • Set Includes: 1/2" x 10", 3/4" x 10", 1" x 10" and 1-1/2" x 10"



16 Piece Mechanic's Punch and Chisel Set

SKU 914624 **19⁹⁹**
 25515
STORE STOCK
 • Includes: 5 Taper Punches, 5 Pin Punches, 2 Center Punches, 3 Cold Chisels and 1 Chisel Gauge



3 Piece Ultra Tech Lighted Tweezers Set

SKU 186542 **29⁹⁹**
 GTC70400
STORE STOCK
 • 3 Piece Set, Pointed, Bent and Blunt Tips
 • LED Light Push On/Off
 • Non Slip Comfort Grips
 • Includes 3 "LR41" Batteries



3 Piece Dead Blow Hammer Set

SKU 900804 **26⁹⁹**
 25517
STORE STOCK
 • Includes 1/2 Lb, 1 Lb and 2 Lbs
 • Soft Rubber Handles for Non-Slip Grip



Heavy Duty Spark Plug Boot Plier


SKU 390900 **8⁹⁹**
 25542
STORE STOCK
 • Designed to Remove Hard to Reach Spark Plug Boots
 • Do Not Use When the Engine is Running



Exhaust Tools

Exhaust Donut Stretcher

SKU 390901 **4⁹⁹**
 25543
STORE STOCK
 • Easily Grabs onto Mounting Rubber Rings or Doughnut used on Many Exhaust Systems




Tailpipe Expander 1-1/2" to 2-7/16"

SKU 111039 **25⁰⁰**
 27027
STORE STOCK
 • Expands Tail Pipes so Mufflers and Tail Pipes Can be Fitted to the Exhaust System



Tailpipe Expander 2-1/8" to 3-7/16"

SKU 110585 **35⁰⁰**
 27028
STORE STOCK
 • Expands Tail Pipes so Mufflers and Tail Pipes Can be Fitted to the Exhaust System



Exhaust Manifold Spreader

SKU 191674 **9⁹⁹**
 25253
STORE STOCK
 • A Simple Way to Expand a Warped Manifold So all Bolt Holes are Accurately Aligned



Tailpipe Cutter

SKU 111609 **50⁰⁰**
 27045
STORE STOCK
 • Used to Cut Tail Pipe
 • Range 3/4" to 3-1/4" (19-83mm)



Pipe Stretcher Kit


SKU 080137 **274⁹⁹**
 LIS17350
STORE STOCK
 • Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
 • Use with Impact Wrench to Quickly Stretch Pipes
 • Collet Sets Expand Pipes from 1-5/8" to 4-1/4"



Disconnect Tools

Heater Hose Disconnect Tool

SKU 143439 **20⁰⁰**
 27106
STORE STOCK
 • Removes Heater Hoses with 5/8" or 1/4" Quick Disconnect Couplings on '86 to Current Ford Aerostar Vans and '01 to Current Full Size Ford Vans
 • Works on Rear Heater Hose Couplings on '86 to Current Chrysler and Plymouth



Ford/GM Fuel Line Disconnect Set

SKU 391365 **15⁰⁰**
 27131
STORE STOCK
 • 5/16" and 3/8"



Chrysler Fuel Line Disconnect

SKU 391366 **5⁰⁰**
 27132
STORE STOCK
 • Used to Disconnect Fuel Lines on Most Chrysler Vehicles



Fuel Line Disconnect Tool

SKU 246367 **7⁹⁹**
 25043
STORE STOCK
 • Fits Any 5/16" or 3/8" Fuel Line Found on GM, Ford, and Chrysler Vehicles



3 Piece 1/2" Oil Line Disconnect Set

SKU 094653 **24⁹⁹**
 25187
STORE STOCK
 • Used to Remove and Replace Oil and Transmission Cooler Lines



4 Piece Disconnect Disc Set

SKU 864648 **19⁹⁹**
 25150
STORE STOCK
 • Sizes: 1/4", 1/2", 5/16" and 3/8"



15 Piece Master Set

SKU 900807 **39⁹⁹**
 27195
STORE STOCK
 • Includes Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line Disconnect Tool



4 Piece Disconnect Set

SKU 948999 **24⁹⁹**
 25183
STORE STOCK
 • Includes: 1/2", 5/8", 3/4" and 7/8"




AC/Fuel Line Tool Set

SKU 222520 **10⁹⁹**
 LIS37000
STORE STOCK
 • Set Includes Six Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Fuel Module Disconnect

SKU 291418 **7⁹⁹**
 LIS37500
STORE STOCK
 • Fits Both 3/8" and 5/16" Connectors and Applications
 • Tool Can be Clipped Together for Convenient Storage



Angled Disconnect Set

SKU 291416 **20⁹⁹**
 LIS39400
STORE STOCK
 • Disconnects Spring Lock Couplings on Ford and Chrysler AC Lines
 • Works on Fuel Lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
 • Six Sizes 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Master Disconnect Tool Set

SKU 291413 **57⁹⁹**
 LIS39900
STORE STOCK
 • Contains 8 Tools for A/C and Fuel Lines
 • Stored in a Handy Blow-Molded Case



Ford Clutch Disconnect Tool

SKU 391364 **5⁰⁰**
 27130
STORE STOCK
 • Works on 1988 to Present Ford Vehicles and Light Trucks with Hydraulic Clutches



A/C and Fuel Line Quick Connect Tools

SKU 002356 **9⁹⁹**
 25052
STORE STOCK
 • Easily Disconnects Air Conditioning Lines and Quick Connect Fuel Lines



A/C and Fuel Line Disconnect Tool Set

SKU 246366 **6⁹⁹**
 25042
STORE STOCK
 • Range: A (3/4"), B (5/8"), C (1/2") and D (3/8")



10 Piece Master Disconnect Set

SKU 265109 **39⁹⁹**
 25188
STORE STOCK
 • Sizes: 9.5mm / 3/8", 8mm / 5/16", 9.5mm / 3/8" Cooler Line, 9.5mm / 3/8" Oil Cooler Line, (2) 1/2 Oil, 16mm / 3/8", 13mm / 1/2", 19mm / 3/4", 22mm / 7/8"



22 Piece Disconnect Master Set

SKU 900817 **79⁹⁹**
 27177
STORE STOCK
 • Includes Quick Connects Set, Air Conditioning and Fuel Line Disconnect Tools



Quick Connect Tools

SKU 970541 **29⁹⁹**
 25182
STORE STOCK
 • Sizes: 1/4", 1/2", 5/16" and 3/8"
 • Oil Cooler Line Disconnect Tool Separates Automatic Transmission Oil Cooler Lines on Ford Taurus and Escort with AXOD and ATX Transmissions



Quick Connect Tools

SKU 363869 **11⁹⁹**
 25184
STORE STOCK
 • Sizes: 3/8", 1/2", 5/8" and 3/4"
 • Enables Quick and Easy Disconnecting of Air Conditioning Couplings



Coolant Hose Removal Tool Set

SKU 383214 **24⁹⁹**
 CAL244TNZ
STORE STOCK
 • Used to Completely Fill the Void in the Connector to Release the Fastener
 • 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces



Specialty Tools and Hand Tools

Electrical

 <p>Computer Safe Circuit Tester SKU 222515 LIS24550 13⁹⁹</p> <ul style="list-style-type: none"> Indicates Polarity Draws Less Than 21mA at 12 Volts DC Operating Range 3-28 Volts 	 <p>Mini Circuit Tester SKU 989209 LIS25936 9⁹⁹</p> <ul style="list-style-type: none"> Tests 6/12 Volt Systems 	 <p>Coiled Cord Circuit Tester SKU 422468 LIS25886 9⁹⁹</p> <p>STORE STOCK</p> <ul style="list-style-type: none"> 6, 12 and 24 Volt Systems 	 <p>Replacement Bulbs SKU 422714 LIS25888 2⁹⁹</p> <ul style="list-style-type: none"> Replacement Bulb for OEM Circuit Testers: 25018, 25019, 25886 and 25887 	 <p>INNOVA DIGIPLASTICS MAKE EASY</p> <p>Digital Test Light™ SKU 186530 INN3430 29⁹⁹</p> <ul style="list-style-type: none"> Digital Display and Color Coated LED's Quick Voltage Readings of Electric Circuits <p>White = Proper Connection to Source Red = Voltage Present Green = Ground Present</p>	 <p>INNOVA DIGIPLASTICS MAKE EASY</p> <p>Smart Test Light™ SKU 186535 INN3420 19⁹⁹</p> <ul style="list-style-type: none"> Designed to Safely Check Voltage and/or Ground on Wiring, Fuses, Battery, Cabling, Sensors, Switches and More Connects Using a Cigarette Lighter / Power Plug and Detachable Twin Alligator Clamps Unique Transparent Handle Shows Bright LEDs to Identify Connections: <p>White = Proper Connection Red = Voltage Present Green = Ground Present</p>	 <p>Relay Test Jumper Set SKU 291333 LIS56810 70⁹⁹</p> <ul style="list-style-type: none"> Set Includes Four Jumpers to Fit the Most Popular Size Relays On Domestic and Import Vehicles Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On
 <p>Relay Circuit Tester SKU 383450 LIS27211 139⁹⁹</p> <ul style="list-style-type: none"> Used to Test Relay Circuits in Late Model Vehicles Can Also Be Used to Perform Easy Combination Tests, Fuel Pressure Tests and Jump Relay for A/C Fill 	 <p>Deutsch Terminal Tool SKU 222527 LIS59600 29⁹⁵</p> <ul style="list-style-type: none"> Works on OEM Electrical Connectors Used on Trucks and Equipment: Caterpillar, Kenworth, Peterbilt, Freightliner Mack and More 	 <p>OEM</p> <p>19 Piece Master Terminal Tool Kit SKU 447159 LIS27169 109⁹⁹</p> <ul style="list-style-type: none"> Eliminates Potential Damage to Wires or Terminal Blocks 	 <p>Wire Terminal Tools SKU 191676 LIS25228 (Green) 14⁹⁹</p> <p>SKU 255953 LIS25229 (Red) 14⁹⁹</p> <ul style="list-style-type: none"> Fits Most GM and Domestic Motors Computer Connectors and Terminals 	 <p>Relay Puller Pliers SKU 291342 LIS46950 23⁹⁹</p> <ul style="list-style-type: none"> Works on Many Heavy-Duty and Industrial Applications Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay 	 <p>Wire Cutter/Stripper Combo SKU 191685 LIS25192 (Small) 12⁹⁹</p> <p>SKU 191686 LIS25197 (Large) 16⁹⁹</p> <ul style="list-style-type: none"> Self-adjusts to Wire Sizes: 14AWG to 26AWG 	 <p>Relay Test Jumper Set II SKU 291341 LIS60610 70⁹⁹</p> <ul style="list-style-type: none"> Set Includes Four Jumpers to Fit Many Popular Relays on Honda, Nissan, Toyota, Newer Ford and GM Mini Micro Relays as Well as International Trucks
 <p>Wire Stripper/Cutter/Crimper & Bolt Cutter SKU 312821 LIS25193 9⁹⁹</p> <ul style="list-style-type: none"> Cushioned Handle Grips 	 <p>In-Line Ignition Spark Tester SKU 900800 LIS25227 6⁹⁹</p> <ul style="list-style-type: none"> Ignition Spark Tester for Automotive Troubleshooting 	 <p>Radio Remover SKU 222508 LIS11770 7⁹⁹</p> <ul style="list-style-type: none"> Disengages Radio Retaining Clips on Fords and Imports for Removal 	 <p>Remote Starter Switch SKU 265124 LIS25330 14⁹⁹</p> <ul style="list-style-type: none"> Heavy Clips With Insulated Sleeves Attach to Ground and Starter Solenoid Switch Thumb Activated Switch 6 Foot Heavy Insulated Wire for Long Tool Life 	 <p>Remote Starter Switch HEAVY DUTY SKU 265127 LIS25331 39⁹⁹</p> <ul style="list-style-type: none"> Heavy Duty, Push Button Remote Starter Allows Technicians to Bump or Crank Engines While Under the Hood 5 Foot Heavy Insulated Wire for Long Tool Life Heavy Duty Insulated Alligator Clips 	 <p>OEM</p> <p>LED Indicator Light Shows Current is Present</p>	

Measuring Tools

 <p>Mechanical Digital Rotor Micrometer SKU 186497 LIS3M230 57⁹⁹</p> <ul style="list-style-type: none"> 3-1/2" Deep Frame Digital Read Out to .001" .300 to 1.300" Range 	 <p>Central TOOLS, Inc. QUALITY AND INNOVATION SINCE 1984</p> <p>Angle Finder SKU 186499 LIS3M230 44⁹⁹</p> <ul style="list-style-type: none"> Measure Auto and Truck Front Ends Measure Drive Shaft Angles Magnet in Base Graduated in 1/2 Degree Increments
 <p>3 Piece Micrometer Set SKU 186503 LIS3M113 84⁹⁹</p> <ul style="list-style-type: none"> 0 to 3" Range 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103 Set Includes Calibration Tools 	 <p>Electronic Digital Caliper STORE STOCK SKU 864649 LIS25363 29⁹⁹</p> <ul style="list-style-type: none"> Large Easy to Read LCD Display Zeroing Feature Thumb Roller with Locking Device
 <p>Rotor/Drum Measuring Kit SKU 186504 LIS3M301 59⁹⁹</p> <ul style="list-style-type: none"> Attaches to Any Caliper on the Lower Jaws Outward Facing Anvils to Inspect Drums Inward Pointing Anvils to Measure Rotors 8 to 13" Range 0 to 6" Digital Caliper Included 	

Measuring Tools

 <p>Fowler</p> <p>X-Tread Digital Tire Gauge SKU 186495 LIS3M230 15⁹⁹</p> <ul style="list-style-type: none"> For Tire Tread Thickness Measurement Reads in Inch, Metric and Fractions 	
 <p>Disc Brake Rotor Micrometer SKU 186498 LIS3M230 63⁹⁹</p> <ul style="list-style-type: none"> Easy to Read Digital Counter Range is 0.3" to 1.7" Ratchet Thimble 	
 <p>Mini MAG Protractor SKU 186501 LIS3M230 62⁹⁹</p> <ul style="list-style-type: none"> Embedded Magnets with 35 Lbs Pull Uses Standard 9v Battery 360 Degree Measuring Range Accuracy +/- 2 Degrees 	
 <p>Dial Indicator Set SKU 186500 LIS3M230 54⁹⁹</p> <ul style="list-style-type: none"> Includes 1" Indicator, Magnetic Base Plus Rods, Swivel Clamp and Case 2-1/4" Dial, .001" Increments 	
 <p>RotoCal with Twin Conical Anvils SKU 186492 LIS3M230 62⁹⁹</p> <ul style="list-style-type: none"> Range 0 to 5.5" Reads in Inch, Metric and Fractions 3.5" Jaw Depth for Large Rotors 	
 <p>Disc Brake/Ball Joint Gauge SKU 186496 LIS3M230 72⁹⁹</p> <ul style="list-style-type: none"> Checks Ball Joint Wear and Disc Rotor Run-out Checks Gear Backlash and Valve Guide Wear 0 to 1" Travel and .001" Graduations 	

Hex Key Sets



GreatNeck

7 Piece T-Handle Hex Key Set
SKU 110287 LIS3M230 **19⁹⁹**

- Ball End Provides Up to 25° Tilt Angle for Expanded Access to Hard to Reach Spots
- Provides the Speed of a T-Handle and the Torque Strength of an L-Key
- Includes: T15, T20, T25, T30, T40, T45 and T50

SKU 110286 LIS3M230 **19⁹⁹**
HK7TS (SAE)

- Includes: 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"

SKU 110289 LIS3M230 **19⁹⁹**
HK7TM (Metric)

- Includes: 2.5, 3, 4, 5, 6, 8 and 10mm

Adjustable Wrenches



GreatNeck

15" Adjustable Wrench
SKU 965849 LIS3M230 **19⁹⁹**

AW15B

18" Adjustable Wrench
SKU 965854 LIS3M230 **21⁹⁹**

AW18B

24" Adjustable Wrench
SKU 965852 LIS3M230 **39⁹⁹**

AW24B

- Drop Forged Steel for Strength and Durability
- Milled Jaws for Gripping Power

Breaker Bars



GreatNeck

3/4" Drive Breaker Bar 39" SKU 989265 LIS3M230 **49⁹⁹**

- 39" for Maximum Torque

BB40

1/2" Drive Breaker Bar 24" SKU 914046 LIS3M230 **21⁹⁹**

72-121 **STORE STOCK**



- 24" for Maximum Torque

1/2" Drive Breaker Bar 18" SKU 914045 LIS3M230 **12⁹⁹**

72-123 **STORE STOCK**

- Flex Drive
- Ball Retainer

Duralast

 <p>OEM</p> <p>Disc Brake Rotor Micrometer SKU 607071 LIS25367 49⁹⁹</p> <p>STORE STOCK</p> <ul style="list-style-type: none"> .001" Accuracy, .0005" Reading Large LCD Display with SAE or Metric Reading Manual Power Off/On 	 <p>OEM</p> <p>Feeler Gauge SKU 001927 LIS25025 6⁹⁹</p> <p>STORE STOCK</p> <ul style="list-style-type: none"> 26 Blades with Laser Etched In/mm
 <p>OEM</p> <p>6" Dial Caliper SKU 141504 LIS25362 19⁹⁹</p> <p>BONUS 2 PACK</p> <ul style="list-style-type: none"> Outside, Inside, Depth and Step Measurements Each Division = .001", Each Revolution = .1" Thumb Roller with Locking Device Measuring Surfaces are Precision Ground and Lapped 	