FILTERS

TOOL of the MONTH

Made in USA

Offer Good June 1-30, 2013

BONUS FILTERS WITH PURCHASE OF SELECT ROBINAIR RECOVERY MACHINES



Filter-Driers

SKU **414883 5 99**

Tank Fill Inline Filter Fitting SKU 997030 6 875

Cool-Tech 34288 *While Supplies Last Setup OBINAIR. AN SPX BRAND



OBINAIR

AN SPX BRAND



Premium A/C Recover, Tecycle and Recharge Machine SKU 249512 Part #34988 *While Supplies Last OBINAIR

Tool & Equipment Quarterly

Air Conditioning



Pump, Brass Manifold and Can Tap Kit

SKU 186618 24999 CPS6CFMKIT

• Kit Includes: Clamp on Can Tap for Use on Small 1Lbs Refrigerant Cans, Large Bore 6 CFM Vacuum Pump for Fast Evacuation of A/C System, Brass Manifold with 6 Foot Hoses and Manual Couplers, Will Recover and Charge Fast Due to the Large Designed Valves



Manifold, Pump and Leak Detector

SKU 000004 34599 CPSKTBLM1

• Kit Includes: Compact 2 CFM Pump, Electronic Refrigerant Leak Detector, Aluminum Block Manifold with 6' Hoses and Manual Couplers and Tool Bag

Vacuum Pumps

CDS



4 CFM Single Stage Pump

SKU **436054** CPSVPC4SU

• 1/4 HP with 75 Microns

2 CFM Single Stage Compact Pump

SKU **436051 14899** CPSVPC2SU **14899**

CDS°



6 CFM **Vacuum Pump**

SKU **217357** CPSVP6S • 1/3 HP

Mastercool®

6 CFM Vacuum Pump SKU **290025 239** 99 MSC90066A

3 CFM Vacuum Pump

SKU **853190** MSC90062A

• 1 Stage - 3 CFM Free Air Displacement

• 1/4 HP Motor – 1720 RPM

1 Quart Vacuum **Pump Oil**

SKU **517580** CPSVP0Q12 1499

• Improves the Life



Air Operated **Vacuum Pump**

SKU **369456 5499** MSC91200

MSC91200

• Requires 90 Lbs. PSI Shop Air

• 1.3 CFM Air Displacement

• Achieves 29" of Vacuum

🝑 Mastercool 🕻

Flush Machine

CDS

System Flush Machine

SKU **217370 88999** CPSAFM100

- 8 Ft Hoses to Reach Any System
- Forward or Reverse Flush Without
- Changing Hoses 2-1/2 Gallon Capacity Tank for
- Use on Cars and Buses
- Universal Couplers
- Clear Filter Bowl



AC Flush 1 Gallon

SKU **436040 CPSAFMSF**

4 Gallon SKU **436091**

CPSAFMSFC



- Removes Leak Stop Polymers Along with Oil and Particles
- Ideal for Use With Major Flush Machines



Flush Gun Kit

SKU **217356 1099** CPSTLFG Add Solvent and Use

Shop Air to Reverse Flush the Component

• Includes Reusable Flush Reservoir and All Hoses and Fittings



Filters



Recycling Filter-Driers SKU 414883 **[199**

• Specially Blended for Maximum Acid and Moisture Removal

34724

• Spin-on Filter for 17700-2K, 34134A, 34134-2K, 342000, 34234, 34300-2K, 34700, 34700-2K, 34800, 34800-2K, 34900 Series



Tank Fill Inline Filter Fitting SKU **997030** 6 875 19740

• This Special Filter Fitting is Used Inline Between the Tank Fill Hose and the Virgin

Refrigerant Tank to Help Prevent Any Tank Debris from Getting Inside the A/C RRR Machine • Simply Screw the Filter Fitting Onto the Tank, and Then Connect the

Tank Fill Hose to End of the Fitting • Instructions are Included that Tell the User How to Install the Fitting

and How to Clean the Filter When Necessary



Air Conditioning

Recover/Recycle/Recharge



Portable A/C Recovery System

SKU **290024**


MSC69100

- Hi-Performance Oil-less Compressor
- Includes an Oil Separator and Filter Dryer to Clean Refrigerant
- Recovers all Refrigerants, 30 Lb DOT Recovery Tank Included

YOUR CHOICE | SAME PRICE

Refrigerant Recovery/ Recycling/Recharging Machine





• Internally Mounted 30 Lb DOT Tank

HD 6 CFM Vacuum Pump

Replacement Filter

MSC69788FLTPK 11599



Modular Toolbox Design for the Professional Shop

- 1/3 Hp 6 CFM Oil-Less Cyclone™ Compressor Provides Up to 50% Faster Recovery Cycle Rates and Ensures Compatibility with All Hybrid Oils
- Patent Pending Flow Control Technology for Faster Recovery, Recycling and Recharging
 Patent Pending Plumbing Arrangement, Eliminating All Solenoids and Check Valves

41 Cubic Ft. Replacement Filter Drier

SKU 186483 6599 CPSARXF5

Can Taps

Manifold Gauges



SKU 512961 1 4 9 9 9 27229

- 3000 PSI Burst and 600 PSI Max
- SAE J2196/ R134a
- EXTRA LONG Hi and Lo Hoses: 72" Freon Hose: 96"
- Manual Couplers Included



Solid Brass Manifold with Couplers and 6' Hose

SKU **217359** CPSMB1234

- 68mm Steel Gauges
- Snap-N-Seal R134A Couplers and Tank Adapter



R134a Brass Manifold Set

SKU **290026 0 99** MSC66661

- Anti Flutter Gauges
- 60" Nylon Barriers Hoses with Couplers
- Extra Access Port for Vacuum Line
- Gauges Can Be Calibrated for Accuracy



Can Tap

SKU **217375** 🥠 🥎 99 CPSTLCT1234 • 3-in-1 Can Tap for R12,

- R134A and Oil
- Everything Included for Any Refrigerant Can

Couplers



3-in-1 Side Mount **Can Tap Valve**

SKU **290033 1799** MSC85530

- 3 in 1 Side Mount Can Tap with Valve
- Covers 2 7/8" (R134A), 2 1/2" (R12) and 2" (Oil) Charge Cans
- Includes 1/2" ACME-M and 1/4" FL-M Ports

▼ Mastercool 🖁



R134a Aluminum **Manifold Set**

MSC89660UV 14999

- Aluminum Manifold with 60" Hose Set, Couplers and Sight Glass
- Free 10 Application Mini Dye Injector



▼ Mastercool:

R134a Gauge Set

SKU**290022** MSC89661UV Aluminum Manifold with

- 60" Hose Set, Couplers and Sight Glass
- Free 10 Application Mini Dye İnjector

CDS

Flutter Free Silicone Dampened 2-1/2" Guages



Vortech Manifold with Couplers and 6' Hose

SKU **217361** CPSMV71A6Q

- Aluminum Extruded Durable Body with Vortech Sealing System
- Parker Manual Couplers



Chrome Racing Style Manifold

SKU **217360** CPSMAID8QCZ

- 9999
- 68mm All Chrome
- (3) 6' Black Widow Premium Hoses, Chrome Fittings

OBINAIR

AN SPX BRAND



High Side Manual R134a. SKU 290034 **29**99 MSC82834 • 14mm-F X 16mm Quick Manual Coupler Low Side Manual R134a.. SKU 290037

• 14mm-F X 13mm Quick Manual Coupler

Manual Coupler Set SKU 110255

CPSQC134SET (Red and Blue).... 3699

Snap Coupler Set SKU **217374** CPSQC13490SET (Red and Blue). 2699 • 14mm Thread • Push On Snap

High Side Snap Coupler ... SKU 110253

CPSQCH13490 (Red)...... Low Side Snap Coupler SKU 110273

CPSQCL13490 (Blue) 1699



R-12 to R-134a Conversion **Coupler Set**



SKU **222495** CPSQC14SET **5999**

- Change Your Old R-12 Manifold Set to R-134a with this Set of Manual Couplers
- Chrome Couplers Made to Last
- 1/4" SAE Male Fitting Made to Work with Most Manifold or Hoses

Aluminum **Manifold with** Couplers and 6' Hose SKU 436027

CPSMAIA6Q

• R-134a Refrigerant Aluminum Manifold with 6 Foot Hoses





R12 & R134A Aluminum Manifold, Hose Set and Service Couplers

49134B

• 90° Manual Couplers • 60" R134a & R12 Hose Set • Blow-molded Case

Please Do Not Return Purchases to the store. For information regarding Warranty, Repair and any Questions or Concerns, PLEASE CALL 1-877-AZTOOL1.



Replacement Hoses



Freon Charging Hose Set SKU **512962 6999** 27230

• EXTRA LONG Hi and Lo

1/4" SAE Hose Set 6' SKU **110271** 🧷 CPSHP6

1/2" Hose Set 6' SKU 1102725 5 4 99 CPSHA6

CDS*





CDS

Air Conditioning

Electronic Leak Detectors

CDS



HVAC-R Electronic Refrigerant Refrigerant Leak Leak **Detector Detector** SKU **217364**

SKU 186422 GTCRLD102

- 9999
- 14" Stainless Probe
- Detects all Freon Gasses
- Sensitivity Adjustment Dial

Automotive Electronic Refrigerant Leak-Seeker

SKU 125702 CPSLS790B CPSLDA1000H 155⁹⁹

19999

- Certified to Meet SAEJ2791 for R-134a, as Well Meeting all US and International Standards for Automotive Use
- Sensitive to All Types of Refrigerants: HFC's, CFC's and HCFC's



SKU **217362** CPSLS3000B

CDS

25999

- Fully Automatic Detects HFC, SF6 Gases and Blends
- 8 LED Tachometer Display

Electronic Leak **Detector** with 3 Sensitivty & 5 Detection

🛂 Mastercool:

Levels SKU **290030** MSC55100

16999

- 3 Levels of Sensitivity (5 Levels of Detection)
- Visual Leak Level Indicator
- Detects all Refrigerants (CFC's, HCFC's, HFC's)

"Inspector" 2-in-1 **Electronic UV** Leak **Detector 5**

⋘ Mastercool≗

SKU **290031** MSC55200

- **229**⁹⁹ • Ultra Bright UV/
- Blue LED Light • 6 Levels of Sensitivity 15 Levels of Detection)
- Tri-Colored Visual Leak Level Indicator
- UV Enhancing Safety Glasses

Hydrogen (HC) Refrigerant Gas and Combustable **Gas Leak Detector**

SKU **222502** TNOD540

- Numeric Leak Indicator Alarm
- Automatic Calibration
- 3 Sensitivity Levels • Low Battery Indicator

Detects Combustable Gas



SKU **110445** TIFZX-1 TIFRX-1A **179**00

 Microprocessor Controlled Circuit with Advanced Digital Signal Processing

- Certified to SAE J1627
- Variable Frequency Audible Alarm • 14" (35.5 cm) Flexible
- Stainless Steel Probe with Teflon Liner
- Tactile Keypad Controls with One Touch Reset and Adjustable Sensitivity
- Six-Segment Visual Leak Size Indicator

Leak Detector SKU **221225**

- Patent Pending Heated Pentode™ Sensor Technology
- Refrigerant Specific Detection
- Detects All Halogenated Refrigerants at Levels Below 0.1 Oz./Yr. as Low as 0.05 Oz./Yr for R-12
- Sensor Failure Indication

TRACER PRODUCTS

CDS*

OEM

Find

Those

Leaks

• Tactile Keypad Controls with One Touch Reset and Adjustable Sensitivity

For a Full Line List of A/C Tools and Equipment Call AutoZone® Tool & Equipment Customer Service: 1-877-AZTool1 (1-877-298-6651)

UV Leak Detection

Patented Ion-

Pump Sensor

Filter Housing

• 100+ Tones Vary-

ing in Intensity

with Leak Size

Bar Graph

Display


• 10 High Intensity

with Built-in

EZ-Shot™ A/C Leak Detection Kit with OPTI-Lite™

SKU **291402 15999** TRATP8626

- Quick to Install and Runs Fast Through System
- Services Up to 64 Vehicles
- 50 Watt 6 LED Flashlight





Complete A/C and Fluid Leak **Detction Starter Kit**

SKU 291378 **7**499 TRATP8621

- 50 Watt 6 LED Lamp
- Pinpoints A/C, Oil Systems and Coolant Leaks
- EZ-Ject Dye Injector with 3 1 Oz. Bottles of Dye







SKU **217365**

CPSUV55A

Professional UV Leak Detection Kit with 12V/50W UV Light

SKU 290041 6999 MSC53351

 High Intensity Mini Light12V/50W UV Light

• 1 oz. Oil/ATF/Gas and Diesel Fluorescent Dye and 1 oz. Engine Coolant Dye

• 25 Service Information Labels and **UV Safety Glasses**



OPTIMAX™ 3000 Cordless, Recharge, **LED Leak Detect Light Kit**

SKU **291390** TRATP8690

- 15 Times Brighter than Regular LED Lights
- Power Comparable to Super-high Intensity 150W Lamps
- Inspection Range of Up to 20 Feet or More

.SKU **291398**

• Kit Includes: Rechargeable NiMH Battery, A/C Charger and Fluorescence-Enhancing Glasses







UV Leak Detection Kit

• UV Dye Can Be Injected at Any Time

Includes UVPRO Flashlight

• 5 Vehicle Dye Cartridge





Universal **Concentrated Dye** Cartridge - 1 oz.

SKU **505040** MSC53810-5

8999 • 10 Applications (Universal Concentrated Dye Cartridge



TRACER PRODUCTS

.SKU **291396** BigEZ™ 8 Oz.. Universal Dye Cartridge TRATP97700108

• Compatible with All Lubricants and Refrigerants

• For Use with the Big-Ez Injector Tool .SKU **291397 Engine Coolant Dye**

TRATP39000601... • Contains Six 1 Oz.. Bottles Fluoro-Lite® Universal A/C Fluorescent

TRATP38400601 ... • Contains Six 1 Oz.. Bottles Dye-Lite® All-In-One™ Full Spectrum Oil Dye ...SKU 291395 TRATP3405 ...

• Contains Six 1 Oz.. Bottles

• Glows Yellow/Green

CDS* 7 LED **UV Inspection Light** SKU **217367** CPSUVPRO






• Compact Magnifier with 5 LED Lights and a Super Bright UV Light

• UV Light Detects Dyes

Air Conditioning

Air Conditioning Service Tools



A/C Clutch Pulley Puller

SKU472357 ____500 27001 STORE STOCK

• Makes AC Compressor Pulley Removal Jobs Fast and Easy



OEM°

Clutch Puller Jaws

SKU **472506 7300** 27008

· Additional Jaws for Use with the OEM 27001 AC Pulley Puller

OEM





OEM°

Orifice Tube Remover

SKU **217355 3499** CPSTLOTK

- Includes Remover, Extender Body
- Damaged Tube Extractor for 1985-2004 GM, Ford and Most Import Clutch Cycling Systems





A/C Clutch **Holding Tool** SKU **150540**

27000 **25**00

SKU **472381**

27005 3000

STORE STOCK

STORE STOCK • Holds Compressor Clutch in Place

A/C Clutch Hub Remover

Hub Plate Remover to Install Chrysler C-171, A590, 6C17 and Tecumseh HR-980 Compressor Clutches **6 Sided Fin Comb**

A/C Clutch Installer

SKU **125741** CPSTLFC6 1599

SKU **472415**

27007 1700

STORE STOCK

- Repair Bent Condenser Fins
- For Use on 8, 9, 10, 12, 14 & 15 Fins Per Inch



OEM

A/C Clutch Hub Plate Remover

SKU **472407** 27006 2300

STORE STOCK

- Removes Club Hutch from the Compressor • For Use with Chrysler C-171, A590, 6C17 and Tecumseh
- HR-980 Compressor Clutches

A/C Clutch

10000

· For Removal and

AC Compressor

Clutches for Ford. GM and Chrysler

Installation of

• For Use in Conjunction with OEM 27006, A/C Clutch

Tool Kit

SKU **948077** 27150

THEXTON



Radiator/Condensor **Cleaning Wand**

SKU **514015 8499** THX467A

- New, Improved High Pressure Air/Water Cleaning Wand Reaches 24" Between Radiator and Condensor, Under Mowing Decks, Etc.
- Special Tips Deliver Air Or Water at a 90° Angle

SKU 227788 **1 999** • Designed to Install and Remove Most Popular High Side

CDS

CDS*

Low Side Retrofit

Retofit Conversion Fittings

High Side Retrofit

Socket

CPSRFSH

Socket SKU **227787**

CPSRFSL • Designed to Install and Re-

move Most Popular Low Side Retrofit Conversion Fittings

🕶 Mastercool: 🕷

Manual

A/C Hose Crimper SKU **290028**

MSC71550



Crimpers/Cutters

• Comes with a Complete Set of Dies Covering

Hydra- Krimp Hydraulic A/C

• Dies Snap into Place, No Screws or Pins Needed

A/C Clutch Plate Remover SKU **159079**

27002 2100

STORE STOCK

• Used for GM A6 and R4 Compressor Clutches

• Removes Club Hutch from Ford ES-6 Compressor

A/C Disconnect Tools



15 Piece Master **Disconnect Set**

SKU **900807** 27195

 Includes Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line Disconnect Tool

Angled

SKU **291416**

Disconnects

Lines

Spring Lock

Six sizes 5/16".

3/8", 1/2", 5/8",

3/4" and 7/8"

Couplings on Ford

and Chrysler AC

LIS39400 **20**99

Disconnect Set

OEM



Quick Connect Tools

SKU **363869 199** 25184

STORE STOCK

A/C and

Fuel Line

Connect Tools

STORE STOCK

SKU **002356 199**

• Easily Disconnects Air

Connect Fuel Lines

Conditioning Lines and Quick

Ouick

25052

- Sizes: 3/8", 1/2", 5/8" and 3/4"
- . Enables Quick and Easy Disconnect of Air Conditioning Couplings

Thermometers

Infrared Thermometer With Target Laser SKU **290019** MSC52224ASP

- Target Laser Accuracy
- Range From -4 to +932F Degrees Non Contact Reading
- Constant Maximum Temperature Displayed

Instant ` **Read Dual** Thermometer SKU **447151 1 99** 24352

• Temperature Range of 0° F to 220° F and -18° C to 105° C in 2° Increments

Extra Large 1-3/4" Diameter Dial with **Dual Scale**

Non-Contact Infrared Thermometer

SKU **951642** 25245

- STORE STOCK • Temperature Range: 35° to + 365° C, -31° to +689° F
- Distance to Spot Ratio of 8:1
- Laser Pointer



✓ Mastercool: €

Digital Pocket Thermometer

SKU 447147 🚪 🕦 99 24351

- Accurate Readings from -58 to 300° F (±2°) and from -50 to 150° C (±1°)
- Digital Display will Rotate 1809 and Moves Up and Down for Easy Viewing




OEM TOOLS

Instant Read Pocket Thermometer

SKU **447141 799** 24350 Temperature Range of -40°

- to + 160°F • Easy-to-Read One Inch
- Pocket-Clip Carrying ase for Protection And Easy Access

Dial Face



Tubing Cutter SKU **5<u>1</u>2959** 👖 🚺

#6, #8, #10 and #12 Hoses

Hose Press Kit

Can be Bench or Vise Mounted

• Capacity: 3/16" to 7/8" (4-22mm) Diameter:



OEM'



• Capacity: 1/8 - 1-1/8" (4-28mm) O.D.

CPS*

Digital Scales

110 lbs **Portable** Scale SKU **436025**

CPSCC110

- 110Lbs/50Kg Portable Scale Comes in a Blow
- Molded Case • This Scale Has a 5 Gram Resolution Capacity for Those Śmall Charges
- Compact Scale That Works Hard for Those Small Jobs 5 Grams Resolution for Those Small Charges



★ Mastercool®

Accu-Charge II Electronic Charging Scale 240 Lb Capacity

SKU 290029 20 999 MSC98210A

- Constructed of HD Die Cast Aluminum
- 240 Lb Capacity Programmable
- Charge Alarm

Please Do Not Return Purchases to the store. For information regarding Warranty, Repair and any Questions or Concerns, PLEASE CALL 1-877-AZTOOL1.



Oil Injectors



Manual **R134a Oil Injector** SKU **369458**

MSC82375 4099



2 Oz. In Line Oil and Die Injector SKU **436034 10**99

CPSTLJ4 • 2 Oz. In Line Oil and Die Injector with

1/2" ACME Fittings • Connects to the Low Side of any Manifold



• 1/2 oz. Oil and Die Screw Injector with 1/4" SAE Fitting

• Connects to the Low Side of A/C System 1/4 Oz. Oil and Die Screw **Injector with 14mm Fitting**

SKU 436047 7 7 99 CPSUVNJ34