

Tire Service

Tire Changers

Tilt Back 23" Capacity Tire Changer/NextGen™ Series

SKU 980172 **1,884⁹⁹**
RANR23LT

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**



NextGen™ RimGuard™ Swing-arm 25" Tire Changer

SKU 312817 **1,884⁹⁹**
RANR980XR

- Drive System: Electric / Air
- Wheel Clamping Capacity: 4 Internal / External Clamps
- Tire Width: 3" to 22"
- Powerful Bead Seating System: TurboBlast
- Internal Rim Clamping Capacity: 11.5" - 24"
- External Rim Clamping Capacity: 10" - 22"
- Internal Rim Clamping Capacity: 13" - 25-1/2"
- External Rim Clamping Capacity: 11-1/2" - 23-1/2"



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**



Tilt Back 23" Capacity Tire Changer NextGen™ Series with Single Assist Tower

SKU 980171 **2,769⁹⁹**
RANR23AT

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**



1520 Tire Changer with 10"-20" Clamping

SKU 290001 **2,888⁹⁹**
HOFM1520110

- Overall Wheel Clamping Diameter 10" - 20"
- Inner-Wheel Clamping Diameter: 12" - 20"
- Outer-Wheel Clamping Diameter: 10" - 18"
- Bead Breaker Range: 2" - 13"
- Bead Loosening Power : 6,000 Lbs
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40"
- Work Area Dimensions: (DxWxH) 72"x68"x85"
- Air Requirements: 100 to 175 PSI @ 5 CFM
- Power Requirements: 120V, 1Ph, 60HZ



Lift Gate Service
SKU 290017 HOFLIFTGATE **95⁰⁰**



TCE 4225 Swing Arm Tire Changer

SKU 289887 **3,495⁰⁰**
BOSF00E900666

- Maximum Rigidity and Turntable Torque
- High Performance Mount/Demount Head with Tire Iron Slot
- Opposing Adjustable Jaws with Inflation Jets
- 3-Position Telescopic Bead Breaker

TCE 4230 SFA Swing Arm Tire Changer with Helper Assist

SKU 289885 (Shown) **6,895⁰⁰**
BOSF00E900668

- Maximum Rigidity and Turntable Torque
- High Performance Mount/Demount Head with Tire Iron Slot, Ideal for Mounting Low Profile Tires
- Non-Opposing Adjustable Jaws with Inflation Jets
- Ideal for Servicing Tire Pressure Monitoring Systems (TPMS)
- Versatile Tire Changer with External Clamping Up to 26"
- Following Arm Assembly Assist with Installation High Performances and Low Profile Tires



Lift Gate Service
SKU 298692 BOSLIFTGATE **50⁰⁰**



Setup & Training Provided by Factory Representative

Model 5035E Tire Changer

SKU 988892 **3,429⁹⁹**
AMM8047106

- Electric Drive Turntable for Reduced Noise
- Rim Diameter External: 12"-19" External
- Rim Diameter Internal: 15"-22" Internal
- Rim Width: 10" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



INCLUDES
Manufacturer's
Set-Up and Training

Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

Wheel Balancers



Digital Wheel Balancer

SKU 977528 **1,599⁹⁹**
RANDST2420

- Motor 3/4 HP, 110v/220v 50/60hz 1 PH
- Balancing Modes: Dynamic/Static/ 3-Alloy
- Cycle Time: 6 to 9 Seconds
- Self Calibrating
- Max Tire Diameter 47"/1194mm
- Max Tire Weight: 145 Lbs
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz
- Accuracy: ± 1 gram / .035 Oz

Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**



2350 Wheel Balancer With 10 Balancing Modes

SKU 290002 **2,715⁹⁹**
HOFEEWB701D

- Maximum Wheel Width: 21"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 48"
- Max Wheel & Tire Assembly Weight: 150 Lbs
- Motor: 1 HP (Acceleration HP)
- Accuracy: 1g or 0.05 Oz
- Balancing Modes: 10
- Dimensions (DxWxH): 16.5"x29.5"x40"
- Power Requirements: 120V, 1Ph, 60HZ

Lift Gate Service
SKU 290017 HOFLIFTGATE **95⁰⁰**



WBE 4140 LCD Monitor Compact Wheel Balancer

SKU 289890 **3,995⁰⁰**
BOSF00E900661

- Simple to Use Monitor Display Puts the Power of the Bosch Balancing Software within Reach of the Most Novice Users
- Multiple Static and Dynamic Balance Modes
- Hidden Spoke Balancing Modes
- Positioning Pedal Locks Wheel During with Attachment
- Includes Quick Clamp Wingnut and 5-Cone Set with Spacer Ring

Lift Gate Service
SKU 298692 BOSLIFTGATE **50⁰⁰**

Setup & Training Provided by Factory Representative



**Model 1000
Wheel Balancer**
SKU 212808 **3,349⁹⁹**
AMM85009045

**Model 775
Wheel Balancer**
SKU 210246 **3,249⁹⁹**
AMM85007775

**Model 875
Wheel Balancer**
SKU 210248 **4,314⁹⁹**
AMM85008875

Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

BONUS
Light Truck Cone Kit
with Purchase of
AMM85009045 SKU 212808

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.

Leasing Terms Available.

Ask Your AutoZone Specialist for Details

Questions? Call AutoZone®
Tool & Equipment Customer Service:
1-877-AZTool1 (1-877-298-6651)
Hablamos Español



Tire Service

NextGen™ RimGuard™ 33" Double Bead Roller Power Assist Changer

SKU 312819
RANR30XLT **3,214⁹⁹**

- Wheel Clamping Method: 4 Internal / External Clamps
- Bead Breaking System: Pneumatic Blade
- Power Assist Towers: Integrated Center Post
- Powerful Bead Seating System: Turboblast / Bead Seating
- Internal Rim Clamping Capacity: 13" - 33" / 330 mm - 838 mm
- External Rim Clamping Capacity: 10" - 28" / 279 mm - 711 mm
- Turntable Tire Width Capacity Mount: 5" - 22" / 127 mm - 559 mm
- Bead breaker Tire Width Capacity Demount: 3" - 15" / 76 mm - 381 mm
- Maximum Tire Diameter: 50" / 1,270 mm



Ranger
PRODUCTS

Lift Gate Service

SKU 262533
RANLIFTGATE **135⁰⁰**

EASY COMBO

Easy Combo Wheel Balancer + Tire Changer

SKU 080468
BOSF00E900832 **3,995⁰⁰**

- Entry Level Wheel Balance + Tire Changer
- The Bosch Easy Combo is the Best Value on the Market
- Wheel Balancer is Made in Italy and Includes Standard Cone Set, Quicknut and 40mm Shaft
- Six-months Parts Warranty
- Set Up Provided by Bosch Representative



BOSCH

Setup & Training Provided by Factory Representative

Lift Gate Service

SKU 298692
BOSLIFTGATE **50⁰⁰**

Model 5045E Tire Changer

SKU 988894
AMM8047107 **3,499⁹⁹**

- Rim Diameter External: 10"-21"
- Rim Diameter Internal: 12"-24"
- Rim Width: 10.5" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



COATS

INCLUDES
Manufacturer's
Set-Up and Training

Lift Gate Service

SKU 262529
AMMLIFTGATE **55⁰⁰**

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.

Model 70X Rim Clamp Tire Changer with Robo-Arm®

SKU 979911 (Air) AMM80070XAF3
SKU 979917 (Electric) AMM80070XEF3

8,724⁹⁹ 8,724⁹⁹

- Robo-Arm™ Assists in Top Bead Mounting for Stiff Sidewalls, Low Profiles and Run Flat Tires
- Rim Diameter External: 6" to 22"
- Rim Diameter Internal: 8" to 24"
- Rim Width: 14" Max
- Bead Loosening: Hand or Foot Controlled

COATS



BONUS

28" Grip Max Clamps for Rim Clamp Tire Changers with Purchase of AMM80070XAF3 or AMM80070XEF3

Lift Gate Service

SKU 262529
AMMLIFTGATE **55⁰⁰**

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.

Baseline

6-Month
Parts
Warranty

BASELINE™



BL225 Wheel Balancer

SKU 510978
AMM85002225

2,054⁹⁹

- Integrated LED Display
- Space-saving Design
- 40mm Shaft with Three Standard Cones
- Up to 100 Lbs Wheels and 34" Diameter Tires
- 110 Volt
- User Set Up Required

BL200 Tire Changer

SKU 510977
AMM85607372 **2,054⁹⁹**

- External Rim Clamp: 11" - 20"
- For Steel and Alloy Wheels
- Inflation Jets in the Table
- Lubricated for Long Life
- Designed and Assembled in the USA
- Service by Coats Service Partners Available
- 110 Volt
- User Set Up Required

INCLUDES
Manufacturer's
Set-Up and Training

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.

Tire Tools

TSI SSG
THE SERVICE EQUIPMENT MFG. CO. INC.
SAF-TITE SPRING & GROOVING, INC.



5 Gallon Bead Seater Tool

SKU 972321
TSICH05 **259⁹⁹**

- The Ch-5 Cheetah™ Bead Seater™ Makes Seating the Most Difficult Bead Not Only Safe but Simple, Fast and Economical
- Designed for Commercial Use on All Tires ATV to 24-1/2" Truck Tires, the Ch-5
- Cheetah Bead Seater Takes the Work Out of Seating Tire Beads



Low Profile Bead Tool

SKU 080065
DIL5500-BP **59⁹⁹**

- Easy Grip - Ergonomically Designed Handle Gives Needed Leverage for Toughest of Sidewalls
- Longer Design to Eliminate Knuckle Busting on the Face of the Wheels
- Angled Handle Gives User Better Control of the Tool

Starter Kits with Storage



Bench Top Rack with Coated Steel Weight Assortment

SKU 383181
AMM5202125 **699⁹⁹**

- Louvered Rack Can be Placed on Top of Any Workbench
- Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, 5 Styles Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, 40 Plastic Bins: 8 Each of Yellow, Grey, Black, Red and Orange

BADA
Hennessy Industries

Metal Floor Rack with Steel Wheel Weight Assortment

SKU 383179
AMM5202075 **929⁹⁹**

- Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE, INFE

Steel Roll Weights

SKU 382953
AMM528930025 **69⁹⁹**

Steel Roll Weights with Dispenser Bracket

SKU 382828
AMM5280025 **124⁹⁹**



4 Piece Plastic Scrapers

SKU 900802
25513 **24⁹⁹**

- Use to Remove Moldings
- Works Like a Chisel
- Won't Scratch Paint
- Can Be Used for Wheel Weight Removal

Wheel Weight Tool

SKU 217378
25690 **14⁹⁹**

- Tool Installs, Removes, Trims and Tightens All Types of Clip-on Wheel Weights

Valve Core Tool Set

SKU 255622
VCTSET **9⁹⁹**

- For Inserting or Removing Valve Cores
- Includes 2" and 4" Tools
- Made in the U.S.A.

OEM®



OEM®



OEM®



Wheel Stud Installer

SKU 222512
LIS22800 **31⁹⁹**

- Easily Installs New Wheel Studs
- Use with a Ratchet or Impact Wrench to Pull the New Stud Securely in Place

Truck Wheel Stud Installer

SKU 222516
LIS28950 **36⁹⁹**



Hanson 5 Piece Lugnut Specialty Set

SKU 262420
IRW54125 **105⁹⁹**

- Reverse Spiral Flutes are Designed to Bite Down to Provide Maximum Gripping Power
- Universal Lobular Design Fits All Types of Fasteners
- For Use with 3/8" Square Drive Hand Ratchets, Impact Wrenches and Air Ratchets



Tire Service

Alignment

Tru Align Wheel Alignment Adapter Kit

SKU 289907 **1,615⁰⁰**
TRU001


- Takes the Wheel Out of the Alignment Equation
- Mount Alignment Heads to Any Diameter Wheel
- Eliminates the Need for Adapters and Extensions
- Mounts the Head Without Touching the Wheel Preventing Damage to the Wheel
- Adapts to Wheels that Do Not have a Lip Surface Available
- Works with All Current Alignment Machines, New or Old



Tru Align Roll Around Storage Cart

SKU 289908 **440⁰⁰**
TRU002

- Rated at Over 600 Lbs Capacity
- Roller Bearing Drawers
- Heavy Duty Casters
- Single Point Lock for Both the Top and Drawers



Alignment and Adapter Kit Not Included



Tru Align Storage Case

SKU 289891
TRU003

132⁰⁰

- Organize and Inventory All Parts at a Glance

Alignment and Adapter Kit Not Included

Tire Test Tank

Tire Tube Test Tank

SKU 291382 **69⁹⁹**
LIS19822

- The Tank Features Reinforcement Ribs for Extra Support
- Will Handle Passenger Tire Sizes to Wide Oval and Light Duty Truck Tires
- Dimensions 31" X 12" X 12"



Alignment

Geoliner 500 Imaging Alignment System

SKU 514009 **9,499⁰⁰**
HOFEWA717ANB

- Compact Design Saves Shop Space Completely Portable from Bay to Bay
- Easy-to-Use Alignment Software
- Animated Adjustments Benefit Technicians
- OEM Software for Steering Angle Reset
- Made in the USA

\$9249
After Manufacturer's
\$250 REBATE
with Purchase of
HOFEWA717ANB
SKU 514009



Lift Gate Service

SKU 290017
HOFLIFTGATE **95⁰⁰**

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.

Alignment

FWA 4630 Easy 3D Image Wheel Alignment System

CALL **1-877-298-6651**
FOR PRICING

BOSF00E900648

- No Space Required in Front or Behind the Lift
- Easily Transfers from Bay to Bay
- 4 Wheel Alignment Measurements in Less Than 4 Minutes
- Quick Audit Measurements without an Alignment Rack
- No Calibration Required; Compatibility to Driver Assistance Calibration Devices

Setup & Training Provided by Factory Representative **BOSCH**



Lift Gate Service

SKU 298692
BOSLIFTGATE **50⁰⁰**

**Note: Lift and Car Not Included

Tire Service Tools

3 Piece Wheel Protector Impact Socket Set 1/2" Drive

SKU 972769 **29⁹⁹**
24222

- Includes Sizes 17mm, 19mm and 21mm
- Outer Sleeve Keeps Wheels and Lug Nuts Damage Free

While Supplies Last



9 Piece SAE & Metric Wheel Protector Impact Socket - 1/2" Drive Extra Thin Wall

SKU 965856 **79⁹⁹**
24224



4 Piece SAE and Metric Impact Flip Socket Set - 1/2" Drive Deep Thin Wall

SKU 965857 **24⁹⁹**
24223

- Includes: 3/4" x 13/16" Flip Socket, 7/8" x 15/16" Flip Socket, 19mm x 21mm Flip Socket and 3" Extension



5 Piece Adapter and Universal Joint Set - 3/8" and 1/2" Drive

SKU 965864 **29⁹⁹**
24226

- Includes: 3/8" Drive Universal Joint, 3/8" Dr. (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4" (M) Adapter



- Durable Outer Sleeve and Insert Protects High Polished Wheels and Lug Nuts
- Includes: 6 SAE Sockets in Sizes: 3/4" (Light Green), 7/8" (Green), 13/16" (Purple), 15/16" (Brown), 1" (Silver) and 1-1/16" (Black)
- 3 Metric Sockets in Sizes: 17mm (Blue), 19mm (Yellow) and 21mm (Red)

5 Piece Torque Limiting Extension Set - 1/2" Drive

SKU 965858 **99⁹⁹**
24220

- Includes Sizes: 65 Ft./Lbs. Extension x 90 Nm, 80 Ft./Lbs. Extension x 110 Nm, 100 Ft./Lbs. Extension x 135 Nm, 120 Ft./Lbs. Extension x 160 Nm, 140 Ft./Lbs. Extension x 190 Nm



3 Piece 1/2" Drive Extra-Thin Wall Wheel/ Nut Protector Impact Socket Set

SKU 094646 **24⁹⁹**
25583

- 17mm / 11/16" - Blue
- 19mm / 3/4" - Yellow
- 21mm / 13/16" - Red



OEM®

9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU 965865 **49⁹⁹**
24225

- Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch



Tire Repair

STORE STOCK

Euro Style Tire Patches for Passenger, SUV and Light Truck Tires

- Mini Round, 1-3/8"SKU 57676511-638 **6⁹⁹**
- Small Round, 1-5/8"SKU 57676211-645 **5⁹⁹**
- Medium Round, 2"SKU 57676311-655 **6⁹⁹**
- Small Square, 1-1/2"SKU 57675411-307/30 **7⁹⁹**
- Medium Square, 1-7/8"SKU 57677811-309/25 **8⁴⁹**

Radial Repair Units

- Passenger Radial, 1-5/8" x 2-7/8"SKU 62515511-413 **6⁹⁹**
- Euro Style Radial, 2-1/4" x 4"SKU 21978411-712 **12⁹⁹**

String-Type Repair Inserts

- String-Type Insert, 4" Fat BrownSKU 57677612-361 **9⁴⁹**
- String-Type Insert, 8" Fat BrownSKU 57678012-362/30 **10⁹⁹**

Combination Repair Units

- Large Patch-Plug for 1/4" InjuriesSKU 57677913-382 **16⁹⁹**

Tire Repair Chemicals and Mounting Lubricants

- Vulcanizing Cement, 8 oz.SKU 57676114-008 **6⁹⁹**
- Rubber-Prep Cleaner, 32 oz.SKU 57676614-100 **9⁴⁹**
- Bead Sealer, 32 oz.SKU 57677014-101 **9⁹⁹**
- Euro Paste Mounting Lube, 6-1/2 Lbs.SKU 60576414-700 **12⁹⁹**
- Liquid Mounting Lubricant, 1 GallonSKU 60576514-753PM **5⁹⁹**

Tire Valves

- TR#412, 7/8", 0.453 Rim HoleSKU 07804817-412-10 **4⁹⁹**
- TR#413, 1-1/4", 0.453 Rim HoleSKU 57677717-413-50 **11⁹⁹**
- TR#413 with Chrome Sleeve & CapSKU 07804917-413-10 **6⁹⁹**
- TR#414, 1-1/2", 0.453" Rim HoleSKU 60578117-414-50 **15⁹⁹**
- TR#415, 1-1/4", 0.625" Rim HoleSKU 57678317-415-50 **15⁹⁹**
- TR#418, 2", 0.453" Rim HoleSKU 57678117-418-50 **15⁹⁹**
- TR#572, Brass Truck Valve, 3-3/4"SKU 07805117-572T-10 **12⁹⁹**
- 1-1/4" High Pressure ValveSKU 07805317-600HP-10 **5⁹⁹**

Tire Valve Accessories and Tools

- Valve Core, High Temp (Red)SKU 57677417-490HT **11⁹⁹**
- Valve Cap, Black PlasticSKU 57675717-492 **1²⁹**
- Tread Depth GaugeSKU 60580117-607 **1⁹⁹**

Xtra seal

