OIL AND LUBE

Oil Filter Wrenches



TPR Handle Swivel Oil Filter Wrenches

SKU **965869 1** 99 25373

SKU **964999 199** 25370 STORE STOCK SKU **965002 199**

STORE STOCK


25371 STORE STOCK

SKU **965003 199** 25372 • 1" Wide Stainless Steel Band for Strong Grip

- Dimples in Band Bite into Filter for
- Non-Slip Removal • Swivel Handle for Hard to Reach Filters

7 Piece Oil Filter Removal Socket Set

SKU 191682 4 9 9 9 27197





Short Socket Style Allows

- for Proper Clearance When Removing the Filter Element
- 24 mm Cadillac, BMW • 27 mm - Cadillac, Mercedes

Swivel Jaw Oil Filter

Wrench Pliers

SKU **094803**

27204

27 mm

Oil Filter

Socket

25450

SKU **255714**

Applications

Nissan Ford

and Smart Car

Mercedes

Include:

25321

Buick, Saturn, Saab, Smart, VW • 29 mm - Dodge

Jaws Swivel 90° and Adjust to 4 Positions in 30°

• Range from 2-1/4" to 4-3/4" (57 mm to 120 mm)

3 Piece Low Profile Oil Filter Socket Set

32 mm

Socket

25410

Oil Filter

SKU110281

Applications

Include: GM

Ecotec 2.2L

and SAAB

BUY THE SET OR THE SINGLES

Style Filter Applications • 32 mm – Saturn, Saab, Various GM • 35/36 mm – Ford, Mini Cooper, Mercedes, BMW

• Fits Today's Oil Filter Cartridge

Set (6 piece)

SKU 387631 5 999

Oil Filter Cartridge

VW/Audi, Mack Truck • 38 mm - Small Diesel Engine **Applications**

*While

Includes 27, 32 and 36 mm

• Comes in Blow Mold Case

Oil Filter

Socket

25411

SKU110279 899

• Fits BMW M52

M60, M62, M70

• 3/8" Drive

Supplies

Import Oil Filter Wrench SKU **297190 599**

25128

- STORE STOCK • Uses 3/8" Drive
- Fits Oil Filters 2-1/2" to 3-1/8"

3 Legged Filter Wrench

SKU 231212 7 499 25413

• Range: 2-1/2" - 4-1/2"



3 Legged Filter Wrench

SKU 114009 199 25017

- Fits Import Cars
- Fits Spin-on Filters 2-1/2" 3-7/8"

8-in-1 Swivel Wrench **Metric SKU 110283**

- **SAE** SKU 110284 25378
- Features Magnet to Hold Drain Plugs or Nuts • Metric: 8 Socket Sizes in One Tool: 12, 13,
- 14, 15, 16, 17, 18 and 19mm

SAE: 8 Socket Sizes in One Tool: 3/8", 7/16" 1/2", 9/16", 5/8",11/16", 3/4" and 13/16"



STORE STOCK

• Slip-Joint Handle 2-1/2" to 4-5/8" • Jaw Teeth for Sure Grip

SKU **344320** 25449

• Fits Filters 4-3/4" to 6"

FITS 95% OF DOMESTIC & IMPORT AUTOMOBILES

10 Piece Cap Filter Wrench Set

SKU **900828** 🧷 27196

- 10 3/8" Drive Cap Oil Filter Wrenches
- Fits 95% of Domestic and Import Automotive Applications

• Includes: 65/67 mm - 14 Flutes, 80 mm - 15 Flutes, 68 mm - 14 Flutes, 86 mm - 16 Flutes, 74/76 mm - 15 Flutes, 93 mm - 15 Flutes, 76 mm -14 Flutes, 93 mm - 36 Flutes, 76 mm - 30 Flutes, 100 mm - 15 Flutes

3/8" Drive Ratchet

SKU **255627** 27199 **Value: \$24.99**

with Purchase of

OEM

9 Piece Oil Filter **Cap Wrench Set**

SKU **255627** 27199

• All Wrenches are Designed

and M73. Mercedes Benz OM604, to Work with 3/8" Square 605 and 60 Oil Filter Socket 6 Offer Good Through and Audi VR6

December 31, 2013



Toyota/Lexus Oil Filter Cap Wrench Set SKU **383457**

160 Piece Lube Tech

Starter Set

160 of the most popular tools used by Lube Techs Includes hand tools. battery and tire service tools, along with specialty

oil filter wrenches to

BONU5

\$329.99 VALUE

service late model cars

SKU **227302** 24965

25409

 Sizes: 64mm, 73 mm and 74 mm

 Covers all Toyota and Lexus Vehicles from 1980-2009



Professional Quality Tools

OEM TOOLS

Oil Filler Cap Wrench . for Dodge SKU **222532** LIS34000

25451 *Notches

999

1999

INCLUDES

ALL THIS!

PLUS BONUS

CART

 Fits Threaded Plastic Oil Filler Caps on Newer Dodge V8 Engines

OEM

Oil Filter Cap Wrenches

25408 25408 SKU **383456** 86.5 mm x 16 25412 SKU **978119** 64 mm x 14

25451* SKU **255634** 64.5 mm x 14 *Notches Prevent Slipping and Damage to Plastic Caps SKU **255669** 74.2 mm / 14 Flats

SKU **255675** 25453 86.6 mm 16 Flats

88.8 mm x 15

SKU **255659**

BMW & Volvo Toyota & Lexus Toyota & Lexus

BMW M 44 Engine, Mercedes M 102 Engine, Mercedes - M 103 Engine, Porsche - 924,

25452

Porsche - 944 VW/Audi BMW N52, N54, N55 and N63

Engines (2006-2012) Volvo - All Models (exc. 2005 40 & 50 Series) 1999 - 200 Hyundia & Kia

1999

Automatic Transmission Service Equipment





Tranmission Fluid Exchange

- On Board Battery
- No Co-Mingling of New and Used Fluids
- Power On/Off Switch Prevents Battery Arching Hazard • Level Sensor Technology, Never Needs Calibration
- Precise Fluid Measurement to the Tenth of a Quart
- High Output, Controlled Drainage at 3 Gallons Per Minute
- 32 Quart New and Used Fluid Tanks • External Mounted Filter for Easy Maintenance
- ATF2

ATF1 SKU **112434**

SYM30110000

 Cooler Line and Dipstick Modes of Operation Adapter Kit Included

SKU **112457**

SYM30120000

Dipstick Mode of

Operation



Automatic Transmission Fluid Exchanger

SKU 534584 3,9

Fast, Automatic and Accurate Fluid Exchange! Digital Weight Scale

- Multi-Fluid Capability
- Fast 2-5 Minute Average Exchange; Fluid-Flow Direction Indicated • Diagnostic Pressure Gauge



Transmission Fluid Exchanger

SKU 221189 4.59999 92500

Three Modes of Operations: Dipstick Only, Cooler Line, or a Combination of the Two

- Exchange Accuracy Approximately +/ 1/4 Qt. • 32-Quart Supply Tank; 34-Quart Waste Tan
- Complete Set Of Cooler Line Adapters for Most Foreign and Domestic Vehicles



Automatic Transmission Refill System SKU **265092**

MITMV6410

• Dispenses Fluids Under Pressure for Continual Flow to Top-Off or Refill Sealed Automatic Transmissions

• Includes: Reservoir Lid with Integrated Manual Pump, Pressure Gauge, and Pressure Relief Valve, 5' Fluid Dispensing Hose, MVA5800 ATF Refill Adapter Kit, Fluid Dispensing Wand and Hanging Hook

Oil Filter Crusher **Industrial 10-Ton**

Oil Filter Can Crusher SKU **990215** RANRP20FC





- Reduces the Size of Used Oil Filters to One Fourth of Their Original Size. An Integrated Collection Chamber and Collector Down-Spout Tube Allows Quick Recovery of the Oil for Easy Disposal to a Drum or **Bulk Container**
- Save on Disposal Costs and Storage Space

OIL AND LUBE

Mityvac.

DID YOU KNOM5

We Offer Filter **Stocking Programs** that Include Oil, Air, Fuel, Cabin Air and Transmission Filters.

Fluid Evacuators

Fluid **Evacuator** SKU **594882**

MITMV7400 9999

• Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir

• Large Base with Foot Stabilizer

Fluid Evacuator Plus

SKU 497200 MITMV7201

3999 • Evacuates or Dispenses at the Push of a Button

 Convenient Manual Pump Operation

• Integrated 2.3 Gallon (8.8 liter)Capacity reservoir

Universal Fluid Dispensing System

SKU **265093** MITMV6400

• Dispenses Fluids Under Pressure for Smooth, Continual Flow to Fill or Top-Off Master Cylinders, Coolant Bottles, Automatic Transmissions, Differentials and Power Steering and Other Reservoirs

• Large 1.2-Gallon (5-Liter) Fluid Capacity

• Internal Pump Components are Sealed Against Exposure to Fluids



Adapter Kit SKU **972278** MITMVA7216

17999

• Quick-Change Coupler for Fast Adapter Changes and Brass Ball Valve Controls the Flow of Fluid

 Ten (10) Adapters Fit Ford, Toyota, BMW, Honda, Nissan, VW, Audi and Mercedes Transmissions

• Connects Directly to MV7201 Fluid **Evacuator Plus**

SpeedyVac Fluid with Evacuation Kit

SKU **361283 12999** PRT70890 PBT70890

Portable Fluid Evacuation Kit for

Automotive and Industrial Applications
• Vacuum Hold Feature Allows Use Even When Disconnected from the Air Supply

 Automatic Fluid Shut-off Valve • Includes: 5.52' Suction Hose Assembly with On/Off Tap. 5/16" X 11.8" Suction Hose 1/4" X 26" Suction Hose and Brake Bleeder Hose Assembly

SKU **497203 13499** MITMV7300

• Operates on Compressed Air

• 2.3 Gallon (8.8 Liter) Capacity Reservoir

 Large Base with Foot Stabilizer • Independent Air Shut-off Valve







MITMV7300



SKU 988881 36999

Up to 10 Grease Cartridges

Next Generation "Smart

 High-Strength Composite Body and Casting Provide Durability without Weight Penalty

• 18-Volt High-Capacity Battery Delivers

PowerLuber®

18 Volt PowerLuber® Grease Gun

Gas Caddy

25 Gallon Poly Gas Caddy with **Heavy Duty Pump**

SKU **360658** DOWJDI25GCP1

25 Gallon Steel Gas Caddy

SKU **360585** DOWFC25GC

• 25-Gallon Tank for Fuel Transfer and Storage

• 10" Pneumatic Tires Move Over Almost Any Surface

• Pump - Two-Way Operation for Either Siphoning or Dispensing • Pump - 1 Gallon for Every

12 Revolutions • Includes Grounded Suction Hose

Replacement Filter

SKU **360660 DOWGCFF**

Field Charger

\$59.99 VALUE

SKU 988878

LIN1842

• Same as

1844 Kit

But with

LIN1801

18 Volt Battery

sku **970540 🙊 🔾 9**

Long Life High Capacity

1900 mAH Battery

Padded Housing with

Protected Contacts

 Replacement Filter for DOWFC25GC and DOWJDI25GCP1

LINCOLN

JohnDow Industries

Grease Guns

Air Grease Gun

SKU 125116 / 099 25818

• Great for Automotive, Workshop and Marine Use

• Operating Pressure: 30-150 PSI

• Delivery Pressure: 1,200-6,000 PSI Air Consumption: 4.0 CFM

Professional Grease Gun

SKU 522902 2 199 LIN1142

Professional Grease Gun with 18" Whip Hose and Coupler SKU **522903 2 0 99**

LIN1147 • 3 Way Loading: Cartridge, Bulk Load and

Suction Load Rugged Cast Pump Head • Jam Proof Toggle Mechanism

Prevents Binding or Accidental

Bending of Plunger Develops 10.000 PSI Pressure

• Uses Common 14-1/2 oz. Cartridges



LIN1134

Digital

LIN982

Oil Meter

SKU **383183** 🤦

• Large 6 Digit LCD Display with

· Measures in Quarts, Pints,

Low Battery Indicator

• Built-In Trigger Guard

Two Decimal Point Precision

Gallons or Liters 13" Flexible

Extension with Automatic Nozzle

• 18" Whip Hose

• Variable Stroke Design

LINCOLN

• Includes Rigid Pipe • 7,500 PSI • Filler Nipple/Bleeder Valve • Jam Proof Handle



Professional Lever Action Grease Gun

SKU **094656** 🥠 🕦 **99** 25893 **Professional**

Pistol Grip Grease Gun

SKU **094654** 25892

• 12" Heavy-Duty Nylon Hose with Coupler and Protective PVC Cap

• 5.5" Extension with 1/8" NPT Male Threads

• Working Pressure: 4,500 PSI



Impact Fitting Cleaner

SKU 110269 LIN5805

• Clears Hardened Grease from Fittings and Joints Includes: Steel Drive Cylinder,

Hardened Piston, Safety Shield, High-Pressure Hose for Hard-to-Access Fittings and Spare Drive Seals

Lever Action

Barrel Pump

SKU **970530**

• Pumps Non

Drums

LIN6917

Grease Delivery

Universal Swivel

Pump Primed

Drum Not Included

Corrosive Fluids,

Telescoping Tube

• Removable Non-

Drip Spout Allows

for Threaded Hose

Grease Pump Package

Grease Pump Ensures High-Output

• Lube Fitting with Control Valve and

Standard Follower Wipes 120 Lbs

Drum Sides Clean and Keeps the

• Portable 50:1, Air Operated, Double-Acting

SKU 110259 **9399**

*Not for Gasoline

for 16 to 55 Gallon

LIN1340



LIN1844

Charger'

SKU **445386** LIN1162

PowerLuber®

 Fully Automatic, Continuous Operation

 Accessible Check Valve Assembly • 30" High-Pressure

Hose with Coupler and Attachment Clip Pump Ratio: 40:1 at 150 PSI

• Max. Grease Pressure: 6,000 PSI • Air Pressure Range:



12 Volt **PowerLuber® Grease Gun** SKU **219686** LIN1242

• 6,000 PSI • High Capacity

Ni-Cad 12 Volt Battery • 30" Flex Hose Spring Guard

and Coupler • One Hour Smart Charger

LIN1201

12 Volt Battery SKU 219699 **24** 99

to Reduce Downtime • High Quality Ni-Cad Rechargeable Battery

Kit But with 2 Batteries

Same as LIN1242

SKU **219687**

LIN1244

Adapter Kit

7 Piece Grease Fitting Adapter Kit

SKU **978118** • 199 25711

 Includes: Press-on 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-on 90° Coupler, Rubber-Tipped Nozzle, Needle Nozzle, 360° Coupler



OEM

LINCOLN 30" Grease

Gun Hose

SKU **343386** LIN1230

• Use with Lincoln PowerLubers



LIN877 • Large 3-1/2" Dial with 1/4 Quart Graduation • Measures in Quarts 10 Inch Flexible

Extension with Automatic Nozzle

8 Qt. Dispenser Lid & Cap SKU **080078**

LIS19702

• Spout Cap and Lid to Keep Out Contaminants

Now Require More Oil



Lube Dispenser SKU **174166** LIN1293

Manual Gear

Meters, Dispensers and Pumps

LINCOLN

• 5' Hose 13" Pump Tube

• Fits 25-50lb 5 Gallon Delivers 1 oz. Per Stroke

Container Not Included

Fluid Transfer

Pump SKU **094647** 25713

• Small and Lightweight • Pumps Air into Inflatables • Includes (2) 50" (127cm) Long Hoses



Flexible Spout **Measuring Can** SKU **298486** / LING525



SKU 298473 4 999 LING528 • Designed for One-Hand Operation

Guards Against Punctures

• 14" Flexible Spout with Tapered Tip • Recessed Bottom Drains Fully and

• Rolled-Edge Top Helps Prevent Spilling



LINCOLN Heavy Duty Grease Pump for 120 Lbs Drum

SKU **174148** LIN917

• 50:1 Double Acting Pump • Flexible Follower for Positive Prime • 7' Hose, Universal Swivel and

Control Valve • Drum Not Included



LINCOLN

Manual Rotary Pump with Hose for **55 Gallon Drums**

SKU **265089** LIN1385H

• Includes: 8' X 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger; Seal-Tight Telescoping Pick-Up Tube with Strainer for 16-55 Gallon Drums With 2" Bung and H.D.

• Drum Not Included




Manual Rotary Fuel Pump with Hose for 55 Gallon Drums

SKU **265088** LIN1387

• 3 Vane Manual Rotary Pump for Most All Fluid Types Including. Gasoline, Diesel, Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids, Hydraulic Oils and ATF

Drum Not Included







Oil Drains

8 Gallon Drain

SKU **383454** 25896

6999

- Drain Adjusts from 30" to 63" Tall
- 4" Heavy-Duty
- Casters



18 Gallon Drain with Pump

OEM TOOLS

SKU **383453** 25897

- Drain Adjusts from 48 to 71" Tall
- 4" Heavy-Duty Casters • 18" Diameter Funnel with Strainer





25 Gallon Low-Profile Portable **Oil Drain with Electric Evacuation Pump**

SKU **360668 67999** DOWJDILP5

17 Gallon Steel Low Profile Gravity or Waste Oil Pump Assist Oil Drain

SKU **360666 5 2** DOWJDILP4

- 25-Gallon Measured Capacity
- Low-Profile Drain (9") Fits Under Most Trucks
- Size 48"L x 25"W x 9"H
- 38" T-Handle Folds Down Flat for Easy Storage • Drain Can Be Emptied By Gravity Drain, Evacuation
- Pump or Air Evacuation

17 Gallon Poly Low Profile Oil Drain

SKU **360671 3799**

- Gravity or Waste Oil Pump Assisted, 17-Gallon Capacity
- Size: 49"L x 29-1/2"W x 7-3/4"H • T-Handle Folds Easily for Storage and Has
- Cleats to Hold Discharge Hose
- Perfect for Heavy-Duty Trucks or Low-Profile Specifications

Pump Kit Available Call to Order 1-877-AZTOOL1

Air Evacuation Kit

SKU **360667** DOWJDIEK

- Coverts the DOWJDILP4 into a Self-Evacuating Drain
- Using Regular Shop Air, Oil is Easily Transferred From the Drain to the Storage Tank
- Kit Includes Air Regulator and Safety Relief Valve, 10' Evacuation Hose, Drain Plug and Mounting Hardware



Industries

Oil Drain Accessories

No Splatter Pad - 15" Round SKU **080548**

LIS38750 No Splatter Pad - 22" Square

SKU 080574 2599 LIS38780

- Insert Pad in Funnel or Oil Pan Before Oil Change in Transmission Drain Funnels or Larger Oil Drain Pans to Eliminate Oil Splatter
- Porous Material Allows Fluid to Quickly Pass Through Into Funnel or Pan

Low Profile Truck Oil **Drain with Lid**





- Holds 60 quarts





Super Tranmission Drain Funnel

SKU **291377 49**99 LIS17902

- Extends the Catch Area of Any Lift Drain
- Fits the Ford E 40D



Transmission Drain Funnel

SKU**291376 2499** LIS17892

- Extends the Catch Area
- of Any Lift Drain • Funnel Size is 22" x 23"

Truck / Trailer Wheel Pan

SKU **291383** LIS19852

- Catches Oil from Wheel Hubs After Removing Cap
- Capacity of 88 Ounces
- Handle Compartments Hold Hub Nuts Out of the Oil

Absorbents

MOP 301 Sorbent 1 Lb Box

SKU 125704 **1299** MES1MOP301

- Aggressively Absorbs Oil-Based Liquids
- Rejects Water-Based Liquids • 100% Recycled Materials,
- 100% Biodegradable • Effective on Earth, Land,
- Hard Surfaces and Water • 1 Lb Bag Will Absorb 30 Lbs
- **MOP 301 Sorbent 5 Lbs Bag**

SKU **125701** | MES5MOP301 • 5 Lbs Bag Will Absorb 150 Lbs





SNGMFKG016501 1 1 999

Static Cling Refill Kit



Static Clings

• 1 Replacement Ribbon



Static Cling Printer Kit

SKU **262530** SNGDFBP983395

74999

- Keyboard with Printer and 1000 Static Cling Labels
- Price Includes Programming of up to 20 Characters of Your Business' Name
- Labels Provided are Generic

Plug Pro





- Hot Oil in the Pan Not on Your Hand • Remove Oil Drain Plug Without Touching the Plug or Hot Oil
- Magnetically Attach Drain Plug Pro™ to Pre-Loosened Drain Plug and Rotate to Remove Plug

Packer



- Works on Bearings Up to 3-1/2" O.D.
- Forces Old Grease Out and New In



: your equipment working again faster! Don't worry about the hassle and cost of returning equipment ever again. Our In-shop

epair program gets someone out to your shop to fix your equipment under warranty on site. Simply call and let us schedule the appointment. information or to set up an appointment. time and money - Call 1-877-aztool1



110 Piece Copper Washer MACHINERY Assortment

SKU **271176 9 4 99** 68117 · Contains 6 Sizes, 30 Pcs. M6,

25 Pcs. M8 20 Pcs. M10 15 Pcs. M12 10 Pcs. M14 10 Pcs. M16



