# SERVICE TOOLS



#### Spring Compressors



#### StrutTamer™ Extreme **Spring Compressor**

SKU 110446 89999

Simply the Most Effective Compressor for Virtually Any Straight, Conical, or Offset Spring.

- Extreme Duty Design to Handle the Heavier Springs Found on Mid- and Some Full-Size Truck Strut Assemblies
- 2:1 Reduction Gearbox Standard. Allows for a 2:1 Torque Compression Increase When Compressing Struts
- The Arms Adjust In and Out, Up and Down, to Accept Many Sizes of Springs. (2-1/2" to 10" Diameter) (2-1/2" to 24" Vertical Stroke)

- Lock Rings to Hold Arms in Position -Standard. This Eliminates Arms from Spreading or Sliding When Compressing Offset or Unique Strut Configurations
- Four-Point Locking Jaws Securely Hold the
- Extra Long 3-Bar Handle Gives User the Leverage Needed to Compress Heavier Strut Springs
- Comes With No. 6583 Bridge Accessory to Be Used on Springs That Cannot Be Compressed Enough to Remove the Retaining Nut

Includes StrutTamer Spring Compressor, No. 6587 Gear Box, No. 6583 Bridge Accessory and No. 6582 Mobile Stand



#### **StrutTamer Extreme** SKU 112537 **74** 999

- Handles Heavier Springs Found on Mid-and Some Full-Size Truck Strut Assemblies
- Frame Includes Cross Bracing at Arm Mount Locations Eliminating Frame Flex When Compressing Heavier Springs
- 2:1 Reduction Gearbox Standard
- Lock Rings Hold Arms in Position Eliminating Spreading When Compressing Offset or Unique Strut Configurations
- Extra Long 3-Bar Handle Gives User the Leverage Needed to Compress Heavier Strut Springs



**GM Torsion Bar** 

SKU 099289 Q Q 99 27235

- Built for GM's K-3500 Series Trucks with the Heavy-Duty Chassis
- Also Works on 1988 and Newer GMC and Chevrolet 1/2-3/4- and 1-Ton Pickups; S-10 Blazers S-15 Jimmys 4WD Pickups with 4.3L V-6 Engines; and 1991 to 2001 Oldsmobile Bravada

#### Strut Spring / **Coil Spring Compressor Kit**

SKU **094802** 27203





#### **Coil Spring** Compressor

SKU **555573** 27035

5000

STORE STOCK Used to Compress the Coil Spring in Coil Spring Spacers

23 Piece Hub Bearing Remover

• Removes and Installs Wheel Bearings

with Steering Knuckle and Strut

Assembly Still on the Vehicle -

Eliminates Need for Alignment

• Use with Up to a 3/4" Pry Bar to

from the Ball Joint Stud

Components Easier

Separate the Lower Control Arm

• Makes Service Work on CV Joints,

Front Hub Assemblies and Other

and Installer Kit

SKU **094804** 

**Lower Control** 

Arm Tool

LIS64700

SKU **080569** 

27205



**OEM**°

### W-Body Strut Service Kit

SKU **069343** 27034

11000 STORE STOCK

Used to Remove and Replace the Strut Cartridge on GM W-Body



OEM

# OEM' NEW

#### **Volvo Shock Retaining Nut Strut Removal Socket Tool**

SKU **300125 7 799** 24365

- Includes Holding Socket & Double-D Axle Center Socket
- Fits Several Models Volvo

**∳**JohnDow Industries

**Adjustment Tool** 

SKU360484 23 999

• "Makes Camber Adjustment a One-Man Job"

• Camber Can Be Set with Wheels on Ground

• Eliminates the Need for Special Camber Bolts

• Inflatable Air Bladder Fits Between Tire and Strut for

Easy and Controlled Adjustment of Camber Settings

Camber

DOWTC614

Chassis



#### MacPherson **Strut Spring** Compressor

SKU **070135** 25550

#### STORE STOCK

- Used to Compress Strut Spring During Cartridge Replacement • Forged Hook
- Heat Treated Forcing Screw
- · Safety Latches



SKU **534403** BRA7400



- 24" Stroke Compresses to 2 • Double-Start, Heavy-Duty ACME Threads
- Handles Heavy Coil Spring Shocks, Extra Long, Narrow or Angled Springs and F-150 and Toyota RAV4 Without Additional Adapters
- Three-Point Lower Hook Increments Adjust for Uniform Spring Compression; "Common Center" Compression Hooks Fit Between Tightly Wound Coil Springs

### Chassis - Front End

### **Hub Grappler**

SKU 291457 54999



- Designed to Apply Maximum Force with Minimal Effort from an Impact Gun to Minimize Service Time
- The New Jaws are Sized to Properly Fit Hub Applications and Located on the Puller Bar Without the Use of Fasteners
- 5-10 Times Longer Life
- Includes 6 New Adapters Increases Application Coverage up to 2009 Model Year Plus Tie Rod/Ball Joint Tool and 2 Ford Axle Installers



#### **Hub Grappler Application Guide** SKU **291508** 6575MAN-09 **5**

- Most Comprehensive Hub and Bearing Service Guide on the Market
- Provides Quick Reference to the Other Tools in the Kit Required to Do the Job

Upper Control Arm

SKU **094806** 

27206

Bushing Service Set

Used for Quick Bushing Removal / Installation Without

Removing Control Arm from

#### **Installer Set** SKU 900826 6 999

27192

Front Hub Puller/

 For Removing and Installing Most Front Wheel Drive Hubs



# Servicing of Wheel Bearings

#### **Axle Puller**

SKU 002045 27032

STORE STOCK

• Used with OEM Slide Hammer (#27033) to Pull Flange Type Axle on Most Domestic Cars and Trucks with 4.5 or 5.5 Bolt Circles



OEM

#### **5 Lbs Slide Puller**

SKU **002047** 27033

STORE STOCK

- Threaded 5/8" x 18
- As Well As Other Manufacturer's Attachments With the Same Thread



#### 4WD Spindle Puller **Attachment**

SKU **143436** 27104

**35**00 STORE STOCK



# 9999

• Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks

SKU **094801** 27202

OEM<sup>®</sup>

**Rear Axle** 


**Puller Set** 

#### **Front Wheel Drive Hub Puller**

SKU 002050 27037

STORE STOCK • Fits Most Domestic and Import Vehicles with

Independent Front Wheel Suspension Yoke and Bolt are Threaded



#### Rear Axle Bearing Remover Set

SKU **391363** 

27129



• Used to Pull Semi Floating Rear Axle Bearings • Use with OEM #27033 Slide Hammer Puller



STK71410

• Valuable Tool for Transmission Shops, Garages, Tire Shops and Body Shops

- Shim Included in Kit to Fill Larger Gap Found
- on Some Vehicles
- Applies Even Pressure to Both Sides of Shaft

#### • Safer and Surer Than a Pry Bar

### Knuckle Spreader

#### **OEM**°

**Universal Shock** 

• For Removing and Installing Shock Nuts

• Fits Most Shock Stems

**Absorber Tool** 

SKU **036202** 

25038

#### Universal Steering Knuckle **Spreader Tool**

SKU 512957 299 27234

• Used to -Spread Lower Ball Joint, Preventing Damage to Knuckle





#### **Hub Clamp Expander Kit**

SKU 387703 2 99

- 6578 • For Servicing Struts, Ball Joints, or Steering Knuckles with Pinch Bolt Mounts • Remove Most Stubborn Struts and Ball Joints
- with Ease • This Separator Mounts in the Pinch Bolt Holes and Drives the Anvil Into the Pinch Slot, Expanding the Mount for Easy Component
- Use on Aluminum or Cast Iron Pinch Mounts; Includes 2 Dowel Sizes



We Have Hub Bearing **Assemblies Covering** Over 96% of All Vehicles on the Road Today.

# Tool & Equipment Quarterly



1-877-AZTool1 (1-877-298-6651) Hablamos Español

#### **OTC Ball Joint Sets**

#### **Ball Joint Master Service Kit**

- Complete Coverage of Car and Truck/Van/ SUV Applications. With 70+ Adapters, C-Frame and Application Guide Means There is Nothing Else to Add for Servicing Ball
- Finding The Correct Adapters and Using Them Correctly is Key to Minimizing Service Time. Ball Joint Application Guide Contains Application Charts and Diagrams With Step-By-Step Instructions. Coverage Up to 2008





#### **Car Ball Joint Service Kit**

SKU **291455 52999** 6529

- Information at Your Fingertips the Comprehensive Manual Includes Diagrams with Instructions - Eliminating Guesswork of Which Adapters Are Required
- New Car Kit with Manual Covers Vehicles Thru 2008

#### Truck/Van/SUV **Ball Joint Service Kit**

6539

- This 55+ Piece Kit Covers Press-in Ball Joints on the Following Truck/Van/SUV Applications; Toyota, Hyundai, KIA, Infinity, Isuzu, Nissan, Chrysler, Dodge, Jeep, Plymouth, Mitsubishi, Ford, Lincoln, Mercury, Mazda, Chevrolet, Buick, Oldsmobile, Pontiac, Cadillac, GMC, Hummer

  Information at Your Fingertips the Comprehensive Manual Includes Diagrams with Instructions Eliminating Guesswork of Which Adapters are Required


  New Truck/Mark IV Kith with Magnal Cayron Vehicles Thru 2009.
- New Truck/Van/SUV Kit with Manual Covers Vehicles Thru 2008





- Universal Joints and Truck Brake Anchor Pins
- Contains: 3 Receiver Tubes (2-3/4" I.D. x 3" O.D., 2-1/4"
- Installation and Removing Adapters: 1 Installing Cup, 1

# **Ball Joint Service Kit**



- · Removes and Installs Press-Fit Parts Such as Ball Joints,
- Receiving Cup and 1 Installing Adapter

#### **Pitman Arm Puller**

Front End

SKU **900820** 

27181

**Service Kit** 

SKU **555623** 27016 STORE STOCK

**Pitman Arm Pullers** 

• Used for Pulling Pitman Arms



#### **Heavy-Duty Pitman** Arm Puller

Smaller Pitman Árms • 2-1/16" Opening

For Use on Compact Cars and

Pitman/Tie Rod **Arm Puller** 

SKU **555631** 

STORE STOCK

27022

SKU **209523** 27170

STORE STOCK

• Services Cars and Light Trucks 3/4 Ton

• Can Be Used for Bearing, Collar or Gear Removal

#### **Tie Rod Tools**

• Services Pitman Arm, Tie Rod and Ball Joints

#### **Inner Tie Rod Tool**

SKU **094645** 25296 7 99

STORE STOCK

• Used to Easily Turn Tie Rods and Remove Inner Tie Rod Without Removing the Outer Tie Rod



Installs Tie Rod End on Rack and Pinion Steering

• Includes: 1-3/16", 1-5/16" and 1-7/16"

#### **Inner Tie Rod Tool** OEM

SKU 291414 999 LIS45750

• Utilizes Six Sizes: 1-1/4", 1-1/2" 1-3/16" 1-5/16" 1-7/16" and 33.6mm

• Includes 1-1/2" Crowfoot for Use on Chevrolet Colorado and GMC Canyon

#### **Master Inner Tie Rod Tool** SKU **080557**

LIS46800 • Works on Inner Tie Rods with

Inaccessible Wrench Flats

• Includes All 9 Crowsfeet to Work on Many Applications



#### **Inner Tie Rod Wrench**

• Universal Wrench Will Fit on all Styles and Allow the Technician to Un-Screw the Tie Rod Link for Replacement

#### **Standard**

SKU **387646** 🖊 🕡 9 9 7500

• Covers Sizes From 33-41Mm

Hex, 2 Flats, Round or Any Style Rack Ends



#### **Heavy Duty**

SKU **387647** 7501

• Covers Sizes From 38-48Mm Hex, 2 Flats, Round or Any Style Rack Ends



# OEM

### **Tie Rod End Remover**

SKU 209525 \_\_\_\_\_000 27175

STORE STOCK

• Used on Import and Many Front Wheel Drive Vehicles and Rack and Pinion Steering

OEM<sup>®</sup>

#### **Ball Joint Sets**

#### Ball/U-Joint Press w/4WDAdapter Set

SKU **516524** 27089

- 1967 to Current 1/2 to 3/4 Ton 4WD Dana 44 Series Front Axle

# Ball Joint Adapter Sets for 27023 or 27089

**Adapter Set** SKU **948082** 🐽

27163

**Ford Ball Joint** 

STORE STOCK

Ford Taurus and Mercury Sable



#### OEM

#### SKU **557231 1 0 0 0 0** 27023

Removes and Replaces



2 Wheel Drive Ball

Joint Adapter Set

#### STORE STOCK

**Ball/U-Joint Press Set** 

- Ball Joints on Many
- Also be Used to Remove and Replace U-Joints



OEM

#### **Honda Ball Joint** Adapter Set

SKU **948074 11000** 27164

**4 Wheel Drive Ball Joint** 

with Dana 44 Axle. Upper and Lower



Adapter Set SKU **948075** 

STORE STOCK • 4WD Ford, GM, and Dodge

27165

• 1980-2000 Honda Accord, Civic, CRX and Prelude



#### SKU **948076 9500** 27166 STORE STOCK


• Ford Van 2WD, Upper and Lower

# 3/4" Drive Ball Joint

**Impact Socket 2-9/64"** 

SKU **110266 3299** SUN10214





• Six Lug Spanner Type Socket

### **Axle Spindle Threading Set**

SKU **514007 7 199** 27233

• Set Includes: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27mm Extension Bar



### **OEM**°

**DON'T** REPLACE IT RETHREAD IT!

#### Pickle Fork



#### **5 Piece Pickle Fork Set**

SKU **466511** | 25261

• Set Includes: Tie-Rod Spreader with 11/16" Wedge Opening, Ball-Joint Separator with 15/16" Jaw Opening, Pitman-Arm Wedge with 1-1/8" Opening, 8" Handle

### **Tie Rod End Puller**

SKU **004463 099** 25201 STORE STOCK


• Tapered Fork Wedged Ends with 21/32" Opening

Overall Length: 11-7/8"

# **Ball Joint Separator**

SKU **004464 199** 25202 STORE STOCK

• Tapered Fork Wedged Ends with 5/16"



#### 5 Piece Tie Rod **OEM**° and Ball Joint Set SKU **094799 6999** 27201

27201 • Used to Remove Tie Rods and Ball Joints

• Includes: 11" X 1-1/8", 11-3/4" X 1-5/8", 11-5/8" X 1-7/16", 16" X 11/16" and 16" X 15/16"



#### Stepped Pickle Fork Set

SKU**291410 5999** LIS41400 • Six Tools in One Includes: 1-1/8" 15/16"

11/16" Forks and Two Handles

# SERVICE TOOLS



#### Spindle Nut Sockets

#### Spindle Locknut Wrench Kit

SKU **209527** 

#### 27174

- STORE STOCK
- Ideal for Popular 4-Wheel
- Drive Axle Retainers Use with Many 1/2 Ton Vehicles
- with Dana 44 Series Axles GM, Ford and Dodge and with Many 3/4 Ton Vehicles with Dana 70 Series Axles GM, Ford and Dodge





4WD 6-Lug **Spindle** Socket SKU **002056** 

27046

2000 STORE STOCK





SUNEX

4WD 2-Lug **Spindle** Socket SKU 110264

SUN10202

SKU **552265** 25072

4WD 4-Lua

**Spindle** 

Socket

STORE STOCK

# **GREAT PRICE**

#### 1/2" Drive Wheel Bearing **Locknut Socket Kit**

SKU **295858** WLMW89314



- Six-Point Wheel Bearing Locknuts are Easy to Remove or Install
- Openings Resist 'Rounding Out"
- Can Be Used with an Extension and Torque Wrench to Tighten the Locknut



#### 1/2" Drive Socket **Bearing Locknut**

SKU 231203 7 99 25243

STORE STOCK

• Fits Adjusting Nuts Found on 1995-96 Ford F-150 Trucks and Full-Sized Broncos with Automatic Locking Hubs



#### **CV Axle Nut Sockets**

#### **1/2**" Drive **Axle Nut Sockets**



- Removes and Installs the Front Drive Hub/Axle Nuts on 4 Wheel Drive and Many Front Wheel Drive Automobiles
- For Use with a 1/2" Drive
- Chrome Plating to Resist Rust • 1/2" Drive Chamfered Square

SKU **079988** 25203 32mm store stock

30mm store stock

SKU **552315 799** 25204

33mm STORE STOCK SKU **864643 1399** 25152

34mm STORE STOCK SKU 010252 7 499 25205 35mm store stock

SKU 864642 1699 25153

36mm *store stock* SKU **079772 1099** 25206

#### OEM<sup>°</sup>

Socket

SKU **191051** 

25157

#### 30mm 9 Piece Axle Nut 12 Point **Socket Set** Axle Nut SKU 900822 **Q** 199

27188

 Removes Front Wheel Drive Axle Nuts

• Kit Includes: 27mm, 29mm, 30mm, 32mm, 33mm, 34mm, 35mm, 36mm and

**OEM** 



#### **CV Boot Tools**



SKU **002061 700** 27058

STORE STOCK

• Used to Pull CV Drive Axles From the Transmission of Front Wheel Drive Cars Note: Use with OEM Slide Hammer #27033



SKU **002068 1 500** 27055

• Plier Designed for Use on Earless Type Clamps Including Those Found on Late Model GM Inboard CV Joints

• Overall Length 7-1/2" (19cm)



**4Q**99

• Removes and Installs Many Boots on GM Constant Velocity Joints Having Stamped Retaining Rings

**▼** Mastercool:

#### **Bearing Tools**

**Bearing Race and Seal Driver Set** SKU 391360 6 0

27119 STORE STOCK

• Used to Install Most Standard Wheel Bearing Races and Seals

### **Pinion Shaft Seal Driver**

- SKU 080559 R 999 LIS56950
- Used for Driving Pinion and Other Seals Into Place • Hollow Adapter Allows Driver to Slide Over Shaft
- to Drive Seal
- Neodymium Magnets on Both Driver Faces Hold Seal in Place Until Ready to Drive Into Place
- Works on Many Applications...Ford SUV Pinion Seals



- LIS17630 • Used to Install Many Sizes of Seals
- Long Handle Provides Good Flexibility When Installing Pinion Seals



**Seal Puller** SKU **048199** 25014 STORE STOCK

• Two Tops Fit All Seal Sizes



• 1/2" Drive 12mm/12 Point Socket



#### **Bearing Splitters**



OEM'

OEM

#### 5-Ton Bar-Type Puller/Bearing Separator Set

SKU **347218** 🐽 🐽 99 27236

- · Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- Set Includes 2" and 3" Bearing Splitters. Four Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw

### Tubina

**Double Flaring Tool** SKU **069341** 

**Double Flaring Tool** 

STORE STOCK

**In Line Flaring** 

SKU **238197** 

STORE STOCK

• Use on Thin Walled Steel

• 3/16" & 4.75mm Tubing

**Mini Tubing Cutter** 

SKU **532507 699** 

• Capacity: 1/8" to 7/8'

STORE STOCK

and Copper Tubing

• Low Profile Design Allows for Use On or

Off the Vehicle

**Tool Kit** 

24364

• Includes Five Adapters 3/16,

1/4, 5/16, 3/8 and 1/2 (4.8mm Through 12.7mm)

STORE STOCK

• Produces Single and Double Flares in Soft Steel



**Multi Purpose Tubing Bender** 

SKU **390889 1499** 25179

STORE STOCK • Works on 3/16", 1/4", and 3/8" (4, 6, and 8mm) O.D.

Copper, Aluminum and Stainless Steel Tubing

**Heavy Duty Tubing Bender** 

SKU **391367** 

STORE STOCK

**Tubing Cutter** 

STORE STOCK

SKU **141489 799** 

• Used to Make Left, Right and Offset Bends Up to 90° 1/4", 5/16" and 3/8" (4. 6 and 8mm) OD Aluminum, Copper and Stainless Steel Tubing

Make **Perfect Flares Every** 

**Tubing Bender Pliers** SKU 265107 3 4 99

• Bends all Types of 3/16" Brake Lines and 1/4" OD Tubing Without Kinking or Flattening, Especially in Tight Spot



Innovative

## Universal **Hydraulic**

Flaring Tool Set SKU 390927 4 2 9 9 9

- MSC71475 • Fabricates Push to Connect Flares: 1/4, 5/16 and 3/8"
- GM Fuel Line Flares: 5/16
- Flares Double Flares: 3/16, 1/4,
- 5/16, 3/8 and 1/2 inch • Flares Metric Bubble Flares: 4.75,



### **SMART SPRING TUBING CUTTERS**

**OEM** 

**Smart Spring Tubing Cutter** SKU 512960 **3999** 

27228 Capacity: 1/8 - 1-1/8" (4-28MM) O.D.



Bearing Splitter 4 5/8" - 1/2"

Razor-sharp Edges Wedge Between Parts

• Thread of Tapped Holes in Adapter: 5/8" -18

• Distance Between Adjusting Screws 4-3/8"

SKU **514006 5999** 

and Securely Holds Tool
• Maximum Spread: 4-5/8"

• Minimum Spread: 1/2"

SKU 512959 **1 99** 

 Capacity: 3/16" to 7/8" (4-22MM) Diameters

Die / Adapter Set

SKU **300785** MSC71099-TC **4999** 

Die and Adapter Flare for GM Transmission Cooling Line

• Ultra Smooth Adjusting Wheel

• Indicator on the Bar Shows Where to Place the Blades in Position for Different Thickness of

Tubes in Order to Cut the Tube Accurately Smart Spring Absorbing Pressure Mechanism Ensures Longer Blade Life, Stabilizes the Blade Position and Adjusts Automatically to Ease Cutting of Tubes That Aren't Perfectly Round





- 27231 • Maximum Spread: 15/16"
- Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" -18
- Distance Between Adjusting Screws 1-11/16"





# Tool & Equipment Quarterly



#### **Pullers**

#### 2/3 Jaw 2-Ton Gear Puller

SKU **070134 2 199** 

- Maximum Reach 3-1/2" • Maximum Spread 4-3/4"
- Center Forcing Screw 3/8" to 24 x 4-7/8"

2 Jaw 5-Ton Gear Puller

SKU 141513 🥠 🕥 99 25914

- Reversible
- Maximum Reach 3-1/4"
- Maximum Spread 6"

2/3 Jaw 5-Ton Gear Puller

STOCK

SKU **231202** 🤦 🕦 99 25919

- Reversible
- Maximum Reach 5-1/2"
- Maximum Spread 7"



SKU **978100 7 99** 27183

- Maximum Reach: 6"
- Maximum Spread: 7"
- Used to Pull Gears with 2/3 Jaws





**MAKES UP TO** TEN DIFFERENT **PULLERS** 

#### **Bearing and Pulley Puller Set**

SKU 900824 **Q 0** 99 27190

• Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More

**OEM** 



#### 5-Ton Bar-type **Puller/Bearing Separator Set**

SKU 110812 **7 0** 99 4518

- Set Includes 2" and 3" Bearing "Splitters", Four Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw
- Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- 5" Puller Cross-Bar with a 6-1/4" Forcing Screw and Each of the Bearing Separators May Be Used Separately or in Combination with Other Pullers or Tools



#### 7-Ton Bar-Type Puller/ **Bearing Separator Set**

SKU 112532 4517

• Includes a Bearing Splitter with 4' Capacity, Two Sets of Hex Push Puller Legs, an 8" Bar Type Puller Head Mated with a Custom Thread Forcing Screw

- Now Service and Maintenance Professionals Have a Puller/Bearing Set for Tough Jobs, Up to 7-Tons, Larger Applications and Greater Reach 8" to 16"
- As a Stand Alone Puller/Bearing Splitter Set or as a Compliment to the 4518 Version, the 4517 7-Ton Puller/Bearing Separator Set Gives Your Maintenance/Service Shop the Expanded Capability to Keep More Business in House



27261 • Set Works on Both Overriding Alternator Decouple (OAD) and One-Way Clutch (OWC) Pulleys

• Tools May Be Used While the Alternator is On or Off

• Comes in Blow Mold Storage Case

#### Alternator Decoupler Tool Set SKU **255865** LIS57650

• Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America

• Includes Molded Case



#### Alternator Pulley **Service Kit**

SKU 387716 5 99

 Kit Includes: Decoupler Tool Assembly, 17mm Hex Drive, 17mm Allen Wrench, 110mm Socket Extension, 28mm / 21mm, 28mm/18mm and 22mm Hex Cap Nut Driver, 22mm



**OEM** 



#### **Harmonic Balancer/ Steering Wheel Puller**

SKU **532440** 25053

STORE STOCK

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes • Floating Swivel Helps Prevent
- Damage to Shaft End

  4 Slots in Yoke, Use for 2 or 3
  Hole Applications with 3/8"-24,
  5/16"-18 and 3/8"-16 Bolt Sizes



### Harmonic **Balancer Puller Kit**

STORE STOCK • Used to Remove Harmonic

Balancers, Vibration Dampeners, Pulleys or Gears Kit Features Four Yoke Slots to be Used for Two

or Three-Hole Applications,

Floating Swivel

SKU **555524 200** 

**Installer** SKU **391373** 

27144 STORE STOCK

Harmonic

Balancer

 Used to Properly Install Harmonic Balancers

#### **OEM**



#### **Chrysler Harmonic Balancer Puller**

SKU **391370 7 5 00** 27139

STORE STOCK

• For Removal of the Harmonic Balancer on Many Chrysler and Mitsubishi Engines

## **OEM**°



#### **Timing Gear** and Pulley Set SKU 555508 **1500** 27009

STORE STOCK

 Services Crankshaft Pulleys and Timing Gears on Gasoline and Diesel Powered Engines




#### **Applications Include Dodge** Hemi and GM GEN III Motors **Harmonic Balancer**

#### **Installer** SKU 343394 **1**

LIS53460

• Installs Harmonic Balancers or Drive Pulleys That Are Pressed on the Crankshaft

 Adapters: M12 x 1.5 M14 x 1.5 M16 x 2.0 7/16 - 20, 1/2 - 20, 9/16 -18, 5/8-18 and 3/4-16



### **Steering Wheel** and Lock Plate **Puller Kit**

SKU **900821** 27182

- Used to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel



#### 9-Way Slide Hammer **Puller Set**

SKU 110811 **Q Q 99** 4579

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals • Two- and Three-Way Cross Blocks and Cone Provide
- the Perfect Jaw Configuration for Most Jobs Set Also Includes a Grip Wrench Adap a Dent Puller Attachment for Sheet Metal or Other Unique Pulling Requirements



#### 9-Way Slide **Hammer Puller Set**

SKU 900825 0099 27191

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two-and Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8"-18 Thread Slide Hammer Attachments

27028



LIS22100 • Locks Flywheel in Place When Removing Harmonic Balancer on 6.6L Duramax with Allison Transmissions

**Blind Hole Puller Set** 

SKU **391362 160**00 27128

• Saves Time by Locking the Flywheel at the Transmission Instead of Having to Remove the Starter for Water Pump



• Works on 1969-Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



OEM

#### **Pulley Puller/Installer Kit**

SKU 141495 🥠 🕦 99 25298

STORE STOCK • Fits Pulleys with Hub Diameters Measuring 1-1/8", 1-1/4", 1-5/16" and 1-3/8"



OEM

## Exhaust Tools

#### Exhaust **Donut Stretcher**

SKU **390901** \_\_\_\_**99** 25543

• Easily Grabs Onto Mounting Rubber Rings or Doughnut Mufflers and Tail Pipes Can Used on Many Exhaust be Fitted to the Exhaust



System

**Tailpipe Expander** 

1-1/2" to 2-7/16"

### **Tailpipe Expander 2-1/8" to 3-7/16"** SKU 110585 3500

STORE STOCK • Expands Tail Pipes so Mufflers and Tail Pipes Can be Fitted to the



#### **Exhaust Manifold** Spreader SKU **191674 199**

STORE STOCK

25253 • A Simple Way to Expand a Warped Manifold so all

27128

Bolt Holes Are Accurately Aligned



#### **OEM**° **Self-Adjusting**

• This Special Puller is

Designed to Pull Blind

and Sleeves with Inside

Diameters 3/8" - 1-3/8'

**Clutch Tools** 

SKU **291356** | 27209

 Used for Making Initial Adjustments on Optional Self Adjusting Clutch Replacement Assemblies

#### **Clutch Alignment Tool** \*\*\*\*\*\*\* SKU **532622**

25063 7 099

Bushing Range: Import:
12 to 12.7mm,15.8 to 16mm, 17.4 to 18mm, 21 to 22.2mm; Domestic: 0.561 to 0.590", 0.749 to 0.787" 0.812 to 0.874", 0.984 to 1.181





**Oil Pump Primer** Ford 1/4 SKU **534537** 27061

**Oil Pump Primer** Ford 5/16 SKU **534545 25** 

STORE STOCK

27062

STORE STOCK Oil Pump

Primer GM V6-V8 SKU 534529 3000 27060 STORE STOCK

• Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start

#### **Tailpipe Cutter** SKU 111609 **500**0 27045 STORE STOCK

- Used to Cut Tail Pipe
- Range 3/4" to 3-1/4" (19-83mm)



• Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size

- Use with Impact Wrench to Quickly Stretch Pipes
- Collet Sets Expand Pipes from 1-5/8" to 4-1/4"

# ENGINE SERVICE TOOLS

#### **Piston Tools**

#### Ring Compressor 2-1/8" - 5

SKU **531921 799** 25037

STORE STOCK

Ring Compressor 3-1/2" - 7

SKU **531947** 



- · Constructed of High Grade Spring Steel with 1/4" Square Drive Adjuster
- Beaded Edge Prevents Tool from Entering Cylinder with Pistons

**Pneumatic Fan Clutch** 

• Quickly Removes and Installs Fan

Clutch When Repairing the Water

• Wrench Sizes are 36mm, 1.5", 1 9/16",

**Fan Clutch Wrench Set** 

Wrench Set

SKU **291409 1 8 291409 1 8 291409** 

Pump or Fan Clutch

41mm, 42mm, 1 7/8" and 2"

SKU 110280 **7** 0 99

• Set Includes: 36, 40, 48, 54,

57, 68, 72, 76 and 83mm

Wrench Sizes

27186

Fan Clutch Tools

#### **Wrinkle Band Ring** Compressor

SKU **246373 999** 

- 25257 • 1-1/2" Deep Low Friction Wrinkle Band
- Fits 3" to 5" Pistons

#### **Piston Ring Expander**

SKU **532267 699** 

- 25049 • Makes Installing Piston Rings Easy
- Works on Most Common Piston Diameters and Rings from 3/64'
- Comfortable Vinyl Grip





#### **Piston Groove** Cleaner

SKU **555680** 27038

STORE STOCK

Valve Tools

Valve

25220

Spring

SKU 231210

Compressor

STORE STOCK

• Designed for Use

on Most Trucks

Overhead Valves

**Honda Crankshaft Pulley Holding Tool** 

Holds Crankshaft

Dampeners When

Tightening/Loosening

Crankshaft Bolts on

Honda and Acura

24360

Simple to

in Seconds

**DOHC Cam** 

LIS36880

**Lock Holder** 

SKU 291419 3

• This Versatile Tool

Easily Locks and

Holds Both Camshaft

Sprockets Firmly in Place

Preserves the Engine Timing

During Belt or Chain Replacement

SKU **217379** 

and Cars with

• Blades are Set in the Wheel Which May be Rotated to Bring the Desired Blade Into Position

# Ridge Reamer

OEM

Valve Spring

Compressor

27040

SKU 002052 🦱

STORE STOCK

OEM

Hydraulic

Remover

27146

SKU **424904** 

STORE STOCK

Lifters from

Engine Block

Removing Valve

Valve Lifter

• Used to Compress Overhead

Valve Springs Without Removing Cylinder Head

- SKU **532325** 25051
- Capacity 3" to 5" (76mm to
- For Use on Conventional and



#### **Fan Clutch Service Set** for Mercedes-Benz and BMW

SKU **512958** 27224

· Removes Lock Nuts on Thermo Viscous Fans Found on Mercedes-Benz, BMW and Many Ford Models





27171

- Fits Many GM, Ford and Dodge Vehicles

### Universal **Fan Wrench** Set SKU 080554 73 LIS43600

- Use on the Most Popular Applications
- Unique Hooked Wrench Design Will Hold Bolted on Water Pump Pulleys By Applying Pressure Against
- Will Hold Pressed on Pulleys on Many ĞM, Jeep and Dodge Vehicles

#### Stretch Belt Tools

**Stretch Belt Installation Tool** SKU **227301 1 099** 

24363 STORE STOCK

• Works on Both Large and Small Pulleys

• Clamping Jaw Allows User to Position Serpentine Belt Without the Belt Slipping Out of the Tool



SKU **227303** 24362





- Keeps Belt from Falling Off of a Pulley During Belt Installation
- Universal Design to Fit Most Pulley Styles and Sizes
- Super Strong Magnet to Hold The Belt Firmly on the Pulley
- Multiple Holders Can Be Used for Belt Applications That Fit Around Many Pulleys
- Durable Plastic Housing with Magnet for Steel/Iron





### **Universal Fan Clutch Holding Tool**

SKU 209526 / Q 99

• Aids in Changing Fan Clutch by Holding the Pulley





- The Double-Sided Spanner Style Holding Wrench

### **Belt Tool** SKU **298547**

STORE STOCK

 Provides Required Leverage and Clearance to Release Spring Pressure and



#### **Stretch Belt** Remover / Installer SKU **255866 999**

LIS59370

- Unique Magnetic Faces Hold the Tool in Place on the Pulley • Compact, One-Piece Tool
- Can Be Used on the Front or Back Side of the Pulley



## OEM **Replacement Stone Sets**

SKU **141540** 2541C

999

STORE STOCK • 3 Coarse Grit

(#220)

2541F

#### STORE STOCK

• 3 Fine Grit

# SKU **532044**

**Q**99

#### **OEM Master Hose Clamp Plier Set**

OEM

SKU **513168** 🔼 🕦 99

**ONE** and **DONE** The Only Hose Clamp Plier Set You'll Ever Need

**FLEX-HONE** 

Flex-Hone BC 1499

10mm (.394") 6.4mm (.250")

Flex-Hone GB 4499

3-1/2" (89mm) 3-1/4" (83mm)

4-1/8"

BRMGB33412 BRMGB41812

**CALL FOR ADDITIONAL SIZES** 

(105mm)

SKU **341325** 

SKU **341232** 

BRMGB31412

4-5/8"

(118mm)

SKU **341332** 

BRMGB45812

SKU **343384** 

BRMBC64M24

SKU **341249** 

SKU **341239** 

BRMGB31212

3-3/4"

(95mm)

SKU **341317** 

BRMBC10M18



- Contains 2 Pliers, Straight Jaws and Long Nose 45° Angled Jaws, a Unique Screw Actuated Jaw and 5 Quick Change Jaw Styles Fits Many Sizes Styles of Corbin,
- Mobia, Constant Tension and Click Style Clamps





STORE STOCK

4.6 Cadillac and Oldsmobile Engines





9999 • Designed to

STORE STOCK

Locate Internal

Combustion

and Easily

27208

Remove and Install Freeze Pluas Used in Liquid-Cooled Gas and Diesel Engines



for GM SKU **094808** 27207

Water

**Pump** 

Tool

Holding

**34**99 • Use for 2002-2008

GM 2.2L and 2.4L Eco Tech Engine in Chevrolet, Oldsmobile Pontiac and Saturn Platforms

OEM



SKU **222528 999** LIS62200

- Splines Cut into the Coupler for Turning Without a Socket or
- Use 5/8" Socket or Wrench to Turn Out



#### **Block Tester Test Fluid**

SKU **391381** 



Adjusts to Fit Different Sized Cam

Holds Cam Sprocket in Place When

· Works on All Single and Dual Over-

head Cam Sprockets with Holes

#### 25739 STORE STOCK

Tester #27145



#### OEM Serpentine

Remove Tensioner Pulley







#### **Universal Camshaft** • Removes or Inserts **Bearing Tool**

27210

SKU 191677 27143



Universal

LIS38220

Sprockets

SKU **222524** 

Removing Cam Bolt

Cam and Quad Cam Engines

• Covers Most Single, Twin

 Locks Camshaft to Hold Valve Timing **During Timing Belt Replacement** 

Please do not return purchases to the store. For information regarding warranty, repair and any questions or concerns, please call 1-877-AZTOOL1



Camshaft Bearings in Nearly All Engines · Set Includes Driving Shaft, Driving Shaft Extension, Expander Unit, (5) Split Driving



**Holder Set** SKU **387727** 6679

• Use on Single, Dual, or Quad Cam Engines; to Hold Valve Timing During Belt Replacement

Excellent For Diesel Injection

Pump Belt Replacement



SKU **387717** 

Specialized Puller Legs that Hook the Seal for Quick and Easy

- Removal • The Interchangeable Seal Install Adapters are Designed For Use With the Cam or Crank Bolt Kit Services
- Seal Sizes of 21.5mm to 64mm



**Cylinder Hone** 

Adjustable **Engine** 

 Spring Tension Adjusting Nut for Positive Cutting Action at All Speeds

• Supplied with 4" Medium Grit

SKU **532036** 2541M

Engine Cylinder Hones

**Q**99

STORE STOCK • 3 Medium Grit

(#400)

**Cooling System Hose Clamp Pliers** SKU **607069 2 199** 25246 STORE STOCK

Removes Plastic and Metal Self-Tightening Hose Clamps with Diameters of 11/16" to 2-1/2"

**2 Piece Hose Clamp Pliers** 

SKU **972767 99** 25198 • Services Most Ring-Type or

Flat-Band Hose Clamps

• Jaws Swivel to Access Hose Clamps in Any Position

SKU 965836 2099 27159 Services Most Ring-Type or Flat-Band

**5 Piece Hose Clamp Plier Set** 

Hose Clamps • Jaws Swivel to Access Hose Clamps in Any Position



#### SKU **693857 100** 27109

Use on Northstar

**Block Testers Block Tester** 

SKU **391378** 27145



**Crank Seal Remover** and Installer Kit

SKU **512952** 27222 Used to Install and Remove

Oil Seals Between 27mm

and 58mm in Diameter OEM'





Plugs, (2) Driving Collars and Center in Cone



# SERVICE TOOLS



#### 1-877-AZTool1 (1-877-298-6651) Hablamos Español

#### **Headlight Aimers**

**SYMBCA4 ISO Color** 

SYMBCA4

SKU 237649 57999

• Rotational Mast Aligns in Five Easy Steps (Not Approved for State Inspection Programs)

#### **SYMHBA 5 Electronic**

SKU 237653

SYMHBA5 669<sup>99</sup>

- Photo-Sensor Positioning
- 8' Floor Guidance Track
- Approved and Certified for All Safety Inspection Centers Including MD & VA



# Symtech

SYMSCA-11SO Color

SKU 444394

SYMSCA1 **799**99

- Durable Lightweight,
- Compact and Portable
- Adjustable Height with Rotating Mast
- Laser Floor Slope Filed Calibration

#### **SYMCVA3 EZISO Color with Visual Assist Meter** SKU **237652** SYMCVA3

**,099**<sup>99</sup> Hot Spot Alignment with ISO Color Technology

## **OEM**°

**Ford Headlight Adjusting Tool** 

SKU **246385 799** 25434

• Fits 4mm Hex Headlight Adjusting Bolts on Late Model Ford, Mercury and Lincoln Cars and Pickups with Aerodynamic Headlights

#### **Headlamp Restoration**

#### **Headlamp Resurfacers**

- Simple Process
- Eliminates Hazing and Yellowing of Head Lamps
- Final Step Preserves Service for 2 Years or More

#### **Platinum Series**

SKU **112428** SYM75010090

• Kit Restores Up to 70 Vehicles





Restore your clouded, hazy headlights to crystal clear

#### **Professional Series**

OEM



#### Sensor Sockets



### **IPR Socket**

SKU **080593 7 999** LIS68210

- Used to Remove and Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and Other Diesel Engines
- Built to Bottom Out on the Hex So it Does Not Put Torque on the Connector in Case it Can

### **7 Piece Sensor Socket Set** SKU 900823 **5 9 99**

• For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches

**Oil Pressure Switch Socket** 

SKU **141490 199** 

STORE STOCK

• Fits Most 1" and

1-1/16" Switches

• Accepts Oil Pressure Sending Units up to 2-5/8" Long

25254



#### Oxygen Sensor Wrench SKU **948079 7 C 00**

#### STORE STOCK

- Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines
- 7/8"/22mm Used in SUVs and Light Trucks



#### **Sensor Socket** SKU 607072 699 25369

Water

SKU **209522** 

• Range: 10-50 In/Lbs

• Great for Low Torque Applications

• Easy to Read Window Scale

27172

• Remove Water Sensor When Changing the Fuel Filter on GM 6.6L **Duramax Diesel Engines** 

• 3/8" Square Drive

1/4" Drive Torque Screwdriver

STORE STOCK

Professional Micrometer

**Adjustable Torque Wrenches** 

Audible Click

When Desired

· Clockwise and

Counter-Clock-

Steel Torque

Mechanism

**Precision Torque** 

Control by 45 Tooth Ratchet Head

wise Operation

High Grade Spring

Torque is Reached

### **OEM**°

Symtech



SKU **272729** 27110

#### STORE STOCK • Universal Slotted

- Socket to Service Hex Vacuum Switches and Oxygen Sensors
- 3/8" and 1/2" Dr. 22mm / 7/8"



OEM'

OEM

3/8" Drive

3/8" Drive

1/2" Drive

25686

25685

10-100 Ft/Lbs Range

SKU 133658 **4 99** 

25-250 In/Lbs Range

SKU 133657 **4999** 

25-250 Ft/Lbs Range

SKU 133659 7099

OEM

#### Measuring Tools

#### X-Tread Digital Tire Gauge

F0W74225500 **1999** 

• For Tire Tread Thickness Measurement



#### **Disc Brake Rotor Micrometer**

Fowler

- F0W72234422 **6 9 9 9**
- Easy to Read Digital Counter • Range is 0.3" to 1.7'
- Ratchet Thimble



#### **Mini MAG Protractor**

F0W744224501 O

SKU **186501** 

- Embedded Magnets with 35 Lbs Pull Uses Standard 9V Battery
- 360 Degree Measuring Range
- Accuracy -+2 Degrees



#### **Dial Indicator** Set

SKU **186500** FOW72522101 **5999** 

Magnetic Base Plus Rods, Swivel Clamp and Case • 2-1/4" Dial, 001" Increments

Includes 1" Indicator,

#### **RotoCal** with **Twin Conical Anvils**

OEM

**Disc Brake Rotor** 

Micrometer

SKU **607071** 

STORE STOCK

• .001" Accuracy,

.0005" Reading

Large LCD Display with

SAE or Metric Reading

25367

SKU **186492** FOW74150004 **6999** 

• Reads in Inch, Metric and Fractions

#### • Range 0 to 5.5"

3.5" Jaw Depth Large Rotors

• Checks Ball Joint Wear

• 0 to 1" Travel and .001"

Graduations

and Disc Rotor Run-out

• Checks Gear Backlash and Valve Guide Wear

OEM

#### **Disc Brake/Ball Joint Gage**

SKU **186496** F0W72520757

**Feeler Gauge** 

#### SKU 001927 699 25025 STORE STOCK

• 26 Blades with Laser Etched In/mm

**6" Dial Caliper** SKU 141504



- Outside, Inside, Depth and Step Measurements
- Each Division = .001" Each Revolution = .1
- OEM
- Thumb Roller with Locking Device
- Measuring Surfaces Are Precision Ground and

#### **Torque Wrenches**

3/4" Drive Torque Wrench 100-600 Ft/Lbs Range

SKU 217376 29999 25688

3/8" Drive Oxygen

**Sensor Socket** 

• For Use with 3/8" Drive Ratchet or 1" Wrench

SKU **047738** 

STORE STOCK

25001

Right Hand

OEM

Micrometer **Click Style** 

Turn any Ratchet or Breaker Bar into a Digital Torque Wrench!



#### 3/8" Drive Digital **Torque Adapter**

SKU 362559 **4** 999 25684 • Range 27-135 NM (238.9-

1194.8 ln/Lbs)



#### 1/2" Drive **Digital Torque** Adapter SKU 900805 🔼 🕦 99

25682

- Range 40-200N-M
- Buzzes When Target Torque is Reached

#### 3/4" Drive Torque Multiplier It Utilizes a 3:1 Ratio Planetary Gear Set to Convert Low Torque (Max. 650 Ft/Lbs) to High Torque (2200 Ft/Lbs / 3000 N-M) for Heavy-Duty Tightening or 99 sku**191056** 🏻

° **299** 25683 • Increase Torque Output

STORM."

#### Loosening. Input Drive 3/4", Output Drive 1" • Comes with a 3/4" Drive 2-way Quick Release Ratchet

**Angle Finder** 

• Measure Auto and

Truck Front Ends

• Magnet in Base

Increments

• Graduated in 1/2 Degree

**Electronic Digital** 

SKU **864649 1099** 

Caliper STORE STOCK

CEN6494

### Central TOOLS, Inc SKU 186499 **1 999** • Measure Drive Shaft Angles

#### **Mechanical Digital**

Measuring Tools

### **Rotor Micrometer**

CEN3M230 • 3-1/2" Deep Frame Digital Read Out to .001"

CEN3M113

CEN3K301

- .300 to 1.300" Range 3 Piece
- **Micrometer Set** SKU 186503
- 0 to 3" Range • 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103

Rotor/Drum **Measuring Kit** SKU **186504 7999** 

• Set Includes Calibration Tools



• Attaches to Any Caliper on the Lower Jaws • Outward Facing Anvils to Inspect Drums • Inward Pointing Anvils to Measure Rotors

• 8 to 13" Range



### 25363 • Large Easy to Read LCD Display

• Thumb Roller with Locking Device





### Please do not return purchases to the store. For information regarding warranty, repair and any questions or concerns, please call 1-877-AZTOOL1.

# SPECIALTY TOOLS



Looking for a Starter or Alternator for a Import vehicle? We Have It. Call Your AutoZone Commercial Sales Manager for Pricing and Availability.

Shop Tools



**4 Piece Stud Remover Set** 

SKU 391368 3000 27136 (SAE)

STORE STOCK

27140 (Metric) **30**00

STORE STOCK

- SAE: Used to Remove and Install 1/4", 5/16", 3/8" and 7/16" Studs
- Metric: Used to Remove and Install 6, 8, 10 and 12 mm Studs



**Bushing Driver Set** SKU **391369 5000** 27137

STORE STOCK

• Used to Install and Remove Small and Medium Sized Bushings



**10 Piece Snap Ring Plier Set** 

SKU 900819 27180

• Operates Both Internal and External Rings

25542



#### **Professional Snap Ring Plier Set** 25354

SKU 141502 **1699** 25356

STORE STOCK

- 180°, 90° and 45° in One
- Tip Size: 0.8mm, 1.2mm, 1.4mm, 2.0mm



**Ring Pliers** SKU **191055** 

- · Jaws are Scored on the Outside for Secure
- Gripping Spring Loaded Jaws

**100 Piece Utility Blades** 

• Resealable Safety Dispenser Holding 100

• Spread: 3/4" • Length: 8 1/4"

SKU **447105 799** 



**5 Piece Utility Tool Set** 

SKU **094662 1099** 25944

 Short Blade Scraper, 1/2" Carbon Scraper, Long Blade Scraper, Cotter Key Puller and Pick and Hook



4 Piece 15" Jumbo **Pick Set** 

SKU **094658** 🧑 25940

• Includes: Straight, 90°, Offset and Hook Pick



SKU **070127** \_\_\_\_9 25181 STORE STOCK



SCAN FOR DETAILS



**3 Piece Indexing Pry Bar Set** 

SKU 387687 6 999 7175

- Sizes 10", 12" and 15"
- Indexible to 180° for Better Access
- 14 Locking Positions for Leverage in Multiple Applications
- Meets or Exceeds ANSI Specifications for Pry Bars



**Heavy Duty Spark Plug Boot Plier** 

• Designed to Remove Hard to Reach Spark Plug Boots

SKU **390900 99 STORE STOCK** 

• Do Not Use When the Engine is Running

4 Piece **Scraper Set** 

12282

SKU **915392** 25514

#9 Razor Blades

 Set Includes: 1/2" x 10". 3/4" x 10", 1" x 10" and 1-1/2" x 10"

16 Piece Mechanic's **Punch and Chisel Set** 

SKU **914624 🚪 🔼 99** 25515

**Lockout Tools** 

• Includes: 5 Taper Punches, 5 Pin Punches, 2 Center Punches, 3 Cold Chisels and 1



**Dead Blow Hammer Set** 

SKU **900804** 

• 1/2 Lb, 1 Lb and 2 Lbs

Magnetic 2-in-1 Pick-Up Tool SKU **989264 99** 25292





Mechanic's Stethoscope

SKU **070131 1 99** 25210

STORE STOCK

• Locate Troubles in Engines, Bearings and Other Moving Parts Fast and Easy

SKU **964494** 

**BigEasy** 

Lockout

**Tools Kit** 

STK32900

STK32903

Tools Not Included

SKU 964491 3499

BigEasy Loop

SKU **964492 199** 

More Costly Specialty Tools

**Extended Scraper** 

SKU **070133 199** 25500

STORE STOCK

BigEasy Glo with Easy Wedge Lockout Kit

• High Visibility Pink Powder Coating and Improved Non-Marring Wedge

• Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door

· Clips to Any BigEasy to Allow Grabbing of Door

Handles and Locks, It Even Glows in the Dark

• Provide Easy Leverage to Pull Door Handles and

Window Cranks During the Door Unlocking Process

• Handy Accessory Tool Easily Snaps on the End of the

BigEasy Tool Avoiding Need to Purchase Additional,

**Carrying Case** 

SKU 227873 2999 STK 32935

Knob Lifter and Easy Wedge

• Made of Soft, Yet Firm, Material to Protect Your BigEasy Kit

• Custom Pockets for the BigEasy, Non-Marring Wedge, Lock

• Makes it Convenient to Stow Your BigEasy Kit in Your Truck

BigEasy

Paint Protector Reduces Friction Between the Car Door and the BigEasy

• Removes Carbon and Old Gasket Materials from Engine Parts

#### Disconnect Tools

#### **Heater Hose Disconnect Tool** SKU **143439**

27106

STORE STOCK Removes Heater Hoses with 5/8" or 1/4" Quick Disconnect Couplings on '86 to Current Ford Aerostar Vans and '01 to Current Full Size

Ford Vans • Works on Rear Heater Hose Couplings on '86 to Current Chrysler and Plymouth

SKU **948999** 

STORE STOCK

• Includes: 1/2",

5/8". 3/4"

A/C and

Tools

25052

**Fuel Line** 

**Quick Connect** 

SKU **002356 199** 

STORE STOCK

• Easily Disconnects

Air Conditioning Lines

and Quick Connect Fuel Lines

and 7/8

25183

# Chrysler

SKU **391365** 27131

Disconnect •

STORE STOCK • 5/16" and 3/8"

A/C and

**Fuel Line** 

**Tool Set** 

SKU **246366** 

STORE STOCK

Range: A (3/4")

and D (3/8")

B (5/8"), C (1/2")

25042

Disconnect

Ford/GM

**Fuel Line** 

Set

**Fuel Line Disconnect** SKU **391366** 

27132 **5**00

STORE STOCK Used to Disconnect Fuel Lines on Most

Chrysler Vehicles

Tool SKU **246367** 25043

STORE STOCK

**Fuel Line** Disconnect \

• Fits Any 5/16" or 3/8" Fuel Line Found on GM, Ford, and Chrysler Vehicles

#### 3 Piece 1/2" Oil Line Disconnect Set SKU **094653 1**99

 Used to Remove and Replace Oil and Transmission Cooler Lines

25187





22 Piece

27177

**Disconnect** 

**Master Set** 

SKU 900817 **7**099

• Includes Quick Connects

Set. Air Conditioning and

Fuel Line Disconnect Tools

 Set Includes Six Sizes: 5/16", 3/8", 1/2", 5/8' 3/4" and 7/8"

Module Disconnect SKU **291418 799** 

for Convenient Storage

#### **Angled Disconnect Set** SKU 291416 **7 1** 99 LIS39400

- Works on Fuel Lines and Other
- Six Sizes 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

### • Disconnects Spring Lock Couplings on Ford and Chrysler AC Lines Quick Disconnect Couplings on Domestic and Import Vehicles

#### **4 Piece Disconnect Set AC/Fuel Line Tool Set** SKU222520 1099 LIS37500 • Fits Both 3/8" and 5/16" LIS37000 Connectors and Applications

- Tool Can Be Clipped Together

000000

OEM

10 Piece

Master



#### **Master Disconnect Tool Set**

SKU **291413** LIS39900 💜

• Contains 8 Tools for A/C and Fuel Lines

• Stored in a Handy Blow-Molded Case



# 

**Ford Clutch Disconnect Tool** SKU **391364 \_0**0 27130

Works on 1988 to

STORE STOCK

Present Ford Vehicles and Light Trucks with Hydraulic Clutches

OIC

#### 15 Piece Master **Disconnect Set**

SKU **900807 1099** 27195

 Includes Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line Disconnect Tool



**BigEasy** 

SKU **964493** 

STK32922

**Easy Wedge** 

Inflatable Controlled

Opening of Car Door for Insertion of the BigEasy

OEM'

(Inflatable)

## Ouick Connect Tools

SKU **363869** 25184

STORE STOCK

- Sizes: 3/8", 1/2", 5/8" and 3/4"
- Fnables Quick and Easy Disconnect of Air Conditioning Couplings

#### Quick Connect **Tools** SKU **970541 999**

25182

• Sizes: 1/4", 1/2", 5/16" and 3/8"

 Oil Cooler Line Disconnect Tool Separates Automatic Transmission Oil Cooler Lines on Ford Taurus and Escort with AXOD and ATX Transmissions



#### SKU **864648** 25150 STORE STOCK

4 Piece Disconnect

**Disc Set** 



# Catan

**Coolant Hose Removal Tool Set** 

SKU **383214 2999** CAL244TNZ

• 40° Offset Designed for Jobs Up

• Used to Completely Fill the Void in the Connector to Release the Fastener

Against the Firewall or in Tight Spaces



• Sizes: 9.5mm / 3/8", 8mm/ 5/16", 9.5mm / 3/8" Cooler Line, 9.5mm / 3/8" Oil Cooler Line, (2) 1/2 Oil, 16mm / 3/8" 13mm / 1/2", 19mm / 3/4", 22mm / 7/8

> Includes Two Banjo Style Fitting Stoppers, Two Steel Line Stoppers, Six Line Plugs, a Line

#### **Line Fluid Stopper Kit** SKU **387721 7 99** 6703

 Kit Seals All Types of Rubber and Steel Line Found on Fuel, Brakes, AC, Power Steering and Transmission System



Disconnect Tool, and a Long Reach Line Pinch-Off Tool For Hard-To-Reach Hoses

# KNOW?

DID YOU We Have Late Model Fuel Pump Coverage for 2010, 2011 and 2012 Models.







**Computer Safe Circuit Tester** 

SKU 222515 1399

- Indicates Polarity
- Draws Less Than 21mA at 12 Volts DC
- Operating Range 3-28 Volts

#### Mini **Circuit Tester** SKU 989209 25936

1099

• Tests 6/12 Volt Systems

**OEM** 

**Coiled Cord Circuit Tester** SKU **422468 199** 25886

STORE STOCK 6, 12 and 24 Volt Systems





Replacement Bulbs SKU **422714** 

25888 799

 Replacement Bulb for OEM Circuit Testers: 25018, 25019, 25886 and 25887

#### INN@VA

**Digital** Test Light™ SKU **186530** INN3430

**29**<sup>99</sup> • Digital Display and Color Coated LED's

 Quick Voltage Readings of Electric Circuits

White = Proper Connection to Source Red = Voltage Present **Green** = Ground Present



#### 2 Piece Electrical **Connector Separator Tool** SKU 387673 **1 99**

- 4460 • Releases Locking Tabs on Electrical Connectors, Component Connections and Wiring Harness Connectors
- Eliminates Damage to the Tab or Connector
- This Pair of Tools Permits Access to Electrical Connectors in any Position



**Relay Test Jumper Set** 

SKU **291333** LIS56810

- Set Includes Four Jumpers to Fit the Most Popular Size Relays On Domestic and Import Vehicles
- Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On




19 Piece Master **Terminal Tool Kit** 

SKU **447159** 27169

109<sup>99</sup>

• Eliminates Potential Damage to Wires or Terminal Blocks



SKU **191685** 25192 (Small) 25197 (Large) **1 699** 

• Self-adjusts to Wire Sizes: 14AWG to 26AWG







#### Deutsch **Terminal Tool**

SKU 222527 🦱 LIS59600

 Works on OEM Electrical Connectors Used on Trucks and Equipment: Caterpillar, Kenworth, Peterbilt, Freightliner Mack and More



SKU **255953** 

25229 (Red)

• Fits Most GM and Domestic Motors, Computer Connectors and Terminals



**Relay Puller Pliers** SKU **291342 7 299** 

- LIS46950 Works on Many Heavy-Duty and Industrial Applications
- Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay



**Relay Circuit Tester** SKU **383450** 27211

- Used to Test Relay Circuits in Late Model Vehicles
- Can Also Be Used to Perform Easy Combination Tests, Fuel Pressure Tests and Jump Relay for A/C Fill



#### **Relay Test Jumper Set II** SKU 291341 **7 1** 99

LIS60610 • Set Includes Four Jumpers to Fit Many Popular Relays on Honda, Nissan, Toyota, Newer Ford and GM Mini Micro Relays as Well

as International Trucks



Crimper & Bolt Cutter SKU 312821 25193

• Cushioned Handle Grips

**In-Line Ignition Spark Tester** SKU 900800 25227

• Ignition Spark Tester for Automotive Troubleshooting



SKU **222508 799** LIS11770

• Disengages Radio Retaining Clips on Fords and Imports for Removal

#### Remote Starter Switch

SKU **265124** 25330

- Heavy Clips with Insulated Sleeves Attach to Ground and Starter Solenoid Switch Thumb Activated Switch
- 6 Foot Heavy Insulated Wire for Long Tool Life



#### **Remote Starter Switch HEAVY DUTY**



OEM

#### 9" Self Adjusting Wire Stripper

SKU **387683** 4468

 Strips Insulating Sheathing from Wires Ranging from 10 Ga. - 22 Ga.

Also Cuts and Crimps



- Quick Removal of Insulation on
- Wire AWG 12-20 • Comes with Adjustable Depth Gauge (8mm to 12mm)
- Sharp V-Shaped Tooth Easily Removes Insulation Without Any Damage to Soft Wire Strands
- Cutting Tool Stored Below the Stripper



#### **Terminal Release Tool Set**

SKU **387677** 🤦 🕦 99 4461

- Repair or Rebuild a Wiring Harness Without Having to Order the Entire OE Replacement
- Insert the Appropriate Release Tool to Depress the Locking Tab and the Individual Wire Slides Right for Service or Replacement



### **Hood Prop**

# Telescopic Support 21"-48"

SKU **387686** 4705

- Securely Holds Car Hoods or Trunk Lids with Weak Hinges or Struts
- Great Tool for Setting a Hard Cover on a Pick-Up Box - Turns a Two Man Job Into One
- Rubber End Caps Prevent Scratching and Scuffing



**Universal Lift Support** Clamp (Pair)

- SKU 387702 7 99 4706
- Lid Strut Rods Preventing the Body Component from Falling or Sagging Great For Vehicles and Shrouds with

• Designed for Placement on Hood/



SKU **511001** THX592

Adjusts the RPM Level for Tune-Ups, Cylinder Balance Tests and A/C Work

### **Hood Prop** with Adapter

SKU **291352 3999** LIS46170 • Includes a Support To Help Prevent Slipping • Three Piece Telescoping Shaft Locks in Any Position - Telescopes from 20" to 4-1/4"



25307

**Universal Lift** 

**Support Adjuster** SKU **191671** 

• Holds Weak Gas-Charged Lift Supports Open on Hoods, Tailgates, Hatchbacks and Trunks

SKU **222525** LIS48700

- Holds Throttle at a Constant RPM





# **Body Repair**

Weak or Dry Struts

4 TON CAPACITY PUSHING AND SPREADING POWER YOU NEED

4 Ton Porto Power Kit SKU **301327** | 24820

4 Ton Body Repair Kit SKU **964654** | OMG50040

 Quick-connect Technology for Effortless Assembly



• All Include: Hydraulic Pump, Hydraulic Ram, Extension Rods, Rubber Ball Foot and Duckbill Hydraulic Spreader Also Includes: Snap-Lock Couplings, Threaded Connectors, 6 Feet of Hydraulic Hose and a Variety of Attachments.
 Packaged In a Blow Molded Case



### **10 TON CAPACITY** EXTRA MUSCLE YOU NEED TO GET THE JOB DONE RIGHT

SKU 301328 | 24821



Long Handle Provides Low Pumping Effort

SKU **964656** | OMG50100

4414 • 10 Ton Set Has Wheels for Easy Movement



**10 Ton Porto Power Kit** 

Automatic Pump Overload System Protects Against Damage to Rams



Features a Faster (Double-Action) Hydraulic Pump Causing the Ram to Move with Both the Up and Down Strikes of the Arm

SKU **265127 3 9** 99 25331

LED Indicator Light Shows Current is Present

• Heavy Duty, Push Button Remote Starter Allows Technician to Bump or Crank Engines While Under the Hood

• 5 Foot Heavy Insulated Wire for Long Tool Life • Heavy Duty Insulated Alligator Clips

OEM

**Throttle Pedal Depressor** 

• Tool is 40" Long

SKU **964663** | PPBB65115

