AR CONDITIONING (1-877-AZTool1 (1-877-298-6651) Hablamos Español




Prices Subject To Change Without Notice.

24

RUOZOTO Tool & Equipment QUARTERLY







SKU	Part#	Size	Price
504104	AIR76061	1/2" Line	\$39.99
504105	AIR76062	3/8" Line	\$39.99
504106	AIR76063	5/16" Line	\$39.99
504108	AIR76064	5/8" Line	\$44.99



SKU	Part#	Size	Price
504118	AIR76212	5/16" Line	\$39.99
504120	AIR76213	3/8" Line	\$39.99
504121	AIR76214	1/2" Line	\$39.99

SKU	Part#	Size	Price
504113	AIR76201	1/2" Line	\$39.99
504114	AIR76202	3/8" Line	\$39.99
504116	AIR76204	5/8" Line	\$49.99





SKU	Part#	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99

• Extra Long High Side R134a Coupler Used on BMW E60 (2003-2009 5 Series) and Some Volvo Models

• Change Your Old R-12 Manifold Set to R-134a with this Set of Manual Couplers

• 1/4" SAE Male Fitting Made to Work with Most Manifolds or Hoses

Please do not return purchases to the store. For information regarding warranty, repair and any questions or concerns, please call 1-877-AZTOOL1.



AIR CONDITIONING



Tool & Equipment QUARTERLY

1-877-AZTool1 (1-877-298-6651) Hablamos Español



Please do not return purchases to the store. For information regarding warranty, repair and any questions or concerns, please call 1-877-AZTOOL1.

Prices Subject To Change Without Notice.

AR CONDITIONING (1-877-AZTool1 (1-877-298-6651) Hablamos Español

Air Conditioning Service Tools NEW OEM OEM OEM® A/C DID YOU Compressor Service Kit **AIRSEPT** SKU 948077 Compressor KNOW? **Turner Tool** 27150 STORE STOCK **1**99 We Have the 0000Clutch **Tools to Help** SKU 504135 **Puller Jaws** AIR67700 You Replace SKU 472506 🦪 Installation of A/C Clutch / Coil OEM-Approved Compressor STORE STOCK Your AC Belt to AC Compresso Startup Assistance Prevent New 27008 **Pulley Puller** Makes AC Compressor Seizure at Startup **Replacing Your** Additional Jaws for Compressor Pulley sku 472357 1500 Fits Most Hex-Less Clutch Hubs Use with the OEM 27001 AC AC Compressor. Removal Jobs Fast Includes Orifice 27001 Pulley Puller and Easy OEM **6 Sided Fin Comb** CDS' CDS A/C Clutch High Side Retrofit Socket **Orifice Tube Remover** SKU 125741 🍟 Holding Tool SKU 227788 1 999 100 sku 217355 3999 CPSTLOTK CPSTLFC6 sku **150540** 🥖 CPSRFSH • Repair Bent Condenser Fins • Includes Remover, Extender Body 27000 • Designed to Install and • For Use on 8, 9, 10, 12, 14 & 15 Fins Per Inch Remove Most Popular High Side Retofit Conversion Fittings **STORE STOCK** • Damaged Tube Extractor for 1985-2004 GM, Ford and Many Import Clutch Cycling Systems • Holds Compressor Clutch in Place A/C Clutch Installer Low Side Retrofit Socket SKU 472415 700 sku 227787 1099 A/C Clutch Hub Remover 27007 CPSRFSL sku **472381** 🤦 **STORE STOCK** 27005 • For Use in Conjunction with OEM 27006, A/C Clutch THEXTON Hub Plate Remover to Install Chrysler C-171, A590, STORE STOCK 6C17 and Tecumseh HR-980 Compressor Clutches Removes Club Hutch from Ford F-6 Compressor Radiator/Condensor A/C Clutch Hub Plate Remover **Cleaning Wand** SKU 472407 **9 200** A/C Clutch Plate Remover SKU 514015 8499 27006 THX467A SKU 159079 🧲 **STORE STOCK** • New, Improved High Pressure Air/Water 27002 Removes Club Hutch from the Compressor Cleaning Wand Reaches 24" Between Radiator **STORE STOCK** • For Use with Chrysler C-171, A590, 6C17 and Tecumseh and Condensor and Under Mowing Decks • Used for GM A6 and R4 Compressor Clutches HB-980 Compressor Clutches Special Tips Deliver Air or Water at a 90° Angle A/C Disconnect Tools Crimpers/Cutters Thermometers NEW **- M**astercool 🕻 OEM COLOR **SCREEN Infrared Thermometer** With Target Laser and **BONUS** Analog Thermometer SKU 290019 MSC52224ASP **6**4 • Target Laser Accuracy • Range From -4 to +932F **15 Piece Master Quick Connect** Manual A/C Hose Crimper Degrees Non Contact Reading **Disconnect Set** Tools Constant Maximum Temperature Displayed sku **290028 🥑 🧙 🔘 99** sku **900807** SKU 363869 **199** MSC71550 **V** Mastercool 🕻 27195 25184 OEM TOOLS Comes with a Complete Set of Dies Includes Fuel and **STORE STOCK Non-Contact** Covering #6, #8, #10 and #12 Hoses Transmission Line • Sizes: 3/8", 1/2", 5/8" and 3/4" Infrared Dies Snap into Place, No Screws or Pins Needed Disconnect Set, Oil Thermometer Enables Quick and Easy Can be Bench or Vise Mounted Cooler Line Remover, Air Conditioning and Fuel Line Disconnect of Air SKU 951642 Conditioning Couplings Disconnect Tool 25245 Hydra- Krimp Hydraulic A/C Hose Press Kit **29**99 SKU 290027 74999 -58 - 300°F Angled MSC71500 STORE STOCK **Digital Pocket** Disconnect • Temperature Range: 35° to + Thermometer Set 365° C. -31° to + 689° F A/C Service Caps SKU **447147** SKU 291416 • Distance to Spot Ratio of 8:1 24351 LIS39400 Laser Pointer 2099 A/C and **AIRSEPT**

 Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines

• Six Sizes 5/16" 3/8", 1/2", 5/8", 3/4" and 7/8'

Easily Disconnects Air

Fuel Line

Connect Tools

sкu **002356 ____9**

STORE STOCK

Quick

25052

0-220°F **Instant Read Dial** Thermometer

0-220°F Instant

Read Dual Scale

Thermometer



sku 504089 **/ / 99**

NEW

Hablamos Español



Prices Subject To Change Without Notice. 28

Please do not return purchases to the store. For information regarding warranty, repair and any questions or concerns, please call 1-877-AZTOOL1.

A/C SERVICE

OTC. ROBINAIR.



Combining Simple Operation With Superior Accuracy:

These Machines Will Test, Recover and Recharge R-134A Automotive AC Systems Quickly and Accurately.



SKU 221210 3,69999

The 34788 Combines Simple Operation with Superior Accuracy. It Recovers, Recycles, Evacuates, Leak Tests, and Recharges R-134A Quickly and Accurately. Fully Automatic Function Lets You Recover, Vacuum, Leak Test, Charge, and Then Walk Away

SKU **249512 4,19999**

Premium R134a Recover, Recycle, and Recharge A/C Machine That Gives the User the Ability to Inject Dye, Flush a Vehicle's AC System, Save Before and After Service Data and Print That Data to Provide Serivce Information the a Customer.







Features:	34288	34788	34988
Fully-Automatic Function: Program to Recover, Vacuum, Leak Test and Charge Without Operating Panel Valves		Х	Х
Automatic Dye Inject: Gives the User the Ability to Use the Machine to Inject UV Dye Into a Vehicle's A/C System			Х
Automatic Oil Measure & Inject: The Machine Will Automatically Determine How Much Lubrication Oil Needs to Be Injected Back Into the A/C System Based on How Much Oil Was Taken Out During Recovery			Х
Automatic Oil Drain: A Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace		Х	
Oil Inject: Less Than 1% Cross-Contamination		Х	
Refrigerant & Oil Database: For North American Market Vehicles 1994 - 2007 (Updates Available Mid-2008)		Х	Х
A/C System Flush: Flushes a Vehicle's A/C System With Refrigerant Eliminating any Residual Oil or Other Liquid (Flushing Adapters - Not Included)			Х
Save & Print Before and After Service Data: Allows the User to Store Before and After Service Information by Vehicle and Print This Information to Provide To A Customer			Х
Indicator Light and Notification Alarm: Notifies the User When Service is Complete, or if a Problem Has Occurred		Х	Х
Vacuum Leak Test: Monitors Level After Evacuation, Informs of Possible Leak	Х	Х	Х
Automatic Air Purge: Eliminates Damaging Air Without Monitoring Gauges or Opening Valves.	Х	Х	Х
Automatic Refrigerant Refill: Maintains A User-Selectable Amount Of Refrigerant In An Internal Vessel And Signals With It's Time To Change Supply Tank, No Monitoring Required		Х	Х
Vacuum Feature: Defaults to 15 Mins, Programmable up to 99 Mins. "Remaining Time" is Displayed	Х	Х	Х
Display: Multilingual	Х	Х	Х
Refrigerant Charging: Select a Charge Mode From High or Low Side		Х	Х
Refrigerant Management System: Displays Refrigerant Use and Monitors Remaining Filter Life Prompts Appear When 1/3 of Filter Life Remains	Х	Х	Х
Capable of Servicing High Voltage Electric Compressor A/C Systems			

Have You Ordered Your Replacement Filters?

SKU **414883 54**99

Keep Recovery and Recycling Units Operating at Peak Efficiency with a Convenient Maintenance Kit Contains One Quick Change Filter-Drier to be Used on R-134a Stations

Regular Filter Replacement is Required on All SAEJ2788 Compliant A/C Machines

Spin-on Recycling Filter-drier for 34288, 34788, 34788H & 34988

Protect YOUR INVESTMENT From Contaminants

Tank Fill Inline Filter Fitting SKU 997030 19740

Filter

This Special Filter Fitting is Used Inline Between the Tank Fill Hose and the Virgin Refrigerant Tank to Help Prevent any Tank Debris from Getting Inside the A/C RRR Machine (34788 And 34988). Simply Screw the Filter Fitting Onto the Tank, and Then Connect the Tank Fill Hose to End of the Fitting. Instructions are Included That Tell the User How to Install the Fitting and How to Clean the Filter When Necessary

Consider Purchasing This Filter Fitting as a Precaution to Protect Your A/C Machine from Contaminants Getting in Through the Tank Fill Function. Works on Other Brands of A/C Machines as Well

R12 & R134A Aluminum Manifold, Hose Set and Service Couplers SKU 112477 1 1 099

49134B





Pro Master Fuel



Wire Service

2-Piece Electrical Connector Separator Tool SKU 387673 4460



 The Holders Clamp Between the Engine Block or Head and the Back of the Gear to Lock it in Place. The Cam Gear Clamp is Used Between Two Adjacent Gears to Lock Them Together and Eliminate Movement
 Use on Single, Dual, or Quad Cam Engines to Hold Valve

Injection Service Kit SKU 291505 34999 6550PR0 34999

- Perform Fuel Pressure Testing, Diagnose Weak Fuel Pumps or Restricted Filters, Test For Fuel Flow and Perform Leak-Down Tests. Use to Clean Injectors and Intake Systems. Kit Includes
- 0 100 PSI Fuel Pressure Gauge
- 7 OTC Fuel Injection System Adapters Each With a Quick Connect Schrader Valve
- '97 '08 Fuel Injection Service Manual
- 'Replacement Seal Kit



7-Ton Bar-Type Puller/ Bearing Separator Set SkU 112532 10999

- Includes a Bearing Splitter with 4" Spread
- Puller/Bearing Set for Tough Jobs, up to 7-Tons, Larger Applications, and Greater Reach 8" to 16"

 This Combination Set Includes Our Two Most Popular Bearing "Splitters" (2" and 3") Prevents Slipping



9-Way Slide Hammer Puller Set SKU 110811 9999

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two- and Three-Way Cross Blocks and Cone Provide the Perfect Jaw Configuration for Most Jobs
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment for Sheet Metal or Other Unique Pulling Requirements
- For Use With Other 5/8"-18 Thread Attachments

Terminal Release Tool Set SKU 387677 4461 3999

Automatic Wire Stripper SKU 387679 2499 4467 Comes with Adjustable Depth

Gauge (8mm to 12mm)

9" Self Adjusting Wire Stripper

SKU **387683 1999**

 Strips Insulating Sheathing from Wires Ranging from 10 ga. to 22 ga. Timing During Belt Replacement

• Excellent for Diesel Injection Pump Belt Replacement

Telescopic Support

SKU **387686 1999**

- Car Hoods, or Trunk Lids with Weak Hinges or Struts Can Sag or Fall
- Just 21" When Collapsed to Almost 48" When Fully Extended
- A Simple Twist Loosens the Support for Expansion. Twist in the Opposite Direction to Lock in Place at the Desired Length
- Rubber End Caps Prevent Scratching and Scuffing

Universal Lift Support Clamp (Pair) SKU 387702 **70**99

4706
Clamps Designed For Placement on Hood/Lid Strut Rods Preventing the Body Component From Falling of Sagging

- Great for Vehicles and Shrouds With Weak or Dry Struts
- Place Over Strut Rod & Tighten
- Small Design Keeps Access to the Compartment
 Un-Obstructed

Please do not return purchases to the store. For information regarding warranty, repair and any questions or concerns, please call 1-877-AZTOOL1.