

TIRE SERVICE

Tire Changers

Model 70X Rim Clamp Tire Changer with Robo-Arm®

SKU 979911 (Air)
AMM80070XAF3
8,599⁹⁹

SKU 979917 (Electric)
AMM80070XEF3
8,599⁹⁹

- Robo-Arm® Assists in Top Bead Mounting for Stiff Sidewalls, Low Profiles and Run Flat Tires
- External Clamping Up to 24"
- Rim Width: 14" Max
- Bead Loosening: Hand or Foot Controlled

INCLUDES
Manufacturer's
Set-Up and Training

COATS



BASELINE™ ENTRY LEVEL TIRE CHANGERS

BaseLine is the Ideal Tire Changer for a Low Volume Shop that is Looking for a Durable, Entry-Level Changer to Change the Majority of OE Fits.

- Includes Bead Sealing Jets to Aid in Inflation
- Access to Coats' Extensive Factory Authorized Service Network
- Assembled in the U.S.A.

User Set-up Required. Service by Coats Service Partners Available.

COATS

BL500 Tire Changer with 24" External Clamping and Robo-Arm®

SKU 509828
AMM85002500

2,599⁹⁹

Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**



Model 50X Tire Changer

SKU 979898
AMM80050XAH1
5,799⁹⁹

- 6" - 24" External Clamping Range
- Air - 1.5 Hp Motor Allows Greater Control and Variable Power without the Need for an Electrical Hook-Up
- Hand Operated - Enables Complete Power In, Power Out and Stop Control Over the Bead Loosening Shoe
- Rim Width: 14" Max



Model 5045E Tire Changer

SKU 988894
AMM8047107
4049⁹⁹

- Rim Diameter External: 10" - 21"
- Rim Diameter Internal: 12" - 24"
- Rim Width: 10.5" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator

INCLUDES
Manufacturer's
Set-Up and Training



BL400 Tire Changer with 21" External Clamping and Robo-Arm®

SKU 510998
AMM85002400

2,399⁹⁹

Comes with 6-Month Parts Warranty



BL300 Tire Changer with 24" External Clamping Capacity

SKU 510997
AMM85002300

2,099⁹⁹



BL200 Value Series Tire Changer with 21" External Clamping

SKU 510977
AMM85607372

1,899⁹⁹



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.

Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

MONTY™ 1625EM 24" Capacity High Performance Tire Changer

SKU 467483
HOFM1625EM110 **7,149⁹⁹**

- Inner-Wheel Clamping Diameter: 12" - 26"
- Outer-Wheel Clamping Diameter: 10" - 24"
- Bead Breaker Range: 2" - 18"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 15"
- Maximum Outer Tire Diameter: 42"
- Power Requirements: 120V, 1Ph, 60Hz



Lift Gate Service
SKU 290017 HOFLLIFTGATE **95⁰⁰**

MONTY™ 1625 24" Capacity Tire Changer

SKU 467479
HOFMONTY1625 **5,679⁹⁹**

- Inner-Wheel Clamping Diameter: 12" - 26"
- Outer-Wheel Clamping Diameter: 10" - 24"
- Bead Breaker Range: 2" - 18"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 15"
- Maximum Outer Tire Diameter: 50"
- Power Requirements: 120V, 1Ph, 60Hz



MONTY™ 1575 24" Capacity Tire Changer

SKU 467490
HOFMONTY1575 **4,599⁹⁹**

- Inner-Wheel Clamping Diameter: 12" - 26"
- Outer-Wheel Clamping Diameter: 10" - 24"
- Bead Breaker Range: 3" - 13"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 39"
- Power Requirements: 120V, 1Ph, 60Hz



All Hofmann Tire Changers INCLUDE Factory Set-Up and Training

HOFMANN™

MONTY™ 1520 20" Capacity Tire Changer

SKU 290001
HOFM1520110 **3,449⁹⁹**

- Clamping Diameter: 12" - 20"
- Outer-Wheel Clamping Diameter: 10" - 18"
- Bead Breaker Range: 2" - 13"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40"
- Power Requirements: 120V, 1Ph, 60Hz



Lift Gate Service
SKU 290017 HOFLLIFTGATE **95⁰⁰**

NextGen™ RimGuard™ 33" Double Bead Roller Power Assist Changer

SKU 312819
RANR30XLT **3,569⁹⁹**

- Wheel Clamping Method: (4) Internal / External Clamps
- Bead Breaking System: Pneumatic Blade
- Power Assist Towers: Integrated Center Post
- Powerful Bead Seating System: Turboblast / Bead Seating
- Internal Rim Clamping Capacity: 13" - 33" / 330 mm - 838 mm
- External Rim Clamping Capacity: 10" - 28" / 279 mm - 711 mm
- Turntable Tire Width Capacity Mount: 5" - 22" / 127 mm - 559 mm
- Bead Breaker Tire Width Capacity Demount: 3" - 15" / 76 mm - 381 mm
- Maximum Tire Diameter: 50" / 1,270 mm



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**

TOP SELLER

NextGen™ RimGuard™ Swing-Arm 25" Tire Changer

SKU 312817
RANR980XR **2,059⁹⁹**

- Drive System: Electric / Air
- Wheel Clamping Capacity: (4) Internal / External Clamps
- Tire Width: 3" to 22"
- Powerful Bead Seating System: TurboBlast
- Internal Rim Clamping Capacity: 11.5" - 24"
- External Rim Clamping Capacity: 10" - 22"
- Internal Rim Clamping Capacity: 13" - 25-1/2"
- External Rim Clamping Capacity: 11-1/2" - 23-1/2"

Dual Position RimGuard™ Wheel Clamps



RED Nylon Mount/Demount Head
SKU 459185 TMRTRC343 **39⁹⁹**

NextGen™ Tilt Back 23" Capacity Tire Changer

SKU 980172
RANR23LT **1,959⁹⁹**

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2 HP Motor 110-220 Vac
- Internal Rim Clamping Capacity: 11.5" to 24"
- External Rim Clamping Capacity: 10" to 22"
- Maximum Tire Diameter: 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**

**Delivery Included on
Tire Changers, Wheel Balancers
and TPMS Equipment**



1-877-AZTool1 (1-877-298-6651) Hablamos Español

AutoZone
Tool & Equipment QUARTERLY

Tire Pressure Monitoring Systems

**Don't Shut Down a Bay!
Stock TPMS at your Shop!**



**Shop Solution Master
TPMS Assortment**

SKU 527703
DYNDVT-702 **1,599⁹⁹**

- Includes: (6) SKUs (30 Sensors), (8) Valve Stem Kits, (202) Service Kits and Storage Cabinet
- Six Sensor SKUs Provide Over 85% Coverage
- Sensors are Compatible with All TPMS Tools on the Market
- DVT Valve Stem Torque Tool Included
- Return on Investment is More than Double in Parts, Profit and Labor Charges
- Application Data Guide Included

TPMS Cabinet Stand

SKU 527701
DYNTPMS-CS **99⁹⁹**

- A Convenient Way to Locate Either the DYNTPMS-72P or DYNTPMS-90 Cabinet Close to the Work Area
- Dimensions: 60"H x 25"W x 24"D

DID YOU KNOW?

There are Over 96 Million Cars on the Road with TPMS.

AutoZone Can Service All of Your TPMS Needs, from Complete Shop Solutions to Individual Sensors, Service Kits and both Diagnostic and Service Tools.

Contact Your Commercial Sales Manager for Details

TPMS Valve and Sensor Torque Tool

SKU 527700
DYNDY-002A **29⁹⁹**

- Includes T10 Torx Bit for Clamp-In Valves and S7 Socket for Snap-In Valves
- Preset to 12 In-Lb



TPMS Service Tool Kit

SKU 527699
DYNDY-312 **164⁹⁹**

- Includes: Torque Wrench with 11 mm and 12 mm Sockets, Torque Tool for Valve and Sensor, Valve Core Torque Tool, 12 In-Lb, Grommet Removal Tool, Grommet Pick Tool



Increase Shop Productivity and Profitability!

NEW

TPMS Master Test Kit

SKU 095059
ATEVT550BDII **1,249⁹⁹**

No Need to Purchase Additional Scan Tool or Other Accessories. This Tool Functions at the Original Equipment Level on all Vehicles; Domestic, European and Asian

- Simply Input Vehicle and Start TPMS Tests
- Complete Sensor Diagnostics-ID#, PSI, Temp and Battery Status
- Triggers all OE Domestic and Import Sensors
- ECU OBD II Programming for Asian Vehicles
- No Scan Tool Required
- Free Technical Hotline Support
- Free Internet Updates for 1st Year

VT30 TPMS ID Reader

SKU 531172
ATEVT30-1000 **249⁹⁹**

- Decode and Display All TPMS Sensors Currently on the Market, Yours Included
- Synchronize Through Internet Using a USB Connection on a PC



NEW

All Components of the Master Assortment are Available Separately. Contact your AutoZone Store.

Sensors Starting at **44⁹⁹**

Valve Stems Starting at **5⁹⁹**

Service Kits Starting at **1⁴⁹**

Wheel Balancers



TOP SELLER

Digital Wheel Balancer

SKU 343398
RANDST-64T **2,449⁹⁹**

- Ergonomic Control Board with Soft-Touch Keys and Easy-to-Read LED
- Motor: 1.5 HP, 208-230V, 50/60Hz 1P
- Maximum Tire Diameter: 50"
- Max Tire Weight: 150 Lb
- Cycle Time: 6-12 Seconds (Avg.) Depending on Wheel
- Precision-Machined, Hardened-Steel 36 mm Shaft



Digital Wheel Balancer

SKU 977528
RANDST2420 **1,679⁹⁹**

- Motor: 3/4 HP, 110v/220v 50/60hz, 1 PH
- Balancing Modes: Dynamic/Static/3-Alloy
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating
- Max Tire Diameter: 47"/1194 mm
- Max Tire Weight: 145 Lb
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz
- Accuracy: ± 1 Gram / .035 Oz



Model 875 Wheel Balancer

SKU 210248
AMM85008875 **4,249⁹⁹**

- For Low to Medium Volume Shops
- Standard Four Cone Set Can Handle Wheels Up to 130 Lb
- Automatic Distance and Diameter Entry; Automatic Measurement of Two Parameters with Manual Control Back-Ups
- Auto Start Hood; Balancing Cycle Begins When You Lower the Hood



Lift Gate Service
SKU 262529
AMMLIFTGATE **55⁰⁰**

Model 1100 Wheel Balancer

SKU 527704 AMM85001100 **3,599⁹⁹**

- Shaft Diameter: 40 mm
- Maximum Tire Diameter: 44"
- Maximum Wheel Capacity: 150 Lb



NEW

Model 775

SKU 210246 AMM8500775 **3,249⁹⁹**

- For Low to Medium Volume Shops
- Handles Assemblies Up to 100 Lb
- Integrated LED Matrix Display
- 10 Balancing Modes
- Self-Calibrating



OPTIMA 3D Diagnostic Wheel Balancer

SKU 531215
HOFEWB716C **12,499⁹⁹** **NEW**

- Fully Automatic Wheel Balancer with 3D Laser Technology
- Shaft Diameter: 40 mm
- Max. Wheel Assembly Width: 21"
- Max. Wheel Assembly Diameter: 38"
- Max. Wheel Assembly Weight: 150 Lb
- Power Requirements: 240V, 1Ph, 60 Hz



CALL TO ORDER
1-877-AZTool1
(1-877-298-6651)

GEODYNA™ 9300 Wheel Balancer

SKU 467486
HOFEWB731D **5,449⁹⁹**

- Shaft Diameter: 40 mm
- Measuring Speed: 200 RPM
- Maximum Wheel Width: 20"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 44"
- Maximum Wheel and Tire Assembly Weight: 154 Lb
- Cycle Time: From 6 Seconds
- Balancing Modes: 10
- Motor: 1 HP, 120V



GEODYNA™ 3900S Wheel Balancer

SKU 467485
HOFEWB746A **3,849⁹⁹**

- Shaft Diameter: 40 mm
- Measuring Speed: 200 RPM
- Measuring Time: 6 Sec
- Max Wheel Width: 20"
- Max Wheel Diameter: 42"
- Max Wheel and Tire Assembly Weight: 154 Lb
- Power Requirements: 115V 1Ph 50/60Hz



Lift Gate Service
SKU 290017
HOFLLIFTGATE **95⁰⁰**

HOFMANN™

GEODYNA™ 2350 Wheel Balancer

SKU 290002
HOFEWB701D **3,349⁹⁹**

- Shaft Diameter: 40 mm
- Maximum Wheel Diameter 30"
- Maximum Tire Diameter: 48"
- Maximum Wheel Width: 21"
- Maximum Wheel and Tire Assembly Weight: 150 Lb
- Cycle Time: From 6 Seconds
- Balancing Modes: 10
- Power Requirements: 115 Vac



All Hofmann Wheel Balancers INCLUDE Factory Set-Up and Training

Light Truck Cone Kit
SKU 467497 HOF8100068 **319⁹⁹**

• Works with Hofmann Wheel Balancers Listed on This Page

Pneumatic Wheel Lifting No Heavy Lifting



Lift Gate Service
SKU 290017
HOFLLIFTGATE **95⁰⁰**

INCLUDES: Passenger and Light Truck Cones A \$2,500 VALUE!

HOFMANN™

GEODYNA™ 980L Truck Wheel Balancer

SKU 467487
HOFEWB710BW **10,389⁹⁹**

- Wheel Width: 2" - 20" (5 cm - 50.8 cm)
- Maximum Wheel Assembly Width: 25" (63.5 cm)
- Maximum Wheel Assembly Diameter: 8" - 30" (20.32 cm - 76.2 cm)
- Wheel Weight: 500 Lb (227 Kg)
- Balancing Modes: 10
- Motor: 1 HP 115VAC
- Cycle Time: From 7 Seconds
- Includes: Truck Centering Cones for Hub Piloted Wheels, and the Professional 4-Star/5-Star Centering Arms for Stud Piloted Applications
- As a Bonus, the Geodyna 980L Comes with the Passenger/Light Truck Cones for Automotive Use

BASELINE™ BL225 ENTRY LEVEL Wheel Balancer

SKU 510978
AMM85002225 **1,999⁹⁹**

- Includes 40 mm Shaft, Wheel Calipers for Width Measurement, Durable Hub Nut, 3 Standard Cones (Optional Light Truck Cone Available), Premium Wheel Weight Hammer, Small Pressure Cup and Rubber Lip, Spring

Lift Gate Service
SKU 262529
AMMLIFTGATE **55⁰⁰**



User Setup Required
Service by Coats Service Partners Available

COATS

Got Questions? Get Answers. Pricing, Specs, Repair or Warranty Info
CALL TODAY 1-877-AZTOOL-1

Leasing Terms Available. Ask Your AutoZone® Commercial Specialist.

TIRE SERVICE

Wheel Weights

Starter Kits with Storage



Metal Floor Rack with 1,700 Steel Weight Assortment

SKU 383179
AMM5202075 **799⁹⁹**

- Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE, INFE



Bench Top Rack with 1,000 Coated Steel Weight Assortment

SKU 383181
AMM5202125 **599⁹⁹**

- Louvered Rack Can be Placed on Top of Any Workbench
- Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Styles Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) Each of Yellow, Grey, Black, Red and Orange



AZ SKU NUMBER	PART NUMBER	4 BOXES OF 25	PRICE
382841	AMM5518200025	MCFE, 0.25 oz	26.99
382842	AMM5518200050	MCFE, 0.50 oz	30.99
382843	AMM5518200075	MCFE, 0.75 oz	35.99
382844	AMM5518200100	MCFE, 1.00 oz	39.99
382845	AMM5518200125	MCFE, 1.25 oz	47.99
382846	AMM5518200150	MCFE, 1.50 oz	51.99
382847	AMM5518200175	MCFE, 1.75 oz	59.99
382848	AMM5518200200	MCFE, 2.00 oz	64.99
382849	AMM5518200225	MCFE, 2.25 oz	64.99
382850	AMM5518200250	MCFE, 2.50 oz	69.99
382851	AMM5518200275	MCFE, 2.75 oz	69.99
382852	AMM5518200300	MCFE, 3.00 oz	74.99
382853	AMM5523200025	PFE, 0.25 oz	18.99
382919	AMM5523200050	PFE, 0.50 oz	21.99
382920	AMM5523200075	PFE, 0.75 oz	24.99
382921	AMM5523200100	PFE, 1.00 oz	29.99
382922	AMM5523200125	PFE, 1.25 oz	36.99
382923	AMM5523200150	PFE, 1.50 oz	41.99
382924	AMM5523200175	PFE, 1.75 oz	49.99
382925	AMM5523200200	PFE, 2.00 oz	49.99
382926	AMM5523200225	PFE, 2.25 oz	49.99
382927	AMM5523200250	PFE, 2.50 oz	54.99
382928	AMM5523200275	PFE, 2.75 oz	59.99
382929	AMM5523200300	PFE, 3.00 oz	59.99
382930	AMM5523200325	PFE, 3.25 oz	64.99
382931	AMM5523200350	PFE, 3.50 oz	64.99

AZ SKU NUMBER	PART NUMBER	4 BOXES OF 25	PRICE
383004	AMM5530550025	TFE, 0.25 oz	29.99
383005	AMM5530550050	TFE, 0.50 oz	29.99
383006	AMM5530550075	TFE, 0.75 oz	34.99
383007	AMM5530550100	TFE, 1.00 oz	39.99
383008	AMM5530550125	TFE, 1.25 oz	49.99
383014	AMM5530550150	TFE, 1.50 oz	54.99
383021	AMM5530800025	ALFE, 0.25 oz	26.99
383022	AMM5530800050	ALFE, 0.50 oz	30.99
383023	AMM5530800075	ALFE, 0.75 oz	35.99
383029	AMM5530800100	ALFE, 1.00 oz	39.99
383030	AMM5530800125	ALFE, 1.25 oz	47.99
383031	AMM5530800150	ALFE, 1.50 oz	51.99
383038	AMM5530820010	FNFE, 10g	34.99
383039	AMM5530820015	FNFE, 15g	34.99
383107	AMM5530830010	ENFE, 10g	34.99
383108	AMM5530830015	ENFE, 15g	34.99
383118	AMM5530850010	IWFE, 10g	34.99
383119	AMM5530850015	IWFE, 15g	34.99
383129	AMM5530860025	LHFE, 0.25 oz	29.99
383130	AMM5530860050	LHFE, 0.50 oz	29.99
383131	AMM5530860075	LHFE, 0.75 oz	34.99
383132	AMM5530860100	LHFE, 1.00 oz	39.99
383133	AMM5530860125	LHFE, 1.25 oz	49.99
383134	AMM5530860150	LHFE, 1.50 oz	54.99



Tape-A-Weight Steel Wheel Weights

AZ SKU NUMBER	PART NUMBER	DESCRIPTION	QUANTITY	PRICE
382828	AMM5280025	7026FERB - .25 Oz Segments with Display Bracket - Bulk Roll	700	129.99
382953	AMM5528930025	7026FER - .25 Oz Segments - Bulk Roll	700	69.99
383176	AMM5533580300	7025FE - 3 Oz Strips, (4) Boxes of (25)	100	89.99

Low Profile Tape-A-Weight Wheel Weights

AZ SKU NUMBER	PART NUMBER	DESCRIPTION	QUANTITY	PRICE
479991	AMM5533570300	7425FE - .25oz Segments, No Tape on Top	300	109.99
479990	AMM5533580300	7325FE - .25oz Segments, No Tape on Top	300	99.99
479986	AMM5533570350	7425FEMR - .25oz Segments, No Tape on Top	350	34.99
479992	AMM5533580350	7325FEMR - .25oz Segments, No Tape on Top	350	31.99

Tire Tools

Low Profile Bead Tool

SKU 080065
DIL5500-BP **59⁹⁹**

- Easy Grip - Ergonomically Designed Handle Gives Needed Leverage for Toughest of Sidewalls
- Longer Design to Eliminate Knuckle Busting on the Face of the Wheels
- Angled Handle Gives User Better Control of the Tool



Wheel Stud Installer

SKU 222512
LIS22800 **31⁹⁹**

- Easily Installs New Wheel Studs
- Use with a Ratchet or Impact Wrench to Pull the New Stud Securely in Place



Truck Wheel Stud Installer

SKU 222516
LIS28950 **36⁹⁹**

- Installs Most Truck Wheel Studs in Seconds
- Use with an Impact Wrench or Ratchet
- Thrust Bearing Easily Pulls the New Wheel Stud Into Place



Wheel Weight Tool

SKU 217378
25690 **14⁹⁹**


- Tool Installs, Removes, Trims and Tightens All Types of Clip-On Wheel Weights



4-Piece Plastic Scraper Set

SKU 900802
25513 **24⁹⁹**

- Use to Remove Moldings
- Works Like a Chisel
- Won't Scratch Paint
- Can Be Used for Wheel Weight Removal



Valve Core Tool Set

SKU 255622
VCTSET **9⁹⁹**

- For Inserting or Removing Valve Cores
- Includes 2" and 4" Tools



Hanson 5-Piece Lug Nut Specialty Set

SKU 262420
IRW54125 **119⁹⁹**

- Reverse Spiral Flutes are Designed to Bite Down to Provide Maximum Gripping Power
- Universal Lobular Design Fits All Types of Fasteners
- For Use with 3/8" Square Drive Hand Ratchets, Impact Wrenches and Air Ratchets



Spare Tire Removal Tool Kit

SKU 479984
THX497X **189⁹⁹**

- Kit Includes a Hand Crank and (6) Different Zinc Plated Steel Tools to Fit Most Pickup, Van and SUV-Type Vehicles



Mount/Demount Heads

Red Nylon Mount/Demount Head

SKU 459185
TMRTRC343 **39⁹⁹**



Coats Nylon Mount/Demount Head - Tapered Hole

SKU 459183
TMRTRC183061 **39⁹⁹**



Nylon Mount/Demount Head Kit with Round Hole

SKU 459187
TMRTRC250309 **99⁹⁹**



Coats Nylon Mount/Demount Head - Tapered Hole

SKU 459189
TMRTRC450310 **69⁹⁹**



Nylon Mount/Demount Head Kit with Round Hole

SKU 459195
TMRTRC14024784 **99⁹⁹**



Coats Nylon Mount/Demount Head - Tapered Hole

SKU 459174
TMRTRC20024335 **69⁹⁹**



Mounting Flange for Demount Head (Flange Only)*

SKU 899502
RAN5150524 **59⁹⁹**

- Used on R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY



SKU	Part #	Brand	Models
459185	TMRTRC343	Hunter Accuturn Ranger	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 & TC3100 Series (Require Adapter) 220A. All Other Models Require 102765 Adapter R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter
459183	TMRTRC183061	Coats Baseline	5030, 5040, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060, 7065, 7655, 7660, 7665 BL200, BL300, BL400 and BL500
459187	TMRTRC250309	All Tool Coats Corgi Hoffmann Sice	All Models RCI, 5, 10, 15, 20, Early 5060, 9010, 9024, APX90 All Rim Clamp Earlier Models Except 1550, 1620, 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436, S436TC
459189	TMRTRC450310	All Tool Coats Corgi Hoffmann Hunter Sice	All Models RCI, 5, 10, 15, 20, Early 5060, 9010, 9024, APX90 All Rim Clamp Shaft Needs to Be Turned 180 Degrees for This Head to Work Earlier Models Except 1550, 1620, 1625 Fits All TCX Series (Earlier TCX500 Requires Upgrade Shaft & Kit RP11-8-114-00091) M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436, S436TOP
459195	TMRTRC14024784	Accuturn Hoffmann John Bean Snap On	3602, 3602HP, 4260, 4560MR, 4602, 5602, 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000, 3000GP EHP System IVE, IV, III, IIE All Models
459174	TMRTRC20024335	Accuturn Hoffmann John Bean Snap On	3602, 3602HP, 4260, 4560MR, 4602, 5602, 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000, 3000GP EHP System IVE, IV, III, IIE All Models

SAVE \$20

Tire Service Tools

10-Piece Torque Limiting Socket Set - 1/2" Drive

SKU 965855 24221 **199⁹⁹**

- Prevents Under and Over Torquing
- Includes: 17 mm x 55 Ft/Lb, 17 mm x 80 Ft/Lb, 21 mm x 80 Ft/Lb, 19 mm - 3/4" x 100 Ft/Lb, 19 mm - 3/4" x 65 Ft/Lb, 19 mm - 3/4" x 80 Ft/Lb, 22 mm - 7/8" x 120 Ft/Lb, 22 mm - 7/8" x 140 Ft/Lb



OEM®

**QUICK,
EASY,
ACCURATE**

5-Piece Torque Limiting Extension Set (1/2" Drive)

SKU 965858 24220 **99⁹⁹**

- Quick, Simple and Accurate
- Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lb, 80 Ft/Lb, 100 Ft/Lb, 120 Ft/Lb and 140 Ft/Lb



5-Piece, 1" Drive Budd Wheel Socket Set

SKU 526502 WLMW89315 **49⁹⁹**

- Contains One Each: 33 mm, 35 mm, 38 mm, 41 mm and 1-1/2" Sockets, 1" Drive 6 Point Sockets
- Metric Sockets Fit Front and Rear Axle Wheels on Many Import Trucks
- 1-1/2" Socket for Domestic Trucks with Dual Rear Wheels




3-Piece Super Strength Wheel Nut Impact Socket Set

OEM®

- SKU 347212 | Part# 24227
- Includes: 1/2" Drive Sizes: 17 mm, 19 mm and 21 mm
 - Color Coded for Easy Size Identification (Blue-17 mm, Gold-19 mm and Red-21 mm)

only \$29⁹⁹
Reg. \$49.99



THAN STANDARD THIN WALL SOCKETS

Offer Good Through September 30, 2014 While Supplies Last

8-Piece Torque Limiting Extension and Thin Wall Socket Set

SKU 347217 24228 **99⁹⁹**

- (4) Extension Bars: 65 Ft/Lb (90nm), 90 Ft/Lb (120 nm), 100 Ft/Lb (135 nm) and 110 Ft/Lb (150 nm)
- (4) Deep Sockets: 17, 19, 21 and 22 mm



PROTECT YOUR INVESTMENT

9-Piece SAE and Metric Wheel Protector Impact Socket - 1/2" Drive Extra Thin Wall

SKU 965856 24224 **79⁹⁹**

- Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from Damage
- Sizes: 3/4" 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



OEM®

9-Piece Wheel Lock Removal Impact Socket Set (1/2" Drive)

SKU 965865 24225 **49⁹⁹**

- Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18 mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch



OEM®

4-Piece SAE and Metric Impact Flip Socket Set - 1/2" Drive Deep Thin Wall

SKU 965857 24223 **24⁹⁹**

- Includes 3/4" - 13/16", 19 mm - 21 mm, and 7/8" - 15/16" Sockets and 3" Extension




OEM®

3-Piece, 1/2" Drive Extra-Thin Wall Wheel/Nut Protector Impact Socket Set

SKU 094646 25583 **24⁹⁹**

- 17 mm / 11/16" - Blue
- 19 mm / 3/4" - Yellow
- 21 mm / 13/16" - Red



Wheel Stud Pilot Pin Kit

SKU 342260 THX502 **94⁹⁹**

- Allows the Technician to Hang Wheel without Having to Balance the Wheel on the Lip of the Hub

Applications:

- 498 - BMW 09' - Newer 6 Series, 7 Series, X1, X3, X5, & X6. Mini Cooper 09' - Newer
- 499 - Audi, Most BMW, VW, Mercedes, and Porsche Vehicles with 14 mm Wheel Lug Bolts
- 500 - Audi, Most BMW, VW, Mercedes, and Porsche Vehicles with 12 mm Wheel Lug Bolts

THEXTON

Lug Wrenches

Professional

23" Professional 4-Way Lug Wrench

SKU 394489 KTL35657 **68⁹⁹**

- America's Premier Professional Lug Wrenches for Cars, Light Trucks, SUV's, RV's, and Vans
- 3/4", 13/16", 7/8", 15/16"

23" Light Truck/RV Lug Wrench

SKU 394488 KTL35638 **41⁹⁹**

- 22 mm (7/8"), 24 mm (15/16"), 25 mm (1"), 27 mm (1-1/16")

NEW

Standard

25" 4-Way Lug Wrench - Truck

SKU 394568 KTL35690 **52⁹⁹**

- 7/8" Deep Well, 15/16", 1", 1-1/16"

22" 4-Way Lug Wrench

SKU 394498 KTL35659 **41⁹⁹**

- 3/4", 13/16", 7/8", 15/16"

18" 4-Way Lug Wrench

SKU 394482 KTL35637 **26⁹⁹**

- Painted Finish, Welded Center
- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

NEW

Economy

22" 4-Way Lug Wrench

SKU 394501 KTL35661 **36⁹⁹**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

18" 4-Way Lug Wrench

SKU 394550 KTL35662 **26⁹⁹**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

20" Lug Wrench

SKU 394450 KTL35620 **26⁹⁹**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

18" 4-Way Lug Wrench

SKU 394556 KTL35663 **26⁹⁹**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

Telescoping Lug Wrench

SKU 394478 KTL35634 **31⁹⁹**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 23 mm (7/8")
- Length: 21" Extended

NEW

Chrome

18" Fold-Down Lug Wrench

SKU 394466 KTL35633 **31⁹⁹**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

20" 4-Way Lug Wrench

SKU 394460 KTL35630 **20⁹⁹**

- Chrome-Plated Finish, Welded Center
- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

14" 4-Way Car Lug Wrench

SKU 394479 KTL35635 **15⁹⁹**

- Chrome-Plated Finish, Welded Center
- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")

Truck Tire Tools

Tubeless Truck Tire Iron

SKU 394384 KTL34645 **78⁹⁹**

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37" - Stock Diameter: 3/4"

Classic Tubeless Truck Tire Iron

SKU 394389 KTL34645C **89⁹⁹**



NEW

Truck Tire Repair Tools

5-Gallon Bead Seater Tool

SKU 972321 TSICH05 **299⁹⁹**

- The Ch-5 Cheetah™ Bead Seater™ Makes Seating the Most Difficult Bead Not Only Safe But Simple, Fast and Economical
- Designed for Commercial Use on All Tires ATV to 24-1/2" Truck Tires, the Ch-5 Cheetah Bead Seater Takes the Work Out of Seating Tire Beads



OEM®

5-Gallon Bead Seater

SKU 526505 24449 **199⁹⁹**

- Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires



NEW

Inflation Cage/Blockhead Combo

SKU 409473 BRA04-0168 **949⁹⁹**

- No-Mar Inflation Cage w/BlockHead Auto Inflator
- Max Tire Width: 21.5"
- Max Tire Diameter: 34"

Blockhead Automatic Inflator

SKU 409472 BRA40-0075 **579⁹⁹**

- Auto Inflate/Deflate
- Nitrogen Conversion Ready
- Air Chuck and Fill Hose Included

Tire Inflation Cage

SKU 410069 BRA03-0232 **379⁹⁹**

- No-Mar Coating
- Max Tire Width: 21.4"
- Max Tire Diameter: 34"

Blockhead Cage Mounting Bracket

SKU 410070 BRA04-0143 **29⁹⁹**

- Bracket to Mount BlockHead to Tire Safety Cage



AUTO INFLATION MADE AFFORDABLE!

Blue Cobra® Truck Tire Service Set

SKU 394447 KTL35442 **564⁹⁹**

- Contains All the Tools You Need to Change Most 22.5" and 24.5" Tubeless Truck Tires Quickly and Easily
- Includes: 35440 - Blue Cobra® Truck Tire Demount Tool, 34645C - T45AC Classic Tubeless Tire Iron, 33050 - Double-End Tire Spoon, 35848 - 8 Lb Bucket Euro Paste Lube, 30512 - Euro-Style Lube Applicator Brush, 31713 - Aluminum C-Lok™ Bead Holder, 31810 - Leather Rim Protector



OEM®

GreatNeck