# SHOP EQUIPMENT

### 300 CFM Blower Fan

SKU 396540 | MSC20300

- Great for Use in Shops, Offices, Homes and Other Locations
- Variable Speed Switch: 900-1,500 RPM
- (2) 11-Amp Grounded Receptacles with Over Current Protectiom

Offer Good July 1-31, 2014 While Supplies Last



# Mastercool:

### 1.200 CFM **Blower Fan**

SKU 396546 | MSC21200

- Great for Larger Jobs and Open Work Spaces • Moves 1,200 CFM of
- Air Up to 30' Away • Variable Speed Switch 900-1500 RPM
- (2) 11-Amp Grounded Receptacles with Over Current Protection



### **Blower** Attachment

**▼** Mastercool



### **Heater Attachment** for 300 CFM Blower

SKU **396571** MSC20300-HTR 4

• Converts Your 300 CFM Portable Blower Into a Heater for Your Garage or Work

COOLSPACE,com

• 1,320 Watts, 5,000 BTU

## **Evaporative Coolers**

**48" Evaporative Cooler** 

• Fan Motor (Totally Enclosed Water Proof): 1 HP/120V/60Hz

• Water Supply: Garden Hose, Gravity Feed or Hand Fill

SKU 110318 CLSCS5-48-2B **3,99999** Cooling Coverage Area: 3,500 Sq. Ft.

• Air Volume, CFM: 12,400/19,400

• Fan Amperage: 6.4 / 11.4

• Cooling Media: 8" x 36 Sq. Ft.

• Unit Dimentions: 75" W x 34 D x 84" H

• Water Reservoir: 64 Gallons

• Pump Amperage: 1.1

• Unit Weight: 557 Lb

2-Speed

**Cool-Space Portable Evaporative Coolers Are a Great Solution for Keeping** Your Garage Cool Without the High Cost of Conventional Air Conditioning.

Simply Plug Into Your Standard Outlet and Add Water.



**Lift Gate Service** CLSLIFTGATE **7500** 



# 16" Portable **Evaporative Cooler**

# anu 11**0319** CLSCS5-16-2D **1,19999**

Cooling Coverage Area: Approx. 500 Sq. Ft. • Fan: 16" Industrial Three-Blade Propeller

- Fan Motor: High Efficiency, Totally Enclosed 1/3 HP • Direct Drive: 115 Volt / 1 Ph / High 6.1 Amps / Low 3.4 Amps
- Water Supply: Garden Hose Connection or Portable
- Supply Tank, Level Regulated by Float Valve • Water Reservoir: Internal 16 Gallon Capacity
- Low Water Shutoff to Extend Pump Life
- Variable Speeds: 700 CFM 2,825 CFM
- Dimensions: 62" W x 31-1/2" D x 69" H

Single Speed Direct Drive: 9,500 CFM @ .15" S.P. 115 / 230 Volt / 1 Ph. /

Variable Speed Direct Drive:100 to 9,500 CFM @ .15" S.P. 115 / 230 Volt /

• Power Supply: 120 Volt/13 Amp (230 Volt/50Hz Available)

### • Circulation Pump: Submersible Maintenance Free 115 / 230 Volt / 1 Ph. / 60 Hz /.75 Amps

**36" Evaporative Cooler** 

Cooling Coverage Area: Approx. 2,500 Sq. Ft.

• Fan Motor: High Efficiency, Totally Enclosed 3/4 HP

• Fan: 36' Industrial Duty Aluminium or Plastic, 4-Blade Construction

Variable Speed

for Quieter Operation

1 Ph / 60 Hz / 6.3 Amps

SKU 110316 CLSCS5-36-VD **2,699**99

• Water Reservoir: Internal 46 Gallon Capacity

# **Refresh Algae Treatment Tablets**

SKU 110322 CLSCS-T102 **3999** 

# **CTT-EC Scale Treatment Tablets**

SKU 110321 CLSCS-T101 **3999** 

### **Evaporative Coolers**



# **48" Stainless Steel Evaporative Cooler**

SKU **342430** PLC6622-3502 **3** 

- Stainless Steel Housing, Large Wheels, Hinged Top Cover, Easy Access and Maintenance; Controls and Valves in Protected Location
- Cooling Area (est): 4,000 Sq-Ft

# **Lift Gate Service** PLCLIFTGATE 1 2500

# 36" Stainless Steel **Evaporative Cooler**

SKU **342429** PLC6622-2502

- Stainless Steel Housing, Large Wheels, Hinged Top Cover, Easy Access and Maintenance; Controls and Valves in Protected Location
- Cooling Area (est): 3,000 Sq-Ft



# Zone 11K, **36" Evaporative Cooler**

PLC6622-0000

- 36" Evaporative Cooler Provides Effective Spot Cooling That Normally Would Be Too Costly to Cool with
- Resin Housing, 38 Gallon Reservoir, Automatic Low Water Pump Shut-off and Integrated Touch Pad Interface with LED Indicators Cooling Area (est): 3,000 Sq-Ft

# Tool & Equipment QUARTERLY

### Floor Fans

# **30**" **Heavy-Duty Pedestal Fan**

SKU **110313** VENHVPF30

24999

- Heavy Duty 3-Speed Thermally Protected
- Fan Head Tilts 90°





# 22" High-Velocity Oscillating Pedestal Fan

SKU **110312** VENHVPF220SC

21999

- Heavy Duty 3-Speed Thermally Protected
- Fan Head Oscillates 90°







SKU **110314** VENHVCF4000 **3** 

- Heavy-Duty 1 HP Induction
- Motor Designed for Extended Use
- Top-Mounted 3-Speed Switch for Convenience



# 20" High-Velocity Floor Fan

SKU **110311 7999** VENHVFF20

- 3-Speed Energy Efficient Thermally Protected
- PSC Motor • CFM: 3,150

# **Barrel Fans**



# 24" Direct Drive Roll Tilt Fan

VENBF24TFYEL **174**99

- 180 Degree Airflow Tilt
- 2-Speed, 1/3 HP Heavy-Duty Direct Drive Thermally Protected PSC Commercial Motor
- 2,800 CFM on Low Setting; 4,000 CFM on High Setting



# **36" Direct Drive Barrel Fan**

VENBF36DDRED **3 1 9 99** 

• 180 Degree Airflow Tilt

Crushproof 3" x 11" Flarelock Hose

SKU **977559** ACSFLT300 **14999** 

SKU **977589** ACSFLT350 **204**99

SKU **977590** ACSFLT400 **24499** 

**Crushproof Door Port** 

SKU **977551 3999** ACSDF25

• Rubber Garage

Door Port Adapter Designed for

for 2-1/2" Hose (Rubber)

Crushproof 4" x 11" Flarelock Hose

- 2-Speed, 1/3 HP Heavy-Duty Direct Drive Thermally Protected PSC Commercial Motor
- Convenient Handle for Easy Portability
- 9,000 CFM on High Setting; 6,000 CFM on Low Setting



# **42" Belt Drive Industrial Barrel Fan**

VENBF42BDRED 4 1 999

- Belt Drive for Ultra-Quiet Operation
- Dual Ball Bearing Drive with Reinforced Steel Motor Mounts
- Produces 7,300 CFM on Low Speed Setting and 13,300 CFM in High Speed
- Convenient Handle for Easy Portability • C/UL/US Listed
- 8' Power Cord

# **Exhaust Hoses**

### Crushproof 2.5"x 11' Flarelock Hose

SKU **977557** ACSFLT250



- Exclusively for Cars and Small Trucks • Each End is Flared to Permit
- Connection of Two or More Links at a Time

### **Crushproof 2.5" Y-Assembly Kit** with F250 Adapter

ACSYA250

SKU 977549 18499



3" Y-Assembly Kit with F300 Adapter

SKU **977550** ACSYA300 🤦





• Designed for Easy Adapting to All Sorts of Tailpipes Connects with Ball and Snap



## 3" Crushproof Bell Hose Adapter

SKU 977545 4 999 ACSRA300



# RUSHPROOF TUBING COMPANY

### Crushproof 2.5" **Service Station Kit**

SKU **977547 269** ACSDSS25

- Includes: (2) Each - 4' x 2-1/2" Hoses (1) Each - 6' x 2-1/2" Hose (1) Each - 2-1/2" Rubber "Y"
- Connector
  (2) Each Straight Tailpipe Adapter, Hook and Chain (1) Each - Splice Connector



SKU **977548** ACSDSS30 **3 2499** 



## Port for 3" Hose (Aluminum)

SKU **977552** 4999 ACSADF30

 Aluminum Port Allows Hose to be Vented Through the Door

**Crushproof Door** Port for 4" Hose (Aluminum)

SKU 977554 6 9 9 9 ACSADF40

### Crushproof 2.5" Straight Tailpipe **Adapter with Hook and Chain**



2999

• Designed for Easy Adapting to All Sorts of Tailpipes



3" Straight Tailpipe Adapter with Hook and Chain......SKU 977539 ACSF300 ...... 3999 3.5" Straight Tailpipe Adapter with Hook and Chain....SKU 977540 ACSF350...... 5999

4" Straight Tailpipe Adapter with Hook and Chain.......SKU 977541 ACSF400....... 7499 ...SKU **977542** ACSF475...... **54**99 3" x 6" Oval Tailpipe Adapter.....

..SKU **977543** ACSF575...... **64**99 3.5" x 8.5" Oval Tailpipe Adapter.....

# SHOP EQUIPMENT

SKU **300118** | Part# 24803

12-Piece, 1/4" Drive **Socket Set - Metric** SKU 127836 | Part# 22950



## 40-Gallon **Parts Washer**

SKU 300118 77999 24803

- Use with Non-Flammable Water-Based Degreaser or Cleaning Agent
- Includes a Large Compartment Shelf and Small Parts Tray • Tanks are Made of Powder Coated 20 Gauge Steel
- for Durability and Rust Resistance • Fully Flexible Nozzle and Fusible Link Which Automatically Closes the Lid in Case of Fire
- Dimensions: 44.75" x 20.5" x 35"
- 6' Electrical Cord

Offer Good Through September 30, 2014 • While Supplies Last





# **Replacement Washer Pump**

SKU **462476 3999** 24803-31

• Fits OEM 24803 Water-Based Parts Washer

NEV

OEM

FOUNTAIN

### Solvent-Based Parts Washers



SKU **479981** FOU54821-01 **759** 



- Flow Through Brush with Adjustable Fluid Control
- Galvanized Drawn Sink Means No Leaks
- Inside Sink Dimensions: 32" L x 24" W x 7 1/2" H

**DRUM NOT INCLUDED** 




FOU62125-01 449





- Galvanized Drawn Sink Means No Leaks
- Inside Sink Dimensions: 31" x 21" x 9'





FOUNTAIN



### 12-Gallon CleanMaster **Low-Profile Solvent Brake Parts Washer**



• Flow-Through Brush System for Efficient Cleaning

- Durable, Baked-On Powder Coated Epoxy Finish
- Easy-Roll Swivel Casters (2 Locking)

## Degreaser and Wash Solution

**121 Floor** and General Cleaner (5 Gallons) SKU **227560** 



- Concentrated Floor Cleaning Solution Removing Grease and Grime from Shop Floors
- Mop and Bucket or Floor Scrubbing Machines
- Concentrated for Cost Effectiveness
- Safe on Sealed Floors

### **Storm Ultra Spray Wash Solution**

4 Gallons (4) 1 Gallon Jugs SKU **222861** WWSSU-1GCS

**5 Gallons** (1) 5 Gallon Container SKU **227559** WWSSU-5G

- Professional Wash Solution for Heated Spray Cabinet/Jet Cabinet Style Parts Washing Equipment
- Super Concentrated for Cost Effectiveness
- Quickly Blasts Away Grease, Oil, Carbon and Grime

### **Heavy-Duty Degreaser Concentrate**

**12 Spray Bottles** (32 oz. Bottles) SKU **222841** WWSHD-32CS

4 Gallons (4) 1 Gallon Jugs SKU **222846** WWSHD-1GCS

**5 Gallons** (1) 5 Gallon Container SKU **227558** WWSHD-5G

### Designed to Effectively Replace Hazardous Solvent in Water Based Parts Washers

- Concentrated to Be Powerful and to Save You Money
- Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician



### **Water-Based Parts Washers**

### **EcoMaster Heated Aqueous Parts Washer**

ъки **4/9983** F0U61330-02 **1,44999** 

- Capacity: 45 Gallons
- Heater Thermostatically Controlled Preset to 110° F
- Filter System Prolongs Fluid Life

### **Molded Cart for EcoMaster Heated Aqueous Parts Washer**

SKU **479985** F0U61332

• 500 Lb Capacity

• High Density Polyethylene Molded Tray



**EcoMaster Heated Aqueous Portable** 

**Brake Washer** SKU **479988** 

F0U61840-02

- Heavy-Duty Air Pump
- Heavy-Duty Drum Dolly with Two Locking Casters and Two Regular Casters
- Prefilter Screen and Asbestos Sock Filter Designed to Insure Clean Solution
- Heater: 1000W Thermostatically Controlled to Hold at 115 Degrees F
- Sink Dimensions: 24" L x 20" W x 7" D



COUMSTER

FOUNTAIN

NEW

NEW

### **EcoMaster Aqueous Portable** Parts Washer

F0U61444-02 **84999** 

- Heavy-Duty Air Pump Heavy-Duty Drum Dolly with Two Locking Casters
- and Two Regular Casters Prefilter Screen and Asbestos Sock Filter Designed to Insure Clean Solution
- Sink Dimensions: 24" L x 20" W x 7" D





SKU **300117** 24801

NEW

- Water-Based Parts Washer with 325 Gallon Per Hour • Steel Work Basin is 31" Wide x 2" Deep and 34.5" High
- Lid Includes Fusible Link for Fire Safety

# **Replacement Washer Pump**


24800-12

SKU **462484** 

• Fits OEM 24800 and OEM 24801 Water-Based Parts Washer



Parts Brush Division



### **3-1/2 Gallon Parts Washer**

SKU **300128 6999** 24800

- Water-Based Parts Washer with 325 Gallon Per Hour Electric Pump
- Steel Work Basin is 18" Wide x 13.5" Deep

### Replacement Washer Pump

SKU **462484** 24800-12

 Fits OEM 24800 and OEM 24801 Water-Based Parts Washer



### **ORIFLO** Flow-Through **Parts Brush**

SKU **342336 1 999** PRC50001 PBC50001

- Long-lasting, Stiff Trialoy® Polyester Filament Can be Used with Either Petroleum or Water-Based Cleaning
- Length: 10.25" (26 CM)

# Flow-Through Brush w/Hose

SKU **459114** PBC50001H

 Oriflo Flow-Through Parts Washer Brush and High-Quality Hose to Connect to Your Parts Washer



🝞 Parts Brush

# Atlasta Parts





# Tool & Equipment QUARTERLY







# 5-Speed **Bench Drill Press**

SKU **462480 1 2 999** 24825

- Drilling Depth: 2"
- Chuck: 1/16" 1/2"
- Distance Spindle/Table: 7-7/8"
- Distance Spindle to Base: 11-7/16"
- 5 Speed Spindle: 620 3,100 RPM
- 1/3 HP Motor

with Purchase of SKU **300119** | Part# 24815

22-Piece Stubby Ratcheting Screwdriver Set SKU **127836** | PART# 25942



Value: \$29.99







SKU 300119 **1 7 9** 9 24815

- Easily Remove Paint, Rust and Oxidation
- Fits on Bench or Cabinet
- Dimensions H: 19.3": W: 19.3"

• Cubic Inches: 28.6"



### **Commercial - Job Site Pressure Washers**



SKU	Part#	PSI	GPM	DISPLACEMENT/ENGINE
409456	MTMCM270MLB	2700	2.4	212cc Mi-T-M OHV
409457	MTMCM30MLB	3000	2.4	212cc Mi-T-M OHV
409463	MTMCM3501MMB	3500	2.8	280cc Mi-T-M OHV
409464	MTMCM401MMB	4000	3.4	420cc Mi-T-M OHV

# **Performance Under Pressure**

### **Pump**

• Direct Drive Crankshaft Mi-T-M Pump with Adjustable Pressure

### **Engine**

- Mi-T-M Series Engine with Low-Oil Shutdown
- All Models are Carb Compliant in all Fifty States

### **Frame**

• Lightweight Yet Rugged Enough for Industrial Jobs

### **Units Include:**

- Quick Connect Nozzles (15°, 25° and Detergent Nozzle)
- 25' x 3/8" Wire-Braided Pressure Hose (50' on MTMCM3501MMB and MTMCM401MMB Models)
- Professional-Grade Insulated Trigger Gun with Safety Lock-Off
- 36" Lance with Rubber Grip

2,700 PSI 2-5 Hours **Cold Water Pressure Washer** SKU **409456** 

MTMCM270MLB



3,000 PSI **Cold Water** 

**Pressure Washer** SKU **409457** 

Usage: 5-10 Hours

MTMCM30MLB 3900



3,500 PSI 5:10 Hours Per Week **Cold Water** 

**Pressure Washer** SKU **409463** 

MTMCM3501MMB



4.000 PSI 5-10 Hours Cold Water

Per Week **Pressure Washer** SKU **409464** MTMCM401MMB

# Residential and Light Commercial

### **Vertical Cold Water Pressure Washer** 2.400 PSI 30099

SKU **410036** MTMCV240MMC • PSI: 2 400

• GPM: 2.0

• Engine: 170CC Mi-T-M OHV Includes: Professional Grade Trigger Gun, Two Piece Lance, 30' x 1/4 Nylon-Braided Pressure Hose and Quick Connect Nozzles (15, 25-Degree and Detergent Nozzle)

Direct Drive Axial Piston AR Pump



Vertical **Cold Water Pressure** Washer 2.600 PSI

MTMCV260MMC

• Direct Drive Axial Piston AR Pump



# **Headlight Aimers**

**SYMHBA 5** Electronic Headlight Aiming System SKU **237653** SYMHBA5 Photo-Sensor Positioning

• 8' Floor Guidance Track

Approved and Certified

Inspection Centers Including MD and VA

for All Safety

### **SYMCVA3 EZISO** Color with Visual **Assist Meter** SKU **237652**

SYMCVA3 • ISO Color, Lamp Pattern Definition

- Laser Floor Slope Measurement: Accurate, Precise and Easy to
- Precision Engineered Fresnel Lens • Rotational Mast: Easy Alignment of Optical Head to Vehicle
- Floor Slope Adjustment Easily Attained by Rotation of Eccentric Wheel



### **SYMSCA-1ISO Color Headlight Aiming System**

SKU **444394** SYMSCA1 **879**99

• Durable, Lightweight, Compact and

- Portable • Adjustable Height with Rotating Mast
- Laser Floor Slope
- Filed Calibration



# **SYMBCA4 ISO Color** Headlight **Aiming System**

SKU **237649** SYMBCA4

**624**<sup>99</sup>

- Rotational Mast Aligns in Five Easy Steps Not Approved for State
- Inspection Programs



# **OEM**°

**Ford Headlight Adjusting Tool** SKU **246385 299** 

25434 • Fits 4 mm Hex Headlight

Adjusting Bolts on Late Model Ford, Mercury and Lincoln Cars and Pickups with Aerodynamic



# SHOP EQUIPMENT

SKU **420339** | Part# 24356

Value: \$19.99

171-Piece **Heat Shrink Tube Set** SKU **420335** | Part# 68165



# **Professional 3-in-1 Soldering Iron Kit**

SKU **420338** 

- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower
- Soldering Iron Kit Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip
- · Compact Design, Easy to Carry and Cable Free
- Ideal for Electrical Repair, Tin and Plastic Melting, Heat Shrinkable Tubing, Auto Repair and Hobby, Jewelry Repair
- Power Range: 30W 125W



### **Mini-Ductor**

### **Mini-Ductor** Induction **Heater Kit**

SKU **436079** IDIMD-600

- Flameless Heating of Frozen Nuts, Bearings, O2 Sensors and Other Seized
- No Collateral Damage as with a Torch



### **Soldering Iron**



# **OEM** TOOLS

# **Professional 3-in-1 Butane Micro Torch Kit**

SKU **420339** 24356

- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower
- Easy to Set on Table Top with the Base
- Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base
- Compact Design, Easy to Carry and Cable Free
- Ideal for Electrical Repair, Tin and Plastic Melting, Heat Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
- Power Range: 30w 125w

### **Heat Shrink Tube Sets**

### **106-Piece Waterproof Heat Shrink Tube Set**

SKU **420334** 68164

- Tubes Shrink to Fit Over Cable Splices and Can Be Used for Wire Harnessing, Covering, Marking and Bundling of Wires
- Adhesive Lined Inner Wall to Seal Out Moisture
- 3:1 Shrink Ratio
- Waterproof

## REPAIR IT RIGHT

### 171-Piece Heat Shrink Tube Set

SKU **420335** 68165

- Protection and Insulation of Components and Wires
- Protection Against Water and Moisture Ingress Preventing
- Color Coordinated Sizes
- Quick and Simple to Shrink by Heat Gun



MACHINERY

### **90-Piece Watertight Heat Shrink Terminal Set**

SKU **462482** 68166

• (30) Ring Connectors

- (15) Butt Connectors
- (15) Tin Butt Connectors • (15) Female Disconnects
- (15) Male Disconnects
- Convenient Re-Sealable Plastic Case



HARDWARE MACHINERY

Free Delivery!



### **Generators**

Generator

6,000 Watts

MTMGEN60MM0 SKU **409470** 

• Rated AC Output: 5,500 Watts

• Run Time: 6.5 Hours at Full Load

Engine: 389CC Mi-T-M OHV with Low-Oil

Receptacles: (2) 120V, 20A GFCI Duplex and 120V, 30A Twist Lock/120V/240V, 30A Twist

### **Maximum Output Under Any Given Situation. Durable and Reliable Featuring a Mi-T-M OHV Engine**



# **NEVER WORRY ABOUT A POWER OUTAGE!**





### **Generator 8,000 Watts** SKU 409471

MTMGEN80MME

- Rated AC Output: 7,000 Watts • Engine: 420CC Mi-T-M OHV with Low-Oil
- Shutdown Electric Start (Battery Included)
- Receptacles: (2) 120V, 20A GFCI Duplex and 120V, 30A Twist Lock/ 120V/240V, 30A Twist Lock
- Run Time: 6.0 Hours at Full Load



### We Carry the Full Line of Generac Generators

### **XG8000E** Portable Electric Start Generator

GENXG8000E

SKU **462986** 

- Rated Watts: 8,000
- Run Time at 1/2 Load: 10 Hours • Outlets: (1) 120/240V 30A L14-30R Twist Lock Outlet;
- (2) 120V 20A GFCI 5-20R Duplex Includes: First Oil and Maintenance Kit
- - Gas Tank: 9 Gallon • Low-Oil Level Shutdown
  - Automatically Safeguards Engine PowerBar™ Easily Monitors
  - Power Being Consumed and Available



GENERAC

### XG7000E Portable **Electric Start Generator**

SKU 432330 GENXG7000E 1,26999



• Runtime at 1/2 Load: 10 Hours

• Outlets: (2) Duplex, 5-20R; (1) Twistlock L14-30R

• Low-Oil Level Shutdown Automatically Safeguards

• Rated Watts: 5,000

- Runtime at 1/2 Load: 12 Hours
- Outlets: (2) 120V 20A GFCI
- 5-20R Duplex Outlets; (1) 120/240V 30A L14-30R Twist Lock Outlet
- Gas Tank: 9 Gallon

GENERAC

- Low-Oil Level Shutdown Automatically Safeguards Engine PowerBar™ Easily Monitors
- Power Being Consumed and Available



SKU **973239** GENGP5000



**GP3250** Portable

GENGP3250



- Rated Watts: 3,250 • Runtime at 1/2 Load: 9.7 Hours
- Outlets: (1) 120V 20A 5-20R Duplex Outlet; (1) 120/240V 20A L14-20R Twist Lock Outlet
- Gas Tank: 3.5 Gallon • Low-Oil Level Shutdown
- Automatically Safeguards Engine



# Generator **3,600 Watts**

SKU **409467** MTMGEN360MM0 • • • Rated AC Output: 3,000 Watts

- Engine: 212CC Mi-T-M OHV with Low-Oil
- Receptacles: (2) 120V, 20A GFCI Duplex and 120V, 30A Twist Lock
- Run Time: 8.5 Hours at Full Load \*Mit-T-M Generators are Carb Compliant.





- GENERAC
- \*The Generac Generators Listed Above are Not for Sale in California

# Tool & Equipment Quarterly

### Welding/Cutting



### **Medium Duty Oxy-Acetylene Outfit**

THE0384-2530 **29999** 

- Ergonomic, Color-Coded Knobs that Identify Gas
- Fabric Reinforced Neoprene Diaphragm
- 250 Series Regulators
- WH270FC-V Torch Handle
- CA 270-V Cutting Attachment with Series 3 Cutting Tip
- Cuts Up to 1/2" (Up to 5" with Optimal Tips)
- Welds up to 5/64"/1.9 mm (1-1/4"/31 mm with Optimal Nozzles)
- 2 Year Warranty Includes: Welding and Cutting Torches, Flash Back Arrestors, Regulators, Dual Gas Line Spark Lighter and #5 Welding Goggles



10-Piece External Star **Socket Set** SKU **191054** | Part# 25954

### THERMAL DYNAMICS **Plasma Cutter CUTMASTER 42** SKU **301766**

THE1-4200

• Includes: CUTMASTER 42 Power Supply, All New SL40 Torch, Safety Gloves and Glasses, Instructional Plasma Cutting DVD, Consumables Set, Heavy-Duty Carrying Case and Power Plug Adapters

# Trepower

Welding and **Cutting Tote** SKU **237672** 

THE03840990



VICTOR.

- Lightweight Outfit Allow You to Take the Torch to the Job
- #0 Cutting Tip Cuts Up to 1/2"
- #0 Welding Nozzles Welds Up to 5/64"

# • Check Valves and Flashback Arrestors

# **Auto Darkening Welding Helmet** with Grinding Function

SKU **347233** 7099 24358

- Variable Shade 9-13, Variable Sensitivity and Delay Controls
- Viewing Area: 3.62" x 1.65"
- Battery Powered with Solar Assist · Includes Replacement Cover Lenses

**Welding Accessories** 

Offer Good Through September 30, 2014 While Supplies Last

MIG Solid Wire E70S6 - .023 - 2 lbs.

MIG Solid Wire E70S6 - .023 - 11 lbs.

MIG Solid Wire E70S6 - .030 - 11 lbs.

MIG Solid Wire E70S6 - .035 - 33 lbs.

Flux Core Welding Wire - .030 - 2 lbs.

Flux Core Welding Wire - .035 - 2 lbs.

WIRE



SHA12000

SHA12001

SHA12003

SHA12007

SHA12008

SHA12009

SKU **459160** 

SKU **459162** 

SKU **459164** 

SKU **459173** 

SKU **459175** 

SKU **459180** 

1299

3499

**29**99

**97**99

**29**99

**24**99

### Fabricator 181i Auto Pak 3-in-1 **Multi-Process Welding Kit**

THEW1003188 **89999** SKU **222748** 

- Rated Output: 180A / 23V @ 20% Duty Cycle 145A / 22.5V @ 30% Duty Cycle
- Auto Pak Includes: Fabricator 181i Package PLUS: E70S-6 Welding Wire, .023", 2 LB - E70S-6 Welding Wire, .030", 2 LB - Welding Gloves -Tweco® 11-23 Tips, .023", (25 qty) - Tweco 11-30 Tips, .030", (25 qty) - Welder MIG Pliers- Auto-Darkening Welding Helmet



# Tig Torch and Accessories

SKU **295859** THEW4013802 (Required for TIG Welding)

- TIG Torch, 17V, 13 Ft, 8 Pin and Accessory Kit
- with 1/16", 3/32", 1/8" Thoriated
   Tungstens; 1/16", 3/32", 1/8" Collets; 1/16", 3/32", 1/8" Collet Bodies
- No. 5, 6, 7 Alumina Nozzle; Short Back Cap; Long Back Cap



# Fabricator® 141i 3-in-1

SKU **463249** THEW1003141





Optional: TIG Torch and Accessories, Required for TIG Welding THEW4013802







Core-Cut Staples - 100 Pack

SKU **255808** SHA17031 **Flat Square Outside Corner/Sm. Wave** SKU **255809** SHA17032 **Outside Corner/No Wave** SKU **255820** SHA17033 Inside Corner/Sm. Wave SKU **255839** SHA17034 SKU **255843 Inside Corner/No Wave** SHA17035 SKU **255845** SHA17036 Flat Small Wave Flat "S" Type SKII 255851

# TIPS (25 PACK) **Lincoln Mig Contact .030 Tips**

**Lincoln Mig Contact .035 Tips** Miller Mig Contact .030 Tips Benzel & Tweco Mig Contact .023 Tips Benzel & Tweco Mig Contact .030 Tips

**24**99 SKU **343402** SHA12874 2499 SKU **343403** SHA12875 **24**99 SKU **343404** SHA12877

1999 SKU **343399** SHA12937 **24**99 SKU **343401** SHA12938



# power

HARDWARE

# **ELECTRODES**

E6011 1/8" Electrode 5 Lb E7018 1/8" Electrode 5 Lb

SKU **988904** 

THE14400106 **17**99 THE14400186

### **Welding Helmets**

Staples and Plastic Storage Case

• Eco-Friendly Plastic Welder that is Great for Repairing Virtually

• Kit Includes: 4 Staple Styles, 2 Ironing Blades, Plastic Box for

# **Auto Darkening Welding Helmet**

SKU 362974 4 999

**Pro Tac Welder** 

Anything Made of Plastic

SKU **255799** 

SHA17030

- Variable Shade 9-13, Variable Sensitivity and Delay Controls
- Viewing Area: 3.54" x 1.37" • Battery Powered with
- Includes Replacement Cover Lenses

Solar Assist



# OEM TOOLS

# **Auto Darkening Welding Helmet** with Grinding Function

SKU **347233 7 0 99** 24358

- Variable Shade 9-13, Variable Sensitivity and Delay Controls
- Viewing Area: 3.62" x 1.65'
- · Battery Powered with Solar Assist
- Includes Replacement Cover Lenses



### **250-Piece Welding Stud Assortment**

SKU 271198 **1 499** 68130

- 250 Piece, 3/40" Size • Use with Stud Welder or Stud Gun
- Copper Coated Steel Construction



# Leather **Welder's Gloves**

SKU **972316 2499** THE1/230051 THE14230051



OEM TOOLS