BATTERY SERVICE

Battery Chargers

*Oualified Purchases Come with Coupon for Bonus Goods.



Battery Charger Cranking Assist SKU **980180** ASCUS18

BONUS Battery Tester SKU **221252** Part# ASC6029 with Purchase of: SKU **496661** | Part# ASC601 ALUE: \$149.99 Offer Good Through 9/30/14

*Qualified Purchases Come with Coupon for Bonus Goods.

Professional Fast Charger Heavy-Duty Fast Charger Cranking Assist SKU 496661 56 **Cranking Assist** SKU 444366 75 ASC6006



*Qualified Purchases Come with Coupon for Bonus Goods. **Fast Charger Cranking Assist** SKU **344795** ASCUS20



Manual Fast Charger 6/12 Volt 40/10 Amp SKU **343371** ASC6015B

Heavy-Duty Commercial Charger **Cranking Assist** SKU **496657** ASC6001A 6001a **999**99

(A) ASSOCIATED

Part Number	Voltage	UL Continuous Rating	MFR Boost Rating	UL Cranking Assist Rating	AC Cord	DC Leads	Clamp Rating	Limited Warranty	Shipping Dimensions (HxWxD)	Weight
#ASCUS18	6/12	40/40/10A	330A	200A	6.5′, 16-3	6.5', 6 AWG	400A	2 Years	24"x 15" x 13.5"	35 LBS
#ASC6012	6/12	70/60A	500A	250A	6′ 16-3	6.5′ 6.5 AWG	400A	5 Years	23"x19" x 16"	48 LBS
#ASC6006	6/12/24	70/65/30A	600A	280A	6.5′ 16-3	7′ 4 AWG	500A	5 Years	23"x19"x16"	53 LBS
#ASC6015B	6/12	40/10A	300A	200A	6′ 16-3	6.6' AWG	200A	1 Year	11" x 13" 9.5"	24 LBS
#ASCUS20	6/12	40/40/10A	330A	200A	6′ 16-3	6′ 16-3	400A	2 Years	13.5" x 15" x 24"	35 LBS
#ASC6001A	6/12	100/75A	625A	375A	10′ 14-3	8' 4 AWG	500A	5 Years	13"x16"x14"	38 LBS

12 Volt. 45A

Intellamatic Pro

Wheel Charger

Intellamatic

Portable Intellamatic

SKU **110345 53999** ASC9425

- 12V, 25 Amp Intellamatic Smart Bench Charger
- Safe for all Battery Types Including Flooded Maintenance Free, AGM or Gel-Cell
- Deep Discharge Recovery • Weak Battery Detections
- Clean 13.7V Electrical System Stabilization



Intellamatic® 12 Volt - 60 Amp/270 Amp Boost Wheel Charger

SKU **343379** ASCESS6008MSK

- Stable Power Supply for Extended Service Procedures or Re-flashes
- Designed for AGM, GEL Cell, Sealed and Standard Flooded Batteries Including Spiral Cell, Orbital™ or Optima™ Batteries
- UL Cranking Assist Rating: 270A
- Dead Battery Override
- Limited Warranty: 3 Years

with Purchase of:

BONUS

Battery Tester

SKU **221255** Part# ASC6033

Offer Good Through 9/30/14





SKU **343370** ASCESS6007B Stable Power Supply for

ASSOCIATED

Extended Service Procedures or Reflashes Nominal 13.7V DC Output 40 Amp / 130 Amp Boost

 Charger and Power Supply for Standard Automotive, Deep Cycle, AGM and Gel Cell Batteries • Clean 13.7V Electrical

System Stabilization



BONUS

Battery Tester

SKU **221255** Part# ASC6033

with Purchase of:

Portable Chargers

Portable Automatic 6/12 Volt Charger SKU 343381 ASC9015

Continuous Rating 10/10/2 Amps

Substantially Reduces Risk of Overcharging



BASSOCIATED

with 100 Amp Engine Start SKU **343382** ASC9092

• DC Leads 6'

12/2 AWG Manual 6 Volt Position for Lower Voltage Requirements



Conductance Tester

· Tests 12V Batteries from

100 - 1,400 CCA - Including

Battery Testers

Digital Electrical System Analyzer Tester with Printer

SKU **343373** ASC12-1015

- Volt Meter 5-91 Volts
- 10 Line LCD Display
- Battery Tests Display: Good/ Replace/Recharge-Retest, Measured Voltage of the Battery, CCA Battery, Internal Resistance. Estimated Remaining Life



Digital Battery Tester

SKU **221255** 🦱 🚪 ASC6033

- Digital Hand-Held Tester Reads Hi and Lo Voltage After Test is Accomplished
- Computes Actual CCA of Battery
- Heavy Load Enables the 6033 to Detect Bad Batteries that are Sometimes Missed by the Electronic Testers



ASSOCIATED

Digital Electrical System Analyzer Tester

SKU **343372 7 9 9 9** ASC12-1012 4

• Tests Battery, Starter and Alternator on 12V Systems

- 4 Line LCD Display
- Light Weight Hand-held Conductance Digital Battery Tester with USB Port

ASSOCIATED

Alternator/Battery



ASSOCIATED



Battery Load Tester SKU **496662 9 499** ASC6026

- SKU **434261 1 0 99** • Tests Both 6/12 Volt Batteries • 0-16 Volts DC • Tests Alternators and Starters • 125 Amp Load
 - 300 Amp Vinyl Coated Clamps
 - 1-Year Warranty



MIDMDX650P

• Tests 6 and 12-Volt AGM (Flat Plate or Spiral) GEL, and Flooded Batteries from 100-2,000 CCA

• Tests Automotive, Motorcycle, Marine, Lawn and Garden, Group 31 and Commercial 4D/8D

Advanced Diagnostic Battery Conductance/Electrical **System Tester** SKU **291329**

MIDPBT300 **19**99

• Tests 12V Automotive Batteries from 100 - 1,400 CCA

MIDTRONICS Advancing
Battery Man



Battery Conductance Tester

MIDTRONICS

Battery

SKU **291331**

MIDMDXP300

AGM and Gel

SKU **291330** MIDPBT100

 Tests 12V Automotive Batteries from 200 - 850 CCA



6, 12, and 24 Volt **Wireless Battery**, Charging, and Starting System Diagnostic Tester

SKU **222757** TN0B600

Tests All 6V, 12V and 24V Lead Acid Batteries Individually or in Parallel and Series Battery Packs



• 2' 14/2 Leads **Heavy Duty Battery Condition and Charging System** Tester 12/24V

Tester

ASC6031

SKU **222755** TNOB400

- Battery Condition is Shown in Percentage of Capacity
- Tests 12V, 24V, and 36V Starting/Charging Systems • Tests 42V Mild Hybrid
- Starter/Charging Systems • Uses Conductance Technology





SKU **222756 39999** TNOB500

• Battery Condition is Shown in Percentage of Capacity and CCA's No Conversion Tables Needed

• 50 CCA to 1,700 CCA Range

(Individual) • Up to 3,500 CCA (Parallel)





TNOB300 No Conversion Tables Needed for CCA, SAE, IEC,

- EN, or Ah Battery Condition is Shown in Percentage of Capacity
- Uses Conductance Technology Tests 12V Starting/Charging Systems
- 390 to 1 400 CCA



DID YOU KNOW?

We Have the **Starting Battery** for 2002 - 2012 Toyota Prius

Call Your AutoZone Commercial Sales Manager for Details!!!

Hybrid Battery Testers

HYBRID BATTERY? NO PROBLEM.

Hybrid Battery System Analyzer Kit with Printer

MIDHYB-1000KT **2,27999**• Includes HYP Activity

Includes HYB Analyzer, Wireless Convergence Module, 4 Foot Cables for Auxiliary Battery Test, A087 IR Printer and Soft-Sided Carrying Bag

Provides Technicians with the Capability to Perform Battery Service Maintenance Testing on Several Leading Hybrid Vehicles: Toyota Prius Gen I & II, Camry, Lexus LS600H, Honda Civic Gen II, Ford Escape Gen I, Chevy Malibu

Drive Test is an Interactive, Menu-Driven Test That Uses Live Vehicle Sensor Information While Performing an Accelerated Drive Test

Technician Can See Live Results on the Tester While Performing the Test, and Print the Results to the IR Printer at the End of the Test

 Tester will Also Test the 12-Volt Auxiliary Battery and Read/Clear Diagnostic Test Codes

MIDTRONICS

Advancing

Hybrid Car Battery Tester

SKU **452640** MIDHYB-1000 **1,799**99



Make	Model			
Cadillac	Escalade			
Chevrolet	Malibu			
Ford	Escape Gen I			
	Escape Gen II			
	Fusion			
Honda	Civic Gen II			
	Jrisight 1			
	Tresight II			
Lexus	\5600h			
Toyota	Prius Gen I			
	Prius Gen II.			
	Carry			

For a Complete **Listing of Battery Service Products, Call Your AutoZone** Customer Service Representative 1-877-AZTool1 [1-877-298-6651].

Wheel Chargers

ProSeries Manual Wheel Charger Features

- Professional QualityLarge Face, Clear-View Meters with
- Easy-to-Read Scales • Cable Set is Grounded, Oil-Resistant and Built to Last
- Durable, Heavy Duty Steel Cabinet with Rubber Wheels
- Automatic Overload Reset and Short-Circuit,
- Heavy Duty Silicon Rectifiers with High Performance Heat Sinks

 Heavy Duty High Efficiency Transformer Design



Wheel Charger/Starter SKU 412277 1 1 999 SE-4020

STORE STOCK

- 200 Amp 12-Volt/100 Amp 6-Volt Engine Start for Emergency Starting
- 40 Amp Rapid Charge Charges
- a Battery in 1 to 3 Hours
 10 Amp Fast Charge for Everyday
 Charging Needs. Charges a Battery in 3
- to 5 Hours
 2-1/4 Hour Timer with Hold Position for
- Flexible Charging Options
- Fan Cooled for Longer LifeDual Rotary Switches and Color Coded

- Meter for Ease of Use

 6' Cable Set with Color Coded Clamps

 Charges 6 and 12 Volt Lead-Acid Batteries

200/35/2 **Amp**

SKU **837563** PSW-2035

Charges 12 Volt **Batteries**

 Polypropylene Case

• Extra Long 8' AC Line Cord





(Schumachen

Microprocessor Controlled Full Automatic or Manual Wheel Charger

(#Schumacher

SKU **058087 29999** PSW-70300A

STORE STOCK

- Battery and Charging System Voltage
- High Performance for 12V Systems
- Charges 12 Volt Lead-Acid, Deep Cycle and AGM Batteries
- Rotary Output Switch Selects Between:
 - 300 Amp Engine Start
 - 70 Amp Rapid Charge
 - 40 and 20 Amp Fast Charge - 4 Amp Slow Charge
- Precision Timer-Controlled Operation
- 2.25-Hour Timer with Off and Hold Positions for Controlled or Continuous
- Tubular, Chrome-Plated Handle with Rubber Grip and Unique Non-Conductive
- 600-Amp Heavy Duty, Chrome-Plated Steel
- Ultra Grip Clamps
- 6' Heavy Duty, 4 Gauge Commercial Welding Grade Cables
- Extra Long 9' AC Line Cord
- High Volume Cooling Fan for Efficient
- Cooling and Longer Duty Cycles



Memory Saver

SKU **220035 3999** SEC-5A-OBD

STORE STOCK

on the Go
• 5 Amp Hour Battery

Internal Charger Included

(Clocks, Radios, Seat

Positions, Keyless

Located within 3' of

the Drivers Seat

SKU **069586** 🦱

• 22 AH Pro Grade High

Output AGM Battery

• 4 Gauge 50" Cable

• 2,200 Peak Amps,

330 Cranking Amps,

275 Cold Cranking

PSJ-2212

Amps

Entry Systems,

OBD II Port is

Memory Saver 5

On Board Diagnostics Connector (OBD II)

Plugs Directly into Vehicles OBD II Port

(Vehicles 1996 and Newer)

Convenient 12V DC Male-to-Male Cable

for Quickly Charging the Internal Battery

Saves Vehicle Computer Settings, Stored Fault Codes and Programmed

Internal Battery Charge Status LEDs
 Easy to Read Battery Status LEDs



SKU **837564 9499** PSW-2550 Charges 6 and 12 Volt

- Batteries
- 2-1/4 Hour Timer
- Convenient Clamp Holder and Rubber Grip
- Oversized Selector Switches
- Built-In Battery and Charging
- System Voltage Tester • Extra Long 9' AC Line Cord



Battery Chargers

SpeedCharge Maintainer

1.5 Amp Charger and Maintainer

and Ğel Cell Batteries

Microprocessor Controlled

• Charges 6 and 12 Volt Lead-Acid, Deep Cycle, AGM


Fully Automatic - Once Battery is Charged, Unit Switches from Full Charge to Float-Mode Monitoring

250/65/35/5 Amp

(Schumachon

SKU **837566 39999** PSW-61224 PSW-61224 • Charges 6, 12 and 24 Volt

- 2 -1/4 Hour Timer
- Convenient Clamp Holder and Rubber Grip
- Oversized Selector Switches





300/200/60/30 Amp

SKU **837565 44999** PSW-3060

- Charges 6 and 12 Volt Batteries
- 2-1/4 Hour Timer • Convenient Clamp Holder and
- Rubber Grip Oversized Selector Switches
- Built-In Battery and Charging System Voltage Tester
- Extra Long 9' AC Line Cord



SpeedCharger

SKU **837570 5399**

SC-1000A

STORE STOCK • 10 Amp Medium Charge - Charger

Monitors Battery Condition and Automatically Adjusts Charging Rate, Preventing Battery Damage

- · Safety Start
- 6 Amp Medium Charge: Self-Adjusting Charge Rate Ideal for Everyday Charging Needs 2 Amp Slow Charge - for Charging Small Batteries and Maintaining Large Ones
- Fully Automatic
- 50 Amp Clamps Offer Versatility for Top and Side-Mounted Battery Posts
- Microprocessor Controlled
- Thermal Runaway Protection
- Electronic Push Button Controls
- Sturdy, Built-In Handle • Molded Polypropylene Case
- Charges 12 Volt Lead-Acid, Deep Cycle, AGM and Gel Cell Batteries

SpeedCharge - Charges 12 Volt Lead-Acid, Deep Cycle, AGM and Gel Cell Batteries - Amp Trickle Charge - for Charging Small

125 Amp Sure-Grip Clamps

Safety Start Electronic Touch Pad Controls Reverse-Hookup Protection

Battery & Alternator Tester Retractable Handle Molded Polypropylene Ca



2 5

4 Shumadon

Linear Battery Charger SKU 000985 **4299** SF-82-6

STORE STOCK

SKU **298615**

STORE STOCK

SEM-1562A

- 6 Amp Medium Charge Charges
- Most Batteries in 6 to 8 Hours • 2 Amp Trickle Charge – Charges
- Small 12V Battery in 2 to 12 Hours Manual Operation
- Metal Case



Linear Battery Charger/Starter

SKU **412270 5999** CF-52124 SE-5212A

- STORE STOCK
- 50 Amp Engine Start for Emergency Starting
 • 10 Amp Fast Charge -Charges a Battery in 3 to
- 5 Hours 2 Amp Trickle Charge, Charges Small 12V Battery in 2 to 12 Hours
- Fully Automatic2 LEDs

• Automatic Voltage Detection

Quick-Disconnect

• Reverse-Hookup

Charging Status LED Indicators

Protection

Power and

• Automatic Temperature Compensation

• Patent Pending "Thermal Runaway" Protection

Safety Start - Charger Will Not Supply Current to

Battery Until it is Properly Connected to Battery

- Rugged Durable Metal Case
- Top Mounted Carrying HandleCharges 12 Volt Lead-Acid and Deep Cycle Batteries







Charger SKU **058755 9599**

SC-7500A STORE STOCK

- 75 Amp Engine Start20<>10 Amp Fast Charge Microprocessor Controlled
- Thermal Runaway Protection
 - 8 Bank Multi-Battery Charger







 Multi-Stage Charging Algorithm • Eight Detachable 6' Cords with 75 Amp, Color-Coded Clamps

• Patent Pending "Thermal Runaway" Protection • Separate Standard and Gel Settings to Assure Complete Charge • Fan-Cooled for Dependability and Peak Performance

• Heavy-Duty, Steel Case for Durability

• Charges 12 Volt Lead-Acid, Deep Cycle, AGM

and Gel Cell Batteries • Reverse Polarity • Safe Start, Overcharging and Short Circuit Protection





Jump Starters

ProSeries Jumpstarter Features Pro Grade High Output AGM Batteries Offer Increased Jump Starting Performance

• Heavy Gauge, Extra Long Heavy Duty Welding Wire Cables for Easy Battery Access • Heavy-Duty Clamp Design Feature Dual Live Jaws For Maximum Power

• Integrated 3 Amp Automatic Charger for Fast and Easy Recharging

- Built-In Voltmeter for Quick Battery and Charging System Testing **ProSeries Jumpstarter ProSeries Jumpstarter**
 - 2-22 AH Pro Grade High

SKU **069587** 67

- Output AGM Batteries • 2 Gauge 55" Cable Set
- 4,400 Peak Amps, 500 Cranking Amps, 415 Cold Cranking Amps



Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

4 Bank Multi-Battery

INC-406A

Charger SKU **069531**

 Four Independent Fully Automatic Microprocessor

- Controlled Charging Banks • 6 Amp Output per Bank • Four Detachable 6' Cords with 75 Amp, Color-Coded Clamps
- Fan-Cooled for Dependability and Peak Performance Heavy-Duty Steel Case for Durability
- Reverse Polarity



• Separate LED Battery Status Indicators per Bank • Multiple Stage Charging Algorithm

Heavy Duty Chargers

• Safe Start, Overcharging and Short Circuit Protection



• Charges 6 and 12 Volt Lead-Acid and AGM Batteries

BATTERY SERVICE



1-877-AZTool1 (1-877-298-6651) Hablamos Español

SAVE \$40

TOOL AUGUST MAY BETTINY, BUT OF THE AUGUST JUMPS ANYTHING



The "TINY" Portable **Power Source**

SKU **553208** | 24370

- Jump-Start Most Cars, Trucks, Motorcycles, Boats or Power Sports Vehicles Multiple Times
- Includes 12V Emergency Start, LED Flashlight and USB Port for Device Use and Charging
- Uses a 12,000 mAh High Capacity, High Power, Battery that is Fast Charging and has Low Self-Discharge, Recharge Up to 1,000 Times
- 300 Cold Cranking Amps

Offer Good August 1-31, 2014

While Supplies Last

Maintainers

ASSOCIATED

Automatic Charger/Maintainer

SKU 228206 17999 ASC9004

- 12V, 0.8 /2.0 Amp Charger / Maintainer, Keeps Batteries Charged When Batteries Sit for Extended Periods of Time
- Will Not Over Charge Batteries



Automatic Charger/Maintainer SKU 228204 6 999

ASC9003

- 6/12V, 0.9 Amp Charger / Maintainer, Keeps Batteries Charged When Batteries Sit for Extended Periods of
- Will Not Over Charge Batteries, Safe for All Battery Types Including AGM and Gel-Cells



Automatic Charger/Maintainer SKU **228203 4 Q 99**

ASC9002

• 12V, 1.5 Amp Charger/Maintainer

MASSOCIATED

Battery Service Kit*

• Includes Tools for All in One Technician

Side Terminal Adapter

SKU 110342 1 499

• For Chargers or Booster Cables

• Convenient Pouch for Efficient Tool

SKU 972267 6 999

ASCTK6210

- Keeps Batteries Charged When Batteries Sit for Extended Periods of Time
- Will Not Over Charge Batteries
- Safe for All Battery Types Including AGM and Gel-cells



Jump Starter

Portable Power Source with Jump Start

CAL550

- 300 Cold Cranking Amps/ 400 Peak Amps
- 12,000 mAh High Capacity, High Power Battery
- Includes 12V Emergency Start, LED Flashlight and USB Port for Device Use and Charging
- Includes Carrying Case

For a Complete Listing of **Battery Service Products, Call Your AutoZone Customer Service Representative at** 1-877-AZTool1 (1-877-298-6651).

Battery Terminal Wrench

SKU **965838 1 799**

- 10 mm and 5/16" • Ratcheting Box Style Wrench for Use on 5/16" and 10 mm Battery Terminals

Battery Terminal Spreader and Cleaner

SKU **466491** 🔼 99 25122

SKU **099285 799**

25281

 Sharp Teeth Effectively Clean Corrosion from the Clamp

• For Use in 12 or 24 VDC System



Battery Disconnect

• Will Work on Corroded Spring-Type Clamps

Battery Terminal Puller



Use to Remove Battery Terminal Clamp without Damaging the Battery Post

SKU 466489 699

• Holds Up to 2 Liters

Battery Carrier sku **094644** 25283

- · Safe Way to Grab, Lift and Carry Top Post or Side Post Batteries
- Rubber Pads Grip Battery Widths from 5" to 7"

· Easily Installs onto Your Battery Post with Minimal Tools

• Use It on Any Vehicle Occasionally Stored for Long Periods, Including RVs and Boats or Any Valuable Car

Meters

THEXTON

Professional Circuit/Parasitic **Drain Tester**

SKU 463250 19999 THX209

- Checks Parasitic Drains
- Fuse Values Range from 5A to 80A





6/12 Digital ATEQ

Volt Meter

ASC12-1011



- Checks Charging System and Battery Voltage
- Table Right on the Tool That Compares Voltage Reading and Corresponding State of Charge for Both Lead Acid and AGM



Advancing

AMP-100 Digital Amp Clamp/Meter

SKU **291339 24999** MIDAMP100

- 200 DC Amp Range for Starter and Alternator Output Milliamp DC Amp Range
- for Parasitic Drain Testing
- Full Multi-Meter Functions

Great For Checking Battery Draw

Memory Cable

MASSOCIATED

Memory Saver Cable

SKU **980181 2999** ASCMS6209

- Prevents Loss of Electronic Memory When Disconnecting Vehicle Batteries Using a Power Supply
- 8' Coiled Cord
- Plugs into OBD II Connector for 1996 or Later Vehicles



Memory Saver 12 Ft Cable ASCMS6209-12 4499

- 5 Amp • OBD II Connector
- Male Cigarette Plug

15 Amp Memory Saver

ASCMS6210-12 4.4.99

- 15 Amp / 20 Amp Peak Optional Memory Saver
- Cable for ESS6008MS



Booster Cable

Booster Cables

MASSOCIATED **500** Amp

SKU **972268**

ASC6159

500 Amp **Booster** Cable SKU **972269**

ASC6160

- Total Length: 20'
- Cable Gauge: 4 AWG
- Amp Clamp: 500 Amp
- Total Length: 15' • Cable Gauge: 5 AWG • Amp Clamp: 500 Amp







ASC6200