

Pitman Arm Pullers


Pitman Arm Puller
SKU 555623 27016 **15⁰⁰**
STORE STOCK
• Used for Pulling Pitman Arms



Pitman/Tie Rod Arm Puller **OEM®**
SKU 555631 27022 **10⁰⁰**
STORE STOCK
• For Use on Compact Cars and Smaller Pitman Arms
• 2-1/16" Opening



Front End Service Kit
SKU 900820 27181 **99⁹⁹**
• Services Pitman Arm, Tie Rod and Ball Joints



Heavy-Duty Pitman Arm Puller
SKU 209523 27170 **90⁰⁰**
STORE STOCK
• Services Cars and Light Trucks 3/4 Ton
• Can Be Used for Bearing, Collar or Gear Removal



Ball Joint Sets

Ball/U-Joint Press Set **OEM®**
SKU 557231 27023 **100⁰⁰**
STORE STOCK
• Removes and Replaces Ball Joints on Many Vehicles
• C-Clamp Frame Press May Also be Used to Remove and Replace U-Joints



Master Ball Joint Adapter Set
SKU 526496 WLMW89305 **69⁹⁹**
STORE STOCK
• Complete Set Includes All Receiving Tubes and Removing/Installing Adapters Needed to Service most GM, Ford and Dodge 2- and 4-Wheel Drive Pickups, Vans and SUVs Through 1997



4 Wheel Drive Ball Joint Adapter Set
SKU 948075 27165 **85⁰⁰**
STORE STOCK
• 4WD Ford, GM, and Dodge with Dana 44 Axle, Upper and Lower



2 Wheel Drive Ball Joint Adapter Set
SKU 948076 27166 **85⁰⁰**
STORE STOCK
• Ford Van 2WD, Upper and Lower



3/4" Drive Ball Joint Impact Socket 2-9/64"
SKU 462494 24215 **24⁹⁹**
• Used on Chrysler/Dodge Mid Size Cars, Light Trucks and Vans
• Fits 2-9/64" Ball Joints
• 3/4" Drive



1/2" 12mm Ford Drive-Line Impact Socket
SKU 420319 24212 **19⁹⁹**
• Applications Include Many Ford Driveline Bolts
• 12 mm, 12 Point



Knuckle Spreader

Universal Steering Knuckle Spreader Tool **OEM®**
SKU 512957 27234 **89⁹⁹**
• Used to Spread Lower Ball Joint, Preventing Costly Damage to Knuckle



Adapter Sets for Ball Joint Presses

Ford Ball Joint Adapter Set **OEM®**
SKU 948082 27163 **85⁰⁰**
STORE STOCK
• Ford Taurus and Mercury Sable



Honda Ball Joint Adapter Set **OEM®**
SKU 948074 27164 **110⁰⁰**
STORE STOCK
• 1980-2000 Honda Accord, Civic, CRX and Prelude



Tie Rod Tools

Master Inner Tie Rod Tool **Lisle**
SKU 080557 LIS46800 **148⁹⁹**
• Works on Inner Tie Rods with Inaccessible Wrench Flats
• Includes All 9 Crows Feet to Work on Many Applications



Inner Tie Rod Tool **OEM®**
SKU 094645 25296 **19⁹⁹**
STORE STOCK
• Used to Easily Turn Tie Rods and Remove Inner Tie Rod without Removing the Outer Tie Rod



Inner Tie Rod Tool
SKU 291414 LIS45750 **89⁹⁹**
• Utilizes Six Sizes: 1-1/4", 1-1/2" 1-3/16" 1-5/16", 1-7/16" and 33.6mm
• Includes 1-1/2" Crowfoot for Use on Chevrolet Colorado and GMC Canyon



Tie Rod End Remover
SKU 209525 27175 **40⁰⁰**
STORE STOCK
• Used on Import and Many Front Wheel Drive Vehicles and Rack and Pinion Steering




Inner Tie-Rod Tool Kit **OEM®**
SKU 217377 27185 **59⁹⁹**
• Removes and Installs Tie Rod End on Rack and Pinion Steering
• Includes: 1-3/16", 1-5/16" and 1-7/16"



Threading Set

Axle Spindle Threading Set
SKU 514007 27233 **79⁹⁹**
• Set Includes: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar



DON'T REPLACE IT RETHREAD IT! **OEM®**



CV Boot Tools

FWD Axle Puller Adapter
SKU 002061 27058 **20⁰⁰**
STORE STOCK
• Used to Pull CV Drive Axles from the Transmission of Front Wheel Drive Cars Note: Use with OEM Slide Hammer #27033



CV Boot Pliers
SKU 002068 27055 **15⁰⁰**
• Plier Designed for Use on Earless Type Clamps Including Those Found on Late Model GM Inboard CV Joints
• Overall Length 7-1/2" (19cm)



CV Boot Driver **OEM®**
SKU 555409 27052 **49⁹⁹**
• Removes and Installs Many Boots on GM Constant Velocity Joints Having Stamped Retaining Rings



CV Axle Nut Sockets

1/2" Drive Axle Nut Sockets **OEM®**

30 mm STORE STOCK SKU 079988 25203 13⁹⁹	32 mm STORE STOCK SKU 552315 25204 13⁹⁹
33 mm STORE STOCK SKU 864643 25152 13⁹⁹	34 mm STORE STOCK SKU 010252 25205 14⁹⁹
35 mm STORE STOCK SKU 864642 25153 16⁹⁹	36 mm STORE STOCK SKU 079772 25206 19⁹⁹

- Removes and Installs the Front Drive Hub/Axle Nuts on 4 Wheel Drive and Many Front Wheel Drive Automobiles
- For Use with a 1/2" Drive Ratchet
- Chrome Plating to Resist Rust
- 1/2" Drive Chamfered Square Drive



OEM® **Lisle**

30 mm 12-Point Axle Nut Socket
SKU 191051 25157 **15⁹⁹**

39 mm 12-Point Axle Nut Socket
SKU 452638 LIS39650 **21⁹⁹**
• Fits Toyota/Lexus




Bearing Splitters

OEM® **✓ BEST VALUE**

5-Ton Bar-Type Puller/Bearing Separator Set
SKU 347218 27236 **99⁹⁹**
• Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
• Set Includes 2" and 3" Bearing Splitters, Four Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw



Bearing Splitter 4 5/8" - 1/2"
SKU 514006 27232 **59⁹⁹**
• Razor-sharp Edges Wedge Between Parts and Securely Holds Tool
• Maximum Spread: 4-5/8"
• Minimum Spread: 1/2"
• Thread of Tapped Holes in Adapter: 5/8" -18
• Distance Between Adjusting Screws: 4-3/8"



Bearing Splitter 1/4" - 15/16"
SKU 514005 27231 **29⁹⁹**
• Maximum Spread: 15/16"
• Minimum Spread: 1/4"
• Thread of Tapped Holes in Adapter: 5/16" -18
• Distance Between Adjusting Screws: 1-11/16"



Bearing Tools

OEM®

Seal Puller
SKU 048199 25014 **10⁹⁹**
STORE STOCK
• Two Tips Fit All Seal Sizes



Bearing Race and Seal Driver Set
SKU 391360 27119 **60⁰⁰**
STORE STOCK
• Used to Install Most Standard Wheel Bearing Races and Seals



Universal Seal Installer **Lisle**
SKU 255779 LIS17630 **79⁹⁹**
• Used to Install Many Sizes of Seals
• Long Handle Provides Good Flexibility When Installing Pinion Seals



Pinion Shaft Seal Driver **Lisle**
SKU 080559 LIS56950 **89⁹⁹**
• Used for Driving Pinion and Other Seals Into Place
• Hollow Adapter Allows Driver to Slide Over Shaft to Drive Seal
• Neodymium Magnets on Both Driver Faces Hold Seal in Place Until Ready to Drive Into Place
• Works on Many Applications (Ford SUV Pinion Seals)



Pullers

2/3 Jaw 2-Ton Gear Puller

SKU 070134 **34⁹⁹**
25901


- Maximum Reach: 3-1/2"
- Maximum Spread: 4-3/4"
- Center Forcing Screw: 3/8" to 24" x 4-7/8"



2 Jaw 5-Ton Gear Puller

SKU 141513 **29⁹⁹**
25914 **STORE STOCK**

- Reversible
- Maximum Reach: 3-1/4"
- Maximum Spread: 6"



2/3 Jaw 5-Ton Gear Puller

SKU 231202 **39⁹⁹**
25919 **STORE STOCK**

- Reversible
- Maximum Reach: 5-1/2"
- Maximum Spread: 7"



7-Ton Reversible Puller

SKU 978100 **79⁹⁹**
27183

- Maximum Reach: 6"
- Maximum Spread: 7"
- Used to Pull Gears with 2/3 Jaws



Harmonic Balancer/Steering Wheel Puller

SKU 532440 **17⁴⁹**
25053 **STORE STOCK**

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



Alternator Decoupler Tool Set
SKU 255865 **34⁹⁹**
LIS57650

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Includes Molded Case



Duramax Flywheel Lock
SKU 301613 **49⁹⁹**
LIS22100

- Locks Flywheel in Place When Removing Harmonic Balancer on 6.6L Duramax with Allison Transmissions
- Saves Time by Locking the Flywheel at the Transmission Instead of Having to Remove the Starter for Water Pump Replacement

Alternator Decoupler Pulley Tool Kit

SKU 300124 **24⁹⁹**
27261 **OEM®**

- Set Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off the Vehicle
- Comes in Blow Mold Storage Case



9-Way Slide Hammer Puller Set

SKU 900825 **99⁹⁹**
27191

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two- and Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8" - 18 Thread Slide Hammer Attachments



Slide Hammer Pilot Bearing Puller Set

SKU 526497 **84⁹⁹**
WLMW89742

- This Performance Tool Slide Hammer Pilot Bearing Puller Set is for Removal of Pilot Bearings or Any Other Items Requiring Internal Pulling
- Set Includes Four Collets Which Fit a Wide Range of Applications



Slide Hammer Puller Set

SKU 526498 **44⁹⁹**
WLMW89725LT

- 2/3 Jaw Internal and External Pullers
- Rear Axle Puller
- Locking Pliers Adapter
- Puller Hook
- Dent Puller

2 Jaw Gear Puller 5-1/2" Reach, 6" Spread

SKU 526494 **17⁹⁹**
WLMW87124LT

- Heavy-Duty Chrome Construction
- Plated to Resist Corrosion
- Size with 2/3 Jaws



2/3 Jaw Gear Puller 3-1/4" Reach

SKU 526500 **14⁹⁹**
WLMW87123LT

- 2/3 Jaw and 2 Ton Capacity
- 4-3/4" Maximum Spread
- 3-1/4" Reach 4"
- Heavy-Duty Chrome Vanadium Construction
- Plated to Resist Corrosion



Sensor Sockets

OEM®

7-Piece Sensor Socket Set

SKU 900823 **59⁹⁹**
27189

- For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



Oil Pressure Switch Socket

SKU 141490 **9⁹⁹**
25254 **STORE STOCK**

- Fits Most 1" and 1-1/16" Switches
- Accepts Oil Pressure Sending Units up to 2-5/8" Long



Water Sensor Socket

SKU 607072 **6⁹⁹**
25369

- Remove Water Sensor When Changing the Fuel Filter on GM 6.6L Duramax Diesel Engines
- 3/8" Square Drive



Oxygen Sensor Socket Set

SKU 272729 **25⁰⁰**
27110 **STORE STOCK**

- Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors
- 3/8" and 1/2" Drive, 22 mm / 7/8"



Oxygen Sensor Wrench

SKU 948079 **25⁰⁰**
27162 **STORE STOCK**

- Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines
- 7/8"/22 mm Used in SUVs and Light Trucks



Water Sensor Wrench Fits Aftermarket Sensors

SKU 459101 **12⁹⁹**
LIS34910

- Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 through 2011 6.6L Duramax Diesel Engines



Water Sensor Wrench

SKU 459099 **12⁹⁹**
LIS34900

- Removes and Installs the Water Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines



IPR Socket

SKU 080593 **29⁹⁹**
LIS68210

- Used to Remove and Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and Other Diesel Engines
- Built to Bottom Out on the Hex So it Does Not Put Torque on the Connector in Case it Can Be Reused



Power Steering

THEXTON

Power Steering Vacuum Pump

SKU 463254 **189⁹⁹**
THX212

- Bleeds Trapped Air from Power Steering System
- Tapered Adapter Allows Use on Most Makes and Models



NEW

DID YOU KNOW?

We Have Late Model Fuel Pump Coverage for 2011, 2012 and 2013 Models.

See Your Commercial Sales Manager for Details.

