

# TIRE SERVICE

**Leasing Terms Available!**

Ask Your AutoZone®  
Commercial Sales Manager

## Tire Changers

### Model 5045E Tire Changer

SKU 988894  
AMM8047107 **4,049<sup>99</sup>**

- Rim Diameter External: 10" - 21"
- Rim Diameter Internal: 12" - 24"
- Rim Width: 10.5" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator

**INCLUDES**  
Manufacturer's  
Set-Up and Training



### Model 50X Tire Changer

SKU 979898  
AMM80050XAH1 **5,799<sup>99</sup>** **COATS**

- External Clamping Range: 6" - 24"
- 1.5 Hp Motor Allows Greater Control and Variable Power without the Need for an Electrical Hook-Up
- Hand Operated - Enables Complete Power In, Power Out and Stop Control Over the Bead Loosening Shoe
- Rim Width: 14" Max



### Model 70X Rim Clamp Tire Changer with Robo-Arm®

SKU 979909 (Air)  
AMM80070XAF1 **7,649<sup>99</sup>**

**INCLUDES**  
Manufacturer's  
Set-Up and Training

SKU 979917 (Electric)  
AMM80070XEF3 **8,599<sup>99</sup>**

**Monthly Bonus Goods**  
Check [www.ammtools.com](http://www.ammtools.com) for  
This Month's Bonus Good Offer

- Robo-Arm® Assists in Top Bead Mounting for Stiff Sidewalls, Low Profiles and Run Flat Tires
- External Clamping Up to 24"
- Rim Width: 14" Max
- Bead Loosening: Hand or Foot Controlled



**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

**\$200**  
Factory Cash Back Rebate!  
For Details Go to  
[www.rebate.ammcoats.com](http://www.rebate.ammcoats.com)

**\$250**  
Factory Cash Back Rebate!  
For Details Go to  
[www.rebate.ammcoats.com](http://www.rebate.ammcoats.com)

### MONTY™ 1520 20" Capacity Tire Changer

SKU 290001  
HOFM1520110 **3,449<sup>99</sup>**

- Clamping Diameter: 12" - 20"
- Outer-Wheel Clamping Diameter: 10" - 18"
- Bead Breaker Range: 2" - 13"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40"
- Power Requirements: 120V, 1Ph, 60Hz



**Lift Gate Service**  
SKU 290017  
HOFLIFTGATE **95<sup>00</sup>**

### MONTY™ 1575 24" Capacity Tire Changer

SKU 467490  
HOFMONTY1575 **4,599<sup>99</sup>**

- Inner-Wheel Clamping Diameter: 12" - 26"
- Outer-Wheel Clamping Diameter: 10" - 24"
- Bead Breaker Range: 3" - 13"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 39"
- Power Requirements: 120V, 1Ph, 60Hz



**Lift Gate Service**  
SKU 290017  
HOFLIFTGATE **95<sup>00</sup>**

### MONTY™ 1625 24" Capacity Tire Changer

SKU 467479  
HOFMONTY1625 **5,679<sup>99</sup>**

- Inner-Wheel Clamping Diameter: 12" - 26"
- Outer-Wheel Clamping Diameter: 10" - 24"
- Bead Breaker Range: 2" - 18"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 15"
- Maximum Outer Tire Diameter: 50"
- Power Requirements: 120V, 1Ph, 60Hz



All Hofmann Tire Changers  
**INCLUDE**  
Factory Set-Up and Training

### MONTY™ 1625EM 24" Capacity High Performance Tire Changer

SKU 467483  
HOFM1625EM110 **7,149<sup>99</sup>**

- Inner-Wheel Clamping Diameter: 12" - 26"
- Outer-Wheel Clamping Diameter: 10" - 24"
- Bead Breaker Range: 2" - 18"
- Bead Loosening Power: 6,000 Lb
- Maximum Wheel Width: 15"
- Maximum Outer Tire Diameter: 42"
- Power Requirements: 120V, 1Ph, 60Hz



### T-100 Tire Changer 22" External Clamping

SKU 547117  
DANI381202 **1,599<sup>99</sup>**

- Inside Clamp: 15" - 25" / 381 mm - 635 mm
- Outside Clamp: 12" - 22" / 304 mm - 558 mm
- High-Torque Electric Turntable



**NEW**

**Dannmar**  
EQUIPMENT

**TOP SELLER**

### NextGen™ RimGuard™ Swing-Arm 25" Tire Changer

SKU 312817  
RANR980XR **2,099<sup>99</sup>**

- Drive System: Electric / Air
- Wheel Clamping Capacity: (4) Internal / External Clamps
- Tire Width: 3" to 22"
- Powerful Bead Seating System: TurboBlast
- Internal Rim Clamping Capacity: 11.5" - 24"
- External Rim Clamping Capacity: 10" - 22"
- Internal Rim Clamping Capacity: 13" - 25-1/2"
- External Rim Clamping Capacity: 11-1/2" - 23-1/2"



**Dual Position RimGuard™  
Wheel Clamps**

### NextGen™ Swing-Arm 25" Tire Changer

SKU 544590  
RANR980XRF **2,399<sup>99</sup>**

- Features True Variable Speed Control
- Internal Rim Clamping Capacity: 10" - 30"
- Maximum Tire Diameter: 50"
- Requires: 208 240V, 50/60Hz, 1-Phase Power Supply



**NEW**

**Lift Gate Service**  
SKU 262533  
RANLIFTGATE **135<sup>00</sup>**

### NextGen™ 24" Tilt-Back Tire Changer

SKU 544546  
RANR76LT **2,249<sup>99</sup>**

- Drive System Type: Electric / Air
- Motor: 2 Hp / 110 - 220 Vac / 50 - 60 Hz
- Air Requirement: 110 - 175 PSI / 8 - 12 Bar
- External Rim Clamping Capacity: 9" - 28"
- Internal Rim Clamping Capacity: 10" - 30"
- Table Clamping System: Dual Pneumatic Cylinders
- Bead Breaking System: Pneumatic Blade
- Tower Design Tilt Back




**NEW**

**Ranger**  
PRODUCTS

### RimGuard™ 28" Swing-Arm and Single Power Assist Tire Changer

SKU 544537  
RANR980AT **3,049<sup>99</sup>**

- External Rim Clamping Capacity: 9" - 28"
- Internal Rim Clamping Capacity: 10" - 30"
- Maximum Tire Diameter: 50"
- Motor: 2 HP (110/208-240V, 50-60 HZ)



**NEW**

**Ranger**  
PRODUCTS

### RimGuard™ 28" Swing-Arm and Single Power Assist Tire Changer

SKU 544542  
RANR980ATF **3,299<sup>99</sup>**

- True Variable Speed Control
- Requires 208-240V, 50/60HZ, 1-Phase Power Supply
- External Rim Clamping Capacity: 9" - 28"
- Internal Rim Clamping Capacity: 10" - 30"
- Maximum Tire Diameter: 50"



**NEW**

### NextGen™ Swing-Arm 25" Double Bead Roller Tire Changer

SKU 544547  
RANR980NXTF **3,599<sup>99</sup>**

- True Variable Speed Control
- Requires 208-240V, 50/60Hz, 1-Phase Power Supply
- External Clamping (Outer): 9" - 28"
- Maximum Tire Diameter: 50"



**NEW**

### NextGen™ RimGuard™ 28" Double Bead Roller Power Assist Changer

SKU 312819  
RANR30XLT **3,699<sup>99</sup>**

- Internal Rim Clamping Capacity: 13" - 33"
- External Rim Clamping Capacity: 10" - 28"
- Turntable Tire Width Capacity Mount: 5" - 22"
- Bead Breaker Tire Width Capacity Demount: 3" - 15"
- Maximum Tire Diameter: 50"



### NextGen™ RimGuard™ Variable Speed 28" Double Bead Roller Power Assist Changer

SKU 544551  
RANR30XLTf **3,999<sup>99</sup>**

- Quick-Change Tool Head Chuck
- Internal Rim Clamping Capacity: 13" - 33"
- Upper Bead Assist Roller Standard
- Maximum Tire Diameter: 50"

**NEW**

### Tilt-Back 28" with Right-Side Assist Tower Tire Changer

SKU 544543  
RANR76ATR **3,599<sup>99</sup>**

- Alloy Steel Mount and Demount Head, Nylon Tool Head Also Comes Standard
- External Rim Clamping Capacity: 9" - 28"
- Forged Steel Foot Pedal Levers
- Maximum Tire Diameter: 43"



**NEW**

### Tilt-Back 28" with Assist Tower Tire Changer

SKU 544550  
RANR76ATRF **3,899<sup>99</sup>**

- True Variable Speed Control
- External Rim Clamping Capacity: 9" - 28"
- Maximum Tire Diameter: 43"
- Motor: 2 HP (208/240VAC 50-60 HZ)

**NEW**

### NextGen™ 29" Leverless Tire Changer

SKU 544549  
RANR80TXF **6,599<sup>99</sup>**

- True Variable Speed Control
- External Rim Clamping Capacity: 10" - 29"
- Internal Rim Clamping Capacity: 12" - 31"
- Motor: 2 HP
- Voltage: 208-240V, 50-60 HZ, 1-Phase Only



**NEW**



**Delivery Included  
on Tire Changers  
and Wheel Balancers**



1-877-AZTool1 (1-877-298-6651) *Hablamos Español*

**AutoZone**  
**Tool & Equipment QUARTERLY**

**Tire Changers**

**Super-Duty Truck  
Tire Changer**

SKU 544552  
RANR26FLT **6,299<sup>99</sup>**

- Max Rim Diameter: 14" - 26"
- Max Tire Diameter: 63"
- Max Tire Width: 31-1/2"

**NEW**



**Ranger**  
PRODUCTS

**COATS**  
**BASELINE™**  
**ENTRY LEVEL  
TIRE CHANGERS**

BaseLine is the Ideal Tire Changer for a Low Volume Shop that is Looking for a Durable, Entry-Level Changer to Change the Majority of OE Fitments.

- Includes Bead Sealing Jets to Aid in Inflation
- Access to Coats' Extensive Factory Authorized Service Network
- Assembled in the U.S.A.


User Set-up Required. Service by Coats Service Partners Available.

**Lift Gate Service**  
SKU 262529  
AMMLIFTGATE **55<sup>00</sup>**

**Comes with  
6-Month Parts  
Warranty**

**\$100  
Factory Cash  
Back Rebate on  
These BaseLine  
Models. For  
Details Go to  
www.rebate.  
ammcoats.com**

**Free Set Up &  
Training  
on  
AMM85002500  
(\$150 Value)**



**BL200 Value Series  
Tire Changer with  
21" External Clamping**

SKU 510977  
AMM85607372  
**1,899<sup>99</sup>**

**BL300 Tire Changer  
with 24" External  
Clamping Capacity**

SKU 510997  
AMM85002300  
**2,099<sup>99</sup>**

**BL400 Tire Changer  
with 21" External  
Clamping & Robo-Arm®**

SKU 510998  
AMM85002400  
**2,399<sup>99</sup>**

**BL500 Tire Changer  
with 24" External  
Clamping & Robo-Arm®**

SKU 509828  
AMM85002500  
**2,599<sup>99</sup>**

**Wheel Balancers**

**TOP SELLER**

**Digital Wheel Balancer**

SKU 977528  
RANDST2420 **1,679<sup>99</sup>**

- Motor: 3/4 HP, 110v/220v 50/60Hz, 1 PH
- Balancing Modes: Dynamic/Static/3-Alloy
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating
- Max Tire Diameter: 47" / 1194 mm
- Max Tire Weight: 145 Lb
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz
- Accuracy: + 1 Gram / .035 Oz



**Ranger**  
PRODUCTS

**Digital Wheel Balancer**

SKU 343398  
RANDST-64T **2,449<sup>99</sup>**

- Ergonomic Control Board with Soft Touch Keys and Easy-to-Read LED
- Motor: 1.5 HP, 208-230V, 50/60Hz 1P
- Maximum Tire Diameter: 50"
- Max Tire Weight: 150 Lb
- Cycle Time: 6-12 Seconds (Avg.) Depending on Wheel
- Precision-Machined, Hardened-Steel 36 mm Shaft



**Ranger**  
PRODUCTS

**Model 775 Wheel Balancer**

SKU 210246  
AMM85007775 **3,249<sup>99</sup>** **COATS**

- For Low to Medium Volume Shops
- Handles Assemblies Up to 100 Lb
- Integrated LED Matrix Display
- 10 Balancing Modes
- Self-Calibrating



**Lift Gate Service**  
SKU 262529  
AMMLIFTGATE **55<sup>00</sup>**

**Model 1100  
Wheel Balancer  
(220V, 3-Phase)**

SKU 543349  
AMM8500110002 **3,549<sup>99</sup>**

- Shaft Diameter: 40 mm
- Maximum Tire Diameter: 44"
- Maximum Wheel Capacity: 150 Lb



**NEW**

**Model 1100  
Wheel Balancer  
220V, 1-Phase**

SKU 527704  
AMM85001100 **3,599<sup>99</sup>**

**\$100  
Factory Cash Back Rebate!**  
For Details Go to  
www.rebate.ammcoats.com

**COATS**

**Model 1150-2D  
Wheel Balancer  
(220V, 1-Phase)**

SKU 527702  
AMM85001150 **4,199<sup>99</sup>**

- Auto Distance and Diameter Data Entry
- Behind the Spoke Mode
- 40mm Shaft Diameter
- Maximum Tire Diameter: 44"



**NEW**

**COATS**

**\$150  
Factory Cash Back  
Rebate & Monthly Bonus  
Goods. Check at www.  
ammcoats.com for this  
Month's Bonus Goods  
Offer**

**Model 875 Wheel Balancer**

SKU 210248  
AMM85008875 **4,249<sup>99</sup>** **COATS**

- For Low to Medium Volume Shops
- Standard Four Cone Set Can Handle Wheels Up to 130 Lb
- Automatic Distance and Diameter Entry; Automatic Measurement of Two Parameters with Manual Control Back-Ups
- Auto Start Hood; Balancing Cycle Begins When You Lower the Hood



**GEODYNA™ 2350  
Wheel Balancer**

SKU 290002  
HOFEWB701D **3,349<sup>99</sup>**

- Shaft Diameter: 40 mm
- Maximum Wheel Diameter 30"
- Maximum Tire Diameter: 48"
- Maximum Wheel Width: 21"
- Maximum Wheel and Tire Assembly Weight: 150 Lb
- Cycle Time: From 6 Seconds
- Balancing Modes: 10
- Power Requirements: 115 Vac



**HOFMANN**

Made in USA

**GEODYNA™ 3900S  
Wheel Balancer**

SKU 467485  
HOFEWB746A **3,849<sup>99</sup>**

- Shaft Diameter: 40 mm
- Measuring Speed: 200 RPM
- Measuring Time: 6 Sec
- Max Wheel Width: 20"
- Max Wheel Diameter: 42"
- Max Wheel and Tire Assembly Weight: 154 Lb
- Power Requirements: 115V 1Ph 50/60Hz



Made in USA

**GEODYNA™ 9300  
Wheel Balancer**

SKU 467486  
HOFEWB731D **5,449<sup>99</sup>**

- Shaft Diameter: 40 mm
- Measuring Speed: 200 RPM
- Maximum Wheel Width: 20"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 44"
- Maximum Wheel and Tire Assembly Weight: 154 Lb
- Cycle Time: From 6 Seconds
- Balancing Modes: 10
- Motor: 1 HP, 120V



Made in USA

**HOFMANN**

**OPTIMA 3D Diagnostic  
Wheel Balancer**

SKU 531215  
HOFEWB716C **12,499<sup>99</sup>**

- Fully Automatic Wheel Balancer with 3D Laser Technology
- Shaft Diameter: 40 mm
- Max. Wheel Assembly Width: 21"
- Max. Wheel Assembly Diameter: 38"
- Max. Wheel Assembly Weight: 150 Lb
- Power Requirements: 240V, 1Ph, 60 Hz



Made in USA

**CALL TO  
ORDER**  
1-877-AZTool1  
(1-877-298-6651)



**Light Truck Cone Kit**  
SKU 467497 HOF8100068

**319<sup>99</sup>** • Works with Hofmann Wheel Balancers Listed on This Page

**All Hofmann Wheel Balancers  
INCLUDE  
Factory Set-Up and Training**

**B-100 Wheel Balancer**

SKU 547121  
DANI381201 **1,449<sup>99</sup>**

- Includes: Balancing Weight Hammer/ Application Tool, Balancing Caliper, Clamp Bowl / Bowl Edge, Wide Array of Cones in Small / Medium / Large / Extra Large Sizes, 40 mm Quick-Nut



**NEW**

**Danmar**  
EQUIPMENT

**BASELINE™**  
**BL225 ENTRY LEVEL  
Wheel Balancer**

SKU 510978  
AMM85002225 **1,999<sup>99</sup>**

- Includes 40 mm Shaft, Wheel Calipers for Width Measurement, Durable Hub Nut, 3 Standard Cones (Optional Light Truck Cone Available), Premium Wheel Weight Hammer, Small Pressure Cup and Rubber Lip, Spring



**6-Month  
Parts  
Warranty**

**\$150  
Factory Cash Back Rebate &  
Monthly Bonus Goods. Check  
at www.ammcoats.com for this  
Month's Bonus Goods Offer**

**COATS**

**Got Questions?  
Get Answers.  
Pricing, Specs, Repair  
or Warranty Info  
CALL TODAY  
1-877-AZTOOL-1**

**Lift Gate Service**  
SKU 262529  
AMMLIFTGATE **55<sup>00</sup>**

**Leasing Terms Available.**  
Ask Your AutoZone® Commercial Specialist.

**Truck Wheel Balancers**

**Super-Duty Truck Wheel  
Balancer with Drive-Check™**

SKU 255750  
RANRB24T **6,849<sup>99</sup>**

- Shaft Size: 40 mm
- Maximum Tire Diameter: 50"
- Max Tire Weight: 400 Lb
- Max Wheel Diameter: 30"
- Wheel Width Capacity: 2" - 20"
- Includes: Centering Cones, (5) Standard Cones, (1) Dual Tapered Cone, Wheel Calipers
- Voltage: 208-240V 50/60HZ 1Ph

**NEW**



**Ranger**  
PRODUCTS

**Pneumatic  
Wheel Lifting.  
No Heavy  
Lifting!**



**INCLUDES:  
Passenger  
and Light  
Truck Cones  
A \$2,500  
VALUE!**

**GEODYNA™ 980L  
Truck Wheel Balancer**

SKU 467487  
HOFEWB710BW **10,389<sup>99</sup>**

- Wheel Width: 2" - 20" (5 cm - 50.8 cm)
- Maximum Wheel Assembly Width: 25" (63.5 cm)
- Maximum Wheel Assembly Diameter: 8" - 30" (20.32 cm - 76.2)
- Wheel Weight: 500 Lb (227 Kg)
- Balancing Modes: 10
- Motor: 1 HP 115VAC
- Cycle Time: From 7 Seconds
- Includes: Truck Centering Cones for Hub Piloted Wheels, and the Professional 4-Star/5-Star Centering Arms for Stud Piloted Applications
- As a Bonus, the Geodyna 980L Comes with the Passenger/Light Truck Cones for Automotive Use

**Lift Gate Service**  
SKU 290017  
HOFLIFTGATE **95<sup>00</sup>**

Made in USA

**HOFMANN**



# TIRE SERVICE

## DID YOU KNOW?

There are Over 96 Million Cars on the Road with TPMS.

Autozone Can Service Your TPMS Needs from Complete Shop Solutions to Sensors, Service Kits, Diagnostic and Service Tools. Call Your AutoZone Commercial Sales Manager for Details!

### Tire Pressure Monitoring Systems

#### TPMS Service Tool Kit

SKU 527699 **164<sup>99</sup>**  
DYNDY-312

- Includes: Torque Wrench with 11 mm and 12 mm Sockets, Torque Tool for Valve and Sensor, Valve Core Torque Tool 12 In-Lb, Grommet Removal Tool, Grommet Pick Tool



**DVT** Dynamic SENSOR  
Dual Valve Technology

#### TPMS Valve and Sensor Torque Tool

SKU 527700 **29<sup>99</sup>**  
DYNDY-002A

- Includes T10 Torx Bit for Clamp-In Valves and S7 Socket for Snap-In Valves
- Preset to 12 In-Lb
- Included in Shop Solutions Kit



**DVT** Dynamic SENSOR  
Dual Valve Technology

#### TPMS Replacement Valve Stem Assortment

SKU 531712 **199<sup>99</sup>**  
DYNTPM-16VS

- (16) Different Part Numbers of the Most Popular Replaceable Valve Stems
- (52) Total Valve Stems in the Kit



**DVT** Dynamic SENSOR  
Dual Valve Technology

#### TPMS Valve Sealing Cap Parts Kit

SKU 543383 **44<sup>99</sup>**  
TMROPK860

##### Kit Includes:

- (50) Chromed Cap Plastic Hex Caps
- (20) Chromed Cap Plastic Hex Caps with Green ID
- (60) Long Plastic Caps for TR20008 TPMS Valve
- (20) Chromed Plastic Long Skirted Caps
- (20) Green Plastic Caps with Seal
- (50) Standard TPMS Gray Caps



**NEW**

#### Replacement TPMS Sensors

- Dual Valve Technology
- No Sensor Programming is Required
- Like an OE Sensor, Always Complete the Relearn Procedure
- DVT Sensors are Compatible with All TPMS Service Tools

**NEW**



**DVT** Dynamic SENSOR  
Dual Valve Technology

TPMS Sensor	Application	SKU	Part #	Price
2005-06 GMC/Chevy	2005-06 Chevy, GMC, Hummer	546317	DYNDVT-1000	<b>44.99</b>
GM 314.9/315 MHZ	Buick, Cadillac, Chevrolet, GMC, Hummer, Isuzu, Pontiac, Saab, Saturn, Suzuki	544588	DYNDVT-1001H	<b>44.99</b>
Ford/Chrysler 315 MHZ	Chrysler, Dodge, Jeep, Ford, Lincoln, Mercury, Mitsubishi	544589	DYNDVT-1002H	<b>44.99</b>
Ford/Chrysler 433 MHZ	Chrysler, Dodge, Jeep, Ford, Lincoln, Mercury, Mitsubishi	544591	DYNDVT-1003	<b>44.99</b>
Toyota/Nissan 315 MHZ	Toyota, Lexus, Scion, Nissan, Infiniti	544594	DYNDVT-1004A	<b>44.99</b>
Honda/Acura 315 MHZ	Honda, Acura	544595	DYNDVT-1005	<b>44.99</b>
Hyundai/Kia 315 MHZ	Hyundai, Kia	544596	DYNDVT-1006	<b>44.99</b>
Audi/Mercedes	Audi, Mercedes, Subaru, VW, Volvo	546633	DYNDVT-1007	<b>44.99</b>



#### TPMS Sensor and Kit Cabinet\*

SKU 544598 **289<sup>99</sup>**  
DYNTPM-72P

- Pre-Drilled Holes for Wall Mounting or the DYNTPM-CS Stand
- Measures: 30"H x 20"W x 9"D
- Weight: 54 Lb

#### TPMS Sensor Storage Cabinet\*

SKU 544592 **149<sup>99</sup>**  
DYNTPM-90

- Pre-Drilled Holes for Wall Mounting or the DYNTPM-CS Stand
- Measures: 25.6"H x 20"W x 7.3"D
- Weight: 27 Lb

\*Cabinet Only. Sensors and Kits Not Included

**NEW**


**NEW**

#### TPMS Cabinet Stand

SKU 527701 **99<sup>99</sup>**  
DYNTPM-CS

- A Convenient Way to Locate Either the DYNTPM-72P or DYNTPM-90 Cabinet Close to the Work Area
- Dimensions: 60"H x 25"W x 24"D

**DVT** Dynamic SENSOR  
Dual Valve Technology



### Truck Tire Tools

#### Tubeless Truck Tire Iron

SKU 394384 **78<sup>99</sup>**  
KTL34645

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37" - Stock Diameter: 3/4"



#### Classic Tubeless Truck Tire Iron

SKU 394389 **89<sup>99</sup>**  
KTL34645C

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37" - Stock Diameter: 3/4"



**Ken-Tool**  
WHATEVER TIRES ARE CHANGING

## SPECIAL PROMO



**ATEQ**

Increase Shop Productivity and Profitability!

**NEW**

#### VT55 Kit with Mitsubishi Tool

SKU 544587 **1,399<sup>99</sup>**  
ATEVT55PROMO

No Need to Purchase Additional Scan Tool or Other Accessories. This Tool Functions at the Original Equipment Level on all Vehicles; Domestic, European and Asian

- Simply Input Vehicle and Start TPMS Tests
- Complete Sensor Diagnostics - ID#, PSI, Temperature and Battery Status
- Triggers All OE Domestic and Import Sensors
- ECU OBD II Programming for Asian Vehicles
- No Scan Tool Required
- Free Technical Hotline Support
- Free Internet Updates for 1st Year

**BONUS** with Purchase of SKU 544587

**ATEQ**

#### MITSURESET Mitsubishi Tool

Low-Cost, Simple Solution for Performing TPMS Relearns on Mitsubishi Vehicles Without the Need for a Scan Tool

- Stand Alone, One-Touch TPMS Re-Learn Module
- Enables Mitsubishi Lancer, Outlander and Mirage TPMS Learn Mode
- Fully Updatable via Computer
- Compatible with All TPMS Trigger Tools Capable of Triggering Mitsubishi Sensors



**VALUE: \$249.99**

#### VT30 TPMS ID Reader

SKU 531172 **249<sup>99</sup>**  
ATEVT30-1000

- Decode and Display All TPMS Sensors Currently on the Market, Yours Included
- Synchronize Through Internet Using a USB Connection on a PC

**ATEQ**



#### VT56 Diagnostic TPMS Tool

SKU 544586 **2,249<sup>99</sup>**  
ATEVT56

##### VT56 OBDII Kit Includes:

- VT56 Diagnostic Tool, OBDII Interface Connector, OBDII to VT56 Ethernet Cable, USB PC Cable, Power Adaptor, Update Software, Quickstart User Manual
- ATEQ Hard Kit Carry Case
- Includes 3 Years of Updates

**NEW**



**Lisle**

### Tire Test Tank

#### Tire Tube Test Tank

SKU 291382 **69<sup>99</sup>**  
LIS19822

- The Tank Features Reinforcement Ribs for Extra Support
- Will Handle Passenger Tire Sizes to Wide Oval and Light Duty Truck Tires
- Dimensions 31" X 12" X 12"





# DID YOU KNOW?

**AutoZone® Offers  
12 Months Same as Cash.**

Call Your AutoZone®  
Commercial Sales  
Manager for Details!  
(Some Restrictions Apply)

## TPMS from Bartec USA

### TECH500

#### Tech500 The Premium TPMS Tool

SKU 256771  
WRT500  
**1,699<sup>99</sup>**

**Bartec's  
First  
All-in-One  
Bluetooth  
Wireless  
TPMS Tool!**

- The TPMS Tool That Programs GM, Ford and Volvo Through the OBDII
- Programs Aftermarket Sensors
- Wireless Data Retrieval
- Wireless Tool Charging
- TPMS Repair Process Menu Flow
- Stores Vehicle Data for Future Review
- Checks Key FOBs and Passive Key Systems
- On-board Relearn Procedures
- Activates and Decodes All Known TPMS Sensors
- One Year Free Software Updates



### TECH400SD

SKU 436426  
WRT400SD  
**1,299<sup>99</sup>**

**Bartec's First  
All-in-One  
Combination  
TPMS Tool!**

Contact AutoZone About  
Bartec Promotions



- Active and Decode ALL Known TPMS Sensors
- The First TPMS Tool with Make-Model-Year Look Up
- Displays Replacement Part Numbers for Easy Reference
- Better Diagnostics to Indicates if Proper Sensor is Installed Correctly
- Programs Aftermarket Sensors

- UHF Signal Detection - CHECKS SIGNAL OF KEY FOBs (RKE)!
- Stores Vehicle Data for Future Review
- The TPMS Tool That Programs GM, Ford and Volvo Through the OBDII
- Complete Vehicle Audit Report
- One Year Free Software Updates

#### 10-Piece TPMS Mechanical Tool Set

SKU 295801  
WRTMT104  
**189<sup>99</sup>**

- Servicing the TPMS Sensor "Wear Items" is the Best Way to Keep the TPMS Sensor Functioning
- All the Tools You will Need to Properly Service TPMS Sensors are Included in This Kit

#### Includes:

- Torque Wrench
- T-10 Torque Driver
- T-20 Torque Driver
- 3-way Fishing Tool
- Valve Core Torque Tool
- Digital Tire Pressure Gage
- Multi-purpose Grommet Tool
- Grommet Removable Tool



#### Mitsubishi TPMS Relearn Adaptor Kit

SKU 469269  
WRT0BD002  
**34<sup>99</sup>**

- OBDII Adapter for TPMS Assisted Relearn for Tech400+, Tech SD, and Tech500 TPMS Tools
- Mitsubishi TPMS Relearns Have Been Impossible Up Until Now. Bartec is the First to Introduce a Relearn Solution for the Full Range of Mitsubishi Vehicles.
- Kit Includes: OBDII Assisted Relearn Cable, Quick Start Guide

**NEW**



## Truck Tire Repair Tools

#### 5-Gallon Bead Seater

SKU 526505  
24449  
**199<sup>99</sup>**

- Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires
- Operates on Standard Shop Air; Max 120 PSI
- Lip on Barrel Allows for Proper Angle for Correct Bead Seating



#### Tire Inflation Cage

SKU 410069  
BRA03-0232  
**399<sup>99</sup>**

- Max Tire Width: 21.4"
- Max Tire Diameter: 34"

**AUTO  
INFLATION  
MADE  
AFFORDABLE!**



#### Blockhead Automatic Inflator

SKU 409472  
BRA40-0075  
**599<sup>99</sup>**

- Auto Inflate/Deflate
- Nitrogen Conversion Ready
- Air Chuck and Fill Hose Included

#### Inflation Cage/Blockhead Combo

SKU 409473  
BRA04-0168  
**979<sup>99</sup>**

- Inflation Cage w/BlockHead Auto Inflator
- Max Tire Width: 21.5"
- Max Tire Diameter: 34"

#### Blockhead Cage Mounting Bracket

SKU 410070  
BRA04-0143  
**29<sup>99</sup>**

- Bracket to Mount BlockHead to Tire Safety Cage

#### Blue Cobra® Truck Tire Service Set

SKU 394447  
KTL35442  
**564<sup>99</sup>**

- Contains All the Tools You Need to Change Most 22.5" and 24.5" Tubeless Truck Tires Quickly and Easily
- Includes: 35440 - Blue Cobra® Truck Tire Demount Tool, 34645C - T45AC Classic Tubeless Tire Iron, 33050 - Double-End Tire Spoon, 35848 - 8 Lb Bucket Euro Paste Lube, 30512 - Euro-Style Lube Applicator Brush, 31713 - Aluminum C-Lok™ Bead Holder, 31810 - Leather Rim Protector



## Lug Wrenches

#### 18" Fold-Down Lug Wrench

SKU 394466  
KTL35633  
**31<sup>99</sup>**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")



#### Telescoping Lug Wrench

SKU 394478  
KTL35634  
**31<sup>99</sup>**

- 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 23 mm (7/8")
- Length: 21" Extended

## Lug Wrenches



Wrench	Description	SKU	Part #	Price
14" 4-Way Car Lug Wrench	• Chrome-Plated Finish, Welded Center • 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")	394479	KTL35635	<b>15.99</b>
20" 4-Way Lug Wrench	• Chrome-Plated Finish, Welded Center • 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")	394460	KTL35630	<b>20.99</b>
18" 4-Way Lug Wrench	• 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")	394556	KTL35663	<b>26.99</b>
18" 4-Way Lug Wrench	• Painted Finish, Welded Center • 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")	394482	KTL35637	<b>26.99</b>
20" 4-Way Lug Wrench	• 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")	394450	KTL35620	<b>26.99</b>
22" 4-Way Lug Wrench	• 17 mm (11/16"), 19 mm (3/4"), 21 mm (13/16"), 22 mm (7/8")	394501	KTL35661	<b>36.99</b>

#### 14" Metric Chrome Lug Wrench

SKU 526949  
3362054  
**12<sup>99</sup>**

- 17 mm, 19 mm, 21 mm, 23 mm

**BEST  
VALUE**

#### 20" SAE/Metric Chrome Lug Wrench

SKU 526950  
3362055  
**16<sup>99</sup>**

- 3/4", 13/16", 7/8", 19 mm



## Tire Tools

#### Low Profile Bead Tool

SKU 080065  
DIL5500-BP  
**59<sup>99</sup>**

- Easy Grip - Ergonomically Designed Handle Gives Needed Leverage for Toughest of Sidewalls
- Longer Design to Eliminate Knuckle Busting on the Face of the Wheels
- Angled Handle Gives User Better Control of the Tool



**Dill®**

#### Wheel Stud Installer

SKU 222512  
LIS22800  
**31<sup>99</sup>**

- Easily Installs New Wheel Studs
- Use with a Ratchet or Impact Wrench to Pull the New Stud Securely in Place



#### Truck Wheel Stud Installer

SKU 222516  
LIS28950  
**36<sup>99</sup>**

- Installs Most Truck Wheel Studs in Seconds
- Use with an Impact Wrench or Ratchet
- Thrust Bearing Easily Pulls the New Wheel Stud Into Place



#### Wheel Weight Tool

SKU 217378  
25690  
**14<sup>99</sup>**

- Tool Installs, Removes, Trims and Tightens All Types of Clip-On Wheel Weights



#### 4-Piece Plastic Scraper Set

SKU 900802  
25513  
**24<sup>99</sup>**

- Use to Remove Moldings
- Works Like a Chisel
- Won't Scratch Paint
- Can Be Used for Wheel Weight Removal



#### Valve Core Tool Set

SKU 255622  
VCTSET  
**9<sup>99</sup>**

- For Inserting or Removing Valve Cores
- Includes 2" and 4" Tools



**Made in USA**

#### Hanson 5-Piece Lug Nut Specialty Set

SKU 262420  
IRW54125  
**119<sup>99</sup>**

- Reverse Spiral Flutes are Designed to Bite Down to Provide Maximum Gripping Power
- Universal Lobular Design Fits All Types of Fasteners
- For Use with 3/8" Square Drive Hand Ratchets, Impact Wrenches and Air Ratchets



**IRWIN  
Industrial Tools**

#### Spare Tire Removal Tool Kit

SKU 479984  
THX497X  
**189<sup>99</sup>**

- Kit Includes a Hand Crank and (6) Different Zinc Plated Steel Tools to Fit Most Pickup, Van and SUV-Type Vehicles



**THEXTON**



# TIRE SERVICE

## Wheel Weights

## Starter Kits with Storage



### Metal Floor Rack with 1,700 Steel Weight Assortment

SKU 383179  
AMM5202075 **799<sup>99</sup>**

- Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE, INFE

Coating Resists Corrosion, Even from Chemical-Based Wheel Cleaners

AZ SKU NUMBER	PART NUMBER	4 BOXES OF 25	PRICE
382841	AMM5518200025	MCFE, 0.25 oz	26.99
382842	AMM5518200050	MCFE, 0.50 oz	30.99
382843	AMM5518200075	MCFE, 0.75 oz	35.99
382844	AMM5518200100	MCFE, 1.00 oz	39.99
382845	AMM5518200125	MCFE, 1.25 oz	47.99
382846	AMM5518200150	MCFE, 1.50 oz	51.99
382847	AMM5518200175	MCFE, 1.75 oz	59.99
382848	AMM5518200200	MCFE, 2.00 oz	64.99
382849	AMM5518200225	MCFE, 2.25 oz	64.99
382850	AMM5518200250	MCFE, 2.50 oz	69.99
382851	AMM5518200275	MCFE, 2.75 oz	69.99
382852	AMM5518200300	MCFE, 3.00 oz	74.99
382853	AMM5523200025	PFE, 0.25 oz	18.99
382919	AMM5523200050	PFE, 0.50 oz	21.99
382920	AMM5523200075	PFE, 0.75 oz	24.99
382921	AMM5523200100	PFE, 1.00 oz	29.99
382922	AMM5523200125	PFE, 1.25 oz	36.99
382923	AMM5523200150	PFE, 1.50 oz	41.99
382924	AMM5523200175	PFE, 1.75 oz	49.99
382925	AMM5523200200	PFE, 2.00 oz	49.99
382926	AMM5523200225	PFE, 2.25 oz	49.99
382927	AMM5523200250	PFE, 2.50 oz	54.99
382928	AMM5523200275	PFE, 2.75 oz	59.99
382929	AMM5523200300	PFE, 3.00 oz	59.99
382930	AMM5523200325	PFE, 3.25 oz	64.99
382931	AMM5523200350	PFE, 3.50 oz	64.99




### Bench Top Rack with 1,000 Coated Steel Weight Assortment

SKU 383181  
AMM5202125 **599<sup>99</sup>**

- Louvered Rack Can be Placed on Top of Any Workbench
- Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Styles Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) Each of Yellow, Grey, Black, Red and Orange

AZ SKU NUMBER	PART NUMBER	4 BOXES OF 25	PRICE
383004	AMM5530550025	TFE, 0.25 oz	29.99
383005	AMM5530550050	TFE, 0.50 oz	29.99
383006	AMM5530550075	TFE, 0.75 oz	34.99
383007	AMM5530550100	TFE, 1.00 oz	39.99
383008	AMM5530550125	TFE, 1.25 oz	49.99
383014	AMM5530550150	TFE, 1.50 oz	54.99
383021	AMM5530800025	ALFE, 0.25 oz	26.99
383022	AMM5530800050	ALFE, 0.50 oz	30.99
383023	AMM5530800075	ALFE, 0.75 oz	35.99
383029	AMM5530800100	ALFE, 1.00 oz	39.99
383030	AMM5530800125	ALFE, 1.25 oz	47.99
383031	AMM5530800150	ALFE, 1.50 oz	51.99
383038	AMM5530820010	FNFE, 10g	34.99
383039	AMM5530820015	FNFE, 15g	34.99
383107	AMM5530830010	ENFE, 10g	34.99
383108	AMM5530830015	ENFE, 15g	34.99
383118	AMM5530850010	IWFE, 10g	34.99
383119	AMM5530850015	IWFE, 15g	34.99
383129	AMM5530860025	LHFE, 0.25 oz	29.99
383130	AMM5530860050	LHFE, 0.50 oz	29.99
383131	AMM5530860075	LHFE, 0.75 oz	34.99
383132	AMM5530860100	LHFE, 1.00 oz	39.99
383133	AMM5530860125	LHFE, 1.25 oz	49.99
383134	AMM5530860150	LHFE, 1.50 oz	54.99

Other Sizes Available.  
Call 1-877-AZTool1 for Details.



**NEW LOW PRICES**  
ON OUR MOST POPULAR  
WHEEL WEIGHTS AND  
START UP PACKAGES



### Tape-A-Weight Steel Wheel Weights

AZ SKU NUMBER	PART NUMBER	DESCRIPTION	QUANTITY PER BOX	PRICE
382993	AMM5528931100	6001FET18 - 1 Oz Segments, (4) Boxes of (18) 4 Oz Strips	72	144.99
382992	AMM5528931050	7127FET18 - .5 Oz Segments, (4) Boxes of (18) 3.5 Oz Strips	126	124.99
382828	AMM5280025	7026FERB - .25 Oz Segments with Display Bracket - Bulk Roll	700	129.99
382991	AMM5528930500	7026FE-W - 0.25 Oz, White, (4) Boxes of (30) 2 Oz Strips	240	109.99
382990	AMM5528930400	7026FE-B - 0.25 Oz, Black, (4) Boxes of (30) 2 Oz Strips	240	104.99
382989	AMM5528930300	7026FET - 0.25 Oz, Standard Profile, Tape on Top, (4) Boxes of (30) 2 Oz Strips	240	89.99
383175	AMM5533510300	7024FE - 0.25 Oz, Value Series, (6) Boxes of (16) 3 Oz Strips	192	69.99
382953	AMM5528930025	7026FER - .25 Oz Segments - Bulk Roll	700	69.99



### Low Profile Tape-A-Weight Wheel Weights

AZ SKU NUMBER	PART NUMBER	DESCRIPTION	QUANTITY PER BOX	PRICE
479991	AMM5533570300	7425FE - .25 oz Segments, Dual Tab Speed Strip, (4) Boxes of (25) 3 Oz Strips	300	109.99
479990	AMM5533580300	7325FE - .25 oz Segments, Low Profile, (4) Boxes of (25) 3 Oz Strips	300	99.99
479986	AMM5533570350	7425FEMR - .25 oz Segments, Bulk Mini Roll, Dual Tab Speed Strip, 1 Strip, 350 Segments	350	34.99
479992	AMM5533580350	7325FEMR - .25 oz Segments, Low Profile, Bulk Mini Roll, 1 Strip, 350 Segments	350	31.99



## DID YOU KNOW?

We Have Hub Bearing Assemblies Covering Over 96% of All Vehicles That Have Hub Bearings on the Road Today.

Contact Your Commercial Sales Manager for Details.

## Mount/Demount Heads

### Red Nylon Mount/Demount Head

SKU 459185 **39<sup>99</sup>**



### Coats Nylon Mount/Demount Head - Tapered Hole

SKU 459183 **39<sup>99</sup>**



### Nylon Mount/Demount Head Kit with Round Hole

SKU 459187 **99<sup>99</sup>**



### Coats Nylon Mount/Demount Head - Tapered Hole

SKU 459189 **69<sup>99</sup>**



### Nylon Mount/Demount Head Kit with Round Hole

SKU 459195 **99<sup>99</sup>**



### Coats Nylon Mount/Demount Head - Tapered Hole

SKU 459174 **69<sup>99</sup>**



### Mounting Flange for Demount Head (Flange Only)\*

SKU 899502 **59<sup>99</sup>**

- Used on R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY



SKU	Part #	Brand	Models
459185	TMRTC343	Hunter Accuturn Ranger	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 & TC3100 Series (Require Adapter) 220A, All Other Models Require 102765 Adapter R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter
459183	TMRTC183061	Coats Baseline	5030, 5040, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060, 7065, 7655, 7660, 7665 BL200, BL300, BL400 and BL500
459187	TMRTC250309	All Tool Coats Corghi Hofmann Sice	All Models RC1, 5, 10, 15, 20, Early 5060, 9010, 9024, APX90 All Rim Clamp Earlier Models Except 1550, 1620, 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436, S436TC
459189	TMRTC450310	All Tool Coats Corghi Giuliano Hofmann Hunter Sice	All Models RC1, 5, 10, 15, 20, Early 5060, 9010, 9024, APX90 All Rim Clamp Shaft Needs to Be Turned 180 Degrees for This Head to Work Earlier Models Except 1550, 1620, 1625 Fits All TCX Series (Earlier TCX500 Requires Upgrade Shaft & Kit RPII-8-114-00091) M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436, S436TOP
459195	TMRTC14024784	Accuturn Hofmann John Bean Snap On	3602, 3602HP, 4260, 4560MR, 4602, 5602, 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000, 3000GP EHP System IVE, IV, III, IIE All Models
459174	TMRTC20024335	Accuturn Hofmann John Bean Snap On	3602, 3602HP, 4260, 4560MR, 4602, 5602, 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000, 3000GP EHP System IVE, IV, III, IIE All Models



### Tire Service Tools



#### 3-Piece, Extra-Thin Wall, Wheel/Nut Protector Impact Socket Set (1/2" Drive)

SKU 094646 **24<sup>99</sup>**  
25583

- 17 mm / 11/16" - Blue
- 19 mm / 3/4" - Yellow
- 21 mm / 13/16" - Red



OEM®

#### 4-Piece, Deep Thin Wall, SAE and Metric Impact Flip Socket Set (1/2" Drive)

SKU 965857 **24<sup>99</sup>**  
24223

- Includes 3/4" - 13/16", 19 mm - 21 mm, and 7/8" - 15/16" Sockets and 3" Extension

#### 3-Piece Super Strength Wheel Nut Impact Socket Set (1/2" Drive)

SKU 347212 **49<sup>99</sup>**  
24227

- Includes Sizes: 17 mm, 19 mm and 21 mm
- Color Coded for Easy Size Identification (Blue-17 mm, Gold-19 mm and Red-21 mm)



OEM®

THAN STANDARD THIN WALL SOCKETS

#### 9-Piece Wheel Lock Removal Impact Socket Set (1/2" Drive)

SKU 965865 **49<sup>99</sup>**  
24225

- Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18 mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch



OEM®

#### 5-Piece Budd Wheel Socket Set (1" Drive)

SKU 526502 **49<sup>99</sup>**  
WLMW89315

- Contains One Each: 33 mm, 35 mm, 38 mm, 41 mm and 1-1/2" Sockets, 1" Drive 6 Point Sockets
- Metric Sockets Fit Front and Rear Axle Wheels on Many Import Trucks
- 1-1/2" Socket for Domestic Trucks with Dual Rear Wheels



#### Wheel Stud Pilot Pin Kit

SKU 342260 **94<sup>99</sup>**  
THX502

- Allows the Technician to Hang Wheel without Having to Balance the Wheel on the Lip of the Hub

#### Applications:

- 498 - BMW 09' - Newer 6 Series, 7 Series, X1, X3, X5, & X6. Mini Cooper 09' - Newer
- 499 - Audi, Most BMW, VW, Mercedes, and Porsche Vehicles with 14 mm Wheel Lug Bolts
- 500 - Audi, Most BMW, VW, Mercedes, and Porsche Vehicles with 12 mm Wheel Lug Bolts



THEXTON

#### 5-Piece Torque Limiting Extension Set (1/2" Drive)

SKU 965858 **99<sup>99</sup>**  
24220

- Quick, Simple and Accurate
- Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lb, 80 Ft/Lb, 100 Ft/Lb, 120 Ft/Lb and 140 Ft/Lb

OEM®



#### 8-Piece Torque Limiting Extension and Thin Wall Socket Set (1/2" Drive)

SKU 347217 **99<sup>99</sup>**  
24228

- (4) Extension Bars: 65 Ft/Lb (90nm), 90 Ft/Lb (120 nm), 100 Ft/Lb (135 nm) and 110 Ft/Lb (150 nm)
- (4) Deep Sockets: 17, 19, 21 and 22 mm



OEM®

# BONUS

with Purchase of  
SKU 965855 | Part# 24221



Kershaw  
Responder Knife\*

Part# KER1078YL

Value: \$49.95

\*Some products advertised may be considered illegal and may not be lawful to sell, purchase, or own in specific areas.

#### 10-Piece Torque Limiting Socket Set (1/2" Drive)

SKU 965855  
24221

- Prevents Under and Over Torquing
- Includes: 17 mm x 55 Ft/Lb, 17 mm x 80 Ft/Lb, 21 mm x 80 Ft/Lb, 19 mm - 3/4" x 100 Ft/Lb, 19 mm - 3/4" x 65 Ft/Lb, 19 mm - 3/4" x 80 Ft/Lb, 22 mm - 7/8" x 120 Ft/Lb, 22 mm - 7/8" x 140 Ft/Lb

**\$199<sup>99</sup>**



OEM®

**QUICK, EASY, ACCURATE**

Offer Good Through December 31, 2014 - While Supplies Last

### PROTECT YOUR INVESTMENT

OEM®

#### 9-Piece, Extra Thin Wall, SAE and Metric Wheel Protector Impact Socket Set (1/2" Drive)

SKU 965856 **79<sup>99</sup>**  
24224

- Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from Damage
- Sizes: 3/4" 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



## Ask Us About Leasing Options!

Contact Your AutoZone® Commercial Sales Manager for Details



• More Than 80% of Businesses Finance Their Equipment

• You Can Finance as Little as \$1,000 in Equipment Costs

• By Financing Your Equipment, You Can Receive More Tax Benefits Than When You Pay Cash\*

\*Consult Your Accountant for Tax Advice

