TOOL & EQUIDING OF QUARTERLY

Service Tools

NEW OTC Ball Joint Sets

Car Ball Joint Service Kit

SKU **291455 52999** 6529

- Information At Your Fingertips The Comprehensive Manual Includes Diagrams With Instructions -Eliminating Guesswork of Which Adapters
- New Car Kit With Manual Covers Vehicles Thru 2008



BMW Ball Joint Adapter Set (11 Pc) SKU **291489**

• Works On 1992 – 1999 318 Series, 1998 – 1999 323 Series, 1996 – 1999 328 Series, 1996 – 1999 M3

Chrysler/Mitsubishi Ball Joint Adapter Set (20 Pc)

SKU **291491 2 1 999** 6529-2

Works On 1996 – 2008 Chrysler, Dodge, Plymouth, And Mitsubishi Cars With Press In Ball Joints

Ford/Mazda Ball Joint Adapter Set (25 Pc)

SKU **291492 10099** 6529-3

• Works On 1996 – 2008 Ford, Lincoln, Mercury, And Mazda Cars With Press In Ball Joints

GM Ball Joint Adapter Set (18 Pc)

6529-4

6529-1

SKU **291493 17/199**

• Works On 1996 - 2008 Chevrolet, Buick, Pontiac, Oldsmobile, and Cadillac Cars With Press In Ball Joints

Honda/Acira Ball Joint Adapter Set (19 Pc) SKU **291494** _____

6529-5 • Works On 1996 - 2008 Honda and Acura Cars With

Import Ball Joint Adapter Set (15 Pc)

SKU **291495** 6529-6

6529-10

• Works On 1996 – 2008 Toyota, Hyundia, Kia, Infinity, Saab, and Nissan Cars With Press In Ball Joints

Master Car Ball Joint Adapter Set (14 Pc) 7499 SKU **291490**

 14 Additional Adapters Required To Complete A 6529 Car Ball Joint Master Set When Added To The 6539 Truck Ball Joint Adapter Set.

Ball Joint Application Guide

6529MAN-08 **6499**

• New Application Guide to Cover all Car and Truck/Van/ SUV Makes and Models Thru 2008

Truck/Van/SUV **Ball Joint Service Kit**

SKU **291456 5999** 6539

This 55+ Piece Kit Covers Press-in Ball Joints on the Following Truck/Var/SUV Applications; Toyota, Hyundai, KIA, Infinity, Isuzu, Nissan, Chrysler, Dodge, Jeep, Plymouth, Mitsubishi, Ford, Lincoln, Mercury, Mazda, Chevrolet, Buick, Oldsmobile, Pontiac, Cadillac, GMC, Hummer

OTC.

- Information At Your Fingertips The Comprehensive Manual Includes Diagrams With Instructions Eliminating Guesswork Of Which Adapters Are Required.
- New Truck/Van/SUV kit with Manual Covers



Import Truck Ball Joint Adapter Set (35 Pc)

SKU **291497** 🤦

• Works On 1996-2008 Toyota, Honda, Acura, Hyundai, Kia, Infinity, Isuzu, and Nissan Trucks, Vans, and SUV's With

Chrysler/Mitsubishi Truck Ball Joint Adapter Set (35 Pc)

6539-2

• Works On 1996-2008 Chrysler, Dodge, Jeep, Plymouth, And Mitsubishi Trucks, Vans, and SUV's With Press In

Ford/Mazda Truck Ball Joint Adapter Set (32 Pc)

SKU **291502**

6539-3

Works On 1996-2008 Ford, Lincoln, Mercury, and Mazda Trucks, Vans, and SUV's With Press In Ball Joints

GM Truck Ball Joint Adapter Set (28 Pc)

SKU **291503** 6539-4

• Works On 1996-2008 Buick, Cadillac, Oldsmobile, Pontiac, Chevrolet, GMC, and Hummer Trucks, Vans, and SUV's With Press In Ball Joints

Master Truck Ball Joint Adapter Set (18 Pc)

SKU **291498 24999** 6539-10 6539-10

• 18 Additional Adapters Required to Complete a 6539 Truck Ball Joint Master Set When Added tothe 6529 Car Ball Joint Adapter Set

C-Frame Press

SKU **499640**

7248



• To be used in conjunction with all OTC Ball Joint Adapters Can Also Be Used For Removing/Installing; Universal Joints With Needle Bearings, Pressed In Wheel Studs, And Brake Anchor Pins On Heavy Duty Vehicles

CV Boot Tools

FWD Axle Puller Adapter

SKU 002061 700 27058

STORE STOCK

• Used to Pull CV Drive Axles from the Transmission of Front Wheel Drive Cars Note: Use with OEM Slide Hammer #27033



• For Installing Band Style Clamps That Require the Tensions be Maintained While the Band is Locked Into Place

CV Boot Pliers SKU **002068**

27055



- Plier Designed for Use on Earless Type Clamps Including Those Found on Late Model GM Inboard CV Joints
- Overall Length 7-1/2" (19cm)

CV Boot Driver

SKU **555409 2199** 27052

 Removes and Installs Many Boots on GM Constant Velocity Joints Having Stamped Retaining Rings



Tubing

Double Flaring Tool Kit

27015

3000 STORE STOCK



Heavy Duty

Tubing Bender SKU **391367 2000**

STORE STOCK

• Used to Make Left, Right and Offset Bends Up to 90° 1/4", 5/16" and 3/8" (4, 6 and 8mm) OD Aluminum, Copper and Stainless Steel Tubing



SKU **532507 699** 25058

STORE STOCK Capacity: 1/8" to 7/8" SKU **141489** 25299 STORE STOCK

Capacity: 1/8" to 1-1/8"

Tubing Bender Pliers SKU **265107 4999 4 25170**

• Can be used as 3/16" Tubing Bender Pliers and 1/4" Brake Line Bender Pliers

• Bends all Types of 3/16" Brake Lines and 1/4" OD Tubing Without Kinking or Flattening, Especially in Tight Spots



Ball Joint Sets

Ball/U-Joint Press w/4WD **Joint Service** Set



SKU **516524** 27089

- 1967 to Current 1/2 to 3/4 Ton 4WD
- Dana 44 Series Front Axle

Ball Joint Adapter Sets for 27023 or 27089

Ford Ball Joint Adapter Set OEM SKU 948082 🙊 🛴 00 27163

STORE STOCK

• Ford Taurus and Mercury Sable



STORE STOCK

• 1980-2000 Honda Accord,



4 Wheel Drive Ball Joint Adapter Set

sku **948075** 🙊 **5**00 27165

STORE STOCK

• 4WD Ford, GM, and Dodge with Dana 44 Axle, Upper and Lower

2 Wheel Drive Ball Joint Adapter Set

SKU **948076** • 27166

STORE STOCK • Ford Van 2WD, Upper and Lower



Ball/U-Joint Press Set SKU **557231 1 0 0 0 0**

27023 STORE STOCK

• Removes and Replaces Ball Joints on Many Vehicles

 C-Clamp Frame Press May Also be Used to

Remove and Replace U-Joints



Ball Joint Service Kit

SKU 119334 1 1 099

- Removes and Installs Press-Fit Parts Such as Ball Joints, Universal Joints and Truck Brake Anchor Pins
- Contains: 3 Receiver Tubes (2-3/4" I.D. x 3" O.D., 2-1/4" I.D. x 2-1/2" O.D. and 1-3/4" I.D. x 2" O.D.)
- Installation and Removing Adapters: 1 Installing Cup, 1 Receiving Cup and 1 Installing Adapter

Hose Clamp Pliers

2 Piece Hose **Clamp Pliers**

SKU **972767 1 999** 25198

Services Most Ring-Type or Flat-Band Hose Clamps Jaws Swivel to Access

Hose Clamps in Any

Position



5 Piece Hose Clamp Plier Set SKU **965836 2099**

27159 Services Most Ring-Type or Flat-Band Hose Clamps

• Jaws Swivel to Access Hose Clamps in Any Position

Hose **Clamp Pliers**

SKU **607069** 25246 STORE STOCK

/199

 Removes Plastic an Metal Self-Tightenin Hose Clamps with Diameters of 11/16" to 2-1/2'



Angle Tip Lock Ring Pliers SKU **191055**

25354 • Used To Spread Snap Rings Found On Brakes, Pedal Shafts, Clutch Shafts, Transmissions, Machine Tools and Some Piston Rings

• Jaws Are Scored on the Outside for Secure Gripping

1/2" Drive

- Spring Loaded Jaws
- Spread: 3/4" • Length: 8 1/4:"

Torque Wrenches

3/4" Drive Torque Wrench 100-600 Ft/Lb Range SKU 217376 **999** 25688

• Right Hand Direction



Precision Torque Control by 45

• Audible Click When Desired Torque is Reached • Both Clockwise and Counter-Clock-

• High Grade Spring Steel Torque Mechanism

3/8" Drive

SKU 133658 1 0 99 25686

3/8" Drive

SKU 133657 **1 0** 99 25685

1/2" Drive SKU **133659 7999** 25687

sки **900805 Д 499** 25682 Turn any Ratchet or Breaker Bar into a Torque Wrench!

Digital Torque Adapter

OEM

• Range 40-200N-m (29.5-147.5 Ft/Lb) • Buzzes When Target Torque is Reached

> 1/4" Drive Torque Screwdriver

SKU **209522** 27172

STORE STOCK • Range: 10-50 In/Lb

 Great for Low Torque Applications



SKU **069341**

Produces Single and Double Flares in Soft Steel

Tubing Cutter

Innovative

Tooth Ratchet Head

wise Operation

10-100 Ft/Lb Range

25-250 In/Lb Range

25-250 Ft/Lb Range

Service Tools

Pullers

Timing Gear and Pulley Set

SKU **555508 T** 27009

STORE STOCK

• Services Crankshaft Pulleys and Timing Gears on Gasoline and Diesel Powered Engines



Harmonic Balancer Puller Kit

SKU **555524 900** 27019

STORE STOCK

- Used to Remove Harmonic Balancers, Vibration Dampeners, Pulleys or Gears
- Kit Features Four Yoke Slots Allowing Unit to be Used

for Two or Three-Hole Applications, Floating Swivel Prevents Damage to the Shaft Ends and the Yoke is Heat-Treated Alloy Steel for Strength and Durability

 Set Includes Yoke, Pressure Screw and Pulling Screws



Harmonic Balancer/ Steering Wheel Puller

SKU **532440** 25053

- STORE STOCK · Removes Balancers, Steering Wheels,
- Pulleys and/or Gears with Tapped Holes • Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes

Pulley Puller/ Installer Kit

SKU **002075 1 00** 27031

STORE STOCK

• Used to Remove and Install Power Steering Pump Pulleys on Many Domestic Vehicles



Harmonic Balancer

SKU **391373** 27144

STORE STOCK

Installer

• Used to Properly Install Harmonic Balancers




Steering Wheel and Lock **Plate Puller Kit**

SKU **900821** ____ **0 99** 27182

- Used to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel

OEM



OEM[®]



Chrysler Harmonic Balancer **Puller**

SKU **391370** 27139

STORE STOCK

• For Removal of the Harmonic Balancer on Many Chrysler and Mitsubishi Engines



5-Ton Bar-type Puller/ **Bearing Separator Set**

SKU 110812 7499

- Set Includes 2" and 3" Bearing "Splitters", Four Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw
- Separator Tools Are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- 5" Puller Cross-Bar with a 6-1/4" Forcing Screw and Each of the Bearing Separators May Be Used Separately or in Combination with Other Pullers or Tools



7-Ton Bar-Type Puller/Bearing **Separator Set**

SKU **112532** 4517

- Includes a Bearing Splitter with 4" Capacity, Two Sets of Hex Push Puller Legs, an 8" Bar Type Puller Head Mated with a Custom Thread Forcing Screw
- Now Service and Maintenance Professionals Have a Puller/Bearing Set for Tough Jobs, Up to 7-Tons, Larger Applications and Greater Reach 8" to 16"
- As a Stand Alone Puller/Bearing Splitter Set or as a Compliment to the 4518 Version, the 4517 7-Ton Puller/Bearing Separator Set Gives Your Maintenance/Service Shop the Expanded Capability to Keep More Business in House



Bearing and Pulley Puller Set

SKU 900824 0 0 99 27190

• Used for a Wide Range of Pulling Jobs, Including: Bearings, Alternators, Generators, Power Steering and Crankshaft Pulleys, Timing Gears and Harmonic Balancers



9-Way Slide Hammer Puller Set

SKU **110811 11099** 4579

- Pulls Flange-Type Rear Axles and Most Front-Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two- and Three-Way Cross Blocks and Cone Provide the Perfect Jaw Configuration for Most Jobs
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment for Sheet Metal or Other Unique Pulling Requirements

9-Way Slide Hammer Puller Set

SKU **900825** 27191

OEM[°]

OIC.

Reversible Pullers

2/3 Jaw 2-Ton **Gear Puller**

25901

STORE STOCK

- Maximum Reach 3 1/2"
- Maximum Spread 4 3/4"

2/3 Jaw 5-Ton

Gear Puller

• Maximum Reach 5-1/2"

Quick Change Pullers

Maximum Spread 7

SKU **231202** 🤦

STORE STOCK

• Reversible

25919



Reversible • Maximum Reach 3-1/4" • Maximum Spread 6"

2 Jaw 5-Ton

Gear Puller

SKU **141513** 🦱

STORE STOCK



OEM

7-Ton **Reversible Puller**

SKU **978100** 27183

- Maximum Reach: 6"
- Maximum Spread: 7'
- Used to Pull Gears with 2/3 Jaws



3 Jaw 1 Ton **Puller**

SKU 265138 11 999 25904

Maximum Reach: 2-1/4"Maximum Spread: 1/4" to 3-1/4"



- Combinations to Pull Bearings, Gears and Seals
- Two-And Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8"-18 Thread Slide Hammer Attachments

Steering Pivot Pin Remover SKU **265106 199**

25135 Works on 1969-current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



OEM



Quick Change 2/3 Jaw 2-Ton **Ratcheting Gear Puller** SKU 191044 4 999

25900 • Maximum Reach: 2-5/8'

- Maximum Spread: 3-1/4"
- Used to Pull Gears, Pulleys, Bearing Flanges and Fly Wheels From Shafts and Housings
- Jaws Lock in Place and Make Pulling Fast and Easy
- Quickly Converts to 2, 3 or Reversible Puller
- There Are No Pins or Nuts to Drop or Loose



OEM **Quick Change** 2/3 Jaw 5-Ton **Ratcheting Gear Puller** SKU 191045 8 999

25916 • Maximum Reach: 4"

- Maximum Spread: 5"
- Used to Pull Gears, Pulleys, Bearing Flanges and Fly
- Wheels from Shafts and Housings
- Jaws Lock in Place and Make Pulling Fast and Easy
- Quickly Converts to 2, 3 or Reversible Puller
- There Are No Pins or Nuts to Drop or Loose



Quick Change 2/3 Jaw 5-Ton Gear Puller

27193

- Maximum Reach: 6-3/4"
- Maximum Spread: 7-1/2" Quick Change Legs Allows You to Change from Two Jaw to Three Jaw Puller
- Reversible Jaws Convert Puller from Internal to External in Seconds • Removes and Installs a Wide Range of Special
- Application Pulleys
- Center Screw Size 9/16"-12



Blind Hole Puller Set

SKU **391362** 27128

STORE STOCK

• This Special Puller is Designed to Pull Blind Hole Bearings,





Valve Spring Compressor

SKU **002052 7 5 00** 27040 STORE STOCK

OEM

• Used to Compress Overhead

Valve Springs Without Removing Čylinder Head



STORE STOCK

 Use for Removing Valve Lifters from Engine Block



Quick Change 2/3 Jaw 7-Ton **Ratcheting Gear Puller** SKU 191046 **1 2999**

- 25918 • Maximum Reach: 4'
- Maximum Spread: 5"
- Used to Pull Gears, Pulleys, Bearing Flanges and Fly Wheels from Shafts and Housings. • Jaws Lock in Place and Make Pulling Fast
- and Easy • Quickly Converts to 2, 3 or Reversible Puller
- There Are No Pins or Nuts to Drop or Loose

TOOL & EQUIDING OF QUARTERLY

Service Tools

Chassis - Axle

Bearing Locknut Wrenches

• 3/4" Square Drive Opening to be Used with a Hand Ratchet or Bar and Extension Torque Wrench



2-3/32" 6 Point SKU **466531** 25470

3-3/4" 8 Point SKU **466551**

4" 6 Point

4-3/8" 6 Point

4-13/16" 8 Point

4-7/8" 8 Point SKU **466545**

25512

25487

SKU **466565 5 499**

SUNEX

2-1/4" 6 Point SKU **466546** 25488

3-7/8" 6 Point SKU 466539 2 99 25480

SKU 466541 **2 999**

2-9/16" 6 Point SKU **265086** 25496

2-9/16" 8 Point 4-1/8" 6 Point SKU **265085** SKU **466534** 25473 25483

2-5/8" 6 Point SKU **466548** 🧻 25490

SKU **466542** 25484 2-3/4" 6 Point 4-3/8" 8 Point SKU **466543** SKU **466549**

2-7/8" 6 Point SKU **466557** 25503

25491

3" 6 Point SKU **265087**

25474

3-1/4" 6 Point SKU **466535** 25476



SKU 191051 7 99 25157



• Removes and installs axle nuts and automatic transmission tail output shafts

• Applications: Chrysler manufactured vehicles, 2004 and up, Jeep Grand Cherokee V6, 2005 and up, Lexus-ES300, Pontiac-Vibe, Toyota-Avalon, Camry, Highlander, Matrix, VW Beetle, Jetta, Golf 1999 and up

2-5/8" Axle Nut **Spanner Socket**

SKU 110265 🥠 SUN10207

• Six Lug Spanner Type Socket Removes and Installs Rear Wheel Bearing Locknuts on 1946-Present Chevrolet and GMC 5200 and 7200Lb Axles



SKU 110264 **1** SUN10202

• Services 1988-95 Isuzu Trooper, Rodeo, Amigo and Pickups; 1985-89 Honda Passport Jeep J20 Pickups with Dana 60 Axle

4WD 6-Lug Spindle Socket SKU **002056 700**

27046

STORE STOCK

• Used to Remove and Install Wheel Bearing Retaining Nut on 3/4-Ton Vehicles with Dana 70 Series Axles

1" Impact Sockets

35mm 1" Drive Hex Socket

SKU 466566 🦱 25525

33mm 1" Drive Hex Socket

SKU **466569**





1-1/2", 1" Drive Hex **Budd Wheel Socket**

SKU 466570 2699 25529

 for Budd Wheel 1 1/2" with 13/16" Inside Hex

OEM°



5 Piece Spindle Nut Socket Set

SKU **209527** 27174

STORE STOCK

- Ideal for Popular 4-Wheel Drive Axle Retainers
- Use with Many 1/2 Ton Vehicles with Dana 44 Series Axles GM, Ford and Dodge and with Many 3/4 Ton Vehicles with Dana 70 Series Axles GM, Ford and Dodge



9 Piece Axle Nut **Socket Set**

SKU 900822 7 27188

- Removes Front Wheel Drive Axle Nuts
- Kit Includes: 27mm, 29mm, 30mm, 32mm, 33mm, 34mm, 35mm, 36mm and 38mm



Rear Axle Puller Set SKU **094801 0 99**

27202

• Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks



Rear Axle Bearing Remover Set

SKU 391363 5 500 27129

• Used to Pull Semi Floating Rear Axle Bearings

STORE STOCK

• Use with OEM #27033 Slide Hammer Puller

Axle Puller



STORE STOCK • Used with OEM Slide Hammer (#27033) to Pull Flange Type Axle on Most Domestic Cars and Trucks with 4.5 or 5.5 Bolt Circles



Hammer SKU **002047** 27033

STORE STOCK Threaded 5/8" x 18

• Works with OEM attachments as well as other mfrs attachments with the same thread

SUNEX® 1/2" Drive **Ford Drive Line Impact Socket**

SKU **110256 2999** SUN212ZUMDL

- 12mm, 12 Pt, Univ Joint, 4-9/16" Length
- Designed for Removal of Drive Shaft in Limited Clearance Applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150 and Mercury Equivalents from 1980s to Present



Chassis - Front End




Universal Shock Absorber Tool

SKU **036202 199** 25038

- For Removing and Installing Shock Nuts
- Fits Most Shock Stems



SKU 112534 🥖 🚺 4408





Hub Tamer-Grappler Update Kit

SKU **291507**

Grappler Kit Includes The Hub Grappler Puller, 6 New Adapters Misc. Hardware And The New Application Guide

Kit Includes

Everything To Update The Previous Hub Tamer Kit To The New Hub

Hub Grappler

SKU **291457** 6575



The Complete Solution For Servicing Wheel Hubs And Bearings On The Vehicle Without Removing The Steering Components

- Designed To Apply Maximum Force With Minimal Effort From An Impact Gun To Minimize Service Time
- The New Jaws Are Sized To Properly Fit Hub Applications Ad Located On The Puller Bar Without the Use Of Fasteners
- 5-10 Times Longer Life
- Includes 6 New Adapters Increases Application Coverage Up To 2009 Model Year Plus Tie Rod/Ball Joint Tool And 2 Ford

Hub Grappler Application Guide

SKU **291508** 6575MAN-09

5999

- Application Guide Is The Most Comprehensive Hub and Bearing Service Guide On The Market
- Provides Quick Reference to the Other Tools in the Kit Required to do the Job, Eliminating Guesswork and Saving Time



23 Piece Forward **Bearing Remover and Installer Kit**

SKU **094804** 27205

• Removes and Installs Wheel Bearings with Steering Knuckle and Strut Assembly Still on the Vehicle – Eliminates Need for Alignment



SKU **094799 699** 27201 • Used to Remove Tie Rods and Ball Joints

• Includes: 11" X 1-1/8", 11-3/4" X 1-5/8", 11-5/8" X 1-7/16", 16" X 11/16" and 16" X 15/16"



OEM[®]

Seal Driver Set

SKU **391360 600** 27119

STORE STOCK

• Used to Install Most Standard-Wheel Bearing Races and Seals

Upper Control Arm Bushing **Service Set**

SKU **094806** 27206

 Used for Quick Bushing Removal / Installation Without Removing Control Arm from Vehicles



27181

Front End Service Kit SKU 900820 **QQ99**

• Services Pitman Arm, Tie Rod and **Ball Joints**



Inner Tie Rod Tool SKU **094645** 25296

• Used to Easily Turn Tie Rods and Remove Inner Tie Rod Without Removing the Outer Tie Rod

Front Hub Puller/ **Installer Set**

SKU 900826 6 999 27192

 For Removing and Installing Most Front Wheel Drive Hubs





Inner Tie-Rod Tool Kit SKU 217377 **5999** 27185

- Removes and Installs Tie Rod End on Rack and Pinion Steering • Includes: 1-3/16", 1-5/16" and
- 1-7/16'



End Remover SKU **209525** 27175

STORE STOCK

• Used on Import and Many Front Wheel Drive Vehicles and Rack and Pinion Steering



Stepped Pickle Fork Set

SKU **291410 59**99 LIS41400

• Six Tools in One Includes: 1-1/8", 15/16", 11/16" Forks and Two Handles

Front Wheel **Drive Hub Puller** SKU **002050** 27037

STORE STOCK

- Use with OEM #27033 Fits Most Domestic and Import Vehicles with Independent Front Wheel Suspension
- Yoke and Bolt are Threaded 5/8" x 18



Inner Tie Rod Tool SKU **291414** LIS45750

• Utilizes Six Sizes: 1-1/2" 1-3/16" 1-5/16" 1-7/16" and 33.6mm • Includes 1-1/2" Crowfoot for Use on Chevrolet Colorado

Pitman/Tie Rod **Arm Puller** SKU **555631** 27022

and GMC Canyon

000 STORE STOCK A Smaller Design than OEM # 27016 for Use

on Compact Cars and Smaller Pitman Arms Yoke is Forged and Heat Treated with a 2-1/16" Opening

Pitman Arm **Puller**

SKU **555623** 27016

STORE STOCK Used for

Pulling Pitman Arms 1

Heavy-Duty Pitman Arm Puller SKU **209523** 👩

STORE STOCK Services Cars and


Light Trucks 3/4 Ton Can Be Used

27170









SKU 466511 3 599 25261 • Set Includes: Tie-Rod Spreader with 11/16

Wedge Opening, Ball-Joint Separator with 15/16" Jaw Opening, Pitman-Arm Wedge with 1-1/8" Opening, 8" Handle

5 Piece Pickle Fork Set









Service Tools

Block Testers



Block Tester SKU **391378** 🥠 🔼 **00**

STORE STOCK

 Locate Internal Combustion Leaks Quickly and Easily



Block Tester Test Fluid

OEM°

SKU **391381** 25739

799

#27145

8 Oz. Use with **Block Tester**

STORE STOCK

Piston Tools

Ring Compressor 2-1/8" - 5

SKU **531921** 25037 STORE STOCK

Ring Compressor 3-1/2" - 7

SKU **531947** 25039

STORE STOCK

- Designed with Double Friction Brake Adjustment and Hardened Tool Ratchet
- Constructed of High Grade Spring Steel With 1/4" Square Drive Adjuster
- Beaded Edge Prevents Tool from Entering Cylinder with Pistons

Ridge Reamer

SKU 532325 **2 1 99**

- Capacity 3" to 5" (76mm to 127mm)
- with Fine Pitch Screw for Smooth **Cutting Action**

Wrinkle Band Ring Compressor

SKU **246373 99** 25257

- 1-1/2" Deep Low Friction
- Wrinkle Band • Fits 3" to 5" Pistons



OEM

Piston Groove Cleaner

SKU **555680** 27038

STORE STOCK

• The Blades are Set in the Wheel Which May be Rotated to Bring the Desired Blade Into Position



Compression Gauge Kits

Professional Compression Test Kit

SKU **972276** MITMV5530

- Extended Hoses for
- Hard to Reach Cylinders • Large 2-3/4" Easy to Read Gauge
- Quick Disconnect Fittings
- Not for Diesel Engines



Compression **Tester Gauge Set** SKU **424906 100** 27138

STORE STOCK

• Test Engine Compression from 0-300 PSI on 14mm and 18mm Spark Plug Ports





25051

- Reversible Tungsten Carbide Cutter
- For Use on Conventional and Slant-Block Engines



Piston Ring Expander

SKU **532267 699** 25049

- Makes Installing Piston Rings Easy
- Works on Most Common Piston Diameters and Rings
- from 3/64" to 1/4" Thick • Comfortable Vinyl Grip



Cylinder Hones

Adjustable Engine Cylinder **Hone Deglazer**

SKU **532002** 25041

STORE STOCK

- Range: 2" to 7" (51mm to 128mm)
- Spring Tension Adjusting Nut for Positive Cutting Action at All Speeds
- Supplied with 4" Medium Grit Stones



Replacement **Stone Sets** SKU **141540**

2541C

STORE STOCK

• 3 Coarse Grit (#100) SKU **532036 199** 2541M

STORE STOCK • 3 Medium Grit (#220) SKU **532044 199** 2541F STORE STOCK • 3 Fine Grit (#400)

OEM

Engine Tools

Oil Pump Primer **Ford 1/4**

SKU **534537** 27061

STORE STOCK **Oil Pump Primer** Ford 5/16

SKU **534545 1 500** 27062

STORE STOCK

Oil Pump Primer GM V6-V8 534529 SKU **534529**

27060 STORE STOCK

• Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start



Serpentine Belt Tool

SKU **298547** 27115

STORE STOCK

• Provides Required Leverage and Clearance to Release Spring Pressure and Remove Tensioner Pulley



Universal **Camshaft Bearing Tool**

SKU 191677 🥠 🥎 🕦 99 27143

- Removes or Inserts Camshaft Bearings in Nearly All Engines.
- Set Includes Driving Shaft, Driving Shaft Extension, Expander Unit, (5) Split Driving Plugs, (2) Driving Collars and Center in Cone



Water Pump Socket

SKU **693857 2 100** 27109

STORE STOCK

 Use on Northstar 4.6 Cadillac and Oldsmobile Engines



6 Piece Noid Light Set SKU **948078**

27161

STORE STOCK

• For Checking Electrical Impulses from the Wiring Harness to the Fuel Injectors

Rear Main Bearing Seal Extractor & **Installer**

SKU **424905 299** 27147



D



5 Piece Master Cam Clamp Kit

SKU **186527 7**099 PBT70900

- Covers Most Single, Twin Cam and Quad
- Cam Engines • Locks Camshaft to Hold Valve Timing During Timing Belt Replacement
- Compact Design for Use in Small Engine Compartments

Fan Clutch Wrench Set SKU 110280 6999 27186

• Set Includes: 36, 40, 48, 54, 57, 68, 72, 76 and 83mm Wrench Sizes



OEM[®]

Master Freeze Plug Installation Tool Kit

SKU **965837 0 99**

27208 • Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines



Tool SKU **217379**



Water Pump Holding Tool for

SKU **094808** 🛖 🕦 **99** 27207

Pontiac and Saturn Platforms



Heavy Duty Spark Plug Boot Plier SKU **390900 299**

25542

STORE STOCK Designed to Remove Hard to Reach Spark

Plug Boots • Do Not Use When the Engine is Running



LIS43300

SKU **291409 1 Q 799** Quickly Removes and

Installs Fan Clutch When Repairing The Water Pump

Wrench Sizes Are 36mm, 1.5", 1 9/16", 41mm,

NEW **DOHC Cam Lock Holder**

Clutch

LIS36880 This Versatile Tool Easily Locks and Holds Both Camshaft Sprockets

SKU **291419** 🥠 📗

Firmly In Place Preserves The Engine Timing During Belt Or Chain Replacement



• Used with Engine Hoist to Lift Engine Into and Out of Engine Compartment

• Never Exceed the Weight Limits of the Chain (1,000 Lbs)

Self-Adjusting

Clutch Tool Kit

SKU **291356**

Specialty Engine Tools

Honda Crankshaft **Pulley Holding**

27176 • Holds Crankshaft Damp-



• Use for 2002-2008 GM 2.2L and 2.4L Eco Tech Engine in Chevrolet, Oldsmobile,



OEM[®] **Universal Fan Clutch Holding Tool** SKU 209526 **1** 99

the Pulley Fits Many GM. Ford and Dodge

• Aids in Changing Fan

Clutch by Holding



Clutch Tools

2" Spicer **Clutch Adjusting** Wrench

SKU **466497**

25161 For Internal Adjustment of Spicer Angle-Spring Heavy Duty Clutches Found on 50% of All Heavy Duty Trucks in the USA

Alianment Tool SKU **532622** 25063

12 to 12.7mm,15.8 to 16mm, 17.4 to 18mm, 21 to 22.2mm; Domestic: 0.561 to 0.590", 0.749 to 0.787" 0.812 to 0.874", 0.984 to 1.181"

Bushing Range: Import:

Drive Pin Installing Tool SKU **466577** 25580

Spacer Plate Drive Pins on the Pot-type 14" Flywheel

• Used For Making Initial Adjustments On Optional Self Adjusting Clutch Replacement Assemblies

27209



For Proper Installation of



Prices Subject To Change Without Notice.