



## Tire Service

### Alignment

#### 650 Imaging Aligner System CALL 1-877-298-6651 FOR PRICING

HOFEEWA712AL

The Geoliner 650 Imaging Alignment System Is Equipped With Our Basic Software Package Which Combines The Benefits Of Camera Technology And Quality At An Affordable Cost. Our Patented VODI Graphic Display is used with High-Definition (HD) Cameras to Provide Visual And Directional Assistance To The Technician During The Alignment Measuring Procedure. The Geoliner 650 Will Boost Your Shops Productivity By Allowing Technicians To Do More Alignments In Less Time Compared To Conventional Systems. (Shown With Optional Variable-Height Camera Support)



\$1,500.00  
 Mail in Rebate

Lift Gate Service  
 SKU 290017  
 HOFLIFTGATE **95<sup>00</sup>**

**NEW**

### Tire Repair

STORE STOCK

#### Euro Style Tire Patches for Passenger, SUV and Light Truck Tires

Mini Round, 1-3/8" . . . . .	SKU 576765 . . . . .	11-638 . . . . .	<b>6<sup>99</sup></b>
Small Round, 1-5/8" . . . . .	SKU 576762 . . . . .	11-645 . . . . .	<b>5<sup>99</sup></b>
Medium Round, 2" . . . . .	SKU 576763 . . . . .	11-655 . . . . .	<b>5<sup>99</sup></b>
Small Square, 1-1/2" . . . . .	SKU 576754 . . . . .	11-307/30 . . . . .	<b>7<sup>49</sup></b>
Medium Square, 1-7/8" . . . . .	SKU 576778 . . . . .	11-309/25 . . . . .	<b>7<sup>49</sup></b>



#### Radial Repair Units

Passenger Radial, 1-5/8" x 2-7/8" . . . . .	SKU 625155 . . . . .	11-413 . . . . .	<b>6<sup>99</sup></b>
Euro Style Radial, 2-1/4" x 4" . . . . .	SKU 219784 . . . . .	11-712 . . . . .	<b>12<sup>99</sup></b>

#### String-Type Repair Inserts

String-Type Insert, 4" Fat Brown . . . . .	SKU 576776 . . . . .	12-361 . . . . .	<b>8<sup>49</sup></b>
String-Type Insert, 8" Fat Brown . . . . .	SKU 576780 . . . . .	12-362/30 . . . . .	<b>8<sup>49</sup></b>



#### Combination Repair Units

Large Patch-Plug for 1/4" Injuries . . . . .	SKU 576779 . . . . .	13-382 . . . . .	<b>15<sup>99</sup></b>
--	----------------------	------------------	------------------------

#### Tire Repair Chemicals and Mounting Lubricants

Vulcanizing Cement, 8 oz. . . . .	SKU 576761 . . . . .	14-008 . . . . .	<b>5<sup>99</sup></b>
Rubber-Prep Cleaner, 32 oz. . . . .	SKU 576766 . . . . .	14-100 . . . . .	<b>7<sup>99</sup></b>
Bead Sealer, 32 oz. . . . .	SKU 576770 . . . . .	14-101 . . . . .	<b>9<sup>99</sup></b>
Euro Paste Mounting Lube, 6-1/2 Lbs. . . . .	SKU 605764 . . . . .	14-700 . . . . .	<b>12<sup>99</sup></b>
Liquid Mounting Lubricant, 1 Gallon . . . . .	SKU 605765 . . . . .	14-753PM . . . . .	<b>5<sup>99</sup></b>

#### Tire Valves

TR#412, 7/8", 0.453 Rim Hole . . . . .	SKU 078048 . . . . .	17-412-10 . . . . .	<b>4<sup>99</sup></b>
TR#413, 1-1/4", 0.453 Rim Hole . . . . .	SKU 576777 . . . . .	17-413-50 . . . . .	<b>10<sup>99</sup></b>
TR#413 with Chrome Sleeve & Cap . . . . .	SKU 078049 . . . . .	17-413-10 . . . . .	<b>6<sup>99</sup></b>
TR#414, 1-1/2", 0.453" Rim Hole . . . . .	SKU 605781 . . . . .	17-414-50 . . . . .	<b>12<sup>99</sup></b>
TR#415, 1-1/4", 0.625" Rim Hole . . . . .	SKU 576783 . . . . .	17-415-50 . . . . .	<b>18<sup>99</sup></b>
TR#418, 2", 0.453" Rim Hole . . . . .	SKU 576781 . . . . .	17-418-50 . . . . .	<b>14<sup>99</sup></b>
TR#572, Brass Truck Valve, 3-3/4" . . . . .	SKU 078051 . . . . .	17-572T-10 . . . . .	<b>12<sup>99</sup></b>
1-1/4" High Pressure Valve . . . . .	SKU 078053 . . . . .	17-600HP-10 . . . . .	<b>4<sup>99</sup></b>



#### Tire Valve Accessories and Tools

Valve Core, High Temp (Red) . . . . .	SKU 576774 . . . . .	17-490HT . . . . .	<b>11<sup>99</sup></b>
Valve Cap, Black Plastic . . . . .	SKU 576757 . . . . .	17-492 . . . . .	<b>1<sup>29</sup></b>
Tread Depth Gauge . . . . .	SKU 605801 . . . . .	17-607 . . . . .	<b>1<sup>99</sup></b>

### Tire Accessories

#### 3 Piece Wheel Protector Impact Socket Set 1/2" Drive

SKU 972769 **59<sup>99</sup>**  
 24222

- Includes Sizes 17mm, 19mm and 21mm
- Durable Outer Sleeve and Insert Keeps Wheels and Lug Nuts From Damage During Installation



#### 3 Piece 1/2" Drive Extra-Thin Wall Wheel/ Nut Protector Impact Socket Set

SKU 094646 **19<sup>99</sup>**  
 25583

- 17mm / 11/16" - Blue
- 19mm / 3/4" - Yellow
- 21mm / 13/16" - Red



#### 9 Piece SAE & Metric Wheel Protector Impact Socket - 1/2" Drive Extra Thin Wall

SKU 965856 **79<sup>99</sup>**  
 24224

- Durable Outer Sleeve and Insert Protects High Polished Wheels and Lug Nuts
- Includes: 6 SAE Sockets in Sizes: 3/4" (Light Green), 7/8" (Green), 13/16" (Purple), 15/16" (Brown), 1" (Silver) and 1-1/16" (Black)
- 3 Metric Sockets in Sizes: 17mm (Blue), 19mm (Yellow) and 21mm (Red)



#### 5 Piece Torque Limiting Extension Set - 1/2" Drive

SKU 965858 **99<sup>99</sup>**  
 24220

- Includes Sizes: 65 Ft/Lbs Extension x 90 Nm, 80 Ft/Lbs Extension x 110 Nm, 100 Ft/Lbs Extension x 135 Nm, 120 Ft/Lbs Extension x 160 Nm, 140 Ft/Lbs Extension x 190 Nm



#### 10 Piece Torque Limiting Extension Set - 1/2" Drive

SKU 965855 **199<sup>99</sup>**  
 24221

- Includes Sizes: 17mm x 55 Ft/Lb x 75 Nm, 17mm x 80 Ft/Lb x 110 Nm, 21mm x 80 Ft/Lb x 110 Nm, 19mm (3/4") x 100 Ft/Lb x 135 Nm, 19mm (3/4") x 65 Ft/Lb x 90 Nm, 19mm (3/4") x 80 Ft/Lb x 110 Nm, 22mm (7/8") x 120 Ft/Lb x 160 Nm, 22mm (7/8") x 140 Ft/Lb x 190 Nm, 3/16 x 100 Ft/Lb x 135 Nm and 15/16 x 140 Ft/Lb x 190 Nm
- Flexible Chrome Moly Steel Stops Turning When Required Torque is Reached



#### 9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU 965865 **49<sup>99</sup>**  
 24225

- Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch



### Alignment

#### FWA 4630 Easy 3D Image Wheel Alignment System CALL 1-877-298-6651 FOR PRICING

BOSF00E900648

No Space Required In Front Or Behind The Lift.

- Easily Transfers From Bay To Bay
- 4 Wheel Alignment Measurements In Less Than 4 Minutes
- Quick Audit Measurements Without An Alignment Rack
- No Calibration Required; Compatibility To Driver Assistance Calibration Devices

\*\*Note: Lift And Car Not Included



Lift Gate Service  
 SKU 298692  
 BOSLIFTGATE **50<sup>00</sup>**

**NEW**

### Alignment

#### Tru Align Wheel Alignment Adapter Kit

SKU 289907 **1,615<sup>00</sup>**  
 TRU001

- Takes The Wheel Out Of The Alignment Equation
- Mount Alignment Heads To Any Diameter Wheel
- Eliminates The Need For Adapters And Extensions
- Mounts The Head Without Touching The Wheel Preventing Damage To The Wheel
- Adapts To Wheels That Do Not have A Lip Surface Available
- Works With All Current Alignment Machines, New Or Old

**NEW**




#### Tru Align Roll Around Storage Cart

SKU 289908 **440<sup>00</sup>**  
 TRU002

- Rated At Over 600Lbs Capacity
- Roller Bearing Drawers
- Heavy Duty Casters
- Single Point Lock For Both The Top And Drawers

Alignment and Adapter Kit Not Included



#### Tru Align Storage Case

SKU 289891 **132<sup>00</sup>**  
 TRU003

- Organize And Inventory All Parts At A Glance



### Bead Seating Tool



#### 5 Gallon Bead Seating Tool

SKU 972321 **249<sup>99</sup>**  
 TSICH05

- The Ch-5 Cheetah™ Bead Seater™ Makes Seating the Most Difficult Bead not Only Safe but Simple, Fast and Economical
- Designed for Commercial Use on All Tires ATV to 24-1/2" Truck Tires, the Ch-5 Cheetah Bead Seater Takes the Work Out of Seating Tire Beads

### Wheel Weights

**NEW**

#### 732 Piece Starter Wheel Weight Assortment Kit with 8 Styles

SKU 290015 **415<sup>99</sup>**  
 HOFCEW150Z

- Contains All Seven Alloy Series, Including "LH" Series
- The Ideal Assortment For Total Alloy Wheel Coverage



### Tire Test Tank

#### Tire Tube Test Tank

SKU 291382 **59<sup>99</sup>**  
 LIS19822



- The Tank Features Reinforcement Ribs For Extra Support
- Will Handle Passenger Tire Sizes To Wide Oval And Light Duty Truck Tires
- Dimensions 31" X 12" X 12"

**NEW**



### Wheel Tool

#### Wheel Weight Tool

SKU 217378 **14<sup>99</sup>**  
 25690

- Tool Installs, Removes, Trims and Tightens All Types of Clip-on Wheel Weights



### Tire Service

For a complete listing of Tire Changers, Wheel Balancers and any other Tire Service products, call your AutoZone Customer Service Representative at **1-877-298-6651.**

### Tire Changers

#### RimGuard™ Touchless / Leverless Tire Changer

SKU 977526 **8,645<sup>00</sup>**  
RANRX3040

- Turbo Blast Bead Seating System
- Drive System: Air/Electric-Hydraulic-208-220 Vac
- Wheel Clamping Capacity: 10" to 30"
- Tire Width: 3" to 22"
- Max Tire Diameter: 44"
- Easy View Camera and LCD Monitor To View Underside Operation
- Extra Wheel Protection Package Included
- **NO MORE HEAVY LIFTING**



**Lift Gate Service**  
SKU 262533 RANLIFTGATE **135<sup>00</sup>**

Leasing Terms Available. Ask Your AutoZone® Commercial Specialist. **Free Delivery!**

#### Tilt Back 23" Capacity Tire Changer/NextGen™ Series

SKU 980172 **1,805<sup>00</sup>**  
RANR23LT

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



**Lift Gate Service**  
SKU 262533 RANLIFTGATE **135<sup>00</sup>**

Leasing Terms Available. Ask Your AutoZone® Commercial Specialist. **Free Delivery!**

### Tire Changers

#### Model 5035E Tire Changer

SKU 988892 **3,199<sup>99</sup>**  
AMM8047106

- Electric Drive Turntable for Reduced Noise
- Rim Diameter External: 12"-19" External
- Rim Diameter Internal: 15"-22" Internal
- Rim Width: 10" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

Leasing Terms Available. Ask Your AutoZone® Commercial Specialist. **Free Delivery!**

#### Model 5045E Tire Changer

SKU 988894 **3,599<sup>99</sup>**  
AMM8047107

- Rim Diameter External: 10"-21"
- Rim Diameter Internal: 12"-24"
- Rim Width: 10.5" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

Leasing Terms Available. Ask Your AutoZone® Commercial Specialist. **Free Delivery!**

#### Model 50X Rim Clamp Tire Changer

SKU 979896 (Air) **6,199<sup>99</sup>** SKU 979902 (Electric) **6,199<sup>99</sup>**  
AMM80050XAF2 AMM80050XEF2

- Exclusive Pedal-Actuated X-Shaped Tabletop
- Extended Tabletop Services a Broader Range of Wheels
- Rim Diameter External: 6" - 22"
- Rim Diameter Internal: 8" - 24"
- Rim Width: 14"

**\$5899**  
After Manufacturer's \$300 Rebate\* for Tire Changers AMM80050XAF2 and AMM80050XEF2



**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

Leasing Terms Available. Ask Your AutoZone® Commercial Specialist. **Free Delivery!**

### Wheel Balancers

#### Model 1000 Wheel Balancer

SKU 212808 **3,299<sup>99</sup>**  
AMM85009045

- Powerful Direct Drive Motor and Microprocessor for Fast Cycle Times
- Eight Separate Balancing Modes
- Ounce/Gram Selectable Readings with Round Off
- Automatic Self Calibration

- 28mm Shaft Standard, Can be Converted by Purchasing a 40mm Conversion Kit
- Includes: 4 Standard Cones, Back Cone Spring, Hub Nut and Pressure Drum, Width Calipers, Wheel Weight Pliers and Storage Shelves



Leasing Terms Available. Ask Your AutoZone® Commercial Specialist. **Free Delivery!**

**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

**coats**

#### Digital Wheel Balancer

SKU 977528 **1,530<sup>00</sup>**  
RANDST2420

- Motor 3/4 HP, 110v/220v 50/60hz 1 PH
- Balancing Modes: Dynamic/Static/3-Alloy
- Cycle Time: 6 to 9 Seconds
- Self Calibrating
- Max Tire Diameter 47"/1194mm
- Max Tire Weight: 145 Lbs
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz
- Accuracy: ± 1 gram / .035 Oz.



Leasing Terms Available. Ask Your AutoZone® Commercial Specialist. **Free Delivery!**

**Lift Gate Service**  
SKU 262533 RANLIFTGATE **135<sup>00</sup>**

#### Model 775 Wheel Balancer

SKU 210246 **2,999<sup>99</sup>**  
AMM85007775

- For Low to Medium Volume Shops
- Handles Assemblies Up to 100 Lbs
- Integrated LED Matrix Display; Easy to Read Visual Cues and Keypad Promote Proper Balancing Techniques and Faster Bay Turnaround Times
- 10 Balancing Modes; Multiple Static, Dynamic and Alloy Modes
- Self Calibrating; Provides Balancing Accuracy Within 1/100 of an Ounce

**coats**

**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

#### Model 875 Wheel Balancer

SKU 210248 **4,099<sup>99</sup>**  
AMM85008875

- For Low to Medium Volume Shops
- Standard Four Cone Set Can Handle Wheels Up to 130 Lbs
- Automatic Distance and Diameter Entry; Automatic Measurement of Two Parameters with Manual Control Back-Ups
- Auto Start Hood; Balancing Cycle Begins When You Lower the Hood

**coats**

**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**



**Tire Service**

**Tilt Back 23" Capacity Tire Changer-NextGen™ Series with Single Assist Tower**

SKU 980171 RANR23AT **2,655<sup>00</sup>**

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



**Lift Gate Service**  
 SKU 262533 RANLIFTGATE **135<sup>00</sup>**

**Leasing Terms Available.**  
 Ask Your AutoZone® Commercial Specialist.  
**Free Delivery!**

**Model 70X Run Flat Tire Changer**

SKU 979911 (Air) SKU 979917 (Electric)  
 AMM80070XAF3 AMM80070XEF3  
**8,299<sup>99</sup> 8,299<sup>99</sup>**  
 Before Rebate Before Rebate

- Robo-Arm™ Assists in Top Bead Mounting for Stiff Sidewalls, Low Profiles and Run Flat Tires
- Wheel Weight and Tool Storage Cabinet
- Rim Diameter External: 6" to 22"
- Rim Diameter Internal: 8" to 24"
- Rim Width: 14" Max
- Bead Loosening: Hand or Foot Controlled



**\$7549**  
 After Manufacturer's \$750 Rebate\*  
 for Tire Changers AMM80070XAF3 and AMM80070XEF3

**Lift Gate Service**  
 SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

**Leasing Terms Available.**  
 Ask Your AutoZone® Commercial Specialist.  
**Free Delivery!**

\* Call Your AutoZone Customer Service Agent for Rebate Details.

**NEW Tire Changers from BOSCH**

**BOSCH**

**TC 220S Swing Arm Tire Changer**

SKU 289888 BOSF00E900183 **1,992<sup>00</sup>**

- Powerful Bead Loosening Force With Pivoting Side Shovel
- Proven Swing Arm Design with Outside Clamping Up to 20"
- The Mount/Demount Shaft Has a Rigid Hexagonal Design While Inflation Jets That Are Built Into Clamps Ensure Easy Bead Seating
- For a Safer Inflation Process, There is a Tire Pressure Inflation Limiter

**Lift Gate Service**  
 SKU 298692 BOSLIFTGATE **50<sup>00</sup>**



**TCE 4225 Swing Arm Tire Changer**

SKU 289887 BOSF00E900666 **3,245<sup>00</sup>**

- The TCE 4225 features classic swing arm design with external clamping up to 20". The high performance mount/demount head with tire iron slot can be utilized to apply additional pressure to help mount difficult tires. The turntable includes opposing jaws with built-in inflation jets. This tire changer is built to exceptionally high quality standards and is backed by an extended warranty of one year on parts, three years on the motor and five years on the transmission.
- Maximum Rigidity and Turntable Torque
  - High Performance Mount/Demount Head With Tire Iron Slot
  - Opposing Adjustable Jaws with Inflation Jets
  - 3-Position Telescopic Bead Breaker
  - Safety Restraint Inflation System and Pressure Limiter for Safer Tire Inflation

**Lift Gate Service**  
 SKU 298692 BOSLIFTGATE **50<sup>00</sup>**



**TCE 4230 Swing Arm Tire Changer**

SKU 289885 BOSF00E900668 **6,895<sup>00</sup>**

- The TCE 4230 SFA handles passenger vehicles rims with external clamping up to 26", and accommodates tires up to 44" in diameter. It ensures that the top bead remains in the bead center when mounting difficult tires, and prevents accidental bead reseating. The TCE 4230 is also available without the articulating following arm.
- Maximum Rigidity And Turntable Torque
  - High Performance Mount/Demount Head with Tire Iron Slot, Ideal for Mounting Low Profile Tires
  - Non-Opposing Adjustable Jaws with Inflation Jets
  - Ideal for Servicing Tire Pressure Monitoring Systems (Tpms)
  - Wheel Restraint Inflation System and Pressure Limiter for Safer Tire Inflation
  - Standard Zeppa Bead Depressor Tool

**Lift Gate Service**  
 SKU 298692 BOSLIFTGATE **50<sup>00</sup>**

**NEW Wheel Balancers from BOSCH**

**WBE 4140 LCD Monitor Compact Wheel Balancer**

SKU 289890 BOSF00E900661 **3,795<sup>00</sup>**

- A Modern Solution To Maximize Use Of Advanced Wheel Balancer Capabilities, With Brilliant Monitor Display That Offers Unparalleled Ease Of Use. This Efficient Balancing Service Is for Passenger Cars, Motorcycles and Light Commercial Size Vehicles. Inner Arm Automatically Records Diameter and Distance (2D) Of Inner Weight Locations. Optional Automatic Outer Measurement Arm (1695655885) Records Width Measurement (3D) Of Outer Weight Location. Small Footprint Balancer Ideal for Shops With Limited Space
- Multiple Static and Dynamic Balance Modes
  - Hidden Spoke Balancing Modes
  - Positioning Pedal Locks Wheel During Weight Attachment
  - Space-Saving Hood Included Standard
  - Quick Clamp Wingnut
  - Extended 40 Mm Shaft
  - Standard Five Cone Passenger Car Cone Kit (44-130 mm), Light Truck (Lt) Spacer

**Lift Gate Service**  
 SKU 298692 BOSLIFTGATE **50<sup>00</sup>**



**WBE 4110 Digital Compact Wheel Balancer**

SKU 289889 BOSF00E900660 **2,945<sup>00</sup>**

- Economical Entry Level Digital Balancer Offers Automatic Distance and Diameter Measurement (2D) Data Entry. The Control Panel Is Simple and Intuitive for Increased Functionality. The Invisible Weight Mode Hides Weights Behind Spokes, While The Weight Optimization Mode Measures Individual Rim and Tire Imbalance, Allowing The Technician To Match Tire/Rims for Reduced Weight Use.
- Positioning Pedal Locks The Wheel During Weight Attachment
  - Space Saving Hood Supplied Standard
  - Quick Clamp Wingnut
  - Extended 40 Mm Shaft
  - Standard Five Cone Passenger Care Cone Kit (44-130 mm), Lt (Light Truck) Spacer Ring

**Lift Gate Service**  
 SKU 298692 BOSLIFTGATE **50<sup>00</sup>**



**Tire Changer**



**HOFMANN**  
**1520 Tire Changer with 10"-20" Clamping**  
 SKU 290001 HOFM1520110 **2,888<sup>99</sup>**

- Overall Wheel Clamping Diameter 10" - 20"
- Inner-Wheel Clamping Diameter: 12" - 20"
- Outer-Wheel Clamping Diameter: 10" - 18"
- Bead Breaker Range: 2" - 13"
- Bead Loosening Power : 6,000 lbs.
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40"
- Work Area Dimensions: (DxWxH) 72"x68"x85"
- Air Requirements: 100 to 175 PSI @ 5 CFM
- Power Requirements: 120V, 1Ph, 60HZ

**NEW**

**Lift Gate Service**  
 SKU 290017 HOFLIFTGATE **95<sup>00</sup>**

**Wheel Balancer**



**2350 Wheel Balancer With 10 Balancing Modes**  
 SKU 290002 HOFEEWB701D **2,715<sup>99</sup>**

- Maximum Wheel Width: 21"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 48"
- Max Wheel & Tire Assembly Weight: 150 Lbs
- Motor: 1 HP (Acceleration HP)
- Accuracy: 1g or 0.05 oz
- Balancing Modes: 10
- Dimensions (DxWxH): 16.5"x29.5"x40"
- Power Requirements: 120V, 1Ph, 60HZ

**NEW**

**Lift Gate Service**  
 SKU 290017 HOFLIFTGATE **95<sup>00</sup>**